PSYCHIATRIC
LENGTH OF STAY

Psychiatric Length of Stay by Diagnosis United States, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
November, 1991

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the Psychiatric Length of Stay by Diagnosis series:

Psychiatric Length of Stay by Diagnosis, United States, 1990
ISSN 0898-0543

Psychiatric Length of Stay by Diagnosis, Northeastern Region, 1990
ISSN 0898-0527

Psychiatric Length of Stay by Diagnosis, North Central Region, 1990
ISSN 0898-249X

Psychiatric Length of Stay by Diagnosis, Southern Region, 1990
ISSN 0898-0519

Psychiatric Length of Stay by Diagnosis, Western Region, 1990
ISSN 0898-0535

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither CPHA nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

CONTENTS

Introduction v

Description of the Database vi
Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii
Diagnosis Classification Categories
Hospital Service Type
Patient Data Stratification

Explanation of the Statistics x
Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xi

Psychiatric Length of Stay Tables 1

Appendix A
1990 Hospital Characteristics 177
Table 1: Universe of Hospitals
Table 2: Hospitals With Psychiatric Units
Table 3: Hospitals Without Psychiatric Units

Appendix B
Description of Hospital Characteristics 180

Appendix C
State Inclusions By Region 181

Appendix D
Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 182

Appendix E
Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 190

Appendix F
Crosswalk From *DSM-III-R* to *ICD-9-CM* 198

ACKNOWLEDGEMENTS

1990 PSYCHIATRIC LENGTH OF STAY BY DIAGNOSIS

PROJECT TEAM:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda E. Vanek, Manager, Normative Products
Helen Garcia, Programmer Analyst
Jan Sweet, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources.

We offer a special thank-you to the following individuals for their assistance:

Joyce Beach, Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, software, and magnetic media. The Psychiatric Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States during 1990. This book is one volume in a set of five books. The complete set is the latest in a series of publications on psychiatric length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Psychiatric Length of Stay by Diagnosis*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

SOURCE OF THE DATA

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.

2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.

5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

HOSPITAL CHARACTERISTICS

Data chosen for inclusion in the Psychiatric Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in the tables in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

DIAGNOSIS CLASSIFICATION CATEGORIES

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*[1], updated as of October 1, 1990. This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix D lists, in numerical order, the *ICD-9-CM* diagnosis codes in the tables, their accompanying description, and the page number of the table. Appendix E lists, in alphabetical order, the *ICD-9-CM* psychiatric diagnoses description and accompanying numerical codes along with the page number of the table. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included in Appendix F.)

HOSPITAL SERVICE TYPE

The tables are also categorized by hospital service unit.[2] The divisions are:

a. **Hospitals with a psychiatric unit/beds** – nonfederal, short-term general hospitals reporting a psychiatric unit or beds set-up.

b. **Hospitals without a psychiatric unit/beds** – nonfederal, short-term general hospitals that do not report a psychiatric unit or beds set-up.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, long-term psychiatric hospitalization, or partial hospitalization.

PATIENT DATA STRATIFICATION

The psychiatric length of stay data are stratified into two patient groups, by sex, and by six age ranges. The age categories have been collapsed from the seven groups previously presented to six. This provides a more accurate breakdown of adolescent, teen, young adult, middle and senior adult length of stay patterns.

Patient Groups

Patients in the tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that, after study, explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code only (*ICD-9-CM* 290-314.9) or patients having the specified psychiatric principal diagnosis code and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table as their only diagnosis. Alternatively, a patient with the same principal psychiatric diagnosis and a secondary diagnosis of diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9).

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

0-12 (includes newborns)
13-19
20-34
35-49
50-64
65+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF THE STATISTICS

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

TOTAL NUMBER OF PATIENTS

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

AVERAGE LENGTH OF STAY

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

VARIANCE

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

DISTRIBUTION PERCENTILES

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

SUBTOTAL AND GRAND TOTAL

The subtotal represents the total patients in each of the two patient groups. The Grand Total represents the total number of patients in the specified psychiatric diagnosis category within one of the two hospital service type categories.

USING THE TABLES

The Psychiatric Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Appendix at the back of the book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Length of Stay tables; the *ICD-9-CM* diagnosis code number follows the English title of each table.

Step 3: Find the appropriate portion of the table for review:

- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1216	18.6	289	1	5	14	28	45	62	99+	227	7.0	133	1	1	2	8	19	27	70
13-19	3986	15.2	217	1	4	11	22	36	47	83	753	9.3	140	1	1	3	14	28	34	50
20-34	12220	11.6	128	2	4	8	16	27	33	55	3562	10.6	119	1	3	6	15	28	30	50
35-49	11192	11.5	123	2	4	8	16	27	32	54	3415	10.0	114	2	3	6	14	26	29	49
50-64	5010	12.6	120	2	4	10	18	28	32	50	1538	9.5	100	2	3	5	14	24	28	48
65 +	5526	13.4	141	3	5	10	18	28	36	68	2005	9.7	116	2	3	6	12	22	30	67
ALL AGES	39150	12.6	143	2	4	9	18	28	36	62	11500	10.0	116	1	3	6	14	26	29	53
B. FEMALE																				
0-12 YRS.	749	17.0	245	1	4	13	27	40	50	99+	194	7.7	141	1	1	3	7	22	31	58
13-19	5016	14.3	197	2	4	10	20	33	44	82	836	9.2	131	1	1	4	13	27	33	52
20-34	12716	11.3	120	2	4	8	15	25	32	56	3091	9.5	105	1	3	6	13	23	29	50
35-49	12745	12.6	122	2	5	10	17	27	33	56	2781	9.9	124	2	3	6	13	24	31	58
50-64	7427	14.2	124	3	6	12	19	28	35	55	1583	10.9	138	2	3	7	15	27	34	60
65 +	10904	15.7	169	3	7	13	21	32	42	68	3128	9.8	111	2	4	6	12	22	34	99+
ALL AGES	49557	13.4	145	2	5	10	18	28	36	63	11613	9.8	119	1	3	6	13	24	31	61
SUBTOTAL	**88707**	**13.1**	**143**	**2**	**4**	**10**	**18**	**28**	**36**	**62**	**23113**	**9.9**	**117**	**1**	**3**	**6**	**14**	**25**	**30**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2077	26.6	290	7	15	25	35	51	65	99+	188	29.5	530	3	9	25	47	63	77	99+
13-19	6360	19.3	259	3	7	15	28	41	53	93	1097	16.2	194	1	4	11	28	36	42	50
20-34	18341	10.9	100	2	4	7	16	25	29	45	7219	9.5	85	2	4	5	14	25	28	38
35-49	15557	10.2	85	2	4	7	14	23	28	43	7316	8.1	66	2	4	5	9	21	28	34
50-64	5032	11.2	107	2	4	8	15	25	30	51	2256	8.5	75	2	3	5	10	22	28	39
65 +	3440	14.2	139	3	6	11	19	29	37	61	1193	9.7	92	2	4	7	12	22	28	49
ALL AGES	50807	12.6	144	2	4	9	18	28	35	61	19269	9.4	96	2	4	5	12	25	28	43
B. FEMALE																				
0-12 YRS.	830	24.5	296	6	13	22	34	51	68	99+	134	22.7	388	3	7	19	33	55	63	97
13-19	6782	18.3	254	3	7	14	27	41	54	99+	1024	16.8	242	2	4	12	27	40	46	66
20-34	16515	11.6	116	2	4	8	16	26	31	54	4589	10.0	92	2	4	6	14	25	28	43
35-49	13169	12.1	107	2	5	9	17	26	31	50	3301	9.4	89	2	3	6	13	23	28	42
50-64	4912	13.8	132	3	6	11	19	28	35	59	1195	9.8	103	2	3	6	13	24	29	45
65 +	5739	16.2	158	4	7	13	22	32	41	67	1398	10.6	118	2	4	7	14	25	34	73
ALL AGES	47947	13.7	150	3	5	10	19	29	38	67	11641	10.6	118	2	4	7	14	27	31	54
SUBTOTAL	**98754**	**13.1**	**148**	**2**	**4**	**10**	**19**	**28**	**36**	**63**	**30910**	**9.9**	**104**	**2**	**4**	**5**	**13**	**26**	**29**	**47**
GRAND TOTAL	**187461**	**13.1**	**146**	**2**	**4**	**10**	**18**	**28**	**36**	**63**	**54023**	**9.9**	**110**	**2**	**3**	**6**	**13**	**25**	**30**	**51**

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	24.3	143	17	17	18	33	38	38	38										
65 +	157	10.6	81	2	4	8	14	25	30	38	54	9.2	62	2	4	7	13	16	27	41
ALL AGES	160	10.9	84	2	4	8	14	25	31	38	54	9.2	62	2	4	7	14	18	29	97
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	11.7	36	5	7	13	16	17	17	17	1	8.0		8	8	8	8	8	8	8
65 +	248	11.8	147	3	5	9	15	27	43	99 +	134	10.9	213	3	4	7	12	24	51	99 +
ALL AGES	251	11.8	145	3	5	9	15	26	43	99 +	135	10.9	211	3	4	7	11	24	51	99 +
SUBTOTAL	**411**	**11.5**	**120**	**3**	**5**	**8**	**14**	**25**	**35**	**99 +**	**189**	**10.4**	**169**	**2**	**4**	**7**	**13**	**23**	**49**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	38	13.4	115	5	7	10	16	31	47	99 +	23	7.2	33	2	3	5	10	19	20	20
ALL AGES	38	13.4	115	5	7	10	16	31	47	99 +	23	7.2	33	2	3	5	10	19	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	6.0		6	6	6	6	6	6	6										
65 +	82	13.9	107	5	7	10	18	28	37	49	21	9.5	229	2	4	5	9	16	43	73
ALL AGES	83	13.8	107	5	7	10	18	28	36	49	21	9.5	229	2	4	5	9	16	43	73
SUBTOTAL	**121**	**13.7**	**108**	**5**	**7**	**10**	**17**	**28**	**37**	**70**	**44**	**8.3**	**125**	**2**	**3**	**5**	**9**	**18**	**19**	**73**
GRAND TOTAL	**532**	**12.0**	**118**	**3**	**5**	**9**	**15**	**26**	**35**	**99 +**	**233**	**10.0**	**161**	**2**	**4**	**6**	**12**	**20**	**44**	**99 +**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	31.0	349	3	21	40	41	41	41	41	1	3.0		3	3	3	3	3	3	3
35-49	8	10.9	55	5	6	7	16	23	24	24	2	14.0	2	13	13	14	15	15	15	15
50-64	43	13.3	128	2	5	10	18	28	37	50	9	15.9	311	2	5	9	47	99 +	99 +	99 +
65 +	415	11.7	146	3	5	9	14	25	37	99 +	198	13.3	250	3	4	8	15	31	58	93
ALL AGES	470	12.0	147	3	5	9	15	26	39	98	210	13.4	247	3	4	8	16	34	64	99 +
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	90.0		90	90	90	90	90	90	90										
35-49	3	13.7	5	11	12	14	15	16	16	16	2	9.0		9	9	9	9	9	9	9
50-64	45	12.1	101	2	4	10	18	36	99 +	99 +	19	11.9	127	3	4	7	14	31	38	42
65 +	587	12.4	165	3	5	9	15	25	38	75	270	12.6	225	3	4	8	16	49	99 +	99 +
ALL AGES	636	12.5	168	3	5	9	15	27	41	94	291	12.5	217	3	4	8	16	42	99 +	99 +
SUBTOTAL	**1106**	**12.3**	**159**	**3**	**5**	**9**	**15**	**26**	**39**	**96**	**501**	**12.9**	**229**	**3**	**4**	**8**	**16**	**41**	**81**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	5	10.8	14	5	10	12	15	91	99 +	99 +										
50-64	6	15.2	65	7	8	14	21	25	26	26	6	9.8	29	3	4	11	14	16	16	16
65 +	97	13.1	118	3	6	10	16	28	34	58	44	13.1	153	3	4	9	17	30	39	60
ALL AGES	108	13.1	110	4	6	10	17	27	35	78	50	12.7	138	3	4	9	16	29	39	60
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	11.0	98	4	4	11	18	18	18	18										
35-49																				
50-64	15	15.7	253	5	8	10	15	34	59	67	4	14.5	175	5	6	9	22	34	34	34
65 +	139	14.6	95	4	7	12	20	30	38	99 +	57	14.5	250	3	4	8	16	42	59	98
ALL AGES	156	14.7	107	4	7	12	20	30	38	97	61	14.5	242	3	5	8	16	40	58	97
SUBTOTAL	**264**	**14.0**	**110**	**4**	**7**	**12**	**19**	**28**	**36**	**94**	**111**	**13.7**	**194**	**3**	**5**	**9**	**16**	**35**	**47**	**84**
GRAND TOTAL	**1370**	**12.7**	**148**	**3**	**5**	**9**	**16**	**27**	**38**	**98**	**612**	**13.0**	**224**	**3**	**4**	**8**	**16**	**39**	**70**	**99 +**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	6	21.5	97	12	12	21	25	37	38	38										
65 +	141	15.9	136	5	8	13	20	32	46	99 +	35	10.9	172	3	4	7	12	27	59	99 +
ALL AGES	147	16.1	136	5	8	14	20	33	46	99 +	35	10.9	172	3	4	7	12	27	59	99 +
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	9	19.8	235	7	10	14	27	46	54	54										
65 +	377	17.6	126	6	10	15	21	32	43	55	53	12.7	112	3	6	10	14	30	41	43
ALL AGES	386	17.6	130	6	10	15	22	32	43	55	53	12.7	112	3	6	10	14	30	41	43
SUBTOTAL	**533**	**17.2**	**131**	**6**	**10**	**15**	**21**	**32**	**43**	**62**	**88**	**12.0**	**134**	**3**	**5**	**9**	**14**	**29**	**41**	**85**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	14.0		14	14	14	14	14	14	14										
50-64	1	15.0		15	15	15	15	15	15	15										
65 +	41	18.9	126	6	13	16	25	33	39	58	6	6.7	11	3	5	6	7	12	13	13
ALL AGES	43	18.7	121	6	13	16	24	32	39	58	6	6.7	11	3	5	6	7	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	4	17.8	337	2	5	12	30	44	44	44										
65 +	102	17.5	132	6	10	15	23	32	37	62	17	14.4	112	3	7	13	22	28	35	39
ALL AGES	106	17.5	137	6	9	15	23	32	39	62	17	14.4	112	3	7	13	22	28	35	39
SUBTOTAL	**149**	**17.8**	**133**	**6**	**10**	**15**	**23**	**32**	**39**	**58**	**23**	**12.4**	**96**	**3**	**5**	**8**	**16**	**28**	**32**	**39**
GRAND TOTAL	**682**	**17.3**	**133**	**6**	**10**	**15**	**22**	**32**	**43**	**61**	**111**	**12.1**	**125**	**3**	**5**	**9**	**14**	**28**	**41**	**76**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	4.0		4	4	4	4	4	4	4
35-49	1	19.0		19	19	19	19	19	19	19	1	5.0		5	5	5	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8										
65 +	203	12.6	109	3	6	10	16	25	36	83	87	7.7	35	2	3	6	11	15	18	31
ALL AGES	205	12.6	108	3	6	10	16	25	36	83	89	7.7	34	2	3	6	11	15	18	31
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	5	15.8	133	4	10	19	83	99 +	99 +	99 +										
65 +	344	11.4	75	3	5	9	15	22	30	57	157	10.2	130	3	4	7	11	22	39	82
ALL AGES	349	11.5	75	3	5	9	16	23	32	99 +	157	10.2	130	3	4	7	11	22	39	82
SUBTOTAL	**554**	**11.9**	**87**	**3**	**5**	**10**	**16**	**23**	**33**	**99 +**	**246**	**9.3**	**96**	**3**	**4**	**7**	**11**	**18**	**26**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	20.3	186	12	12	13	30	36	36	36										
65 +	59	13.5	73	3	7	13	18	26	29	39	21	7.0	25	2	4	6	10	17	52	99 +
ALL AGES	62	13.8	79	4	8	13	18	27	32	40	21	7.0	25	2	4	6	10	17	52	99 +
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	8.0	2	7	7	8	9	9	9	9										
65 +	94	14.6	131	3	7	11	19	32	38	52	24	18.4	388	3	4	8	35	46	62	68
ALL AGES	96	14.5	128	3	7	11	18	32	38	52	24	18.4	388	3	4	8	35	46	62	68
SUBTOTAL	**158**	**14.2**	**109**	**3**	**7**	**11**	**18**	**30**	**35**	**49**	**45**	**13.1**	**247**	**3**	**4**	**7**	**15**	**42**	**62**	**99 +**
GRAND TOTAL	**712**	**12.4**	**93**	**3**	**6**	**10**	**17**	**26**	**34**	**79**	**291**	**9.8**	**122**	**3**	**4**	**7**	**11**	**20**	**37**	**77**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34																				
35-49	5	12.4	106	2	3	12	21	26	26	26	1	7.0		7	7	7	7	7	7	7
50-64	33	18.5	335	2	7	13	23	45	54	83	11	12.9	184	1	3	11	12	39	41	41
65 +	329	12.3	149	4	6	9	15	24	36	99 +	123	10.3	94	3	4	7	13	22	31	48
ALL AGES	368	12.8	168	3	6	9	15	26	40	99 +	135	10.5	100	2	4	7	12	22	36	48
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	10.0	50	5	5	10	15	15	15	15
35-49	1	14.0		14	14	14	14	14	14	14	1	9.0		9	9	9	9	9	9	9
50-64	33	11.2	88	3	5	8	18	28	36	99 +	2	15.5	421	1	1	15	30	30	30	30
65 +	455	13.3	138	4	6	10	16	27	40	62	167	11.4	140	3	5	8	13	25	39	71
ALL AGES	489	13.2	133	3	6	10	16	27	39	63	172	11.4	140	3	5	8	13	26	39	71
SUBTOTAL	**857**	**13.0**	**149**	**3**	**6**	**10**	**16**	**27**	**39**	**93**	**307**	**11.0**	**122**	**3**	**5**	**8**	**13**	**23**	**38**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	10.0	27	4	6	13	13	13	13	13										
50-64	16	15.3	276	3	4	12	19	26	57	70	5	20.2	469	1	4	8	41	48	48	48
65 +	100	15.7	252	4	6	11	19	35	58	91	25	12.6	131	3	5	10	14	30	38	49
ALL AGES	119	15.5	248	3	6	11	19	33	59	88	30	13.8	183	2	5	9	16	36	48	49
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	39.0		39	39	39	39	39	39	39										
50-64	13	15.1	183	3	5	13	20	40	44	45	4	18.8	220	5	10	15	28	40	40	40
65 +	158	16.8	168	5	8	13	20	35	42	68	33	9.4	69	2	4	7	13	19	32	37
ALL AGES	172	16.8	171	5	8	13	20	36	43	67	37	10.4	88	2	5	7	14	19	36	40
SUBTOTAL	**291**	**16.3**	**201**	**4**	**7**	**13**	**20**	**35**	**45**	**75**	**67**	**11.9**	**132**	**2**	**5**	**7**	**15**	**33**	**39**	**49**
GRAND TOTAL	**1148**	**13.8**	**165**	**4**	**6**	**11**	**17**	**29**	**40**	**89**	**374**	**11.2**	**123**	**3**	**5**	**8**	**13**	**24**	**39**	**55**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	36.0	882	15	15	36	57	57	57	57	2	18.0	512	2	2	18	34	34	34	34
ALL AGES	2	36.0	882	15	15	36	57	57	57	57	2	18.0	512	2	2	18	34	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	12.5	1	12	12	12	13	13	13	13	1	6.0		6	6	6	6	6	6	6
ALL AGES	2	12.5	1	12	12	12	13	13	13	13	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**4**	**24.3**	**475**	**12**	**12**	**14**	**36**	**57**	**57**	**57**	**3**	**14.0**	**304**	**2**	**3**	**6**	**27**	**34**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6										
35-49																				
50-64																				
65 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**5**	**20.6**	**425**	**6**	**10**	**13**	**25**	**57**	**57**	**57**	**3**	**14.0**	**304**	**2**	**3**	**6**	**27**	**34**	**34**	**34**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	18.0		18	18	18	18	18	18	18	1	6.0		6	6	6	6	6	6	6
65 +	19	12.6	52	6	7	12	16	25	28	28	5	11.0	66	2	5	8	19	21	21	21
ALL AGES	20	12.9	50	6	7	12	17	25	27	28	6	10.2	56	2	6	7	18	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	11.0	98	4	4	11	18	18	18	18										
65 +	32	15.5	134	5	8	12	21	35	46	99 +	4	10.3	19	4	8	13	35	99 +	99 +	99 +
ALL AGES	34	15.3	128	5	8	12	19	34	45	99 +	4	10.3	19	4	8	13	35	99 +	99 +	99 +
SUBTOTAL	**54**	**14.4**	**99**	**5**	**7**	**12**	**18**	**34**	**36**	**97**	**10**	**10.2**	**38**	**3**	**6**	**10**	**17**	**53**	**96**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	10	11.5	53	2	6	10	18	21	21	21	3	8.7	16	4	5	10	11	12	12	12
ALL AGES	10	11.5	53	2	6	10	18	21	21	21	3	8.7	16	4	5	10	11	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	7.0		7	7	7	7	7	7	7
65 +	18	15.7	96	6	10	14	20	25	38	46	3	18.3	91	11	12	15	25	29	29	29
ALL AGES	18	15.7	96	6	10	14	20	25	38	46	4	15.5	92	7	9	13	22	29	29	29
SUBTOTAL	**28**	**14.2**	**83**	**4**	**8**	**13**	**19**	**24**	**27**	**46**	**7**	**12.6**	**64**	**5**	**8**	**11**	**14**	**26**	**29**	**29**
GRAND TOTAL	**82**	**14.3**	**93**	**5**	**8**	**13**	**18**	**29**	**35**	**83**	**17**	**11.2**	**47**	**4**	**6**	**11**	**15**	**27**	**72**	**99 +**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	48	5.8	47	1	2	4	7	9	15	45	21	4.4	5	2	3	4	6	7	9	10
35-49	82	5.4	14	2	3	4	7	10	13	20	49	3.8	9	1	1	3	5	8	9	15
50-64	52	7.1	67	2	3	5	7	17	31	42	27	7.9	53	2	3	7	10	12	19	39
65 +	24	8.2	165	3	3	5	8	11	28	67	19	5.8	15	1	3	6	9	11	13	14
ALL AGES	207	6.2	53	2	3	4	7	10	16	43	116	5.2	22	1	2	4	7	10	11	24
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	7	4.6	7	2	2	4	6	9	9	9	4	3.5	2	2	2	3	4	5	5	5
35-49	17	5.3	11	1	2	5	8	9	10	11	11	6.8	27	2	3	5	12	15	15	15
50-64	6	4.5	10	1	3	4	5	10	10	10	7	6.0	37	2	2	4	7	17	19	19
65 +	4	8.0	39	3	4	6	12	17	17	17	3	16.7	1	15	15	17	18	18	18	18
ALL AGES	34	5.3	13	1	3	5	7	9	11	17	25	7.2	36	2	3	5	14	17	18	19
SUBTOTAL	**241**	**6.1**	**47**	**2**	**3**	**4**	**7**	**10**	**15**	**42**	**141**	**5.6**	**24**	**1**	**2**	**4**	**7**	**11**	**15**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	276	4.9	17	2	3	4	6	9	11	25	97	4.8	20	1	2	4	6	8	9	30
35-49	511	5.3	19	2	3	4	6	10	13	25	249	5.4	49	2	3	4	6	9	13	30
50-64	252	7.0	42	2	3	5	9	14	20	43	140	6.7	41	2	3	5	9	13	18	33
65 +	98	9.5	67	3	4	7	11	20	27	43	54	7.6	28	2	5	7	10	14	19	97
ALL AGES	1138	5.9	30	2	3	4	7	11	17	31	540	5.9	40	2	3	4	7	10	15	32
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	54	6.2	30	2	3	4	7	12	15	30	19	5.8	23	2	3	4	6	11	17	22
35-49	94	4.7	11	2	3	4	6	10	12	17	64	5.5	29	2	3	4	6	10	15	32
50-64	61	6.7	33	2	3	5	8	17	21	23	33	5.8	27	2	3	4	7	13	18	24
65 +	21	8.1	61	2	3	4	13	20	27	28	15	8.0	33	2	4	6	13	16	20	21
ALL AGES	231	5.9	26	2	3	4	7	13	17	27	131	5.9	28	2	3	4	7	12	18	27
SUBTOTAL	**1369**	**5.9**	**29**	**2**	**3**	**4**	**7**	**11**	**17**	**30**	**671**	**5.9**	**37**	**2**	**3**	**4**	**7**	**11**	**16**	**32**
GRAND TOTAL	**1610**	**5.9**	**32**	**2**	**3**	**4**	**7**	**11**	**17**	**31**	**812**	**5.8**	**36**	**2**	**3**	**4**	**7**	**11**	**15**	**32**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49	3	4.3	18	1	1	3	7	9	9	9	1	6.0		6	6	6	6	6	6	6
50-64	7	14.6	84	4	6	16	21	28	29	29	4	7.8	14	2	5	9	10	10	10	10
65 +	5	14.6	58	9	10	12	17	28	28	28	4	7.3	22	2	3	7	11	13	13	13
ALL AGES	16	12.0	73	3	5	10	16	27	29	29	9	7.3	15	2	4	9	10	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	52.0		52	52	52	52	52	52	52
35-49	2	4.0		4	4	4	4	4	4	4										
50-64	3	37.7	1939	6	9	19	71	88	88	88										
65 +	4	23.3	482	5	9	16	37	55	55	55	2	40.0	2592	4	4	40	76	76	76	76
ALL AGES	9	23.8	837	4	5	13	29	75	88	88	3	44.0	1344	4	16	52	70	76	76	76
SUBTOTAL	**25**	**16.2**	**360**	**4**	**5**	**11**	**19**	**29**	**63**	**88**	**12**	**16.5**	**530**	**2**	**4**	**9**	**12**	**59**	**74**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	6	12.0	32	6	8	11	14	21	22	22	2	1.5	1	1	1	1	2	2	2	2
35-49	19	14.6	540	1	3	5	11	50	77	87	7	12.7	83	5	6	12	15	28	31	31
50-64	18	15.6	479	4	6	10	21	69	99 +	99 +	14	7.1	13	3	4	7	9	13	14	14
65 +	15	19.3	181	7	11	15	23	44	49	51	11	11.1	79	3	4	7	18	24	30	31
ALL AGES	58	15.9	364	3	6	10	18	40	77	99 +	34	9.2	54	3	4	7	13	18	28	31
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-49	4	14.3	94	2	8	14	20	26	26	26	4	4.5	9	2	2	4	7	8	8	8
50-64	5	29.6	612	4	18	29	69	97	99 +	99 +	2	48.0	2048	16	32	80	95	99 +	99 +	99 +
65 +	9	21.3	93	12	15	20	36	99 +	99 +	99 +	3	13.0	12	9	10	15	15	15	15	15
ALL AGES	19	21.1	240	3	14	19	35	99 +	99 +	99 +	10	15.4	547	1	3	9	16	88	99	99 +
SUBTOTAL	**77**	**17.2**	**335**	**3**	**6**	**13**	**24**	**57**	**99**	**99 +**	**44**	**10.6**	**163**	**2**	**4**	**8**	**14**	**19**	**43**	**99 +**
GRAND TOTAL	**102**	**16.9**	**339**	**3**	**6**	**12**	**23**	**50**	**90**	**99 +**	**56**	**11.9**	**239**	**2**	**4**	**8**	**13**	**28**	**68**	**99**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
35-49	6	6.8	34	2	4	5	8	17	18	18	3	13.0	57	6	7	12	19	21	21	21
50-64	13	13.8	174	3	5	10	19	31	46	49	9	7.6	23	2	4	5	12	15	15	15
65 +	23	12.7	113	3	6	10	13	33	37	41	13	8.1	31	3	4	6	11	18	20	20
ALL AGES	43	12.3	116	3	5	9	13	27	37	49	26	8.2	32	3	4	6	12	18	20	21
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	5.0		5	5	5	5	5	5	5										
50-64	4	33.8	1422	8	9	19	58	89	89	89	1	11.0		11	11	11	11	11	11	11
65 +	9	22.2	399	4	8	16	29	56	65	65	4	9.0	54	3	3	6	15	18	18	18
ALL AGES	14	24.3	632	5	8	15	27	67	84	89	5	9.4	41	3	3	11	13	18	18	18
SUBTOTAL	**57**	**15.2**	**262**	**3**	**6**	**10**	**18**	**34**	**47**	**87**	**31**	**8.4**	**33**	**3**	**4**	**6**	**12**	**18**	**20**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	9	5.4	9	2	3	6	7	9	10	10	2	3.0	2	2	2	3	4	4	4	4
35-49	24	12.3	136	3	7	9	15	21	37	58	14	6.0	37	2	2	4	7	18	20	21
50-64	42	10.2	66	2	5	8	14	22	30	99 +	24	12.3	73	4	6	8	16	27	29	30
65 +	50	14.2	161	3	5	11	19	30	35	72	24	15.3	139	4	6	12	21	35	43	44
ALL AGES	125	11.9	116	3	5	9	15	24	32	79	64	11.8	99	2	4	7	17	26	31	44
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											3	9.7	91	1	3	8	17	20	20	20
35-49	9	17.7	128	5	9	19	22	71	99 +	99 +	6	7.5	38	3	4	5	10	18	19	19
50-64	12	22.2	210	5	9	18	35	43	44	44	15	11.9	148	2	4	10	15	21	43	50
65 +	25	14.5	99	2	7	13	20	31	35	35	14	16.9	177	4	7	11	31	38	41	42
ALL AGES	46	17.1	139	4	7	14	24	36	43	99 +	38	12.9	140	3	4	9	16	33	40	50
SUBTOTAL	**171**	**13.3**	**127**	**3**	**6**	**10**	**19**	**30**	**39**	**93**	**102**	**12.2**	**113**	**2**	**4**	**8**	**16**	**27**	**36**	**47**
GRAND TOTAL	**228**	**13.8**	**160**	**3**	**6**	**10**	**19**	**31**	**42**	**91**	**133**	**11.3**	**97**	**3**	**4**	**7**	**16**	**23**	**33**	**45**

TOTAL U.S., JANUARY-DECEMBER 1990

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	6.0		6	6	6	6	6	6	6
20-34	9	8.8	176	1	2	3	8	32	41	41	8	2.5	2	1	1	2	3	5	5	5
35-49	10	5.2	62	1	2	3	4	17	27	27	12	4.3	6	2	3	3	6	8	8	8
50-64	6	3.8	10	1	2	3	6	9	9	9	3	14.0	117	5	6	11	22	26	26	26
65 +	3	5.0	13	2	2	4	8	9	9	9										
ALL AGES	28	6.0	80	1	2	3	5	16	28	41	24	5.0	27	1	2	3	6	9	15	26
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	5.7	14	3	3	4	8	10	10	10	1	2.0		2	2	2	2	2	2	2
50-64	4	8.8	102	3	3	4	14	24	24	24										
65 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	8	8.8	64	3	3	4	14	22	24	24	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**36**	**6.6**	**76**	**1**	**2**	**3**	**6**	**19**	**26**	**41**	**25**	**4.9**	**26**	**1**	**2**	**3**	**6**	**8**	**15**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	8.0		8	8	8	8	8	8	8										
20-34	53	5.7	51	1	2	4	7	9	13	48	27	5.5	49	1	2	2	5	10	23	28
35-49	112	6.9	41	2	3	5	9	15	23	32	47	5.0	11	2	3	4	7	9	10	20
50-64	43	7.6	37	3	3	6	10	14	19	34	20	5.0	19	1	2	3	7	12	14	16
65 +	19	11.3	97	3	5	8	15	28	36	37	5	5.6	7	2	3	6	8	8	8	8
ALL AGES	228	7.1	49	2	3	5	9	15	20	35	99	5.1	23	1	2	4	7	10	15	25
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	13	9.8	191	2	3	6	8	29	48	52	3	6.3	34	3	3	3	11	13	13	13
35-49	34	5.8	29	2	3	4	7	11	14	30	20	8.2	221	1	2	4	5	21	47	66
50-64	8	6.0	23	1	2	5	9	13	14	14	6	3.8	2	2	3	4	5	6	6	6
65 +	5	14.4	574	1	2	3	20	57	57	57	1	3.0		3	3	3	3	3	3	3
ALL AGES	60	7.4	104	2	3	4	7	13	28	56	30	6.9	152	1	3	3	5	13	28	66
SUBTOTAL	**288**	**7.2**	**59**	**2**	**3**	**5**	**8**	**14**	**21**	**44**	**129**	**5.6**	**52**	**1**	**2**	**4**	**6**	**10**	**16**	**36**
GRAND TOTAL	**324**	**7.1**	**62**	**2**	**3**	**5**	**8**	**14**	**23**	**43**	**154**	**5.4**	**48**	**1**	**2**	**4**	**6**	**10**	**16**	**28**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64	1	1.0		1	1	1	1	1	1	1										
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	2.3	3	1	1	2	3	4	4	4										
SUBTOTAL	**5**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	5	3.0	9	1	1	2	4	8	8	8										
20-34	4	1.3		1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
35-49	6	1.8	2	1	1	1	2	4	4	4										
50-64											1	2.0		2	2	2	2	2	2	2
65 +	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
ALL AGES	16	2.3	4	1	1	2	3	6	7	8	3	3.0	1	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19	2	1.0		1	1	1	1	1	1	1										
20-34																				
35-49																				
50-64																				
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	1.3		1	1	1	2	2	2	2										
SUBTOTAL	**19**	**2.2**	**4**	**1**	**1**	**1**	**2**	**5**	**7**	**8**	**3**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**24**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**7**	**8**	**3**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	3	2.7	2	1	1	3	4	4	4	4	2	11.5	41	7	7	11	16	16	16	16
50-64	2	44.0	578	27	27	44	61	61	61	61	1	11.0		11	11	11	11	11	11	11
65 +	2	9.5	145	1	1	9	18	18	18	18	1	5.0		5	5	5	5	5	5	5
ALL AGES	8	15.3	425	1	2	5	22	51	61	61	4	9.8	22	5	6	9	13	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	7.0		7	7	7	7	7	7	7										
35-49	1	1.0		1	1	1	1	1	1	1										
50-64	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	5	4.8	9	1	1	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**13**	**11.2**	**281**	**1**	**2**	**7**	**10**	**34**	**56**	**61**	**5**	**9.2**	**19**	**5**	**6**	**7**	**12**	**16**	**16**	**16**
GRAND TOTAL	**13**	**11.2**	**281**	**1**	**2**	**7**	**10**	**34**	**56**	**61**	**5**	**9.2**	**19**	**5**	**6**	**7**	**12**	**16**	**16**	**16**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	86	4.8	55	1	2	3	5	9	14	47	62	3.3	6	1	2	2	5	6	7	15
35-49	180	4.4	34	1	2	3	5	8	11	22	105	3.8	10	1	2	3	4	7	9	18
50-64	114	6.8	99	1	2	4	9	14	18	54	61	4.6	14	2	2	3	6	9	11	23
65 +	32	9.0	247	2	3	5	8	14	23	91	26	9.2	95	1	3	5	11	22	32	42
ALL AGES	413	5.5	74	1	2	3	6	10	15	41	254	4.4	21	1	2	3	5	9	12	24
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	18	3.7	5	2	2	3	5	8	8	8	19	2.8	1	1	2	3	3	4	5	6
35-49	40	6.0	33	1	3	4	7	11	23	26	27	3.3	2	1	2	3	5	5	6	7
50-64	14	7.6	61	2	4	5	7	24	26	26	17	5.0	13	2	2	4	7	9	13	15
65 +	13	7.0	57	2	3	4	8	15	27	30	8	7.0	32	2	3	5	11	16	16	16
ALL AGES	85	5.9	36	2	3	4	7	11	24	29	71	4.0	9	1	2	3	5	7	9	16
SUBTOTAL	**498**	**5.6**	**67**	**1**	**2**	**3**	**6**	**11**	**16**	**31**	**325**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**11**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	5.0		5	5	5	53	99 +	99 +	99 +
13-19	10	4.5	69	1	1	2	3	16	28	28	11	8.9	92	2	3	3	18	24	25	25
20-34	551	5.1	37	1	2	3	5	13	16	28	766	5.2	18	2	3	5	5	7	10	28
35-49	1092	4.5	20	2	2	3	5	8	14	26	1471	4.9	9	2	3	5	5	7	8	21
50-64	516	5.9	48	2	3	4	6	12	17	31	582	5.7	27	2	3	5	5	8	16	29
65 +	173	7.5	58	2	3	5	9	16	23	40	126	7.9	42	3	4	6	10	15	22	35
ALL AGES	2342	5.2	34	2	2	3	6	11	16	28	2959	5.3	17	2	3	5	5	7	11	28
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19	2	8.0	98	1	1	8	15	15	15	15										
20-34	194	6.0	48	2	2	3	6	14	21	32	149	5.7	30	2	3	5	5	10	21	29
35-49	261	4.9	23	1	2	3	5	11	15	26	264	5.1	21	2	3	5	5	8	14	27
50-64	153	4.9	22	2	2	3	6	9	13	27	101	6.2	33	2	3	5	6	12	22	27
65 +	79	6.8	48	2	3	4	8	14	22	37	43	9.9	106	3	4	5	12	23	33	50
ALL AGES	689	5.4	33	2	2	3	6	13	17	30	558	5.8	34	2	3	5	6	10	20	29
SUBTOTAL	**3031**	**5.2**	**34**	**2**	**2**	**3**	**6**	**11**	**16**	**28**	**3517**	**5.4**	**19**	**2**	**3**	**5**	**5**	**7**	**12**	**28**
GRAND TOTAL	**3529**	**5.3**	**38**	**1**	**2**	**3**	**6**	**11**	**16**	**29**	**3842**	**5.3**	**20**	**2**	**3**	**5**	**5**	**7**	**12**	**28**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6	2	2.0	2	1	1	2	3	3	3	3
35-49	5	3.2	3	2	2	2	5	5	5	5	2	2.0	2	1	1	2	3	3	3	3
50-64	1	22.0		22	22	22	22	22	22	22										
65 +																				
ALL AGES	7	6.3	51	2	2	5	6	19	22	22	4	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64	1	20.0		20	20	20	20	20	20	20	1	3.0		3	3	3	3	3	3	3
65 +																				
ALL AGES	2	10.5	181	1	1	10	20	20	20	20	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**9**	**7.2**	**65**	**1**	**2**	**5**	**9**	**21**	**22**	**22**	**5**	**2.2**	**1**	**1**	**1**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	7	9.6	139	1	2	6	13	30	34	34	1	1.0		1	1	1	1	1	1	1
35-49	11	7.6	33	1	2	7	13	16	16	16	4	6.0	14	1	3	6	8	10	10	10
50-64	12	4.5	7	1	2	5	6	8	10	10										
65 +	8	8.6	52	1	2	7	14	19	21	21										
ALL AGES	38	7.2	47	1	2	5	9	16	19	34	5	5.0	16	1	1	6	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	2.5	1	2	2	2	3	3	3	3										
35-49	5	7.6	32	2	3	7	11	16	16	16	2	3.5	1	3	3	3	4	4	4	4
50-64	2	14.0	32	10	10	14	18	18	18	18										
65 +	2	11.5	41	7	7	11	16	16	16	16										
ALL AGES	11	8.5	37	2	3	7	14	17	18	18	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**49**	**7.5**	**44**	**1**	**3**	**5**	**10**	**16**	**18**	**34**	**7**	**4.6**	**11**	**1**	**1**	**4**	**7**	**9**	**10**	**10**
GRAND TOTAL	**58**	**7.5**	**46**	**1**	**2**	**5**	**10**	**16**	**21**	**33**	**12**	**3.6**	**8**	**1**	**1**	**3**	**5**	**8**	**10**	**10**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-19											1	5.0		5	5	5	5	5	5	5
20-34	10	5.1	22	1	2	4	6	12	17	17										
35-49	7	6.4	119	1	2	3	3	25	31	31	7	2.1	1	1	1	2	3	3	3	3
50-64	6	4.7	2	2	4	5	6	6	6	6	5	2.4	1	1	2	2	3	4	4	4
65 +	11	6.1	19	2	3	4	8	13	16	16	3	12.7	71	4	6	13	19	21	21	21
ALL AGES	36	5.4	33	2	2	4	6	11	17	31	17	4.2	27	1	2	3	4	11	18	21
B. FEMALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34	11	6.9	31	1	2	7	9	16	18	18	5	2.2	5	1	1	1	3	6	6	6
35-49	17	5.1	30	1	2	4	5	17	19	19	8	3.4	8	1	1	2	5	8	8	8
50-64	16	5.9	31	1	2	4	7	14	19	21	4	5.0	9	2	3	4	7	9	9	9
65 +	14	8.1	37	2	3	7	11	17	20	21	6	3.2	1	2	2	3	4	4	4	4
ALL AGES	58	6.4	32	1	2	4	8	16	19	21	24	3.3	6	1	2	2	4	8	8	9
SUBTOTAL	**94**	**6.0**	**32**	**1**	**2**	**4**	**7**	**15**	**19**	**27**	**41**	**3.7**	**14**	**1**	**2**	**2**	**4**	**8**	**11**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	4	2.0	2	1	1	2	3	4	4	4	19	15.9	122	3	5	17	26	30	32	34
20-34	146	4.7	32	1	2	3	5	8	15	33	266	6.9	29	3	3	6	7	13	20	28
35-49	135	5.2	28	2	3	4	5	11	18	29	353	5.8	11	3	3	6	7	10	11	17
50-64	21	4.6	5	1	3	4	7	8	9	9	44	5.8	35	2	3	4	7	9	14	39
65 +	10	9.6	46	3	4	7	15	19	23	23	13	6.3	25	2	3	5	7	14	19	20
ALL AGES	316	5.1	28	1	2	4	5	9	15	30	695	6.5	25	3	3	6	7	10	15	28
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2	6	10.0	134	2	3	6	9	31	33	33
20-34	135	6.5	53	2	3	4	8	14	19	34	119	7.2	50	1	3	5	8	20	26	29
35-49	84	7.2	68	2	3	4	8	15	30	43	69	6.9	46	2	3	5	7	12	28	33
50-64	24	7.1	31	2	3	5	11	17	18	19	22	7.1	59	1	2	4	8	20	24	29
65 +	30	7.3	36	2	3	5	9	17	18	27	16	11.6	30	4	8	10	16	19	20	21
ALL AGES	274	6.9	52	2	3	4	8	15	19	38	232	7.5	50	2	3	5	8	19	27	31
SUBTOTAL	**590**	**5.9**	**41**	**2**	**3**	**4**	**7**	**14**	**19**	**32**	**927**	**6.8**	**31**	**2**	**3**	**6**	**7**	**12**	**20**	**29**
GRAND TOTAL	**684**	**5.9**	**40**	**2**	**3**	**4**	**7**	**14**	**19**	**31**	**968**	**6.6**	**32**	**2**	**3**	**5**	**7**	**12**	**20**	**29**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.8		1	1	2	2	2	2	2	3	1.0		1	1	1	1	1	1	1
13-19	8	4.5	16	1	1	3	8	10	11	11										
20-34	14	3.9	14	1	1	3	5	9	13	14	5	7.4	61	2	3	4	10	21	21	21
35-49	7	3.9	5	1	2	3	5	8	8	8	1	7.0		7	7	7	7	7	7	7
50-64	8	8.8	23	4	5	8	10	17	19	19	9	4.1	11	1	2	3	5	10	12	12
65 +	27	5.0	27	1	2	3	6	9	13	28	13	6.8	28	1	3	6	10	14	17	18
ALL AGES	68	4.8	21	1	2	4	6	10	12	26	31	5.6	26	1	2	4	7	13	18	21
B. FEMALE																				
0-12 YRS.	5	1.6		1	1	2	2	2	2	2	2	1.0		1	1	1	1	1	1	1
13-19	4	3.8	5	2	2	3	5	7	7	7	1	1.0		1	1	1	1	1	1	1
20-34	7	6.0	9	2	4	6	7	10	11	11	5	9.2	127	1	3	5	12	29	29	29
35-49	4	5.3	2	3	4	5	6	7	7	7	3	8.3	105	1	2	4	16	20	20	20
50-64	8	4.4	7	2	2	3	6	9	10	10	1	6.0		6	6	6	6	6	6	6
65 +	37	5.8	20	2	3	5	7	13	17	18	20	7.2	83	2	3	5	7	13	30	43
ALL AGES	65	5.2	14	2	2	4	7	11	14	18	32	7.0	79	1	2	5	7	19	28	43
SUBTOTAL	**133**	**5.0**	**18**	**1**	**2**	**4**	**6**	**10**	**13**	**21**	**63**	**6.3**	**52**	**1**	**2**	**4**	**7**	**14**	**20**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	14	5.8	32	1	1	3	9	14	18	19	7	3.7	8	1	1	3	6	8	8	8
20-34	58	6.9	92	1	2	4	7	16	25	49	15	10.5	144	2	4	6	10	24	42	48
35-49	30	6.4	28	1	2	5	9	14	14	21	9	4.7	8	1	2	5	6	9	10	10
50-64	4	5.8	11	2	3	5	8	10	10	10	2	5.5	25	2	2	5	9	9	9	9
65 +	12	11.3	95	2	4	9	15	25	34	36	9	6.9	40	2	3	4	9	18	22	22
ALL AGES	118	7.0	67	1	2	4	9	15	20	48	42	7.1	68	2	3	5	8	13	23	48
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	6	3.5	10	2	2	2	3	9	10	10										
20-34	25	7.2	35	1	3	4	11	17	19	20	8	4.5	13	1	2	3	6	10	11	11
35-49	14	6.5	45	2	2	3	10	18	22	23	1	6.0		6	6	6	6	6	6	6
50-64	7	9.4	83	2	4	8	10	25	29	29	1	14.0		14	14	14	14	14	14	14
65 +	17	12.4	78	3	5	10	18	27	30	30	10	9.7	82	3	5	7	11	23	34	34
ALL AGES	70	8.1	55	2	3	5	11	19	23	30	20	7.7	51	2	3	6	10	13	24	34
SUBTOTAL	**188**	**7.5**	**61**	**1**	**2**	**5**	**10**	**18**	**21**	**43**	**62**	**7.3**	**62**	**2**	**3**	**5**	**9**	**12**	**23**	**46**
GRAND TOTAL	**321**	**6.4**	**46**	**1**	**2**	**4**	**8**	**14**	**19**	**32**	**125**	**6.8**	**57**	**1**	**3**	**5**	**7**	**13**	**21**	**44**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	1.0		1	1	1	1	1	1	1
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	2	3.0	2	2	2	3	4	4	4	4	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-49																				
50-64	1	5.0		5	5	5	5	5	5	5										
65 +											3	6.3	11	4	4	5	9	10	10	10
ALL AGES	2	5.0		5	5	5	5	5	5	5	5	4.8	10	2	3	4	6	10	10	10
SUBTOTAL	**4**	**4.0**	**2**	**2**	**3**	**4**	**5**	**5**	**5**	**5**	**7**	**3.7**	**10**	**1**	**1**	**3**	**5**	**9**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
20-34	3	2.3	1	2	2	2	3	3	3	3										
35-49	3	6.3	13	3	4	6	9	10	10	10										
50-64																				
65 +																				
ALL AGES	7	3.9	9	1	2	3	5	9	10	10	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34	3	8.0	4	6	6	8	9	10	10	10										
35-49	2	8.0	98	1	1	7	15	15	15	15										
50-64	1	5.0		5	5	5	5	5	5	5	1	31.0		31	31	31	31	31	31	31
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	8	6.9	18	1	4	6	9	13	15	15	1	31.0		31	31	31	31	31	31	31
SUBTOTAL	**15**	**5.5**	**16**	**1**	**2**	**5**	**8**	**10**	**14**	**15**	**2**	**16.0**	**450**	**1**	**1**	**15**	**31**	**31**	**31**	**31**
GRAND TOTAL	**19**	**5.2**	**13**	**1**	**2**	**5**	**7**	**10**	**13**	**15**	**9**	**6.4**	**94**	**1**	**1**	**3**	**6**	**23**	**31**	**31**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.0		1	1	1	1	1	1	1										
13-19	6	2.8	13	1	1	1	2	9	10	10	4	2.5	2	1	1	2	3	4	4	4
20-34	17	6.7	39	1	2	5	10	17	18	19	4	3.5	3	2	2	3	5	6	6	6
35-49	17	3.9	7	1	2	3	5	9	10	10	11	3.9	10	1	1	3	6	9	10	10
50-64	20	8.2	61	1	3	5	10	19	28	32	19	5.1	42	1	2	3	6	9	21	30
65 +	97	5.7	18	2	3	5	7	12	15	22	91	6.5	45	2	3	4	9	13	15	42
ALL AGES	160	5.7	25	1	2	4	7	12	16	25	129	5.9	39	2	2	4	7	12	15	35
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-19	3	3.0	4	1	1	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
20-34	13	4.1	8	2	2	4	5	8	11	12	2	1.0		1	1	1	1	1	1	1
35-49	23	3.3	8	1	1	3	4	7	11	11	17	6.0	30	1	2	4	9	16	18	18
50-64	29	7.0	28	1	3	6	10	14	19	22	33	5.5	45	1	2	4	6	13	15	37
65 +	164	6.2	30	2	3	5	8	14	18	26	112	5.8	23	2	3	5	8	10	13	29
ALL AGES	234	5.8	27	1	3	4	7	13	18	25	166	5.7	27	1	3	4	7	11	14	35
SUBTOTAL	**394**	**5.8**	**26**	**1**	**3**	**4**	**7**	**13**	**17**	**25**	**295**	**5.8**	**32**	**1**	**3**	**4**	**7**	**11**	**14**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-19	10	10.0	197	1	2	6	10	31	48	48	3	1.7		1	1	2	2	2	2	2
20-34	55	7.7	65	1	2	5	11	19	21	44	11	6.2	24	1	1	6	10	13	14	14
35-49	32	8.6	44	2	4	6	12	19	24	24	10	5.8	24	1	2	4	9	14	14	14
50-64	23	10.9	105	3	5	7	16	23	35	43	5	7.8	72	1	2	4	12	22	22	22
65 +	46	8.7	82	3	4	6	9	13	32	50	40	7.4	35	2	3	6	9	14	16	32
ALL AGES	167	8.8	80	2	3	6	11	20	25	47	69	6.8	32	1	3	5	9	14	16	30
B. FEMALE																				
0-12 YRS.																				
13-19	7	7.1	30	1	3	7	9	16	17	17	2	3.5	5	2	2	3	5	5	5	5
20-34	37	9.6	122	2	3	6	11	23	40	45	8	5.9	26	2	3	4	6	14	18	18
35-49	30	6.7	23	2	3	5	11	14	15	20	10	14.8	364	2	5	10	15	41	67	67
50-64	44	9.3	69	3	4	7	11	17	29	41	14	9.9	164	2	4	4	9	32	43	46
65 +	113	9.1	71	2	4	7	12	17	34	63	54	7.3	25	3	4	6	9	14	22	96
ALL AGES	231	8.9	70	2	3	6	11	16	26	43	88	8.3	87	2	4	6	10	16	25	87
SUBTOTAL	**398**	**8.8**	**75**	**2**	**3**	**6**	**11**	**19**	**26**	**45**	**157**	**7.6**	**64**	**2**	**3**	**6**	**9**	**14**	**20**	**65**
GRAND TOTAL	**792**	**7.3**	**53**	**2**	**3**	**5**	**9**	**15**	**21**	**41**	**452**	**6.4**	**44**	**2**	**3**	**4**	**8**	**13**	**16**	**40**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	4	2.3	6	1	1	1	4	6	6	6	1	27.0		27	27	27	27	27	27	27
20-34	4	5.0	25	1	1	3	8	12	12	12	10	7.1	43	1	2	5	8	18	21	21
35-49	2	14.0	18	11	11	14	17	17	17	17	8	5.1	14	1	2	4	8	11	11	11
50-64	4	2.3	3	1	1	2	3	5	5	5	1	2.0		2	2	2	2	2	2	2
65 +	6	4.3	12	1	2	3	8	9	9	9	4	4.5	3	3	3	4	6	7	7	7
ALL AGES	21	4.4	21	1	1	2	6	11	14	17	24	6.6	42	1	2	5	8	16	23	27
B. FEMALE																				
0-12 YRS.																				
13-19											1	35.0		35	35	35	35	35	35	35
20-34	6	2.7	1	1	2	3	4	4	4	4	7	15.4	892	1	3	5	6	68	83	83
35-49	7	7.6	50	1	3	5	11	19	21	21	3	6.3	7	4	4	6	8	9	9	9
50-64	7	4.6	5	2	3	4	6	8	9	9	4	4.5	6	1	3	5	6	6	6	6
65 +	21	8.1	42	2	4	6	9	17	22	28	7	8.3	111	3	3	4	6	27	32	32
ALL AGES	41	6.6	34	2	3	4	8	15	19	28	22	10.8	336	2	4	5	6	33	54	83
SUBTOTAL	**62**	**5.9**	**30**	**1**	**2**	**4**	**8**	**13**	**18**	**27**	**46**	**8.6**	**183**	**1**	**3**	**5**	**7**	**20**	**33**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	11	6.1	16	1	3	5	10	11	12	12	2	1.5	1	1	1	1	2	2	2	2
20-34	29	5.4	15	1	3	4	7	12	14	14	16	11.9	172	2	4	6	13	38	42	43
35-49	17	5.2	22	2	3	3	7	9	17	21	8	10.8	172	2	3	5	14	33	41	41
50-64																				
65 +	4	7.8	34	3	3	6	12	16	16	16	3	4.3	5	2	3	5	6	6	6	6
ALL AGES	61	5.6	18	1	3	4	8	11	14	20	29	10.1	146	2	3	5	12	35	41	43
B. FEMALE																				
0-12 YRS.																				
13-19	2	6.5	13	4	4	6	9	9	9	9	3	2.3	1	2	2	2	3	3	3	3
20-34	21	6.0	13	2	3	6	9	11	12	12	10	8.6	27	3	5	6	13	15	16	16
35-49	11	4.5	7	1	2	4	6	9	10	10	1	6.0		6	6	6	6	6	6	6
50-64	7	6.0	46	1	1	3	8	18	20	20										
65 +	9	10.6	84	3	3	7	15	26	31	31	4	6.0	9	2	4	6	8	9	9	9
ALL AGES	50	6.5	31	2	3	5	9	12	18	31	18	6.8	22	2	3	6	9	14	16	16
SUBTOTAL	**111**	**6.0**	**24**	**1**	**3**	**5**	**8**	**12**	**14**	**25**	**47**	**8.8**	**100**	**2**	**3**	**5**	**11**	**16**	**39**	**43**
GRAND TOTAL	**173**	**6.0**	**25**	**1**	**3**	**4**	**8**	**12**	**17**	**26**	**93**	**8.7**	**140**	**2**	**3**	**5**	**9**	**17**	**35**	**66**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.7		2	2	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
13-19	3	2.0	1	1	1	2	3	3	3	3	5	2.8	5	1	1	2	4	6	6	6
20-34	20	4.2	22	1	1	3	5	8	15	21	8	2.9	7	1	1	2	3	7	9	9
35-49	36	5.3	29	1	2	3	6	14	18	24	22	2.9	2	1	2	3	3	5	7	8
50-64	68	5.7	26	2	3	4	6	13	18	26	36	4.8	23	1	2	3	5	14	17	18
65 +	202	7.2	47	2	3	5	8	14	24	34	186	6.5	45	2	3	5	8	14	20	44
ALL AGES	332	6.4	40	2	3	4	8	13	20	32	259	5.7	38	1	2	4	7	12	18	36
B. FEMALE																				
0-12 YRS.	4	5.8	57	1	1	3	10	17	17	17	5	2.2	2	1	1	2	3	4	4	4
13-19	6	3.7	11	1	1	3	4	9	10	10	3	1.7		1	1	2	2	2	2	2
20-34	22	5.0	20	1	1	3	8	10	14	18	9	4.8	16	1	1	4	7	11	13	13
35-49	30	6.2	45	1	2	4	7	14	18	33	12	3.0	3	1	2	3	4	5	6	6
50-64	74	5.4	28	1	3	4	6	12	18	27	39	4.5	15	1	2	4	6	9	12	20
65 +	355	7.2	53	2	3	5	9	15	18	49	304	7.1	70	2	3	5	8	14	19	64
ALL AGES	491	6.7	48	2	3	5	8	14	18	38	372	6.5	61	2	3	4	8	13	18	54
SUBTOTAL	**823**	**6.6**	**44**	**2**	**3**	**5**	**8**	**14**	**18**	**32**	**631**	**6.2**	**52**	**2**	**3**	**4**	**7**	**13**	**18**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	4.0	8	2	2	4	6	6	6	6										
13-19	1	2.0		2	2	2	2	2	2	2	2	1.0		1	1	1	1	1	1	1
20-34	17	7.7	114	1	2	4	7	20	36	44	3	7.0	52	1	2	5	12	15	15	15
35-49	23	8.6	45	2	4	6	12	19	23	26	11	3.4	3	1	2	3	5	6	6	6
50-64	33	8.0	60	2	3	5	12	23	26	28	14	8.7	132	1	2	5	6	26	38	42
65 +	99	9.3	53	3	4	7	11	20	26	32	63	6.6	59	2	3	4	8	14	17	44
ALL AGES	175	8.7	58	2	3	6	11	21	26	32	93	6.4	63	1	3	4	7	14	18	43
B. FEMALE																				
0-12 YRS.																				
13-19	2	7.0	32	3	3	7	11	11	11	11	1	10.0		10	10	10	10	10	10	10
20-34	13	8.9	130	1	2	4	10	33	35	35	1	4.0		4	4	4	4	4	4	4
35-49	28	10.8	149	1	4	6	12	29	46	46	13	7.4	85	1	2	3	8	27	28	28
50-64	36	8.5	89	2	3	6	11	20	44	99 +	19	5.3	14	1	3	4	8	12	13	14
65 +	175	8.7	63	3	4	7	11	18	21	35	103	7.6	80	2	4	5	8	14	18	58
ALL AGES	254	8.9	79	2	4	6	11	19	28	50	137	7.3	69	2	3	5	8	13	19	47
SUBTOTAL	**429**	**8.8**	**70**	**2**	**4**	**6**	**11**	**19**	**26**	**46**	**230**	**6.9**	**67**	**2**	**3**	**5**	**8**	**14**	**18**	**43**
GRAND TOTAL	**1252**	**7.4**	**53**	**2**	**3**	**5**	**9**	**15**	**21**	**36**	**861**	**6.4**	**56**	**2**	**3**	**4**	**7**	**13**	**18**	**44**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	21.0		21	21	21	21	21	21	21
50-64											1	3.0		3	3	3	3	3	3	3
65 +	6	17.5	407	5	6	10	15	54	58	58	3	10.7	111	1	3	9	19	22	22	22
ALL AGES	6	17.5	407	5	6	10	15	54	58	58	5	11.2	97	1	2	9	21	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
50-64	3	3.3	7	1	1	3	5	6	6	6	2	7.5	41	3	3	7	12	12	12	12
65 +	9	13.9	223	1	3	5	23	39	42	42	5	9.4	71	2	3	5	16	22	22	22
ALL AGES	13	11.3	171	1	3	5	14	36	41	42	8	8.0	53	2	3	4	13	20	22	22
SUBTOTAL	**19**	**13.3**	**234**	**2**	**4**	**6**	**14**	**39**	**51**	**58**	**13**	**9.2**	**66**	**2**	**3**	**5**	**16**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	4	6.8	27	2	3	7	35	99 +	99 +	99 +										
50-64	3	9.3	7	7	7	9	11	12	12	12										
65 +	1	19.0		19	19	19	19	19	19	19	1	5.0		5	5	5	5	5	5	5
ALL AGES	9	8.3	35	1	4	8	14	59	99 +	99 +	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	5.0		5	5	5	5	5	5	5
35-49																				
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	5	17.2	161	4	5	21	25	34	34	34										
ALL AGES	6	15.2	152	4	5	13	22	33	34	34	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**15**	**11.1**	**86**	**2**	**4**	**8**	**20**	**33**	**80**	**99 +**	**2**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**34**	**12.3**	**166**	**2**	**4**	**7**	**18**	**34**	**54**	**99 +**	**15**	**8.7**	**58**	**2**	**3**	**5**	**13**	**22**	**22**	**22**

TOTAL U.S., JANUARY-DECEMBER 1990

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	17.5	61	12	12	17	23	23	23	23	1	3.0		3	3	3	3	3	3	3
13-19	14	11.2	82	4	4	7	22	26	26	26										
20-34	89	15.9	268	3	6	10	19	33	54	81	5	13.6	160	6	7	8	17	36	36	36
35-49	63	14.2	138	5	7	11	16	30	41	58	5	5.6	24	1	2	4	9	13	13	13
50-64	55	15.9	131	4	6	14	21	33	41	46	7	24.4	588	3	8	16	45	62	64	64
65 +	183	15.2	114	3	7	14	21	28	34	50	20	9.0	29	2	4	9	12	17	19	21
ALL AGES	406	15.2	151	3	7	12	20	29	40	62	38	11.8	173	2	4	8	12	21	46	64
B. FEMALE																				
0-12 YRS.																				
13-19	9	16.9	94	4	10	16	24	29	33	33	1	5.0		5	5	5	5	5	5	5
20-34	50	14.2	147	4	6	9	18	32	34	54	4	12.3	16	6	10	14	15	15	15	15
35-49	49	16.5	278	2	6	12	20	43	49	79	6	5.2	7	2	3	5	6	10	10	10
50-64	61	14.4	104	3	7	12	21	30	42	93	8	15.0	121	4	6	12	22	32	35	35
65 +	281	15.7	124	5	9	14	20	28	41	77	30	13.5	171	3	4	9	16	35	47	47
ALL AGES	450	15.5	138	4	8	13	20	30	43	79	49	12.4	134	3	5	8	15	32	37	47
SUBTOTAL	**856**	**15.3**	**146**	**4**	**7**	**13**	**20**	**29**	**42**	**67**	**87**	**12.2**	**148**	**2**	**5**	**8**	**14**	**29**	**38**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	23.0	8	21	21	23	25	25	25	25										
13-19	12	20.3	313	5	11	16	21	44	67	71	2	10.0	32	6	6	10	14	14	14	14
20-34	121	12.9	74	3	6	11	18	26	30	37	11	11.9	136	2	6	7	13	33	38	38
35-49	108	14.7	137	3	6	12	20	34	33	78	12	19.3	539	3	6	10	32	86	97	99+
50-64	58	14.3	119	4	8	13	18	26	30	70	8	14.9	124	4	7	9	26	30	31	31
65 +	107	16.8	105	5	10	15	22	30	34	55	6	7.2	33	2	3	6	8	17	18	18
ALL AGES	408	14.9	113	4	7	13	20	29	34	59	39	13.9	240	2	6	8	20	34	61	99+
B. FEMALE																				
0-12 YRS.	6	41.8	539	19	30	35	47	81	85	85										
13-19	15	22.3	262	6	10	17	33	51	52	52										
20-34	67	12.6	179	2	4	8	15	27	34	81	12	10.4	57	2	5	8	14	20	28	29
35-49	87	16.7	217	4	7	13	21	35	44	92	4	2.3		2	2	2	3	3	3	3
50-64	53	17.3	264	4	8	13	21	34	44	96	4	22.8	372	5	8	18	37	49	49	49
65 +	180	17.3	120	6	10	14	23	33	37	64	12	18.8	114	6	9	18	25	36	37	37
ALL AGES	408	16.9	192	4	8	13	22	34	43	86	32	14.1	138	2	5	11	22	31	37	49
SUBTOTAL	**816**	**15.9**	**153**	**4**	**8**	**13**	**21**	**32**	**37**	**75**	**71**	**14.0**	**191**	**2**	**5**	**9**	**21**	**32**	**40**	**96**
GRAND TOTAL	**1672**	**15.6**	**149**	**4**	**7**	**13**	**20**	**31**	**40**	**70**	**158**	**13.0**	**167**	**2**	**5**	**8**	**16**	**31**	**39**	**81**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	3	34.7	3	32	33	35	36	37	37	37										
20-34	3	6.3	71	1	1	2	12	16	16	16	1	1.0		1	1	1	1	1	1	1
35-49	3	9.0	25	4	5	9	13	14	14	14	7	4.0	3	2	2	5	5	6	6	6
50-64	6	7.2	26	1	3	7	8	15	16	16	6	4.7	18	1	1	3	10	10	10	10
65 +	18	7.5	32	2	3	5	13	14	19	21	16	4.3	13	1	1	3	7	10	11	11
ALL AGES	34	9.7	90	1	3	7	13	22	34	37	30	4.2	11	1	1	3	6	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	2	10.5	181	1	1	10	20	20	20	20	1	2.0		2	2	2	2	2	2	2
20-34	4	7.5	86	1	1	4	13	21	21	21	2	19.0	512	3	3	19	35	35	35	35
35-49	6	13.7	107	2	6	12	20	29	30	30	3	3.0	7	1	1	2	5	6	6	6
50-64	7	6.0	7	3	4	5	7	10	11	11	2	13.0	8	11	11	13	15	15	15	15
65 +	24	7.7	75	2	2	4	12	17	31	32	14	5.7	14	2	4	4	8	13	13	13
ALL AGES	43	8.3	72	2	2	5	13	20	30	32	22	7.0	56	2	2	4	9	14	23	35
SUBTOTAL	**77**	**8.9**	**80**	**1**	**3**	**6**	**13**	**21**	**31**	**36**	**52**	**5.4**	**31**	**1**	**2**	**4**	**7**	**11**	**13**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	59.0		59	59	59	59	59	59	59	1	1.0		1	1	1	1	1	1	1
20-34	8	6.0	35	2	3	4	6	16	20	20										
35-49	4	14.5	194	4	4	10	24	34	34	34										
50-64	3	9.0	19	6	6	7	12	14	14	14	2	23.5	421	9	9	23	38	38	38	38
65 +	12	6.8	21	2	3	6	9	13	16	17	3	5.0	1	4	4	5	6	6	6	6
ALL AGES	28	9.8	141	2	3	6	10	19	36	59	6	10.5	188	1	4	5	9	35	38	38
B. FEMALE																				
0-12 YRS.																				
13-19	2	24.0	1058	1	1	24	47	47	47	47										
20-34	4	5.5	34	1	2	3	9	14	14	14	1	2.0		2	2	2	2	2	2	2
35-49	7	11.7	12	7	9	12	14	17	17	17	1	9.0		9	9	9	9	9	9	9
50-64	2	4.5	1	4	4	4	5	5	5	5										
65 +	14	11.3	218	2	4	7	12	26	52	59	6	7.7	25	3	4	6	11	15	16	16
ALL AGES	29	11.0	165	2	4	8	12	20	48	59	8	7.1	23	2	3	6	10	14	16	16
SUBTOTAL	**57**	**10.4**	**151**	**2**	**4**	**7**	**12**	**19**	**42**	**59**	**14**	**8.6**	**87**	**2**	**4**	**5**	**9**	**18**	**34**	**38**
GRAND TOTAL	**134**	**9.6**	**108**	**2**	**3**	**6**	**13**	**20**	**32**	**59**	**66**	**6.1**	**43**	**1**	**2**	**4**	**8**	**11**	**15**	**38**

TOTAL U.S., JANUARY-DECEMBER 1990

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34																				
35-49	2	17.5	145	9	9	17	26	26	26	26										
50-64	3	4.0	4	2	2	4	5	6	6	6	4	8.8	133	1	2	4	15	26	26	26
65 +	4	12.3	61	3	6	12	18	21	21	21	4	7.3	40	2	2	6	12	15	15	15
ALL AGES	10	9.9	70	2	3	7	16	23	26	26	8	8.0	76	1	2	4	12	23	26	26
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
35-49																				
50-64	2	3.0	2	2	2	3	4	4	4	4	2	5.5	41	1	1	5	10	10	10	10
65 +	7	11.6	47	3	6	13	16	21	22	22	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	10	9.8	45	2	4	9	15	19	22	22	5	4.4	14	1	1	4	7	10	10	10
SUBTOTAL	**20**	**9.9**	**53**	**2**	**3**	**8**	**15**	**21**	**24**	**26**	**13**	**6.6**	**52**	**1**	**2**	**4**	**10**	**17**	**24**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	2	4.5	1	4	4	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
50-64											1	2.0		2	2	2	2	2	2	2
65 +	4	18.3	192	9	11	13	54	99 +	99 +	99 +	1	7.0		7	7	7	7	7	7	7
ALL AGES	7	11.9	161	2	4	10	26	82	99 +	99 +	3	3.3	11	1	1	2	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	6.0		6	6	6	6	6	6	6										
50-64	2	12.5	221	2	2	12	23	23	23	23										
65 +	5	22.6	137	6	13	28	31	34	34	34										
ALL AGES	8	18.0	154	3	6	19	29	33	34	34										
SUBTOTAL	**15**	**15.1**	**158**	**2**	**5**	**12**	**29**	**38**	**82**	**99 +**	**3**	**3.3**	**11**	**1**	**1**	**2**	**6**	**7**	**7**	**7**
GRAND TOTAL	**35**	**12.1**	**102**	**2**	**4**	**9**	**19**	**30**	**37**	**99 +**	**16**	**6.0**	**45**	**1**	**2**	**4**	**8**	**15**	**23**	**26**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	11	8.7	24	4	5	7	12	17	18	18	2	3.0	2	2	2	3	4	4	4	4
35-49	11	7.9	13	3	6	7	11	13	13	13	4	20.8	544	3	3	13	38	53	53	53
50-64	12	9.9	61	2	3	8	14	22	25	26	4	8.5	15	4	5	8	11	13	13	13
65 +	36	8.2	49	1	4	6	11	20	28	99 +	21	16.1	362	3	5	8	15	47	67	69
ALL AGES	70	8.5	41	2	4	7	12	18	25	85	31	14.9	317	3	4	8	13	42	65	69
B. FEMALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-19	1	14.0		14	14	14	14	14	14	14										
20-34	3	17.0	147	6	8	15	26	30	30	30										
35-49	2	29.0	338	16	22	42	85	99 +	99 +	99 +	2	33.0	968	11	11	33	55	55	55	55
50-64	6	16.3	177	7	8	10	22	39	41	41	5	13.2	304	2	3	7	18	44	44	44
65 +	53	12.8	85	4	7	11	15	24	28	57	14	7.4	11	4	5	6	10	12	13	14
ALL AGES	67	13.5	102	4	7	11	16	28	41	92	21	11.2	176	3	5	7	11	26	49	55
SUBTOTAL	**137**	**10.9**	**78**	**3**	**5**	**9**	**15**	**23**	**30**	**99 +**	**52**	**13.4**	**259**	**3**	**4**	**8**	**12**	**38**	**55**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	14.3	67	5	8	19	19	19	19	19										
35-49	4	28.5	214	7	19	34	37	39	39	39	1	22.0		22	22	22	22	22	22	22
50-64	5	17.4	32	8	14	21	21	21	21	21	5	22.8	211	8	9	23	35	41	41	41
65 +	9	14.2	124	4	7	9	19	31	39	39	5	14.8	104	6	8	12	19	32	32	32
ALL AGES	21	17.7	126	6	8	19	21	37	39	39	11	19.1	143	7	9	15	30	36	41	41
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	8.3	45	4	4	10	58	99 +	99 +	99 +	1	11.0		11	11	11	11	11	11	11
35-49	2	23.0	128	15	15	23	31	31	31	31										
50-64	7	15.6	243	6	8	9	15	43	50	50	1	13.0		13	13	13	13	13	13	13
65 +	17	15.4	81	4	9	15	20	31	32	33	4	19.3	366	8	9	10	29	48	48	48
ALL AGES	29	15.2	117	4	8	14	19	32	50	99 +	6	16.8	237	8	10	11	13	44	48	48
SUBTOTAL	**50**	**16.3**	**118**	**5**	**8**	**15**	**21**	**34**	**39**	**99 +**	**17**	**18.3**	**164**	**8**	**9**	**12**	**25**	**39**	**46**	**48**
GRAND TOTAL	**187**	**12.4**	**92**	**3**	**6**	**10**	**16**	**27**	**36**	**99 +**	**69**	**14.6**	**238**	**3**	**5**	**9**	**14**	**39**	**53**	**68**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27	2	8.0	98	1	1	8	15	15	15	15
13-19	1	16.0		16	16	16	16	16	16	16	1	2.0		2	2	2	2	2	2	2
20-34	8	8.6	52	1	3	6	15	19	19	19	9	21.4	698	4	5	6	32	67	68	68
35-49	13	16.1	419	2	6	10	17	33	72	81	6	18.0	213	6	8	14	39	89	99 +	99 +
50-64	14	7.2	50	1	1	5	9	19	20	20	1	4.0		4	4	4	4	4	4	4
65 +	42	12.3	58	3	5	12	18	23	27	29	7	13.9	23	8	9	15	17	20	21	21
ALL AGES	79	11.9	119	2	4	10	17	22	27	66	26	16.2	305	4	6	10	20	62	73	99 +
B FEMALE																				
0-12 YRS.																				
13-19	3	6.0	7	4	4	5	8	9	9	9										
20-34	7	16.1	225	3	5	7	26	40	43	43	2	12.5	13	10	10	12	15	15	15	15
35-49	12	21.8	413	4	5	14	30	55	67	69										
50-64	18	17.3	142	4	6	17	24	37	42	43	7	12.0	110	2	4	8	22	27	28	28
65 +	70	15.8	258	3	6	12	20	36	73	99 +	15	10.6	169	2	4	6	12	22	45	53
ALL AGES	110	16.5	245	3	6	12	22	40	67	99 +	24	11.2	132	2	4	7	14	25	35	53
SUBTOTAL	**189**	**14.5**	**199**	**3**	**5**	**11**	**19**	**29**	**43**	**92**	**50**	**13.8**	**224**	**3**	**5**	**9**	**17**	**34**	**65**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	29.8	48	23	23	30	36	36	36	36										
13-19	3	18.7	178	9	10	13	29	34	34	34										
20-34	14	12.0	45	4	7	11	16	20	23	24	1	21.0		21	21	21	21	21	21	21
35-49	20	10.3	67	2	4	7	18	23	24	24										
50-64	14	11.7	43	5	6	10	17	21	23	24	4	32.8	763	6	12	27	53	70	70	70
65 +	29	20.6	451	4	8	15	23	44	82	93	5	10.8	118	4	5	7	13	30	30	30
ALL AGES	84	15.6	218	4	6	12	21	27	37	89	10	20.6	427	4	6	13	30	53	70	70
B. FEMALE																				
0-12 YRS.	2	31.5	545	15	15	31	48	48	48	48										
13-19	1	12.0		12	12	12	12	12	12	12	2	27.0	128	19	19	27	35	35	35	35
20-34	7	9.3	58	1	4	8	12	22	24	24	3	11.7	33	5	7	14	15	16	16	16
35-49	4	8.5	58	1	3	7	13	19	19	19	4	8.3	51	4	4	5	12	19	19	19
50-64	14	13.8	70	3	7	13	19	26	28	28	4	34.5	1438	5	9	22	60	89	89	89
65 +	34	15.1	138	2	10	13	17	26	42	60	6	29.2	1246	3	6	21	82	99	99 +	99 +
ALL AGES	62	14.2	122	2	7	12	18	25	37	59	19	22.9	720	4	5	15	33	92	98	99 +
SUBTOTAL	**146**	**15.0**	**177**	**3**	**6**	**12**	**19**	**26**	**37**	**81**	**29**	**22.1**	**601**	**4**	**5**	**15**	**31**	**79**	**96**	**99 +**
GRAND TOTAL	**335**	**14.7**	**189**	**3**	**6**	**12**	**19**	**28**	**42**	**83**	**79**	**16.8**	**374**	**3**	**5**	**10**	**21**	**48**	**79**	**99 +**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	23.5	1	23	23	23	24	24	24	24	1	1.0		1	1	1	1	1	1	1
20-34	9	15.9	104	3	10	17	27	66	99 +	99 +	1	3.0		3	3	3	3	3	3	3
35-49	15	20.8	327	2	6	19	30	38	62	70	3	10.7	133	3	3	5	19	24	24	24
50-64	16	21.8	335	7	8	15	32	46	62	69	3	11.7	35	6	7	11	16	18	18	18
65 +	78	14.5	166	3	7	11	15	29	40	74	10	13.8	117	3	4	10	19	30	37	37
ALL AGES	120	16.5	205	3	7	12	23	36	46	89	18	11.6	96	3	3	9	19	24	32	37
B. FEMALE																				
0-12 YRS.	1	44.0		44	44	44	44	44	44	44										
13-19	2	14.5	25	11	11	14	18	18	18	18										
20-34	3	40.3	29	35	36	41	44	45	45	45										
35-49	5	8.4	75	1	2	7	12	23	23	23	2	5.0	2	4	4	5	6	6	6	6
50-64	24	14.0	77	4	7	13	22	26	31	31	1	33.0		33	33	33	33	33	33	33
65 +	106	15.8	140	4	8	14	18	30	45	57	14	7.4	11	3	5	7	10	12	13	13
ALL AGES	141	16.0	140	4	8	14	19	31	45	53	17	8.6	49	3	5	6	10	13	26	33
SUBTOTAL	**261**	**16.2**	**170**	**4**	**7**	**13**	**21**	**33**	**45**	**70**	**35**	**10.1**	**75**	**3**	**4**	**7**	**12**	**23**	**31**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	13.7	191	2	4	10	24	29	29	29										
20-34	19	10.1	34	3	6	11	14	19	21	21	2	3.0	2	2	2	3	4	4	4	4
35-49	12	14.6	171	4	5	8	24	34	43	45	3	5.7	4	4	4	5	7	8	8	8
50-64	13	18.5	162	5	9	12	28	35	43	45	1	11.0		11	11	11	11	11	11	11
65 +	34	15.9	96	5	7	14	21	30	35	43	3	7.0	49	2	2	4	12	15	15	15
ALL AGES	81	14.7	107	4	7	12	21	29	35	45	9	6.1	20	2	3	4	9	13	15	15
B. FEMALE																				
0-12 YRS.																				
13-19	1	16.0		16	16	16	16	16	16	16										
20-34	6	13.0	192	1	5	9	16	37	39	39										
35-49	7	14.9	51	5	9	15	21	23	23	23										
50-64	8	21.0	695	7	7	10	21	67	84	84	3	8.3	1	8	8	8	9	9	9	9
65 +	53	18.0	216	6	9	14	22	34	41	94	5	13.2	69	5	7	9	21	24	24	24
ALL AGES	75	17.6	239	5	8	14	21	33	41	93	8	11.4	45	6	8	9	15	23	24	24
SUBTOTAL	**156**	**16.1**	**171**	**5**	**7**	**13**	**21**	**29**	**38**	**82**	**17**	**8.6**	**37**	**3**	**4**	**8**	**10**	**19**	**23**	**24**
GRAND TOTAL	**417**	**16.2**	**169**	**4**	**7**	**13**	**21**	**32**	**43**	**74**	**52**	**9.6**	**62**	**3**	**4**	**8**	**11**	**21**	**24**	**37**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12										
20-34	2	17.5	25	14	14	17	21	21	21	21										
35-49	5	19.2	247	6	9	16	25	46	46	46	1	3.0		3	3	3	3	3	3	3
50-64	1	18.0		18	18	18	18	18	18	18										
65 +	2	19.0	162	10	10	19	28	28	28	28										
ALL AGES	11	18.1	122	8	11	16	20	35	45	46	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34	1	6.0		6	6	6	6	6	6	6										
35-49																				
50-64	3	8.0	19	5	5	6	11	13	13	13	2	28.5	545	12	12	28	45	45	45	45
65 +	2	14.0	288	2	2	14	26	26	26	26	3	5.7	6	3	4	6	7	8	8	8
ALL AGES	6	9.7	76	2	5	6	13	25	26	26	6	12.5	268	1	3	7	12	42	45	45
SUBTOTAL	**17**	**15.1**	**118**	**5**	**6**	**13**	**19**	**28**	**40**	**46**	**7**	**11.1**	**238**	**1**	**3**	**6**	**11**	**38**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	8.5	5	7	7	8	10	10	10	10										
35-49	3	5.3	1	5	5	5	6	6	6	6										
50-64	1	12.0		12	12	12	12	12	12	12										
65 +	2	17.5	41	13	13	17	22	22	22	22	1	10.0		10	10	10	10	10	10	10
ALL AGES	8	10.0	33	5	6	8	12	19	22	22	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12										
20-34	2	7.0	50	2	2	7	12	12	12	12	1	7.0		7	7	7	7	7	7	7
35-49	2	27.5	25	24	24	27	31	31	31	31										
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	4	12.0	8	10	10	11	14	16	16	16										
ALL AGES	10	13.4	73	3	10	12	16	27	31	31	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**18**	**11.9**	**55**	**5**	**6**	**11**	**13**	**23**	**28**	**31**	**2**	**8.5**	**5**	**7**	**7**	**8**	**10**	**10**	**10**	**10**
GRAND TOTAL	**35**	**13.5**	**85**	**5**	**6**	**12**	**17**	**26**	**30**	**46**	**9**	**10.6**	**178**	**2**	**3**	**7**	**10**	**32**	**45**	**45**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-19	4	33.0	459	5	16	37	49	53	53	53										
20-34	34	18.8	316	5	6	14	24	53	75	99 +	8	16.3	84	7	10	15	19	31	36	36
35-49	37	20.7	353	4	7	17	25	53	58	85	3	42.7	922	19	22	32	66	77	77	77
50-64	13	16.8	242	3	3	13	29	41	47	48										
65 +	3	22.7	190	11	13	19	33	38	38	38										
ALL AGES	92	20.3	321	4	6	16	27	51	58	94	11	23.5	395	8	12	16	29	52	75	77
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-19	2	23.0	512	7	7	23	39	39	39	39										
20-34	29	23.0	306	4	12	19	29	50	55	77	5	21.4	129	13	14	17	26	41	41	41
35-49	32	20.3	364	7	9	14	25	39	69	88	11	18.3	168	5	7	15	27	39	41	41
50-64	18	15.1	68	3	10	14	21	26	30	32	5	15.4	73	8	10	13	19	30	30	30
65 +	10	16.0	213	4	8	10	18	39	53	53										
ALL AGES	92	19.6	270	5	9	15	25	39	54	83	21	18.3	131	6	10	15	25	38	41	41
SUBTOTAL	**184**	**20.0**	**292**	**4**	**8**	**16**	**25**	**47**	**57**	**87**	**32**	**20.1**	**217**	**7**	**11**	**16**	**26**	**38**	**41**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	27	15.4	99	5	8	13	22	32	35	38	1	4.0		4	4	4	4	4	4	4
35-49	14	18.1	139	4	6	20	28	33	37	38										
50-64	2	10.5	5	9	9	10	12	12	12	12										
65 +	2	25.0	2	24	24	25	26	26	26	26										
ALL AGES	45	16.4	108	5	8	15	24	32	36	38	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34	21	17.3	90	7	9	17	21	34	35	36	3	12.0	112	4	5	8	20	24	24	24
35-49	4	10.0	17	7	7	8	12	16	16	16										
50-64	4	13.0	13	8	10	14	15	16	16	16	1	13.0		13	13	13	13	13	13	13
65 +	1	54.0		54	54	54	54	54	54	54	1	20.0		20	20	20	20	20	20	20
ALL AGES	31	16.5	125	7	8	15	19	34	36	54	5	13.8	68	4	7	13	21	24	24	24
SUBTOTAL	**76**	**16.5**	**111**	**5**	**8**	**15**	**23**	**33**	**36**	**50**	**6**	**12.2**	**70**	**4**	**4**	**10**	**20**	**24**	**24**	**24**
GRAND TOTAL	**260**	**18.9**	**244**	**5**	**8**	**15**	**24**	**38**	**53**	**85**	**38**	**18.8**	**202**	**5**	**9**	**15**	**24**	**37**	**41**	**77**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	25.3	298	10	14	27	62	99+	99+	99+	1	23.0		23	23	23	23	23	23	23
20-34	22	15.0	171	2	7	11	17	39	46	47	5	8.0	40	1	4	8	11	18	18	18
35-49	15	13.7	113	1	5	11	20	22	36	41	1	7.0		7	7	7	7	7	7	7
50-64	7	17.1	258	5	7	15	19	45	51	51										
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	49	15.5	171	2	7	13	20	43	49	99+	7	10.0	59	2	5	8	16	22	23	23
B. FEMALE																				
0-12 YRS.																				
13-19	2	21.0		21	21	21	21	21	21	21	1	11.0		11	11	11	11	11	11	11
20-34	18	16.6	161	2	7	15	24	40	73	99+	3	14.7	375	2	3	5	29	37	37	37
35-49	20	14.1	94	5	8	12	27	31	63	99+	6	15.7	159	2	11	12	21	36	38	38
50-64	12	14.9	180	1	4	14	27	53	91	99+	3	16.0	13	12	13	17	18	19	19	19
65 +	8	14.5	219	4	5	7	23	39	41	41	5	7.4	45	2	3	6	9	19	19	19
ALL AGES	60	15.3	138	3	7	13	24	40	62	99+	18	13.0	117	2	5	11	19	32	38	38
SUBTOTAL	**109**	**15.4**	**151**	**2**	**7**	**13**	**22**	**40**	**49**	**99+**	**25**	**12.2**	**99**	**2**	**5**	**11**	**18**	**23**	**37**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	18.0		18	18	18	18	18	18	18
20-34	9	22.9	452	4	7	13	42	55	63	63	2	25.0	338	12	12	25	38	38	38	38
35-49	4	16.0	54	7	10	17	22	22	22	22										
50-64	2	22.0	338	9	9	22	35	35	35	35	2	6.5	5	5	5	6	8	8	8	8
65 +	1	27.0		27	27	27	27	27	27	27	1	9.0		9	9	9	9	9	9	9
ALL AGES	16	21.3	286	7	8	15	31	44	57	63	6	15.0	146	5	8	10	18	36	38	38
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	12	16.6	277	4	7	13	19	36	61	65										
35-49	11	22.0	231	5	11	22	30	43	56	57	1	2.0		2	2	2	2	2	2	2
50-64	8	26.5	211	12	15	25	32	49	56	56	1	4.0		4	4	4	4	4	4	4
65 +	8	18.5	116	6	10	16	26	34	37	37	3	6.0	7	3	4	7	8	8	8	8
ALL AGES	40	20.1	217	4	9	17	27	35	56	65	5	4.8	7	2	3	4	7	8	8	8
SUBTOTAL	**56**	**20.4**	**234**	**5**	**9**	**17**	**28**	**41**	**57**	**65**	**11**	**10.4**	**103**	**3**	**4**	**8**	**11**	**26**	**37**	**38**
GRAND TOTAL	**165**	**17.1**	**184**	**3**	**7**	**14**	**24**	**40**	**51**	**99+**	**36**	**11.6**	**99**	**2**	**5**	**8**	**17**	**23**	**38**	**38**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-19	84	18.1	229	2	6	16	25	38	50	64	11	8.2	140	1	1	5	7	27	40	41
20-34	1602	15.4	157	3	7	12	21	34	42	65	344	14.9	172	3	6	11	19	33	44	78
35-49	1211	15.5	176	3	6	12	21	32	43	70	243	17.2	259	3	6	13	22	38	57	90
50-64	275	15.2	119	4	7	13	21	30	35	50	39	17.5	264	4	7	13	24	46	66	99 +
65 +	58	17.6	134	3	10	16	22	36	40	50	10	15.1	220	4	6	9	22	38	52	52
ALL AGES	3231	15.5	164	3	7	12	21	33	42	65	647	15.8	212	3	6	12	21	35	48	89
B. FEMALE																				
0-12 YRS.	2	29.5	365	16	16	29	43	43	43	43										
13-19	32	21.4	309	4	9	16	32	44	79	99 +	5	12.8	40	2	10	15	16	18	18	18
20-34	795	16.8	167	4	7	14	23	34	43	68	135	15.5	220	2	5	11	23	32	49	83
35-49	1038	15.7	145	4	7	13	21	31	39	51	169	16.3	250	3	5	11	22	37	45	80
50-64	587	16.5	136	5	8	14	22	32	40	60	80	18.6	241	5	7	15	27	40	64	99 +
65 +	348	18.8	167	6	10	16	24	35	42	70	53	13.8	108	4	6	10	19	32	36	98
ALL AGES	2802	16.6	157	4	8	14	22	33	42	66	442	16.1	221	3	6	12	23	36	48	85
SUBTOTAL	**6033**	**16.0**	**161**	**4**	**7**	**13**	**21**	**33**	**42**	**66**	**1089**	**15.9**	**216**	**3**	**6**	**12**	**22**	**36**	**48**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	42	18.5	478	4	6	10	19	65	87	99 +	5	10.4	261	1	1	5	14	39	39	39
20-34	788	13.9	163	3	5	10	18	29	41	72	149	14.2	175	2	5	12	20	30	44	85
35-49	615	13.5	155	3	5	10	17	28	36	74	108	15.0	182	3	6	12	21	30	42	93
50-64	89	14.5	152	3	6	11	19	30	38	88	19	15.6	170	2	6	11	25	38	41	41
65 +	34	23.5	389	5	8	18	29	61	64	77	8	12.0	92	4	5	7	19	27	28	28
ALL AGES	1568	14.1	175	3	6	10	18	30	42	77	289	14.5	174	3	5	12	20	31	42	87
B. FEMALE																				
0-12 YRS.	2	41.5	1201	17	17	41	66	66	66	66										
13-19	19	19.9	347	5	9	16	26	64	90	99 +	1	3.0		3	3	3	3	3	3	3
20-34	264	15.9	171	4	7	12	21	34	42	64	47	12.9	186	1	4	9	16	37	44	99 +
35-49	287	14.8	130	4	7	12	20	29	38	56	47	13.9	118	3	6	11	16	26	36	57
50-64	130	18.4	222	6	9	14	21	34	53	78	20	17.8	295	3	5	13	26	36	56	75
65 +	81	21.1	267	5	11	18	26	39	61	96	18	14.4	99	3	7	12	23	28	33	36
ALL AGES	783	16.6	185	4	7	13	21	33	44	77	133	14.1	165	3	6	11	17	31	40	79
SUBTOTAL	**2351**	**14.9**	**181**	**3**	**6**	**11**	**19**	**31**	**43**	**77**	**422**	**14.4**	**170**	**3**	**6**	**11**	**20**	**31**	**41**	**86**
GRAND TOTAL	**8384**	**15.7**	**166**	**4**	**7**	**12**	**21**	**32**	**42**	**69**	**1511**	**15.5**	**203**	**3**	**6**	**12**	**21**	**35**	**45**	**88**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	27.6	468	6	17	22	35	64	64	64										
13-19	19	17.4	115	2	12	17	21	35	37	37										
20-34	51	15.0	102	2	7	15	21	30	33	38	15	17.2	271	2	5	7	27	47	49	50
35-49	25	19.4	446	2	5	16	23	53	65	93	3	3.7	4	2	2	3	5	6	6	6
50-64	10	19.7	139	6	10	19	25	38	43	43	3	10.7	69	1	4	15	16	16	16	16
65 +	4	20.0	115	9	12	18	28	34	34	34										
ALL AGES	114	17.5	198	2	7	16	22	34	38	74	21	14.3	223	2	4	7	22	41	48	50
B. FEMALE																				
0-12 YRS.	2	35.0	288	23	23	35	47	47	47	47										
13-19	14	24.9	555	7	11	23	61	99 +	99 +	99 +	1	13.0		13	13	13	13	13	13	13
20-34	40	18.9	250	5	9	13	22	40	46	80	9	17.9	445	1	2	10	24	54	56	56
35-49	44	16.9	155	2	7	15	26	35	42	49	7	12.4	59	2	8	12	18	23	24	24
50-64	23	15.9	119	4	8	14	21	32	40	41	3	4.3	18	1	1	3	7	9	9	9
65 +	11	12.2	111	3	4	7	24	28	28	28	2	7.0		7	7	7	7	7	7	7
ALL AGES	134	18.0	223	4	8	13	27	41	50	99 +	22	13.1	212	1	3	10	13	32	54	56
SUBTOTAL	**248**	**17.8**	**210**	**3**	**8**	**15**	**25**	**37**	**47**	**99 +**	**43**	**13.7**	**212**	**2**	**4**	**9**	**16**	**39**	**51**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	68.0	128	60	60	68	76	76	76	76										
13-19	11	25.5	419	4	10	19	44	56	60	60										
20-34	33	17.3	255	3	7	12	22	37	48	80	5	9.4	147	2	3	5	12	31	31	31
35-49	8	19.5	418	4	9	14	19	54	68	68	3	4.3	25	1	1	2	8	10	10	10
50-64	3	22.3	299	3	9	28	34	36	36	36	1	11.0		11	11	11	11	11	11	11
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	58	21.1	371	3	8	14	27	53	65	80	9	7.9	87	1	2	5	10	23	31	31
B. FEMALE																				
0-12 YRS.	2	22.0	18	19	19	22	25	25	25	25										
13-19	8	19.3	145	8	9	15	31	35	36	36										
20-34	20	15.0	138	3	5	10	23	31	37	43	3	17.0	49	10	12	17	22	24	24	24
35-49	14	11.0	74	4	5	8	13	23	32	35	2	18.5	85	12	12	18	25	25	25	25
50-64	2	30.5	13	28	28	30	33	33	33	33	1	8.0		8	8	8	8	8	8	8
65 +	8	14.0	61	5	9	13	16	26	30	30										
ALL AGES	54	15.3	113	4	7	12	23	31	35	43	6	16.0	52	8	10	14	24	25	25	25
SUBTOTAL	**112**	**18.3**	**253**	**4**	**8**	**12**	**24**	**37**	**54**	**78**	**15**	**11.1**	**86**	**2**	**4**	**10**	**16**	**25**	**29**	**31**
GRAND TOTAL	**360**	**18.0**	**221**	**3**	**8**	**14**	**24**	**37**	**49**	**93**	**58**	**13.0**	**180**	**2**	**4**	**9**	**16**	**30**	**49**	**56**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	22.5	365	9	9	22	36	36	36	36										
20-34	1	38.0		38	38	38	38	38	38	38	1	44.0		44	44	44	44	44	44	44
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	4	21.0	353	1	5	22	37	38	38	38	1	44.0		44	44	44	44	44	44	44
B. FEMALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34	3	6.7	12	3	4	7	9	10	10	10										
35-49	1	2.0		2	2	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
50-64																				
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	6	6.5	12	2	3	7	10	10	10	10	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**10**	**12.3**	**180**	**1**	**3**	**8**	**10**	**37**	**38**	**38**	**3**	**16.3**	**576**	**2**	**2**	**3**	**34**	**44**	**44**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	15.0		15	15	15	15	15	15	15										
35-49																				
50-64	1	9.0		9	9	9	9	9	9	9										
65 +																				
ALL AGES	2	12.0	18	9	9	12	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	14.0	338	1	1	14	27	27	27	27										
35-49	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	3	11.0	196	1	2	5	21	27	27	27	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**5**	**11.4**	**103**	**1**	**4**	**9**	**18**	**27**	**27**	**27**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**15**	**12.0**	**145**	**1**	**3**	**9**	**14**	**36**	**37**	**38**	**4**	**13.0**	**427**	**2**	**2**	**3**	**24**	**44**	**44**	**44**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19	43	19.5	465	2	6	12	26	76	99 +	99 +	6	12.3	92	4	4	9	19	27	28	28
20-34	739	18.1	227	4	7	14	25	39	48	77	93	14.4	186	3	6	10	20	34	43	72
35-49	543	17.5	203	4	7	14	24	39	49	63	72	14.6	241	3	6	10	16	30	49	83
50-64	160	17.8	128	5	9	16	25	35	39	48	16	13.8	169	4	5	8	21	38	43	44
65 +	47	14.4	111	4	7	11	21	28	35	47	4	18.5	416	6	7	9	29	49	49	49
ALL AGES	1533	17.8	210	4	7	14	25	39	48	77	191	14.4	204	3	6	10	18	33	45	75
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-19	20	23.5	317	4	9	20	44	70	99 +	99 +										
20-34	442	17.0	225	4	7	13	22	34	45	78	67	11.7	131	3	5	8	16	21	32	64
35-49	504	17.4	213	4	7	14	22	34	46	78	63	12.5	157	3	4	9	16	27	37	69
50-64	325	15.9	127	4	7	13	22	31	36	53	38	16.3	149	4	7	14	20	29	43	60
65 +	144	18.3	177	6	8	16	25	34	39	71	27	11.4	52	3	4	11	18	22	23	23
ALL AGES	1436	17.1	196	4	7	14	23	34	44	72	195	12.8	134	3	5	10	17	24	34	64
SUBTOTAL	**2969**	**17.5**	**202**	**4**	**7**	**14**	**24**	**36**	**46**	**73**	**386**	**13.6**	**168**	**3**	**5**	**10**	**17**	**28**	**43**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	18	18.6	284	3	5	14	22	51	57	59	1	10.0		10	10	10	10	10	10	10
20-34	394	13.1	101	3	6	11	18	26	34	47	45	13.2	96	4	6	12	16	24	31	53
35-49	245	14.9	140	4	7	13	19	30	43	61	30	9.8	54	3	4	7	15	20	26	29
50-64	65	19.8	230	5	10	16	26	39	45	83	4	9.3	22	4	5	9	13	15	15	15
65 +	30	15.4	57	6	10	15	20	25	27	35	3	19.0	157	6	9	20	28	31	31	31
ALL AGES	752	14.5	130	3	7	12	19	29	38	57	83	12.0	79	3	6	10	15	23	29	47
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-19	5	31.0	287	11	16	40	47	95	99 +	99 +										
20-34	194	13.7	121	3	5	11	20	29	39	81	26	10.5	87	1	3	9	15	19	30	42
35-49	168	15.4	108	4	8	13	21	31	35	52	18	12.8	71	2	4	14	18	25	26	26
50-64	87	15.1	114	4	8	13	18	26	35	55	9	18.3	401	2	5	14	22	52	66	66
65 +	56	15.3	168	4	7	11	22	28	36	75	1	23.0		23	23	23	23	23	23	23
ALL AGES	511	14.8	125	4	7	12	20	30	39	65	54	12.8	134	1	3	12	17	26	29	65
SUBTOTAL	**1263**	**14.6**	**129**	**4**	**7**	**12**	**20**	**30**	**38**	**58**	**137**	**12.3**	**100**	**2**	**5**	**11**	**16**	**24**	**29**	**55**
GRAND TOTAL	**4232**	**16.6**	**183**	**4**	**7**	**13**	**22**	**34**	**44**	**69**	**523**	**13.3**	**150**	**3**	**5**	**10**	**17**	**26**	**40**	**66**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH		TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	3	31.0	300	11	18	41	41	41	41	41												
13-19	103	22.2	253	7	12	20	28	49	60	99 +		6	15.5	65	6	12	13	23	27	27	27
20-34	876	16.7	184	4	7	13	22	34	44	66		78	18.0	220	3	7	13	26	35	47	73
35-49	683	16.0	126	5	8	13	21	31	38	56		72	15.9	290	3	6	11	22	36	45	94
50-64	170	16.8	114	6	10	14	21	29	38	59		14	17.3	117	4	10	17	23	31	40	43
65 +	39	21.0	172	9	11	19	25	32	56	63		5	12.0	14	6	10	13	14	16	16	16
ALL AGES	1874	16.8	164	5	8	14	22	33	42	63		175	16.8	229	3	6	13	23	35	43	83
B. FEMALE																						
0-12 YRS.	1	12.0		12	12	12	12	12	12	12												
13-19	52	18.2	151	5	10	15	25	38	50	99		4	19.8	186	5	10	18	29	38	38	38
20-34	927	16.5	146	5	8	13	21	34	42	63		102	16.4	251	3	7	12	20	37	44	91
35-49	1119	17.0	174	5	8	14	22	34	44	71		116	18.2	360	3	6	11	25	45	72	98
50-64	583	18.2	182	6	9	15	23	34	44	74		49	17.0	150	6	8	14	21	35	42	62
65 +	228	21.2	228	7	11	17	27	41	51	80		16	17.9	104	9	10	15	28	35	78	99 +
ALL AGES	2910	17.4	173	5	8	14	22	34	44	73		287	17.4	265	3	7	12	22	39	48	96
SUBTOTAL	**4784**	**17.2**	**169**	**5**	**8**	**14**	**22**	**34**	**44**	**67**		**462**	**17.2**	**250**	**3**	**7**	**13**	**22**	**37**	**47**	**93**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	16.0	50	11	13	21	80	99 +	99 +	99 +												
13-19	59	23.7	425	6	9	17	28	55	69	86		5	16.4	358	3	4	7	27	48	48	48
20-34	629	14.9	134	4	7	12	19	29	39	65		92	15.2	173	4	8	12	19	27	41	73
35-49	443	14.8	133	4	7	12	20	30	41	54		64	13.9	101	4	6	12	19	27	36	47
50-64	89	15.8	156	4	7	14	20	28	38	75		12	10.1	57	2	5	8	13	24	25	25
65 +	26	21.1	341	4	9	17	27	44	56	86		2	8.0	2	7	7	8	9	9	9	9
ALL AGES	1248	15.5	156	4	7	12	20	30	42	66		175	14.3	142	4	7	11	19	26	39	53
B. FEMALE																						
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4												
13-19	63	19.8	368	3	7	14	31	55	93	99 +												
20-34	634	14.9	128	4	7	12	20	29	36	64		100	15.0	171	3	5	11	21	35	44	80
35-49	615	14.3	108	4	7	12	19	29	33	47		72	16.4	133	3	8	15	23	30	32	66
50-64	247	18.1	167	6	9	15	22	36	46	67		14	17.4	232	2	4	17	22	34	52	57
65 +	105	18.3	124	7	11	16	23	32	38	58		10	16.1	180	4	6	12	19	39	44	44
ALL AGES	1666	15.6	136	4	7	13	21	31	37	65		196	15.7	161	3	6	13	22	33	42	68
SUBTOTAL	**2914**	**15.5**	**146**	**4**	**7**	**13**	**21**	**31**	**39**	**65**		**371**	**15.1**	**150**	**3**	**7**	**12**	**20**	**31**	**39**	**60**
GRAND TOTAL	**7698**	**16.6**	**159**	**5**	**8**	**13**	**21**	**33**	**42**	**67**		**833**	**16.2**	**209**	**3**	**7**	**12**	**21**	**35**	**44**	**85**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	8	12.3	62	4	6	9	20	23	24	24										
20-34	81	14.4	106	3	7	13	17	32	36	44	12	9.4	73	1	2	7	16	20	27	28
35-49	54	12.3	127	3	6	11	14	26	30	70	6	9.2	87	2	2	6	11	25	27	27
50-64	13	12.9	35	5	9	13	16	22	22	22	3	6.7	40	3	3	3	11	14	14	14
65 +	5	39.2	1066	14	15	27	58	93	93	93										
ALL AGES	161	14.2	149	3	6	12	16	29	35	69	21	9.0	66	1	3	6	14	21	27	28
B. FEMALE																				
0-12 YRS.																				
13-19	8	15.5	106	4	7	16	28	73	99 +	99 +	1	7.0		7	7	7	7	7	7	7
20-34	49	14.8	161	3	7	10	20	35	41	63	6	8.2	47	1	2	6	15	18	18	18
35-49	48	12.3	79	3	6	11	16	25	38	99 +	9	8.7	36	1	4	8	13	18	20	20
50-64	37	15.2	82	6	8	14	20	30	39	99 +	6	13.7	101	3	5	11	25	27	27	27
65 +	15	15.7	131	7	7	10	22	31	42	46	6	9.0	31	3	4	9	14	15	15	15
ALL AGES	157	14.3	109	4	7	11	20	30	40	99 +	28	9.6	50	2	4	8	14	19	25	27
SUBTOTAL	**318**	**14.2**	**131**	**3**	**7**	**12**	**19**	**29**	**37**	**95**	**49**	**9.3**	**57**	**1**	**3**	**7**	**14**	**19**	**27**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-19	11	24.3	607	9	11	16	26	61	90	93										
20-34	31	17.7	140	5	9	15	24	34	40	55	7	13.0	28	6	9	13	15	21	22	22
35-49	23	15.3	77	6	8	16	21	26	59	99 +	2	17.5	145	9	9	17	26	26	26	26
50-64	9	18.1	168	3	7	20	26	36	42	42	1	14.0		14	14	14	14	14	14	14
65 +	2	15.0	32	11	11	15	19	19	19	19	1	2.0		2	2	2	2	2	2	2
ALL AGES	77	17.8	185	5	9	15	23	34	42	98	11	12.9	48	4	8	13	16	24	26	26
B. FEMALE																				
0-12 YRS.																				
13-19	3	10.7	68	4	5	8	17	20	20	20										
20-34	25	16.0	163	5	8	13	22	31	41	60	5	19.6	227	5	10	14	28	44	44	44
35-49	28	15.0	95	4	6	14	18	30	33	42	3	11.7	40	7	7	9	16	19	19	19
50-64	1	7.0		7	7	7	7	7	7	7	1	30.0		30	30	30	30	30	30	30
65 +	8	22.4	283	8	14	16	25	51	61	61										
ALL AGES	65	15.9	145	4	7	14	21	31	37	61	9	18.1	159	6	8	14	25	38	44	44
SUBTOTAL	**142**	**17.0**	**164**	**5**	**8**	**15**	**22**	**31**	**41**	**93**	**20**	**15.3**	**97**	**5**	**8**	**13**	**20**	**28**	**37**	**44**
GRAND TOTAL	**460**	**16.1**	**141**	**4**	**7**	**13**	**20**	**30**	**40**	**93**	**69**	**11.1**	**73**	**2**	**4**	**9**	**15**	**24**	**27**	**41**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	44.0	198	25	35	43	59	59	59	59	1	7.0		7	7	7	7	7	7	7
13-19	74	19.2	221	5	10	16	24	38	48	74	10	18.6	156	4	8	18	33	63	97	99+
20-34	419	14.3	126	4	7	12	19	28	35	62	108	19.1	316	4	7	14	28	50	75	99+
35-49	264	14.2	122	4	7	12	20	29	34	61	79	16.0	261	3	5	13	20	34	43	90
50-64	88	14.5	72	5	7	13	21	26	31	37	21	19.0	201	4	7	18	27	38	45	54
65 +	27	14.1	101	3	7	11	18	31	36	37	2	28.0	1250	3	15	53	88	99+	99+	99+
ALL AGES	878	14.9	134	4	7	12	20	29	36	62	221	18.0	280	3	7	14	24	43	64	99+
B. FEMALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45	1	2.0		2	2	2	2	2	2	2
13-19	43	24.0	373	6	9	16	36	47	66	85	4	16.3	126	6	7	14	25	30	30	30
20-34	312	15.2	176	4	7	11	20	31	43	68	72	15.7	219	3	7	12	21	33	43	99+
35-49	282	14.9	167	3	7	11	18	29	43	72	51	19.3	278	4	8	15	25	42	55	99+
50-64	159	15.2	108	5	8	13	20	32	38	56	27	18.7	300	3	5	14	31	42	48	74
65 +	82	16.5	155	6	8	14	21	32	38	71	12	13.5	146	3	6	11	16	27	45	48
ALL AGES	879	15.7	172	4	7	12	20	32	43	70	167	17.1	240	3	7	13	22	40	44	99+
SUBTOTAL	**1757**	**15.3**	**163**	**4**	**7**	**12**	**20**	**31**	**40**	**67**	**388**	**17.6**	**263**	**3**	**7**	**14**	**23**	**42**	**57**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	40.9	369	19	28	35	55	68	71	71										
13-19	42	18.0	155	6	8	14	24	36	46	51	6	8.0	45	1	3	7	10	19	20	20
20-34	232	14.8	191	3	6	11	19	31	41	73	44	16.3	213	3	6	12	23	44	50	52
35-49	135	13.1	107	3	6	12	17	25	28	53	25	19.8	579	2	5	12	25	42	87	98
50-64	30	13.9	135	4	5	11	17	34	43	46	3	16.0	301	1	4	12	29	35	35	35
65 +	15	13.3	110	5	6	9	18	30	37	39	1	10.0		10	10	10	10	10	10	10
ALL AGES	463	15.0	174	3	6	12	20	30	43	69	79	16.7	315	2	5	11	22	41	51	94
B. FEMALE																				
0-12 YRS.	2	15.0	72	9	12	21	80	99+	99+	99+	1	36.0		36	36	36	36	36	36	36
13-19	25	19.0	311	3	7	17	26	37	90	99+	1	20.0		20	20	20	20	20	20	20
20-34	131	13.3	132	3	6	9	17	28	36	57	12	13.7	359	2	3	7	14	40	65	69
35-49	104	15.7	182	5	8	11	19	31	45	68	17	14.4	164	2	7	8	21	36	42	44
50-64	47	18.6	325	7	9	11	21	36	57	89	4	16.0	69	7	10	15	21	27	27	27
65 +	18	14.8	64	5	10	14	23	25	27	27	4	30.3	1102	3	6	36	81	99+	99+	99+
ALL AGES	327	15.3	188	4	7	11	20	30	41	88	39	16.7	300	3	6	9	27	40	72	99+
SUBTOTAL	**790**	**15.1**	**180**	**3**	**6**	**12**	**20**	**30**	**41**	**73**	**118**	**16.7**	**307**	**3**	**5**	**10**	**23**	**41**	**52**	**99**
GRAND TOTAL	**2547**	**15.2**	**163**	**4**	**7**	**12**	**20**	**30**	**41**	**70**	**506**	**17.4**	**272**	**3**	**7**	**13**	**23**	**42**	**57**	**99+**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	5	5.2	16	1	2	5	8	11	11	11										
20-34	18	14.9	215	4	7	9	20	29	50	64	1	1.0		1	1	1	1	1	1	1
35-49	23	13.6	203	3	4	9	16	31	46	62	2	6.5	25	3	3	6	10	10	10	10
50-64	9	8.9	35	2	5	7	14	18	19	19	1	7.0		7	7	7	7	7	7	7
65 +	13	13.2	68	4	7	14	17	24	31	33	2	10.5	13	8	8	10	13	13	13	13
ALL AGES	68	12.6	147	2	5	9	15	28	33	64	6	7.0	20	1	3	7	10	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19	5	16.8	277	1	7	10	26	44	44	44	1	4.0		4	4	4	4	4	4	4
20-34	22	10.2	68	1	4	11	16	24	56	99 +	3	15.3	211	6	6	8	26	32	32	32
35-49	30	11.7	76	2	5	9	17	25	26	36	3	8.3	15	4	5	10	11	11	11	11
50-64	28	12.6	70	3	7	12	16	21	29	40	3	7.3	43	1	2	7	12	14	14	14
65 +	23	18.8	80	9	12	17	24	32	37	41	5	12.2	381	1	3	4	15	47	47	47
ALL AGES	108	13.4	88	2	6	12	20	26	35	67	15	10.5	160	1	4	6	11	32	43	47
SUBTOTAL	**176**	**13.1**	**110**	**2**	**6**	**11**	**18**	**27**	**34**	**63**	**21**	**9.5**	**119**	**1**	**4**	**7**	**10**	**21**	**39**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	5	20.0	85	12	13	15	29	31	31	31										
20-34	13	18.6	319	2	7	14	23	45	63	67										
35-49	14	11.2	104	1	3	8	21	28	30	30										
50-64	4	12.3	27	6	8	12	16	18	18	18										
65 +	1	19.0		19	19	19	19	19	19	19	2	27.5	925	6	6	27	49	49	49	49
ALL AGES	37	15.3	171	2	7	13	21	30	37	67	2	27.5	925	6	6	27	49	49	49	49
B. FEMALE																				
0-12 YRS.																				
13-19	4	31.0	1094	2	6	23	55	76	76	76	1	2.0		2	2	2	2	2	2	2
20-34	16	12.7	149	2	4	9	15	39	41	41										
35-49	19	12.3	90	2	5	8	19	27	28	28	1	3.0		3	3	3	3	3	3	3
50-64	9	21.9	463	4	8	12	29	59	63	63										
65 +	9	18.3	234	3	7	14	27	42	48	48	3	13.0	103	2	5	15	20	22	22	22
ALL AGES	57	16.2	257	2	5	11	21	40	51	75	5	8.8	85	2	2	3	17	22	22	22
SUBTOTAL	**94**	**15.9**	**219**	**2**	**5**	**12**	**21**	**34**	**47**	**72**	**7**	**14.1**	**295**	**2**	**2**	**6**	**20**	**44**	**49**	**49**
GRAND TOTAL	**270**	**14.0**	**151**	**2**	**5**	**11**	**19**	**29**	**40**	**66**	**28**	**10.7**	**157**	**1**	**3**	**6**	**12**	**29**	**47**	**49**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	5	16.8	287	1	2	10	35	35	35	35										
20-34	13	18.3	316	3	8	15	18	56	58	58	2	4.0	8	2	2	4	6	6	6	6
35-49	11	13.6	133	6	8	11	14	28	45	47	2	6.5	1	6	6	6	7	7	7	7
50-64	5	10.8	42	4	5	9	17	19	19	19	3	9.3	58	4	4	6	15	18	18	18
65 +	5	18.0	92	7	9	18	27	28	28	28	1	1.0		1	1	1	1	1	1	1
ALL AGES	39	15.8	186	4	7	12	18	35	51	58	8	6.3	26	1	3	6	7	15	18	18
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-19	3	29.3	465	11	14	24	46	53	53	53										
20-34	15	16.3	77	6	8	17	25	27	29	30	2	2.5	5	1	1	2	4	4	4	4
35-49	26	12.7	73	2	7	12	19	30	43	99 +	5	7.0	19	1	5	7	9	13	13	13
50-64	24	12.0	114	3	4	9	15	25	32	47	5	18.2	215	1	5	20	30	36	36	36
65 +	16	21.3	227	5	8	19	29	47	51	53	4	11.3	92	1	3	12	19	20	20	20
ALL AGES	85	15.3	137	4	7	12	23	30	47	83	16	11.0	114	1	3	7	19	27	34	36
SUBTOTAL	**124**	**15.4**	**153**	**4**	**7**	**12**	**20**	**32**	**47**	**68**	**24**	**9.4**	**88**	**1**	**3**	**6**	**15**	**21**	**30**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	8	17.5	191	3	7	14	29	37	37	37										
35-49	13	13.1	88	3	5	13	16	26	34	36	3	7.7	24	2	4	10	11	11	11	11
50-64	7	25.1	128	14	14	28	36	39	39	39										
65 +	4	24.3	108	10	16	26	32	34	34	34										
ALL AGES	33	17.8	141	4	8	14	28	37	38	39	3	7.7	24	2	4	10	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	2	10.5	13	8	8	10	13	13	13	13	1	3.0		3	3	3	3	3	3	3
20-34	7	16.6	269	3	5	9	25	44	48	48	2	14.5	265	3	3	14	26	26	26	26
35-49	13	14.5	77	4	8	13	20	27	32	33	2	28.5	85	22	22	28	35	35	35	35
50-64	7	14.3	104	5	8	10	19	32	34	34	1	5.0		5	5	5	5	5	5	5
65 +	4	15.3	44	8	9	15	21	22	22	22	3	12.0	148	4	4	6	21	26	26	26
ALL AGES	33	14.8	104	4	8	12	20	30	34	48	9	14.4	161	3	4	6	26	31	35	35
SUBTOTAL	**66**	**16.3**	**123**	**4**	**8**	**13**	**23**	**34**	**37**	**47**	**12**	**12.8**	**129**	**3**	**4**	**8**	**24**	**29**	**34**	**35**
GRAND TOTAL	**190**	**15.7**	**142**	**4**	**7**	**13**	**22**	**33**	**39**	**57**	**36**	**10.5**	**102**	**1**	**3**	**6**	**18**	**26**	**33**	**36**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	102	22.1	226	5	11	21	30	45	57	99+	6	11.7	63	2	3	12	18	22	22	22
13-19	561	17.9	191	3	8	15	25	37	48	99+	26	11.6	130	2	3	7	14	32	36	43
20-34	840	10.9	98	2	4	8	14	22	27	49	99	9.7	69	2	4	7	13	22	27	40
35-49	889	12.0	91	3	6	10	15	23	29	49	98	10.0	97	2	4	7	12	22	29	51
50-64	508	15.1	134	4	7	12	20	30	37	63	57	11.5	165	3	5	10	14	18	22	91
65 +	594	17.2	131	4	9	15	22	32	39	56	74	15.7	286	2	5	10	21	31	52	87
ALL AGES	3494	14.3	136	3	6	12	19	29	36	63	360	11.4	145	2	4	7	15	23	31	70
B. FEMALE																				
0-12 YRS.	77	22.7	201	7	12	22	29	44	53	92	5	22.8	50	14	18	21	29	31	31	31
13-19	918	17.9	215	3	7	14	25	38	48	94	73	14.6	185	2	4	9	23	33	43	52
20-34	1686	11.4	91	2	5	9	15	23	30	47	204	11.2	94	3	5	8	15	22	34	45
35-49	1729	12.5	94	3	6	11	17	24	30	50	234	11.5	160	2	4	8	14	28	36	73
50-64	977	14.7	99	5	8	13	19	26	32	52	124	12.5	117	3	5	9	16	25	32	58
65 +	1408	18.5	172	5	10	16	23	35	46	63	186	12.6	91	4	6	10	16	27	31	47
ALL AGES	6795	14.6	138	3	7	12	19	29	37	60	826	12.1	126	3	5	8	16	28	34	54
SUBTOTAL	**10289**	**14.5**	**137**	**3**	**7**	**12**	**19**	**29**	**37**	**61**	**1186**	**11.9**	**132**	**2**	**5**	**8**	**15**	**26**	**34**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	233	27.9	241	9	18	27	35	48	61	98	30	28.3	159	11	21	27	36	45	54	57
13-19	750	19.5	231	4	8	16	27	40	52	92	48	13.6	194	2	3	6	23	36	43	50
20-34	1359	11.2	81	2	5	9	15	23	28	43	137	12.1	141	2	4	8	16	27	34	61
35-49	1263	12.3	76	3	6	11	17	24	28	46	135	12.2	75	3	5	11	18	23	29	54
50-64	433	14.5	147	3	7	12	18	28	40	68	54	15.7	279	2	6	10	19	35	43	91
65 +	412	17.1	144	4	9	14	22	32	41	59	45	11.3	115	2	4	7	16	26	34	50
ALL AGES	4450	14.7	143	3	6	12	20	29	38	62	449	13.7	157	2	5	10	19	30	40	60
B. FEMALE																				
0-12 YRS.	107	26.5	260	9	14	24	36	47	60	76	21	22.6	388	4	7	21	41	63	81	99+
13-19	1203	19.8	239	4	9	16	27	42	57	99+	88	16.8	196	3	6	13	26	38	49	86
20-34	2252	13.1	110	3	6	11	17	26	33	51	266	12.3	79	3	5	10	17	25	29	42
35-49	1891	13.7	105	3	6	11	19	27	32	49	226	11.7	97	2	4	9	15	24	30	49
50-64	715	15.6	126	4	8	13	20	28	36	60	78	11.7	115	2	4	10	17	25	29	60
65 +	847	18.5	155	6	10	16	24	34	43	66	96	10.1	72	2	5	8	13	18	26	48
ALL AGES	7015	15.5	149	4	7	13	21	30	39	65	775	12.6	113	3	5	10	17	26	34	57
SUBTOTAL	**11465**	**15.2**	**147**	**3**	**7**	**12**	**21**	**30**	**39**	**65**	**1224**	**13.0**	**130**	**2**	**5**	**10**	**18**	**28**	**36**	**60**
GRAND TOTAL	**21754**	**14.9**	**141**	**3**	**7**	**12**	**20**	**29**	**38**	**63**	**2410**	**12.5**	**130**	**2**	**5**	**9**	**16**	**27**	**35**	**57**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	23	21.7	219	10	12	20	35	62	99+	99+	1	10.0		10	10	10	10	10	10	10
13-19	163	16.1	190	4	7	13	20	31	42	83	10	12.6	131	3	4	7	26	30	33	33
20-34	453	11.3	82	3	5	9	15	21	27	51	65	13.0	101	4	5	10	18	28	34	41
35-49	680	14.4	133	3	7	12	19	28	35	56	74	12.8	152	3	5	10	18	29	32	72
50-64	454	15.6	136	4	8	13	21	30	36	68	44	11.8	74	3	5	9	18	23	27	37
65 +	604	21.2	215	6	12	18	28	41	49	83	59	18.1	308	4	6	14	23	38	72	99
ALL AGES	2377	16.0	160	4	7	13	21	32	40	71	253	13.9	163	3	5	10	19	28	34	80
B. FEMALE																				
0-12 YRS.	21	13.6	23	8	10	13	18	23	54	99+	1	1.0		1	1	1	1	1	1	1
13-19	313	16.2	198	3	6	12	21	34	47	76	27	9.5	114	1	2	6	13	20	28	52
20-34	1141	12.6	114	3	6	10	16	25	31	56	152	13.5	146	2	5	10	19	30	39	58
35-49	1715	13.3	99	3	6	11	17	26	31	47	173	12.6	127	2	4	9	18	26	36	53
50-64	1138	15.7	118	5	8	14	21	29	37	53	120	16.4	207	3	7	14	21	32	46	92
65 +	1923	20.9	179	7	11	18	28	38	46	69	176	14.8	154	4	6	11	20	30	38	66
ALL AGES	6251	16.1	146	4	8	13	21	31	39	61	649	14.0	154	3	5	11	19	29	38	62
SUBTOTAL	**8628**	**16.0**	**152**	**4**	**7**	**13**	**21**	**31**	**39**	**65**	**902**	**14.0**	**155**	**3**	**5**	**11**	**19**	**29**	**37**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	94	19.1	150	8	11	14	26	36	45	59	2	23.0	968	1	1	22	45	45	45	45
13-19	349	18.4	237	4	9	14	24	41	51	99+	28	12.4	161	2	4	7	17	33	37	50
20-34	997	12.2	96	3	6	10	16	24	31	49	134	13.2	128	3	5	10	17	27	31	58
35-49	1135	12.4	102	3	6	10	16	25	32	55	159	12.0	85	3	5	10	16	25	30	52
50-64	441	15.3	134	4	7	13	19	31	41	55	53	15.7	112	6	8	14	17	35	40	43
65 +	367	19.3	160	6	10	16	25	40	47	60	31	16.7	164	5	9	13	21	31	41	66
ALL AGES	3383	14.3	133	3	7	11	18	29	39	58	407	13.3	118	3	5	11	17	28	35	54
B. FEMALE																				
0-12 YRS.	47	17.7	193	7	10	14	20	35	45	76	2	11.0	32	7	7	11	15	15	15	15
13-19	568	17.6	196	5	8	14	24	37	49	99+	54	17.1	230	2	5	15	27	34	41	75
20-34	2269	13.8	137	3	6	11	18	28	36	59	273	13.9	137	3	5	11	19	30	38	64
35-49	2428	14.0	122	3	6	11	19	28	36	55	318	13.7	144	3	5	11	18	27	38	63
50-64	946	16.1	130	5	8	14	21	30	38	60	118	13.6	119	2	6	11	19	29	35	51
65 +	1053	21.0	186	7	11	18	28	39	47	79	102	19.2	186	5	10	15	28	37	47	99+
ALL AGES	7311	15.5	150	4	7	13	21	31	39	67	867	14.6	151	3	6	11	20	30	38	66
SUBTOTAL	**10694**	**15.1**	**145**	**4**	**7**	**12**	**20**	**31**	**39**	**64**	**1274**	**14.2**	**140**	**3**	**6**	**11**	**19**	**29**	**38**	**64**
GRAND TOTAL	**19322**	**15.5**	**149**	**4**	**7**	**13**	**21**	**31**	**39**	**65**	**2176**	**14.1**	**147**	**3**	**5**	**11**	**19**	**29**	**37**	**66**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	19.3	62	11	14	16	25	32	33	33										
13-19	62	17.8	184	5	9	15	22	34	50	66	6	17.5	254	1	4	14	34	38	38	38
20-34	521	15.8	137	4	7	13	21	30	39	56	104	15.2	150	3	7	11	22	38	42	72
35-49	504	16.0	174	4	7	12	21	33	40	69	85	13.8	181	3	6	11	17	25	31	76
50-64	288	17.5	152	5	9	15	22	35	44	55	47	14.6	163	4	6	13	16	26	43	70
65 +	180	16.0	139	5	9	13	20	30	36	67	11	19.9	329	6	6	17	28	45	64	66
ALL AGES	1563	16.3	154	4	8	14	21	32	41	66	253	14.9	170	3	6	11	20	31	42	70
B. FEMALE																				
0-12 YRS.	3	43.3	409	21	28	49	57	60	60	60										
13-19	67	16.7	168	5	9	14	21	30	44	96	8	22.1	151	8	11	21	32	37	39	39
20-34	649	15.3	144	4	7	12	20	30	39	76	124	15.9	159	3	7	14	20	32	45	72
35-49	983	15.3	138	4	7	12	20	30	36	63	195	14.2	149	4	7	12	17	30	39	66
50-64	674	16.9	147	6	9	14	22	31	39	80	135	16.9	190	5	8	13	21	36	49	67
65 +	441	19.4	189	6	9	17	25	36	45	78	27	16.7	121	3	8	15	24	34	37	39
ALL AGES	2817	16.4	153	5	8	13	21	31	39	68	489	15.7	160	4	7	13	19	32	41	65
SUBTOTAL	**4380**	**16.4**	**152**	**4**	**8**	**13**	**21**	**32**	**40**	**68**	**742**	**15.4**	**164**	**3**	**7**	**13**	**20**	**32**	**42**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	25.7	209	13	17	20	32	49	59	59										
13-19	33	20.0	237	6	10	15	26	49	58	61	7	25.3	368	5	11	23	37	56	59	59
20-34	232	14.6	168	3	6	11	19	30	40	71	60	14.4	68	4	7	15	20	25	30	93
35-49	226	13.7	89	4	7	11	18	27	33	41	34	16.6	254	4	7	11	20	37	53	76
50-64	128	15.5	165	4	7	13	20	29	36	73	18	12.6	89	3	5	8	21	28	31	31
65 +	63	16.2	154	4	8	13	21	32	39	70	7	12.7	82	6	7	8	18	28	30	30
ALL AGES	691	15.1	144	4	7	12	20	30	38	66	126	15.2	142	4	7	13	21	30	39	81
B. FEMALE																				
0-12 YRS.	4	23.3	396	4	8	19	38	50	50	50										
13-19	29	23.9	515	5	9	18	27	73	89	99 +	2	9.5	61	4	4	9	15	15	15	15
20-34	223	14.5	131	4	7	12	20	26	34	59	40	19.3	125	6	10	19	28	40	42	99 +
35-49	245	14.3	90	4	8	13	19	27	31	48	46	14.7	95	5	7	11	23	28	29	43
50-64	146	17.6	133	4	9	16	25	33	39	65	14	11.6	69	2	4	12	19	24	26	26
65 +	111	19.6	99	8	13	17	26	34	37	73	6	17.7	127	4	8	17	25	33	34	34
ALL AGES	758	16.2	134	4	8	14	21	30	37	74	108	16.1	108	4	7	13	24	29	39	66
SUBTOTAL	**1449**	**15.6**	**141**	**4**	**7**	**13**	**21**	**30**	**37**	**71**	**234**	**15.6**	**127**	**4**	**7**	**13**	**22**	**30**	**39**	**79**
GRAND TOTAL	**5829**	**16.2**	**149**	**4**	**8**	**13**	**21**	**31**	**39**	**68**	**976**	**15.5**	**154**	**4**	**7**	**13**	**20**	**31**	**41**	**69**

BIPOLAR AFFECT, DEPRESS (296.5)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	14.0	109	7	7	9	22	26	26	26										
13-19	35	13.3	60	4	7	12	18	26	29	31	4	35.5	1338	2	8	27	62	85	85	85
20-34	163	12.4	98	3	6	10	16	23	31	45	16	11.4	118	3	4	8	14	21	39	46
35-49	198	13.2	136	3	7	10	16	25	38	73	21	10.1	116	1	3	8	12	20	33	48
50-64	142	17.9	131	6	10	16	23	32	45	56	8	13.0	108	3	5	9	21	29	29	29
65 +	86	18.8	186	7	10	15	25	35	42	78	9	18.9	148	4	10	15	28	36	38	38
ALL AGES	627	14.9	132	4	7	12	19	28	36	60	58	14.0	219	2	4	10	17	31	44	82
B. FEMALE																				
0-12 YRS.	3	17.7	88	7	10	21	24	25	25	25										
13-19	41	12.9	72	3	6	12	17	26	30	32	1	6.0		6	6	6	6	6	6	6
20-34	294	12.7	88	3	7	10	16	26	31	43	37	11.7	98	3	5	9	14	26	30	46
35-49	403	13.3	100	3	6	11	19	27	32	45	51	11.5	106	3	5	8	15	25	39	44
50-64	269	15.6	110	5	8	13	20	30	35	50	26	18.2	298	5	9	13	18	37	59	81
65 +	286	20.9	212	7	11	16	26	41	51	81	22	17.1	155	6	7	14	22	41	42	43
ALL AGES	1296	15.3	133	4	7	12	21	30	37	55	137	13.7	152	3	6	10	18	29	41	57
SUBTOTAL	**1923**	**15.2**	**132**	**4**	**7**	**12**	**20**	**29**	**37**	**56**	**195**	**13.8**	**171**	**3**	**5**	**10**	**18**	**29**	**42**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	41.5	403	18	30	36	58	71	72	72										
13-19	32	17.6	109	6	10	17	23	29	37	50	2	13.0	50	8	8	13	18	18	18	18
20-34	252	12.6	90	3	7	10	16	23	32	47	23	14.8	141	2	9	13	18	28	38	56
35-49	238	13.9	105	4	7	12	19	25	31	45	26	11.7	46	2	7	12	15	20	25	31
50-64	93	17.0	139	5	8	15	22	38	43	99 +	12	14.8	77	4	9	15	22	25	29	30
65 +	38	18.0	210	2	7	17	25	38	45	66	2	16.0	98	9	9	16	23	23	23	23
ALL AGES	659	14.5	122	4	7	12	19	28	37	64	65	13.5	86	2	8	13	17	23	29	52
B. FEMALE																				
0-12 YRS.	3	23.7	44	16	18	26	28	29	29	29										
13-19	51	20.9	280	5	8	16	32	45	66	99 +	3	5.3	15	1	2	7	8	8	8	8
20-34	312	14.0	151	3	6	11	18	28	41	65	26	12.2	204	2	4	8	14	25	36	73
35-49	387	14.7	122	4	7	13	20	28	38	52	41	13.4	217	2	4	8	16	33	36	79
50-64	148	16.5	141	5	8	14	22	30	39	85	15	10.4	81	2	6	7	13	19	33	38
65 +	98	22.8	266	8	12	19	30	41	57	99 +	9	15.1	55	6	9	16	20	26	28	28
ALL AGES	999	15.9	162	4	7	13	21	32	41	71	94	12.5	169	2	5	8	15	27	35	76
SUBTOTAL	**1658**	**15.3**	**148**	**4**	**7**	**13**	**21**	**30**	**39**	**67**	**159**	**12.9**	**134**	**2**	**6**	**10**	**16**	**25**	**32**	**71**
GRAND TOTAL	**3581**	**15.2**	**141**	**4**	**7**	**12**	**20**	**30**	**39**	**61**	**354**	**13.4**	**154**	**3**	**6**	**10**	**17**	**28**	**38**	**72**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	29.0	50	17	27	29	34	36	36	36										
13-19	56	18.0	137	7	10	15	22	30	43	58	1	20.0		20	20	20	20	20	20	20
20-34	162	13.4	105	3	7	11	17	27	31	53	11	7.8	27	1	3	7	13	14	15	15
35-49	182	15.4	148	4	8	12	19	28	41	70	16	9.8	45	3	5	8	12	21	25	26
50-64	73	15.1	114	5	8	13	19	25	40	56	8	12.4	185	2	3	6	19	35	40	40
65 +	34	16.9	111	7	9	15	22	37	48	99+	7	19.6	249	3	6	14	33	41	43	43
ALL AGES	514	15.3	128	4	8	13	19	28	40	61	43	11.6	106	2	4	8	15	26	37	43
B. FEMALE																				
0-12 YRS.	7	29.3	335	12	20	25	29	60	68	68										
13-19	65	18.0	203	3	8	15	24	35	55	97	4	27.8	361	8	14	25	41	53	53	53
20-34	281	14.0	113	3	7	11	18	27	34	54	23	14.8	156	4	7	10	18	32	47	52
35-49	361	14.8	108	5	8	12	18	28	35	51	30	14.8	301	3	5	7	13	55	64	99+
50-64	216	16.5	152	4	8	13	20	35	43	60	23	20.7	203	6	9	17	31	38	48	62
65 +	163	20.3	184	7	11	18	26	38	49	79	13	16.9	233	5	7	9	24	46	48	48
ALL AGES	1093	16.0	142	4	8	13	20	30	40	64	93	17.1	235	4	7	11	23	45	53	84
SUBTOTAL	**1607**	**15.8**	**137**	**4**	**8**	**13**	**20**	**30**	**40**	**64**	**136**	**15.4**	**198**	**4**	**6**	**10**	**20**	**39**	**50**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	31.1	485	6	13	26	51	62	73	75										
13-19	74	18.9	134	7	11	17	26	36	47	88	2	14.0	98	7	7	14	21	21	21	21
20-34	186	13.0	94	3	6	11	17	26	34	42	21	17.1	194	4	8	11	23	39	47	55
35-49	147	14.9	144	3	7	13	18	30	39	65	17	14.2	240	3	6	11	16	20	53	70
50-64	53	15.0	159	3	6	12	20	34	43	52	4	24.8	190	14	16	20	33	45	45	45
65 +	18	13.7	74	5	7	11	18	26	33	36	4	31.0	575	6	10	32	51	53	53	53
ALL AGES	491	15.2	140	4	7	12	19	31	39	61	48	17.8	238	4	7	14	21	43	53	70
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-19	56	17.8	202	5	10	14	22	31	38	89	2	9.0	72	3	3	9	15	15	15	15
20-34	203	13.2	109	3	6	11	17	26	32	54	25	15.1	109	5	9	13	17	26	39	51
35-49	261	16.4	164	4	8	13	20	32	41	61	30	15.6	148	4	7	13	20	33	41	55
50-64	99	16.3	158	5	8	13	21	31	42	67	18	16.7	130	4	9	15	19	36	42	44
65 +	48	20.5	198	7	10	15	29	39	45	67	4	14.8	35	8	10	14	19	22	22	22
ALL AGES	668	15.9	154	4	7	13	20	31	39	61	79	15.5	120	4	8	14	19	28	41	54
SUBTOTAL	**1159**	**15.6**	**148**	**4**	**7**	**13**	**20**	**31**	**39**	**61**	**127**	**16.3**	**167**	**4**	**8**	**14**	**19**	**36**	**46**	**59**
GRAND TOTAL	**2766**	**15.7**	**142**	**4**	**8**	**13**	**20**	**30**	**39**	**62**	**263**	**15.8**	**184**	**4**	**7**	**12**	**20**	**37**	**49**	**64**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	11	18.0	314	3	6	10	28	47	56	57										
13-19	50	17.2	225	3	7	11	23	45	59	99 +	5	27.6	628	3	5	25	46	63	63	63
20-34	179	12.5	105	3	6	10	16	25	31	49	24	12.5	196	4	6	8	13	24	42	71
35-49	145	13.2	118	3	6	11	16	25	36	53	36	15.0	159	3	6	10	24	34	39	48
50-64	73	15.1	143	4	6	13	20	31	35	67	11	14.9	107	5	8	10	21	32	36	36
65 +	40	15.5	112	4	7	13	21	30	36	44	5	15.0	91	4	7	14	23	27	27	27
ALL AGES	498	14.0	130	3	6	11	18	29	37	61	81	15.0	188	3	6	10	22	33	40	69
B. FEMALE																						
0-12 YRS.	6	28.3	215	6	21	30	41	44	44	44										
13-19	66	23.4	315	7	13	21	31	50	95	99 +	3	16.3	164	8	8	10	26	31	31	31
20-34	209	13.0	73	3	7	12	18	24	31	38	40	11.9	98	3	6	9	15	25	34	47
35-49	267	14.4	138	3	6	12	19	28	37	54	36	11.1	77	2	6	9	13	28	31	35
50-64	199	16.1	105	4	9	15	21	30	36	48	24	15.7	227	3	5	11	21	36	51	64
65 +	117	19.0	147	6	10	15	25	37	40	59	15	10.7	129	3	5	6	11	28	41	45
ALL AGES	864	15.9	137	4	8	14	21	31	38	60	118	12.4	122	3	6	9	14	29	35	52
SUBTOTAL	**1362**	**15.2**	**136**	**4**	**7**	**13**	**20**	**31**	**38**	**61**	**199**	**13.5**	**148**	**3**	**6**	**9**	**17**	**30**	**38**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	31	28.4	201	10	21	28	34	51	56	59	1	4.0		4	4	4	4	4	4	4
13-19	98	21.4	262	6	11	16	29	43	67	99 +	5	20.0	208	5	7	17	34	36	36	36
20-34	189	11.9	103	3	6	9	15	22	30	52	25	10.7	134	3	4	6	12	20	45	47
35-49	148	10.8	64	3	5	9	13	22	28	37	19	12.2	63	4	7	11	15	20	30	38
50-64	44	14.9	134	4	7	12	20	30	37	58	6	10.0	67	1	3	9	17	21	21	21
65 +	24	15.8	152	5	7	12	19	40	47	48	6	11.2	98	2	2	9	16	27	28	28
ALL AGES	534	14.7	157	4	6	11	19	30	39	69	62	11.8	105	3	5	10	15	23	37	47
B. FEMALE																						
0-12 YRS.	10	21.0	33	14	16	20	24	30	31	31										
13-19	102	18.8	163	6	10	17	27	39	59	99 +	2	19.0	162	10	10	19	28	28	28	28
20-34	242	13.6	174	3	6	10	17	28	40	80	24	11.0	85	2	5	9	14	23	32	38
35-49	213	13.6	117	3	6	11	19	25	30	54	29	9.6	67	3	4	7	11	22	30	34
50-64	81	16.0	143	3	8	13	21	34	42	57	4	5.8	10	1	3	7	8	8	8	8
65 +	59	24.2	294	6	11	19	34	52	64	97	7	6.4	21	2	4	5	7	14	16	16
ALL AGES	707	15.6	170	4	7	12	21	31	44	85	66	9.8	70	2	4	7	11	22	29	37
SUBTOTAL	**1241**	**15.2**	**165**	**4**	**7**	**12**	**21**	**30**	**43**	**79**	**128**	**10.8**	**87**	**3**	**4**	**8**	**13**	**22**	**34**	**45**
GRAND TOTAL	**2603**	**15.2**	**149**	**4**	**7**	**12**	**20**	**30**	**40**	**71**	**327**	**12.4**	**127**	**3**	**5**	**9**	**15**	**29**	**35**	**51**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	30.9	294	12	14	43	64	99 +	99 +	99 +										
13-19	40	15.5	111	5	10	14	17	29	41	53	2	7.5	1	7	7	7	8	8	8	8
20-34	80	10.2	75	2	5	9	13	20	24	51	7	6.6	44	1	3	5	7	18	21	21
35-49	59	12.3	96	3	6	9	16	27	33	47	8	14.3	112	6	7	9	20	31	36	36
50-64	33	11.8	55	2	7	11	17	22	26	29	4	5.3	21	1	1	4	9	11	11	11
65 +	29	14.2	86	5	7	12	19	27	36	37	1	7.0		7	7	53	99 +	99 +	99 +	99 +
ALL AGES	248	12.8	102	3	7	11	16	26	37	60	22	9.2	70	2	5	7	11	24	58	99 +
B. FEMALE																				
0-12 YRS.	6	24.2	147	13	14	22	32	41	42	42										
13-19	66	14.4	141	3	7	12	19	28	32	72	4	3.8	4	2	2	3	5	7	7	7
20-34	137	12.2	97	3	6	11	16	21	26	51	12	5.9	10	2	3	6	8	10	11	11
35-49	113	12.4	137	3	6	10	14	25	32	71	17	7.9	41	2	3	6	10	19	23	24
50-64	74	14.8	126	3	7	13	20	28	40	52	14	5.3	11	1	3	4	9	9	11	11
65 +	62	20.5	309	5	9	16	24	45	66	75	16	15.4	121	3	7	11	24	33	36	37
ALL AGES	458	14.3	154	3	7	11	18	28	38	71	63	8.6	62	2	3	6	10	20	28	36
SUBTOTAL	**706**	**13.8**	**135**	**3**	**7**	**11**	**17**	**28**	**38**	**70**	**85**	**8.8**	**62**	**2**	**3**	**7**	**10**	**21**	**30**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	17	29.4	297	9	14	29	47	57	83	99 +										
13-19	55	17.5	346	2	6	13	24	34	80	99 +	3	11.7		11	11	11	13	13	13	13
20-34	126	11.3	117	3	5	8	15	24	32	53	19	12.5	96	3	6	10	16	27	36	41
35-49	67	11.7	56	3	6	10	16	24	28	31	10	7.7	49	1	3	5	10	20	20	20
50-64	33	12.1	48	3	7	11	17	22	25	27	4	6.3	24	1	3	5	9	13	13	13
65 +	30	16.8	118	6	10	17	20	27	48	49	2	16.0	50	11	11	16	21	21	21	21
ALL AGES	328	14.0	161	3	6	11	18	28	40	91	38	10.7	70	2	5	9	14	21	27	41
B. FEMALE																				
0-12 YRS.	8	35.9	871	8	14	26	59	81	81	81										
13-19	55	14.3	181	2	5	10	21	32	48	98	3	10.7	16	6	7	12	13	14	14	14
20-34	148	15.1	244	3	6	9	20	35	47	96	15	8.2	40	1	3	7	10	19	20	20
35-49	150	15.5	111	4	8	13	20	30	35	50	22	9.4	32	2	6	9	13	17	20	21
50-64	61	15.8	232	4	7	11	20	30	33	85	2	8.0	32	4	4	8	12	12	12	12
65 +	58	21.4	227	7	11	18	29	47	61	97	5	13.6	563	2	2	4	17	56	56	56
ALL AGES	480	16.3	210	4	7	12	22	33	46	85	47	9.5	79	2	4	7	12	19	20	56
SUBTOTAL	**808**	**15.4**	**190**	**3**	**6**	**11**	**21**	**31**	**44**	**88**	**85**	**10.0**	**75**	**2**	**5**	**8**	**13**	**20**	**22**	**51**
GRAND TOTAL	**1514**	**14.6**	**166**	**3**	**7**	**11**	**19**	**30**	**41**	**80**	**170**	**9.4**	**69**	**2**	**4**	**7**	**12**	**20**	**27**	**53**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	31.5	25	28	28	31	35	35	35	35										
13-19	5	13.2	135	1	2	12	24	27	27	27	1	36.0		36	36	36	36	36	36	36
20-34	22	11.6	185	3	6	7	13	21	42	67	2	16.0	288	4	4	16	28	28	28	28
35-49	14	11.4	66	3	4	10	20	22	27	29	5	13.0	107	1	5	14	19	28	28	28
50-64	10	11.5	65	3	7	10	14	24	30	30	5	26.0	1181	6	7	15	33	87	87	87
65 +	10	15.4	138	3	5	12	29	32	34	34	1	9.0		9	9	9	9	9	9	9
ALL AGES	63	12.9	129	3	5	10	18	29	32	63	14	19.4	483	4	6	14	28	41	77	87
B. FEMALE																				
0-12 YRS.																				
13-19	4	11.0	59	4	6	9	16	22	22	22	1	1.0		1	1	1	1	1	1	1
20-34	25	8.5	38	1	4	9	13	19	21	23	2	7.5	25	4	4	7	11	11	11	11
35-49	30	12.4	122	3	6	9	13	26	39	51	9	7.8	60	2	4	6	8	21	27	27
50-64	15	16.8	103	3	10	19	25	34	80	99 +	4	7.5	24	2	4	7	11	14	14	14
65 +	37	17.9	222	4	10	16	20	33	41	85	3	12.3	2	12	12	12	13	13	13	13
ALL AGES	111	13.9	142	3	6	11	19	29	39	91	19	8.1	37	2	4	7	12	14	21	27
SUBTOTAL	**174**	**13.5**	**138**	**3**	**6**	**11**	**19**	**29**	**34**	**80**	**33**	**12.9**	**249**	**2**	**4**	**7**	**14**	**28**	**35**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	25.4	16	21	21	28	28	29	29	29										
13-19	12	12.6	111	2	4	11	17	26	36	38										
20-34	34	11.5	66	3	4	11	18	23	27	32	7	9.6	50	2	4	9	12	21	23	23
35-49	34	13.3	87	4	6	11	16	29	32	37	6	11.8	70	2	8	9	19	23	24	24
50-64	11	13.8	126	4	7	12	15	30	43	44	1	11.0		11	11	11	11	11	11	11
65 +	23	18.3	95	7	11	19	23	35	38	39	2	14.0	72	8	8	14	20	20	20	20
ALL AGES	119	14.2	94	3	6	13	20	28	34	41	16	11.1	49	2	6	10	15	23	24	24
B. FEMALE																				
0-12 YRS.																				
13-19	17	17.2	196	5	7	12	23	43	45	46	1	25.0		25	25	25	25	25	25	25
20-34	48	11.9	75	4	6	9	14	25	30	41	3	3.0	12	1	1	1	5	7	7	7
35-49	25	13.0	105	3	6	9	17	24	39	41	7	15.1	410	1	1	10	18	50	58	58
50-64	15	9.6	56	1	4	6	13	19	26	28	4	7.5	48	1	1	7	13	14	14	14
65 +	29	18.2	70	7	13	19	21	25	40	41	7	10.4	62	4	6	7	14	24	26	26
ALL AGES	134	13.9	99	4	7	12	19	25	40	44	22	11.0	170	1	2	7	15	25	39	58
SUBTOTAL	**253**	**14.1**	**94**	**4**	**7**	**12**	**20**	**27**	**36**	**44**	**38**	**11.1**	**115**	**1**	**4**	**8**	**15**	**24**	**26**	**58**
GRAND TOTAL	**427**	**13.8**	**113**	**3**	**6**	**12**	**19**	**28**	**35**	**47**	**71**	**11.9**	**177**	**1**	**4**	**8**	**15**	**25**	**28**	**81**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	9.0		9	9	9	9	9	9	9										
65 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +	4	15.8	73	4	10	17	21	25	25	25										
ALL AGES	5	14.2	69	4	7	17	19	25	25	25										
SUBTOTAL	**6**	**13.3**	**61**	**4**	**8**	**13**	**17**	**24**	**25**	**25**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	18.0		18	18	18	18	18	18	18										
20-34	1	33.0		33	33	33	33	33	33	33										
35-49																				
50-64																				
65 +	2	26.0	18	23	23	26	29	29	29	29										
ALL AGES	4	25.8	40	18	20	26	31	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	5	23.0	106	8	18	22	30	36	36	36										
ALL AGES	5	23.0	106	8	18	22	30	36	36	36										
SUBTOTAL	**9**	**24.2**	**73**	**12**	**20**	**23**	**30**	**35**	**36**	**36**										
GRAND TOTAL	**15**	**19.9**	**91**	**8**	**11**	**21**	**27**	**33**	**35**	**36**										

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5	2	7.5	85	1	1	7	14	14	14	14
20-34	7	14.9	486	1	1	6	23	54	60	60	2	10.5	1	10	10	10	11	11	11	11
35-49	13	12.0	97	1	3	12	18	28	29	29	3	12.0	19	7	9	14	15	15	15	15
50-64	11	18.5	345	2	5	13	27	47	63	64	2	10.0	98	3	3	10	17	17	17	17
65 +	11	19.2	156	4	6	19	29	36	38	38	1	55.0		55	55	55	55	55	55	55
ALL AGES	43	15.8	229	1	4	12	27	34	46	64	10	14.7	228	1	7	12	15	36	55	55
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	10	8.8	53	2	3	8	9	20	26	26	4	12.8	12	8	10	13	15	17	17	17
35-49	18	12.3	59	3	6	10	19	23	25	26	4	17.0	136	5	10	15	24	33	33	33
50-64	20	13.7	101	4	6	11	18	27	35	42	5	6.4	23	1	2	6	10	13	13	13
65 +	48	15.4	189	5	7	11	17	35	49	65	5	17.6	214	2	12	17	41	94	99 +	99 +
ALL AGES	96	13.8	133	4	7	10	17	26	39	63	18	13.3	104	2	6	13	17	38	73	99 +
SUBTOTAL	**139**	**14.4**	**163**	**3**	**6**	**11**	**19**	**29**	**39**	**64**	**28**	**13.8**	**142**	**2**	**7**	**13**	**16**	**38**	**57**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	20.0		20	20	20	20	20	20	20	2	7.0	2	6	6	7	8	8	8	8
20-34	11	10.6	49	2	5	9	16	20	24	24	5	15.0	222	3	6	8	23	40	40	40
35-49	14	11.1	65	4	6	7	16	21	28	30	3	27.0	571	6	10	22	45	53	53	53
50-64	5	13.0	54	3	9	12	18	23	23	23	1	4.0		4	4	4	4	4	4	4
65 +	9	22.9	297	7	11	15	31	51	58	58	2	7.0	8	5	5	7	9	9	9	9
ALL AGES	40	14.1	126	3	6	12	18	26	35	58	13	14.5	236	4	6	8	18	43	51	53
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3	1	10.0		10	10	10	10	10	10	10
20-34	9	10.7	43	2	6	10	15	20	22	22										
35-49	14	10.7	70	4	6	8	11	21	32	35	4	6.5	24	1	2	6	10	12	12	12
50-64	10	17.3	208	4	9	12	21	42	49	49	3	12.7	33	6	8	15	16	17	17	17
65 +	27	18.7	178	6	8	16	24	32	41	67	5	14.0	218	3	3	4	28	33	33	33
ALL AGES	61	15.2	146	4	7	11	21	31	36	65	13	11.1	95	2	4	9	15	28	32	33
SUBTOTAL	**101**	**14.8**	**136**	**4**	**7**	**12**	**20**	**30**	**36**	**62**	**26**	**12.8**	**162**	**3**	**4**	**8**	**17**	**32**	**43**	**53**
GRAND TOTAL	**240**	**14.6**	**150**	**3**	**6**	**11**	**19**	**29**	**37**	**64**	**54**	**13.3**	**149**	**3**	**5**	**10**	**16**	**33**	**50**	**98**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	1.0		1	1	1	1	1	1	1										
65 +											2	37.0	1922	6	6	37	68	68	68	68
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	37.0	1922	6	6	37	68	68	68	68
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	17.0		17	17	17	17	17	17	17	1	3.0		3	3	3	3	3	3	3
65 +	5	19.4	157	9	9	13	32	34	34	34	3	13.7	11	10	11	14	16	17	17	17
ALL AGES	6	19.0	127	9	9	15	32	34	34	34	4	11.0	37	3	6	12	15	17	17	17
SUBTOTAL	**7**	**16.4**	**153**	**3**	**9**	**13**	**28**	**34**	**34**	**34**	**6**	**19.7**	**585**	**3**	**6**	**12**	**17**	**63**	**68**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	1	16.0		16	16	16	16	16	16	16										
50-64																				
65 +	1	11.0		11	11	11	11	11	11	11	1	21.0		21	21	21	21	21	21	21
ALL AGES	3	10.7	29	5	6	11	15	16	16	16	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	7.0		7	7	7	7	7	7	7										
65 +	2	11.5	25	8	8	11	15	15	15	15										
ALL AGES	3	10.0	19	7	7	8	13	15	15	15										
SUBTOTAL	**6**	**10.3**	**21**	**5**	**7**	**9**	**15**	**16**	**16**	**16**	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**
GRAND TOTAL	**13**	**13.6**	**95**	**4**	**8**	**11**	**16**	**32**	**34**	**34**	**7**	**19.9**	**487**	**4**	**7**	**14**	**20**	**59**	**68**	**68**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	33.0		33	33	33	33	33	33	33
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	33.0		33	33	33	33	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21										
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	2	12.0	162	3	3	12	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**12.0**	**162**	**3**	**3**	**12**	**21**	**21**	**21**	**21**										
GRAND TOTAL	**2**	**12.0**	**162**	**3**	**3**	**12**	**21**	**21**	**21**	**21**	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	17.0		17	17	17	17	17	17	17										
20-34	5	18.2	125	7	7	22	25	33	33	33	1	15.0		15	15	15	15	15	15	15
35-49	5	9.4	38	3	4	7	16	16	16	16										
50-64	1	3.0		3	3	3	3	3	3	3										
65 +	2	13.0	2	12	12	13	14	14	14	14										
ALL AGES	14	13.1	76	3	7	13	17	23	31	33	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	4	25.3	131	14	17	23	33	41	41	41										
50-64	4	3.5	7	1	1	3	5	7	7	7	2	14.5	41	10	10	14	19	19	19	19
65 +	8	14.9	127	4	6	15	17	33	39	39	1	3.0		3	3	3	3	3	3	3
ALL AGES	16	14.6	152	2	5	14	19	38	40	41	3	10.7	63	3	5	10	17	19	19	19
SUBTOTAL	**30**	**13.9**	**113**	**3**	**6**	**14**	**18**	**29**	**39**	**41**	**4**	**11.8**	**46**	**3**	**6**	**12**	**17**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	20.8	129	9	12	19	29	36	36	36										
35-49	6	10.0	22	3	8	10	14	15	15	15										
50-64																				
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	11	13.7	83	5	8	11	16	28	35	36										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	3	16.0	21	11	12	17	19	20	20	20	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	2	24.0	18	21	21	24	27	27	27	27	1	4.0		4	4	4	4	4	4	4
ALL AGES	6	16.2	81	2	11	18	21	26	27	27	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**17**	**14.6**	**78**	**3**	**9**	**14**	**20**	**26**	**33**	**36**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**47**	**14.2**	**97**	**3**	**7**	**14**	**19**	**27**	**36**	**41**	**6**	**9.0**	**47**	**3**	**3**	**7**	**15**	**19**	**19**	**19**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	7.3	9	4	5	9	9	9	9	9										
20-34	42	11.6	56	3	6	10	15	22	27	33	8	5.3	6	2	3	5	7	9	10	10
35-49	55	10.6	115	2	3	7	14	27	34	49	10	11.9	107	3	5	7	16	28	37	37
50-64	35	11.1	48	4	5	10	15	21	23	34	2	19.0	200	9	9	19	29	29	29	29
65 +	50	15.3	154	4	7	12	22	31	43	59	6	11.8	152	2	7	8	11	33	36	36
ALL AGES	185	12.1	102	2	5	10	15	27	32	47	26	10.4	94	3	4	7	11	28	36	37
B. FEMALE																				
0-12 YRS.																				
13-19	1	34.0		34	34	34	34	34	34	34	1	30.0		30	30	30	30	30	30	30
20-34	45	10.2	38	4	5	9	14	21	22	23	9	3.9	10	1	1	2	6	9	10	10
35-49	83	10.9	72	2	5	9	15	24	25	42	6	16.2	360	2	6	10	14	50	54	54
50-64	60	15.8	168	4	7	14	19	30	39	76	4	3.3	2	1	2	3	4	5	5	5
65 +	127	15.9	114	4	8	14	22	29	34	53	21	8.1	31	2	5	7	11	17	21	21
ALL AGES	316	13.8	109	4	6	11	19	27	32	49	41	8.4	91	1	3	6	10	17	25	54
SUBTOTAL	**501**	**13.2**	**106**	**3**	**6**	**11**	**18**	**27**	**32**	**49**	**67**	**9.2**	**91**	**1**	**4**	**6**	**11**	**20**	**31**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	6	8.8	79	2	2	5	15	23	24	24	1	2.0		2	2	2	2	2	2	2
20-34	51	11.3	84	3	5	10	14	21	30	53	3	3.3	11	1	1	2	6	7	7	7
35-49	53	12.5	77	3	6	11	19	21	23	51	6	11.3	148	1	2	8	14	32	34	34
50-64	20	15.9	150	2	6	14	21	37	41	43	1	2.0		2	2	2	2	2	2	2
65 +	32	17.8	92	7	9	17	23	34	35	38	3	9.7	33	3	5	12	13	14	14	14
ALL AGES	162	13.4	97	3	6	12	19	25	34	51	14	7.9	80	1	2	5	12	16	30	34
B. FEMALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	26	11.2	128	2	5	6	13	29	57	99 +	2	2.0		2	2	2	2	2	2	2
35-49	50	10.9	57	2	5	9	15	25	25	29	4	7.3	26	1	3	8	11	12	12	12
50-64	35	16.7	164	5	7	13	23	36	42	57	2	8.5	41	4	4	8	13	13	13	13
65 +	81	18.1	114	7	11	15	25	33	39	52	10	9.2	46	3	4	7	14	20	22	22
ALL AGES	193	15.0	119	4	7	13	21	29	38	55	18	7.9	37	2	4	6	12	17	21	22
SUBTOTAL	**355**	**14.3**	**108**	**3**	**6**	**12**	**20**	**28**	**36**	**52**	**32**	**7.9**	**54**	**1**	**2**	**6**	**12**	**16**	**22**	**34**
GRAND TOTAL	**856**	**13.6**	**109**	**3**	**6**	**11**	**19**	**27**	**34**	**52**	**99**	**8.8**	**79**	**1**	**3**	**6**	**11**	**19**	**30**	**46**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	12.0	156	2	3	8	21	26	26	26										
20-34	5	7.6	37	2	3	4	13	16	16	16	3	12.7	15	9	10	12	16	17	17	17
35-49	12	11.2	36	5	7	9	15	21	22	22	3	6.7	21	4	4	4	10	12	12	12
50-64	9	12.6	177	2	4	6	23	34	36	36	1	12.0		12	12	12	12	12	12	12
65 +	7	16.0	114	3	7	17	26	27	27	27	3	11.7	31	7	8	10	16	18	18	18
ALL AGES	36	12.0	92	2	5	8	18	27	31	36	10	10.5	23	4	7	11	12	17	18	18
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-19	4	17.3	336	2	2	14	32	39	39	39	4	4.0	29	1	1	2	7	12	12	12
20-34	15	14.3	199	3	5	9	16	30	49	56	6	7.8	28	3	4	5	14	15	15	15
35-49	12	13.0	83	1	4	13	18	27	28	28	4	10.3	32	5	6	9	14	18	18	18
50-64	9	14.4	88	5	8	14	18	29	34	34	4	7.3	46	1	3	5	11	17	17	17
65 +	10	21.2	267	2	8	20	27	47	48	48	6	7.7	8	4	5	7	11	11	11	11
ALL AGES	51	15.5	166	2	6	13	21	32	47	56	24	7.5	25	1	4	6	11	15	17	18
SUBTOTAL	**87**	**14.1**	**135**	**2**	**5**	**11**	**21**	**28**	**36**	**53**	**34**	**8.4**	**25**	**2**	**4**	**7**	**12**	**17**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-19																				
20-34	8	13.5	138	1	4	11	20	32	36	36	1	4.0		4	4	4	4	4	4	4
35-49	12	11.3	51	3	6	10	13	23	26	27	3	2.7	2	1	1	3	4	4	4	4
50-64	3	18.7	431	2	4	12	34	42	42	42	1	3.0		3	3	3	3	3	3	3
65 +	4	20.5	151	8	10	19	30	35	35	35	2	8.5	13	6	6	8	11	11	11	11
ALL AGES	28	13.8	121	2	6	11	19	33	37	42	7	4.6	10	1	3	4	6	10	11	11
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-19	6	25.8	469	4	9	23	33	60	63	63	3	11.7	71	2	5	15	17	18	18	18
20-34	16	7.3	30	3	4	5	9	12	21	25	5	9.8	136	1	2	7	13	30	30	30
35-49	14	13.4	339	2	4	7	11	44	62	67	4	21.0	158	3	12	25	29	31	31	31
50-64	13	17.2	115	5	11	16	23	30	41	43										
65 +	8	13.6	87	3	6	12	20	27	28	28	5	12.2	126	2	3	8	22	27	27	27
ALL AGES	58	13.9	191	3	5	10	17	29	43	67	17	13.5	123	2	3	8	23	30	31	31
SUBTOTAL	**86**	**13.9**	**165**	**3**	**5**	**10**	**17**	**30**	**42**	**66**	**24**	**10.9**	**105**	**2**	**3**	**6**	**19**	**28**	**30**	**31**
GRAND TOTAL	**173**	**14.0**	**149**	**3**	**5**	**10**	**20**	**29**	**39**	**61**	**58**	**9.4**	**59**	**2**	**4**	**7**	**12**	**20**	**28**	**31**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	3	11.3	263	1	1	3	23	30	30	30										
20-34	12	7.5	22	2	3	7	11	14	16	16	4	10.0	67	2	3	10	17	18	18	18
35-49	7	7.9	61	1	2	5	14	20	21	21	2	3.0	8	1	1	3	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8										
65 +	7	13.0	81	5	6	8	20	27	28	28										
ALL AGES	30	9.3	61	1	4	7	13	21	28	30	7	6.7	52	1	1	4	13	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19	1	31.0		31	31	31	31	31	31	31										
20-34	5	5.8	10	3	4	5	7	11	11	11	5	14.0	230	1	1	8	28	34	34	34
35-49	6	9.0	64	3	5	7	7	23	25	25	3	11.7	119	3	4	8	20	24	24	24
50-64	4	11.8	37	5	6	12	17	18	18	18	5	6.2	61	1	2	4	8	20	20	20
65 +	5	10.2	119	1	4	7	14	29	29	29	4	7.3	30	2	3	6	11	15	15	15
ALL AGES	21	10.1	75	3	5	7	12	27	30	31	17	9.7	105	1	2	5	16	26	31	34
SUBTOTAL	**51**	**9.6**	**66**	**2**	**4**	**7**	**13**	**23**	**29**	**31**	**24**	**8.8**	**89**	**1**	**2**	**5**	**15**	**24**	**28**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	1	7.0		7	7	7	7	7	7	7	3	4.0	4	2	2	4	5	6	6	6
35-49	4	13.3	168	3	4	9	22	32	32	32	4	14.3	199	3	4	10	24	34	34	34
50-64	3	8.7	41	2	4	9	13	15	15	15	1	6.0		6	6	6	6	6	6	6
65 +	6	16.2	159	4	5	15	22	35	36	36	2	6.5	1	6	6	6	7	7	7	7
ALL AGES	15	12.3	119	2	4	8	20	32	35	36	10	8.8	91	2	4	6	7	24	34	34
B. FEMALE																				
0-12 YRS.																				
13-19											2	15.5	313	3	3	15	28	28	28	28
20-34	5	9.2	12	7	7	7	11	15	15	15	7	7.4	102	1	2	5	5	25	30	30
35-49	6	9.2	105	3	5	5	6	28	30	30	6	5.5	14	2	2	5	7	11	12	12
50-64	2	34.5	841	14	14	34	55	55	55	55										
65 +	8	19.8	810	4	5	6	23	70	86	86	7	7.3	10	3	4	8	10	10	10	10
ALL AGES	21	15.6	421	4	5	7	14	42	69	86	22	7.6	57	2	3	5	10	17	29	30
SUBTOTAL	**36**	**14.2**	**292**	**3**	**5**	**7**	**15**	**33**	**49**	**86**	**32**	**8.0**	**65**	**2**	**3**	**5**	**9**	**19**	**30**	**34**
GRAND TOTAL	**87**	**11.5**	**162**	**3**	**5**	**7**	**15**	**29**	**32**	**74**	**56**	**8.3**	**75**	**1**	**3**	**5**	**10**	**24**	**29**	**34**

TOTAL U.S., JANUARY-DECEMBER 1990

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	7.0	50	2	2	7	12	12	12	12										
20-34											1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2										
50-64	2	1.0		1	1	1	1	1	1	1										
65 +											2	2.5	5	1	1	2	4	4	4	4
ALL AGES	5	3.6	22	1	1	2	5	12	12	12	3	2.0	3	1	1	1	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19											2	1.0		1	1	1	1	1	1	1
20-34	1	23.0		23	23	23	23	23	23	23										
35-49	2	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
50-64	2	5.0	8	3	3	5	7	7	7	7	1	4.0		4	4	4	4	4	4	4
65 +	1	16.0		16	16	16	16	16	16	16	2	6.0	50	1	1	6	11	11	11	11
ALL AGES	6	9.2	71	3	3	7	21	85	99+	99+	6	3.2	16	1	1	1	4	10	11	11
SUBTOTAL	**11**	**6.6**	**54**	**1**	**2**	**3**	**14**	**46**	**92**	**99+**	**9**	**2.8**	**11**	**1**	**1**	**1**	**4**	**8**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	2	9.5	25	6	6	9	13	13	13	13										
50-64																				
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	3	8.7	13	6	6	7	11	13	13	13	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	10.0		10	10	10	10	10	10	10										
35-49	1	8.0		8	8	8	8	8	8	8										
50-64	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
65 +	2	3.5	13	1	1	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	5	5.6	13	1	2	6	8	10	10	10	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**8**	**6.8**	**13**	**2**	**4**	**7**	**9**	**12**	**13**	**13**	**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
GRAND TOTAL	**19**	**6.7**	**35**	**1**	**2**	**6**	**11**	**19**	**61**	**99+**	**12**	**2.7**	**8**	**1**	**1**	**1**	**4**	**6**	**10**	**11**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	6	11.2	45	4	6	10	14	22	23	23	2	10.0	50	5	5	10	15	15	15	15
35-49	5	7.0	26	1	2	7	12	12	12	12	2	3.0		3	3	3	3	3	3	3
50-64	7	11.0	49	5	7	10	11	23	26	26	1	3.0		3	3	3	3	3	3	3
65 +	9	22.0	166	3	12	23	30	38	40	40	1	14.0		14	14	14	14	14	14	14
ALL AGES	28	13.7	109	3	6	10	23	29	35	40	6	7.2	32	3	3	4	14	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	4	11.5	20	7	8	11	15	17	17	17	2	3.5	5	2	2	3	5	5	5	5
35-49	14	6.1	18	2	3	5	6	13	16	17	5	7.2	45	2	2	3	14	15	15	15
50-64	7	10.4	38	4	6	9	13	20	22	22	2	6.0	32	2	2	6	10	10	10	10
65 +	14	15.8	79	7	10	13	20	32	34	34	7	12.0	111	2	5	11	12	30	34	34
ALL AGES	39	10.8	58	3	5	9	14	21	27	34	16	8.7	69	2	2	7	12	15	28	34
SUBTOTAL	**67**	**12.0**	**80**	**3**	**6**	**10**	**16**	**25**	**32**	**39**	**22**	**8.3**	**57**	**2**	**3**	**5**	**12**	**15**	**23**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	14.0	18	11	11	14	17	17	17	17										
20-34	4	12.5	88	3	5	11	20	24	24	24	1	7.0		7	7	7	7	7	7	7
35-49	6	13.0	81	1	8	12	16	27	28	28	2	15.0	8	13	13	15	17	17	17	17
50-64	1	6.0		6	6	6	6	6	6	6										
65 +	4	6.8	10	3	4	7	9	10	10	10	4	27.3	2100	2	3	5	51	96	96	96
ALL AGES	17	11.1	55	3	6	10	16	23	27	28	7	20.9	1122	3	5	7	16	80	96	96
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	5	5.6	5	2	4	7	7	7	7	7	1	6.0		6	6	6	6	6	6	6
35-49	9	12.1	52	5	6	12	14	23	28	28	4	4.3	10	2	2	3	6	9	9	9
50-64	3	6.0	31	1	2	5	10	12	12	12	1	5.0		5	5	5	5	5	5	5
65 +	11	12.7	21	6	9	13	17	18	18	18	3	11.7	51	7	7	8	17	20	20	20
ALL AGES	28	10.5	36	3	7	10	14	18	19	28	9	7.0	30	2	4	6	8	16	20	20
SUBTOTAL	**45**	**10.8**	**41**	**3**	**6**	**10**	**14**	**18**	**25**	**28**	**16**	**13.1**	**515**	**2**	**4**	**6**	**11**	**20**	**73**	**96**
GRAND TOTAL	**112**	**11.5**	**64**	**3**	**6**	**10**	**15**	**23**	**28**	**36**	**38**	**10.3**	**247**	**2**	**3**	**6**	**12**	**16**	**28**	**96**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	18.5	113	11	11	18	26	26	26	26										
50-64																				
65 +																				
ALL AGES	2	18.5	113	11	11	18	26	26	26	26										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	49.0		49	49	49	49	49	49	49										
35-49																				
50-64																				
65 +																				
ALL AGES	1	49.0		49	49	49	49	49	49	49										
SUBTOTAL	**3**	**28.7**	**363**	**11**	**15**	**26**	**43**	**49**	**49**	**49**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	21.0		21	21	21	21	21	21	21										
50-64																				
65 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	26.0		26	26	26	26	26	26	26										
65 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	2	28.0	8	26	26	28	30	30	30	30										
SUBTOTAL	**3**	**25.7**	**18**	**21**	**22**	**26**	**29**	**30**	**30**	**30**										
GRAND TOTAL	**6**	**27.2**	**155**	**12**	**21**	**26**	**30**	**47**	**49**	**49**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	7.3	51	3	3	4	11	18	18	18										
13-19	19	12.7	135	2	4	11	16	23	40	52	2	2.5	5	1	1	2	4	4	4	4
20-34	49	9.0	33	2	5	8	12	16	18	28	10	7.4	55	2	2	5	6	20	25	25
35-49	37	8.3	57	2	4	7	11	15	19	43	8	6.8	10	4	4	5	9	12	13	13
50-64	8	7.9	26	2	3	6	13	14	14	14										
65 +	13	10.2	81	2	4	8	12	22	33	36	4	5.5	4	4	4	5	7	8	8	8
ALL AGES	130	9.3	60	2	4	8	12	16	21	45	24	6.5	27	2	4	5	7	13	19	25
B. FEMALE																				
0-12 YRS.	2	21.5	613	4	4	21	39	39	39	39	2	1.0		1	1	1	1	1	1	1
13-19	19	10.7	114	1	4	10	15	33	74	99 +	1	5.0		5	5	5	5	5	5	5
20-34	97	9.4	53	3	4	7	12	18	21	39	13	12.5	220	3	5	7	16	29	53	58
35-49	83	9.4	110	3	4	6	11	17	32	57	13	5.8	13	1	4	5	7	12	12	12
50-64	34	7.9	32	2	3	7	13	17	19	22	7	8.1	75	1	2	4	16	21	22	22
65 +	34	11.2	61	2	5	11	15	20	29	32	15	9.8	68	3	4	7	14	21	29	32
ALL AGES	269	9.6	76	2	4	7	13	18	28	50	51	8.8	93	1	4	6	10	20	22	58
SUBTOTAL	**399**	**9.5**	**71**	**2**	**4**	**7**	**13**	**18**	**24**	**50**	**75**	**8.1**	**72**	**2**	**4**	**6**	**9**	**16**	**22**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	26.3	97	18	19	24	34	37	37	37										
13-19	16	12.6	135	3	5	9	19	40	80	99 +	1	2.0		2	2	2	2	2	2	2
20-34	65	10.5	67	3	5	9	14	18	23	46	4	8.8	38	2	4	8	13	17	17	17
35-49	42	8.6	37	2	4	8	12	15	16	32	3	6.3	3	5	5	6	7	8	8	8
50-64	8	13.8	107	4	4	12	23	26	27	27	1	15.0		15	15	15	15	15	15	15
65 +	5	12.2	146	2	3	11	18	32	32	32	1	2.0		2	2	2	2	2	2	2
ALL AGES	139	10.8	74	3	5	9	14	21	32	52	10	7.3	28	2	2	6	9	16	17	17
B. FEMALE																				
0-12 YRS.	6	14.3	24	8	13	14	18	21	21	21										
13-19	21	16.2	202	4	7	13	21	28	46	67	3	6.3	1	6	6	6	7	7	7	7
20-34	70	10.7	51	3	6	9	14	20	25	33	10	9.6	49	1	5	9	16	19	22	22
35-49	67	9.9	68	2	4	6	13	22	31	35	8	7.6	57	2	3	4	11	21	23	23
50-64	12	15.1	177	5	6	10	18	40	43	44	3	10.3	87	4	4	6	17	21	21	21
65 +	18	10.8	66	3	4	8	16	24	27	28	1	3.0		3	3	3	3	3	3	3
ALL AGES	194	11.4	84	3	5	8	16	23	29	42	25	8.4	45	1	4	6	13	21	22	23
SUBTOTAL	**333**	**11.1**	**81**	**3**	**5**	**8**	**15**	**22**	**31**	**44**	**35**	**8.1**	**39**	**2**	**3**	**6**	**12**	**17**	**22**	**23**
GRAND TOTAL	**732**	**10.3**	**75**	**2**	**4**	**8**	**14**	**20**	**28**	**48**	**110**	**8.1**	**61**	**2**	**4**	**6**	**9**	**17**	**22**	**42**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH		TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	31	23.7	210	4	17	25	39	56	99 +	99 +	5	2.2	5	1	1	1	3	6	6	6
13-19	58	19.4	287	3	6	16	34	59	99 +	99 +	21	9.4	50	1	4	7	15	22	23	23
20-34	231	10.9	91	2	4	8	15	22	29	43	83	7.0	62	1	2	5	8	15	18	47
35-49	169	8.7	59	2	4	7	11	18	24	42	63	10.0	65	2	4	7	14	19	27	38
50-64	108	10.6	119	2	4	8	13	22	29	59	38	8.9	114	1	3	5	11	23	46	99 +
65 +	361	10.1	102	2	4	7	13	21	27	55	188	7.4	59	2	3	5	9	17	23	55
ALL AGES	958	11.1	118	2	4	8	15	25	34	75	398	7.9	66	1	3	6	10	17	24	53
B. FEMALE																					
0-12 YRS.	11	9.8	116	1	2	10	15	56	94	99 +	7	3.0	3	1	1	3	4	6	6	6
13-19	50	15.6	114	4	7	14	23	32	42	99	9	5.2	62	1	1	2	5	19	25	25
20-34	255	11.3	99	2	5	10	15	22	29	52	91	8.5	94	2	3	6	10	19	24	57
35-49	254	9.1	55	2	4	7	12	19	21	35	62	7.6	48	2	3	6	10	15	20	39
50-64	186	10.1	76	2	4	8	14	21	27	55	56	7.5	56	2	3	4	9	20	26	34
65 +	570	11.5	110	3	4	8	15	26	34	59	331	7.0	52	2	3	5	9	14	19	56
ALL AGES	1326	10.9	95	2	4	8	15	22	31	54	556	7.3	58	2	3	5	9	15	21	45
SUBTOTAL	**2284**	**11.0**	**105**	**2**	**4**	**8**	**15**	**24**	**32**	**62**	**954**	**7.6**	**61**	**2**	**3**	**5**	**9**	**16**	**23**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	23	33.5	309	13	22	29	52	62	76	99 +										
13-19	83	19.0	247	3	7	14	28	48	60	99 +	8	21.8	704	1	2	4	48	59	63	63
20-34	228	10.7	82	2	4	8	15	25	29	56	47	12.1	136	3	5	10	14	29	38	99 +
35-49	150	10.4	77	2	4	8	15	22	29	42	25	10.8	243	2	4	8	11	16	35	82
50-64	66	10.6	95	3	4	8	13	23	33	50	28	7.0	47	1	2	4	9	18	21	26
65 +	156	12.4	124	2	4	10	17	25	35	66	54	10.4	203	3	4	7	12	19	32	93
ALL AGES	706	12.7	139	2	4	9	17	28	38	66	162	10.9	190	2	4	7	13	21	39	93
B. FEMALE																					
0-12 YRS.	5	22.2	218	6	11	27	41	94	99 +	99 +	2	7.0	8	5	5	7	9	9	9	9
13-19	36	21.4	419	4	9	17	25	76	93	99 +	5	22.8	1081	1	1	19	75	97	99 +	99 +
20-34	182	12.4	130	2	5	9	17	31	45	99 +	30	13.7	193	1	4	8	18	31	49	58
35-49	155	11.7	98	2	4	9	16	24	31	49	36	7.1	54	2	3	5	8	14	19	40
50-64	91	12.7	149	2	5	10	17	26	30	70	31	13.8	254	3	4	8	19	32	33	82
65 +	230	13.3	122	3	5	10	19	26	38	50	94	8.6	65	2	3	6	13	20	24	79
ALL AGES	699	13.1	142	3	5	10	18	27	38	91	198	10.3	140	2	3	7	14	24	34	91
SUBTOTAL	**1405**	**12.9**	**141**	**2**	**5**	**10**	**18**	**28**	**38**	**83**	**360**	**10.6**	**161**	**2**	**4**	**7**	**13**	**22**	**35**	**93**
GRAND TOTAL	**3689**	**11.7**	**120**	**2**	**4**	**9**	**16**	**26**	**35**	**69**	**1314**	**8.4**	**90**	**2**	**3**	**6**	**10**	**18**	**25**	**67**

TOTAL U.S., JANUARY-DECEMBER 1990

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	7.7	38	2	3	4	12	16	20	22	3	4.0	4	2	2	4	5	6	6	6
13-19	7	9.1	43	2	3	7	14	18	19	19	1	5.0		5	5	5	5	5	5	5
20-34	3	27.7	334	7	14	34	40	42	42	42	2	5.0	2	4	4	5	6	6	6	6
35-49	2	14.0		14	14	14	14	14	14	14	1	14.0		14	14	14	14	14	14	14
50-64																				
65 +																				
ALL AGES	27	10.7	97	2	3	7	14	21	35	42	7	5.9	14	2	4	5	6	12	14	14
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
13-19											1	3.0		3	3	3	3	3	3	3
20-34											1	4.0		4	4	4	4	4	4	4
35-49																				
50-64																				
65 +																				
ALL AGES	2	3.0		3	3	3	3	3	3	3	3	2.7	2	1	1	3	4	4	4	4
SUBTOTAL	**29**	**10.2**	**94**	**2**	**3**	**7**	**14**	**21**	**34**	**42**	**10**	**4.9**	**13**	**1**	**3**	**4**	**6**	**10**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	27.4	798	5	9	13	44	74	74	74										
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	2	12.0	72	6	6	12	18	18	18	18										
35-49																				
50-64																				
65 +																				
ALL AGES	8	20.6	561	4	5	12	26	62	74	74										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19	1	5.0		5	5	5	5	5	5	5	1	9.0		9	9	9	9	9	9	9
20-34	1	27.0		27	27	27	27	27	27	27										
35-49																				
50-64																				
65 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	4	14.8	169	2	3	15	26	27	27	27	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**12**	**18.7**	**410**	**3**	**5**	**12**	**26**	**46**	**70**	**74**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**41**	**12.7**	**193**	**2**	**4**	**7**	**15**	**30**	**38**	**74**	**11**	**5.3**	**13**	**1**	**3**	**4**	**6**	**11**	**14**	**14**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	29	22.3	224	4	11	25	38	68	99+	99+	2	1.5	1	1	1	1	2	2	2	2
13-19	8	16.4	81	6	9	13	26	27	28	28	1	18.0		18	18	18	18	18	18	18
20-34	3	14.3	104	8	8	9	22	26	26	26										
35-49																				
50-64																				
65 +																				
ALL AGES	40	20.6	186	5	10	21	34	47	99+	99+	3	7.0	91	1	1	2	14	18	18	18
B. FEMALE																				
0-12 YRS.	18	26.3	327	4	10	28	41	49	58	62										
13-19	3	11.7	51	7	7	8	17	20	20	20	1	1.0		1	1	1	1	1	1	1
20-34																				
35-49	1	71.0		71	71	71	71	71	71	71										
50-64																				
65 +																				
ALL AGES	22	26.4	392	5	8	27	41	54	66	71	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**62**	**22.6**	**265**	**5**	**10**	**24**	**35**	**51**	**78**	**99+**	**4**	**5.5**	**70**	**1**	**1**	**1**	**10**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	37	33.1	496	13	22	28	36	71	92	94	1	2.0		2	2	2	2	2	2	2
13-19	6	29.8	823	12	13	14	73	97	99+	99+	1	20.0		20	20	20	20	20	20	20
20-34	4	10.5	44	3	5	11	16	17	17	17										
35-49	1	10.0		10	10	10	10	10	10	10										
50-64																				
65 +																				
ALL AGES	48	30.3	520	9	15	28	36	79	94	99+	2	11.0	162	2	2	11	20	20	20	20
B. FEMALE																				
0-12 YRS.	11	20.2	184	2	11	17	30	40	42	42	3	8.0	91	2	2	3	15	19	19	19
13-19	4	20.3	35	14	15	20	25	26	26	26										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	15	20.2	140	3	12	17	27	39	41	42	3	8.0	91	2	2	3	15	19	19	19
SUBTOTAL	**63**	**27.9**	**444**	**9**	**14**	**25**	**33**	**64**	**90**	**99**	**5**	**9.2**	**89**	**2**	**2**	**3**	**19**	**20**	**20**	**20**
GRAND TOTAL	**125**	**25.3**	**358**	**5**	**12**	**24**	**35**	**53**	**89**	**99+**	**9**	**7.6**	**74**	**1**	**1**	**2**	**18**	**20**	**20**	**20**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	28.7	326	7	12	27	49	50	50	50										
13-19	7	13.9	69	4	8	12	21	26	26	26										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	13	20.7	230	6	9	14	27	49	50	50										
B. FEMALE																				
0-12 YRS.	3	20.3	228	3	9	28	29	30	30	30	1	3.0		3	3	3	3	3	3	3
13-19	6	20.5	249	5	9	16	29	46	48	48										
20-34																				
35-49	1	9.0		9	9	9	9	9	9	9										
50-64																				
65 +																				
ALL AGES	10	19.3	202	4	9	16	29	39	48	48	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**23**	**20.1**	**208**	**5**	**9**	**15**	**29**	**48**	**49**	**50**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	43.2	574	30	30	32	44	86	91	91										
13-19	2	13.0	128	5	5	13	21	21	21	21										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	8	35.6	628	10	25	31	38	77	91	91										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	14.0		14	14	14	14	14	14	14										
35-49																				
50-64																				
65 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**9**	**33.2**	**601**	**9**	**19**	**30**	**36**	**72**	**91**	**91**										
GRAND TOTAL	**32**	**23.8**	**338**	**5**	**10**	**22**	**30**	**48**	**50**	**91**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	9.5	97	1	2	5	14	19	33	36	3	11.3	81	1	5	16	17	17	17	17
13-19	19	6.4	73	1	1	3	8	18	27	34	7	1.6		1	1	2	2	2	2	2
20-34	95	5.5	35	1	1	3	7	13	19	29	26	2.9	18	1	1	2	3	5	9	23
35-49	112	3.6	13	1	1	2	4	8	10	20	49	2.8	7	1	1	2	3	5	7	15
50-64	73	3.6	8	1	1	3	4	8	9	13	42	3.0	5	1	1	2	4	6	7	9
65 +	74	7.2	94	1	2	4	9	15	20	55	48	2.7	3	1	1	2	4	5	6	8
ALL AGES	386	5.1	41	1	1	3	6	11	16	35	175	2.9	9	1	1	2	3	6	7	17
B. FEMALE																				
0-12 YRS.	12	17.8	294	1	3	16	27	40	55	58	1	3.0		3	3	3	3	3	3	3
13-19	22	4.9	25	1	2	3	7	9	15	23	10	4.7	65	1	1	2	5	16	27	27
20-34	138	5.8	29	1	2	4	8	14	16	23	63	3.4	13	1	1	2	4	7	9	23
35-49	178	5.1	37	1	1	3	6	13	16	34	92	3.3	10	1	1	2	4	7	10	17
50-64	134	5.5	32	1	2	3	7	14	18	27	91	3.3	12	1	1	2	4	6	8	22
65 +	210	6.9	84	1	3	4	7	16	20	48	117	3.7	17	1	2	3	4	7	11	99 +
ALL AGES	694	6.1	55	1	2	3	7	14	19	34	374	3.5	14	1	1	2	4	7	10	26
SUBTOTAL	**1080**	**5.7**	**51**	**1**	**2**	**3**	**7**	**14**	**18**	**35**	**549**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	19.7	228	1	5	20	32	39	40	40										
13-19	21	10.1	55	1	4	9	14	23	24	25	5	7.0	104	1	1	3	10	25	25	25
20-34	110	9.5	87	2	3	7	12	20	25	52	22	4.8	19	1	2	3	6	11	14	18
35-49	121	8.5	69	1	3	6	12	22	27	39	26	5.6	40	1	2	3	5	18	21	21
50-64	55	10.6	122	3	4	8	12	19	32	58	15	5.2	24	1	2	4	5	13	17	19
65 +	46	10.4	96	2	3	7	15	26	31	38	15	5.3	37	1	2	4	6	8	21	26
ALL AGES	360	9.7	89	2	3	7	13	22	29	50	83	5.3	33	1	2	3	5	14	20	26
B. FEMALE																				
0-12 YRS.	11	19.5	308	2	6	19	26	42	61	63	2	17.5	481	2	2	17	33	33	33	33
13-19	26	12.6	90	2	5	9	20	25	28	35	7	5.6	28	1	2	4	9	14	15	15
20-34	215	9.3	66	1	3	7	13	20	25	36	45	9.0	93	1	2	4	13	24	28	42
35-49	193	8.8	60	2	3	7	12	17	24	39	54	5.9	54	1	2	3	6	20	22	35
50-64	122	10.3	67	2	4	8	14	23	28	33	36	5.9	31	2	2	3	8	13	17	26
65 +	137	11.2	86	2	4	9	16	23	30	39	72	4.8	34	1	2	4	6	9	10	40
ALL AGES	704	10.0	74	2	4	7	14	21	28	37	216	6.3	55	1	2	3	7	15	22	37
SUBTOTAL	**1064**	**9.9**	**79**	**2**	**3**	**7**	**14**	**22**	**28**	**41**	**299**	**6.0**	**49**	**1**	**2**	**3**	**7**	**15**	**21**	**34**
GRAND TOTAL	**2144**	**7.8**	**69**	**1**	**2**	**5**	**10**	**18**	**24**	**38**	**848**	**4.2**	**28**	**1**	**1**	**3**	**5**	**9**	**15**	**28**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	28	4.7	47	1	2	3	5	7	16	37	12	3.3	9	1	1	2	4	8	11	11
13-19	23	6.3	31	1	2	4	9	14	19	22	13	2.4	1	1	2	2	3	4	4	4
20-34	52	5.4	20	1	2	4	7	11	17	19	29	4.1	26	1	2	3	4	11	14	25
35-49	36	4.9	13	1	2	4	7	10	11	17	12	2.9	4	1	1	2	4	6	7	7
50-64	21	5.6	39	1	2	3	6	18	20	21	8	2.6	3	1	1	2	3	5	6	6
65 +	12	14.5	583	2	2	4	11	56	77	81	2	6.5	1	6	6	6	7	7	7	7
ALL AGES	172	6.0	67	1	2	4	7	12	18	43	76	3.4	13	1	1	2	4	7	10	22
B. FEMALE																				
0-12 YRS.	26	4.0	23	1	2	3	4	7	12	25	17	5.9	66	1	1	3	6	16	26	32
13-19	80	6.3	108	1	2	3	5	11	24	67	35	3.2	8	1	1	3	4	6	7	16
20-34	211	8.4	102	1	2	5	10	22	33	72	63	3.8	[illegible]	1	2	3	5	7	11	20
35-49	159	7.6	94	1	2	4	9	21	30	95	55	6.1	86	1	2	4	7	10	18	60
50-64	39	6.3	82	1	2	3	6	12	28	46	24	3.4	9	1	1	2	5	9	9	10
65 +	31	6.2	35	1	2	4	9	15	18	22	26	6.3	60	1	3	4	6	11	25	39
ALL AGES	546	7.4	92	1	2	4	8	17	29	59	220	4.7	40	1	2	3	5	8	14	34
SUBTOTAL	**718**	**7.0**	**87**	**1**	**2**	**4**	**8**	**16**	**25**	**58**	**296**	**4.3**	**34**	**1**	**2**	**3**	**5**	**8**	**12**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	4.9	8	2	3	4	5	10	11	11	3	41.7	1248	2	15	53	66	70	70	70
13-19	18	12.9	274	1	3	6	13	37	54	63	2	1.0		1	1	1	1	1	1	1
20-34	38	6.8	35	1	3	6	9	15	16	31	14	5.3	11	1	3	5	6	11	11	11
35-49	33	8.3	125	2	3	5	8	17	32	57	14	4.1	8	2	3	3	4	8	12	13
50-64	15	11.6	69	3	4	10	15	25	26	27	6	5.8	21	2	3	4	8	13	14	14
65 +	6	4.7	2	3	3	4	6	7	7	7	6	7.3	62	1	2	4	14	19	20	20
ALL AGES	117	8.6	101	2	3	5	10	17	29	59	45	7.5	159	1	3	4	6	14	28	70
B. FEMALE																				
0-12 YRS.	8	18.3	297	2	3	16	26	45	53	53	5	7.0	84	1	1	3	10	23	23	23
13-19	26	15.4	198	2	4	7	22	38	44	46	15	3.7	20	1	2	2	4	5	16	19
20-34	273	12.0	176	2	4	7	15	26	38	85	51	6.9	54	1	2	4	9	22	33	99 +
35-49	201	12.6	168	2	4	9	17	31	44	99 +	36	6.9	39	2	3	5	8	18	23	25
50-64	31	6.5	30	2	3	4	10	15	24	99 +	23	6.4	30	2	2	4	11	15	18	19
65 +	20	7.9	31	2	3	7	11	16	20	21	13	5.8	19	2	3	5	7	12	16	17
ALL AGES	559	12.1	163	2	4	8	16	28	41	98	143	6.4	40	2	2	4	8	18	23	99 +
SUBTOTAL	**676**	**11.5**	**153**	**2**	**3**	**7**	**15**	**26**	**39**	**90**	**188**	**6.7**	**68**	**1**	**2**	**4**	**8**	**16**	**23**	**88**
GRAND TOTAL	**1394**	**9.2**	**124**	**1**	**3**	**5**	**12**	**22**	**33**	**81**	**484**	**5.3**	**47**	**1**	**2**	**3**	**6**	**11**	**18**	**48**

TOTAL U.S., JANUARY-DECEMBER 1990

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	38.0	817	21	21	22	59	71	71	71	1	1.0		1	1	1	1	1	1	1
20-34	8	12.4	130	3	5	6	21	31	33	33	1	64.0		64	64	64	64	64	64	64
35-49	4	6.0	15	3	3	5	9	11	11	11	4	6.3	15	2	3	6	9	11	11	11
50-64	6	13.2	125	3	3	9	25	29	29	29										
65 +	3	7.3	45	3	3	4	12	15	15	15										
ALL AGES	24	14.1	237	3	4	7	21	29	44	71	6	15.0	590	1	2	6	11	59	64	64
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	6	16.7	145	1	4	20	22	32	33	33										
20-34	21	11.8	162	2	3	6	15	33	40	46	2	2.5	5	1	1	2	4	4	4	4
35-49	25	11.2	53	2	5	12	15	23	24	24	4	5.5	6	4	4	5	7	9	9	9
50-64	4	16.3	582	1	1	6	31	52	52	52	3	3.0	7	1	1	2	5	6	6	6
65 +	9	8.3	52	1	3	8	11	20	23	23	2	23.0	8	21	21	23	25	25	25	25
ALL AGES	66	11.7	120	2	3	9	16	24	33	51	11	7.5	64	1	2	4	8	23	25	25
SUBTOTAL	**90**	**12.3**	**151**	**2**	**3**	**8**	**17**	**27**	**33**	**63**	**17**	**10.1**	**239**	**1**	**2**	**4**	**9**	**24**	**50**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	17.0	450	2	2	17	32	32	32	32										
13-19	2	12.0	18	9	9	12	15	15	15	15										
20-34	21	14.2	391	2	4	7	15	32	65	88	2	2.5	5	1	1	2	4	4	4	4
35-49	20	13.6	95	2	4	13	20	27	32	34	3	14.3	179	3	5	11	24	29	29	29
50-64	3	14.0	112	6	7	10	22	26	26	26	1	10.0		10	10	10	10	10	10	10
65 +											2	21.5	5	20	20	21	23	23	23	23
ALL AGES	48	14.0	219	2	4	10	19	29	35	88	8	12.6	107	2	3	10	21	27	29	29
B. FEMALE																				
0-12 YRS.	2	19.0	72	13	13	19	25	25	25	25										
13-19	10	14.4	420	2	3	7	12	48	69	69										
20-34	40	14.2	109	2	7	12	20	28	35	48	6	8.3	36	1	3	8	12	16	17	17
35-49	39	13.4	161	2	7	11	16	21	29	79	4	7.8	11	3	5	8	10	11	11	11
50-64	9	14.8	121	5	7	8	23	32	36	36	2	14.0	200	4	4	14	24	24	24	24
65 +	8	21.1	94	11	12	21	28	33	35	35	3	18.0	124	8	10	16	26	30	30	30
ALL AGES	108	14.6	152	3	7	12	19	28	35	73	15	10.9	64	3	5	9	15	24	28	30
SUBTOTAL	**156**	**14.4**	**172**	**2**	**7**	**12**	**19**	**28**	**35**	**78**	**23**	**11.5**	**75**	**2**	**4**	**10**	**17**	**25**	**29**	**30**
GRAND TOTAL	**246**	**13.6**	**165**	**2**	**5**	**11**	**18**	**28**	**35**	**71**	**40**	**10.9**	**141**	**1**	**3**	**8**	**14**	**24**	**29**	**64**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-19	7	27.9	308	9	12	33	48	85	99 +	99 +										
20-34	25	23.0	332	4	11	21	29	39	62	84	2	13.5	313	1	1	13	26	26	26	26
35-49	9	13.9	296	1	3	10	15	43	56	56										
50-64	7	13.4	88	1	5	14	20	26	27	27	2	14.0	18	11	11	14	17	17	17	17
65 +	4	21.3	35	15	16	21	26	27	27	27	1	21.0		21	21	21	21	21	21	21
ALL AGES	53	20.3	278	3	8	15	28	46	56	99	6	13.2	98	1	3	14	21	25	26	26
B. FEMALE																				
0-12 YRS.	2	21.5	221	11	11	21	32	32	32	32	1	24.0		24	24	24	24	24	24	24
13-19	4	10.3	67	2	4	9	16	21	21	21										
20-34	21	11.6	115	1	4	8	17	27	38	39	3	14.7	85	4	8	19	20	21	21	21
35-49	11	17.5	359	4	5	14	25	78	97	99 +	1	5.0		5	5	5	5	5	5	5
50-64	8	13.4	106	3	4	10	24	27	27	27	1	27.0		27	27	27	27	27	27	27
65 +	8	34.9	392	16	19	31	43	67	76	76	2	13.0	2	12	12	13	14	14	14	14
ALL AGES	54	16.8	251	3	5	14	23	39	62	99	8	15.8	70	4	8	16	22	26	27	27
SUBTOTAL	**107**	**18.5**	**266**	**3**	**6**	**15**	**27**	**40**	**57**	**99 +**	**14**	**14.6**	**80**	**3**	**5**	**15**	**21**	**26**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	20.0	133	7	11	24	28	29	29	29										
13-19	18	29.1	577	3	10	24	40	74	77	77	3	23.0	343	9	11	16	37	44	44	44
20-34	33	12.1	100	4	6	9	13	24	40	46	7	10.3	126	1	1	10	24	78	99 +	99 +
35-49	16	15.4	151	5	6	11	21	39	42	43										
50-64	5	8.4	11	4	6	8	11	13	13	13	3	20.0	211	5	9	21	31	34	34	34
65 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	76	16.9	261	4	7	12	22	41	45	77	13	15.5	189	1	3	17	26	50	89	99 +
B. FEMALE																				
0-12 YRS.	6	36.8	950	13	22	29	31	91	98	98	1	26.0		26	26	26	26	26	26	26
13-19	7	20.4	72	10	16	22	29	80	99 +	99 +	1	4.0		4	4	4	4	4	4	4
20-34	26	16.7	238	1	6	10	31	35	45	60	4	22.5	226	1	13	26	31	36	36	36
35-49	25	19.4	270	2	11	17	27	32	45	83	5	8.2	11	5	5	9	10	13	13	13
50-64	12	15.4	76	7	8	13	22	29	31	31	7	12.1	30	5	10	11	14	20	22	22
65 +	10	21.0	70	9	15	22	26	32	33	33	1	4.0		4	4	4	4	4	4	4
ALL AGES	86	19.5	251	4	9	16	28	34	44	99	19	13.2	94	4	5	11	20	27	32	36
SUBTOTAL	**162**	**18.3**	**255**	**4**	**8**	**14**	**25**	**35**	**44**	**96**	**32**	**14.1**	**130**	**1**	**5**	**11**	**23**	**34**	**43**	**99 +**
GRAND TOTAL	**269**	**18.4**	**258**	**3**	**7**	**14**	**26**	**38**	**55**	**99**	**46**	**14.3**	**111**	**2**	**5**	**13**	**22**	**27**	**37**	**99 +**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	63	24.9	307	5	12	24	31	49	63	79	4	14.5	38	9	10	13	19	23	23	23
13-19	213	16.5	206	3	7	14	22	35	46	77	9	9.4	85	2	3	4	15	24	28	28
20-34	160	6.6	24	1	3	6	9	13	17	21	19	3.6	17	1	1	2	4	10	14	16
35-49	114	8.0	48	1	3	6	10	18	23	32	32	5.9	17	2	3	4	8	13	15	16
50-64	45	7.7	31	1	3	8	12	16	17	18	18	4.2	18	1	1	3	6	12	15	15
65 +	62	12.0	149	2	4	9	14	25	37	68	28	5.6	46	1	2	4	6	10	14	37
ALL AGES	657	12.4	159	2	4	9	16	28	37	69	110	5.8	33	1	2	4	7	14	16	32
B. FEMALE																				
0-12 YRS.	48	22.9	245	5	12	20	31	44	47	83	2	5.5	25	2	2	5	9	9	9	9
13-19	434	15.1	177	2	5	12	21	32	42	78	21	11.5	122	2	4	9	14	24	37	50
20-34	393	6.8	39	1	2	5	9	14	18	35	64	4.6	18	1	2	3	6	11	14	20
35-49	315	8.6	73	1	3	7	11	18	22	35	57	5.1	21	1	2	4	6	12	16	21
50-64	111	7.9	37	1	3	7	11	16	21	29	42	5.2	39	1	2	3	5	11	20	31
65 +	182	11.5	100	2	4	8	15	24	32	50	76	8.1	56	2	3	6	9	17	20	37
ALL AGES	1483	10.8	116	2	4	8	14	24	32	51	262	6.4	45	1	2	4	8	15	18	36
SUBTOTAL	**2140**	**11.3**	**130**	**2**	**4**	**8**	**15**	**25**	**33**	**60**	**372**	**6.2**	**42**	**1**	**2**	**4**	**8**	**14**	**18**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	255	25.4	207	10	15	23	33	44	53	77	12	47.1	340	24	42	49	62	81	96	99 +
13-19	565	19.2	263	4	8	15	26	40	53	91	23	12.3	99	1	3	8	19	26	30	31
20-34	548	9.1	72	2	3	7	12	21	26	42	53	8.2	71	1	2	4	12	20	28	35
35-49	391	10.0	90	2	4	8	13	21	28	42	36	7.2	61	1	2	5	8	19	28	34
50-64	89	10.8	81	2	4	9	15	22	25	47	8	7.4	40	2	4	6	8	18	22	22
65 +	46	13.5	98	3	6	13	20	27	58	99 +	12	4.8	8	2	3	4	6	10	11	11
ALL AGES	1894	14.7	187	2	5	11	21	32	42	73	144	11.5	205	1	3	5	14	31	49	77
B. FEMALE																				
0-12 YRS.	104	26.7	271	8	14	27	33	44	54	99	7	45.4	591	18	32	34	59	82	88	88
13-19	807	17.7	208	4	7	14	24	37	46	91	50	13.4	107	1	4	11	21	28	33	40
20-34	797	10.0	82	2	4	7	13	21	28	43	88	7.2	33	2	3	5	10	16	18	26
35-49	627	10.0	74	2	4	7	14	21	26	38	71	7.8	46	2	3	6	11	16	21	32
50-64	174	11.2	64	3	5	9	16	22	27	38	31	8.0	41	2	3	6	13	17	21	26
65 +	150	11.8	78	3	6	9	17	23	28	49	39	8.0	77	2	3	5	10	15	22	51
ALL AGES	2659	13.2	143	3	5	10	18	28	37	62	286	9.6	103	2	3	6	13	21	27	54
SUBTOTAL	**4553**	**13.8**	**162**	**2**	**5**	**10**	**19**	**30**	**39**	**68**	**430**	**10.2**	**139**	**2**	**3**	**6**	**13**	**25**	**33**	**62**
GRAND TOTAL	**6693**	**13.0**	**153**	**2**	**5**	**9**	**18**	**29**	**37**	**65**	**802**	**8.4**	**97**	**1**	**3**	**5**	**11**	**19**	**27**	**53**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	13	1	1	3	6	6	6	6										
35-49	1	1.0		1	1	1	1	1	1	1	2	9.5	145	1	1	9	18	18	18	18
50-64											1	1.0		1	1	1	1	1	1	1
65 +																				
ALL AGES	3	2.7	8	1	1	1	5	6	6	6	4	5.5	70	1	1	2	10	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
20-34	2	4.5	1	4	4	4	5	5	5	5	4	4.8	1	3	4	5	6	6	6	6
35-49	5	4.4	10	2	3	3	5	10	10	10	5	2.4	1	1	2	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
65 +	2	6.5	61	1	1	6	12	12	12	12										
ALL AGES	11	4.3	13	1	2	3	5	11	12	12	12	3.5	3	2	2	3	5	6	6	6
SUBTOTAL	**14**	**3.9**	**12**	**1**	**1**	**3**	**5**	**10**	**12**	**12**	**16**	**4.0**	**17**	**1**	**2**	**3**	**5**	**6**	**14**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	5.0	8	3	3	5	7	7	7	7	1	3.0		3	3	3	3	3	3	3
50-64	3	8.0	13	4	5	9	10	11	11	11										
65 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	6	7.5	12	3	4	8	11	11	11	11	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-19											1	84.0		84	84	84	84	84	84	84
20-34	6	7.2	25	2	3	6	9	15	16	16	1	3.0		3	3	3	3	3	3	3
35-49	6	4.7	31	1	2	3	3	15	16	16	2	2.5	1	2	2	2	3	3	3	3
50-64	2	11.0	72	5	5	11	17	17	17	17	1	8.0		8	8	8	8	8	8	8
65 +											3	6.7	22	3	3	5	10	12	12	12
ALL AGES	14	6.6	33	2	3	4	9	16	17	17	9	14.2	696	2	3	5	9	55	84	84
SUBTOTAL	**20**	**6.9**	**25**	**2**	**3**	**5**	**10**	**16**	**17**	**17**	**10**	**13.1**	**631**	**2**	**3**	**4**	**8**	**48**	**84**	**84**
GRAND TOTAL	**34**	**5.7**	**21**	**1**	**2**	**4**	**9**	**12**	**16**	**17**	**26**	**7.5**	**257**	**1**	**2**	**3**	**6**	**12**	**31**	**84**

DEPERSONALIZATION SYND (300.6)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	29.0		29	29	29	29	29	29	29										
35-49																				
50-64																				
65 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	11.0		11	11	11	11	11	11	11										
35-49	1	13.0		13	13	13	13	13	13	13										
50-64																				
65 +																				
ALL AGES	2	12.0	2	11	11	12	13	13	13	13										
SUBTOTAL	**3**	**17.7**	**96**	**11**	**11**	**13**	**25**	**29**	**29**	**29**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	2	4.0	8	2	2	4	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	38.0		38	38	38	38	38	38	38										
35-49	1	24.0		24	24	24	24	24	24	24										
50-64																				
65 +																				
ALL AGES	2	31.0	98	24	24	31	38	38	38	38										
SUBTOTAL	**4**	**17.5**	**278**	**2**	**4**	**15**	**31**	**38**	**38**	**38**										
GRAND TOTAL	**7**	**17.6**	**170**	**3**	**7**	**13**	**28**	**36**	**38**	**38**										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	8.0		8	8	8	8	8	8	8
50-64																				
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	1	12.0		12	12	12	12	12	12	12	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	5.0	32	1	1	5	9	9	9	9										
50-64	2	6.0	2	5	5	6	7	7	7	7										
65 +	4	14.8	130	1	6	15	23	28	28	28	1	19.0		19	19	19	19	19	19	19
ALL AGES	8	10.1	87	1	3	8	15	25	28	28	1	19.0		19	19	19	19	19	19	19
SUBTOTAL	**9**	**10.3**	**77**	**1**	**4**	**9**	**14**	**24**	**28**	**28**	**2**	**13.5**	**61**	**8**	**8**	**13**	**19**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	7.5	85	1	1	7	14	14	14	14	2	4.0	18	1	1	4	7	7	7	7
35-49																				
50-64	1	7.0		7	7	7	7	7	7	7										
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	4	8.5	34	1	4	9	13	14	14	14	2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19	1	20.0		20	20	20	20	20	20	20	1	29.0		29	29	29	29	29	29	29
20-34																				
35-49	3	23.0	687	1	5	16	43	52	52	52	2	15.5	365	2	2	15	29	29	29	29
50-64	4	11.8	26	7	8	10	15	19	19	19										
65 +	7	13.1	67	6	7	9	16	27	29	29										
ALL AGES	15	15.2	152	6	8	12	18	29	46	52	3	20.0	243	2	9	29	29	29	29	29
SUBTOTAL	**19**	**13.8**	**132**	**3**	**7**	**12**	**17**	**25**	**42**	**52**	**5**	**13.6**	**203**	**1**	**2**	**7**	**29**	**29**	**29**	**29**
GRAND TOTAL	**28**	**12.7**	**113**	**1**	**7**	**10**	**16**	**26**	**31**	**52**	**7**	**13.6**	**144**	**1**	**3**	**8**	**26**	**29**	**29**	**29**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	7.5	13	5	5	7	10	10	10	10										
13-19											1	29.0		29	29	29	29	29	29	29
20-34	6	7.3	37	2	3	5	12	16	17	17	1	4.0		4	4	4	4	4	4	4
35-49	4	8.0	129	1	2	3	14	25	25	25	2	2.0		2	2	2	2	2	2	2
50-64	6	6.0	22	1	1	6	9	13	13	13										
65 +	2	29.0	882	8	8	29	50	50	50	50										
ALL AGES	20	9.3	128	1	3	6	11	21	37	50	4	9.3	173	2	2	3	16	29	29	29
B. FEMALE																				
0-12 YRS.											1	7.0		7	7	7	7	7	7	7
13-19	5	11.6	65	4	5	9	17	24	24	24	3	4.7	14	2	2	3	7	9	9	9
20-34	22	5.6	65	1	2	2	7	12	26	36	3	2.7	4	1	1	2	4	5	5	5
35-49	7	7.4	63	1	2	3	14	20	21	21	6	6.5	9	3	5	6	9	11	11	11
50-64	15	10.1	309	1	2	4	9	20	58	71	2	10.0	50	5	5	10	15	15	15	15
65 +	9	15.4	172	4	7	12	21	37	44	44	1	11.0		11	11	11	11	11	11	11
ALL AGES	58	9.0	148	1	2	5	10	21	32	69	16	6.2	15	2	3	5	9	11	14	15
SUBTOTAL	**78**	**9.1**	**141**	**1**	**2**	**5**	**10**	**21**	**32**	**65**	**20**	**6.8**	**41**	**2**	**3**	**5**	**9**	**13**	**22**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	9.0		9	9	9	9	9	9	9
13-19																				
20-34	5	22.2	110	7	14	24	31	33	33	33	1	6.0		6	6	6	6	6	6	6
35-49	6	9.8	109	2	2	4	21	25	25	25	1	6.0		6	6	6	6	6	6	6
50-64	3	5.3	6	4	4	4	7	8	8	8	1	13.0		13	13	13	13	13	13	13
65 +	4	14.8	466	1	2	5	27	47	47	47	2	6.0	32	2	2	6	10	10	10	10
ALL AGES	18	13.6	180	2	4	7	24	32	41	47	6	7.7	14	2	6	8	10	13	13	13
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	4	15.8	136	2	6	16	25	29	29	29										
20-34	25	10.9	111	3	4	8	15	26	33	48	4	11.8	47	4	6	12	17	19	19	19
35-49	20	10.4	51	2	4	9	15	22	23	23	5	17.8	269	6	7	11	25	46	46	46
50-64	21	6.8	24	1	3	5	10	13	17	19	4	17.5	283	6	6	11	28	42	42	42
65 +	10	16.4	92	4	10	17	22	29	36	36	7	7.0	26	2	4	6	11	15	15	15
ALL AGES	60	10.6	78	2	4	8	15	22	27	44	21	12.2	140	3	5	8	15	28	44	46
SUBTOTAL	**98**	**11.2**	**95**	**2**	**4**	**8**	**16**	**24**	**30**	**48**	**27**	**11.2**	**114**	**2**	**6**	**8**	**14**	**19**	**43**	**46**
GRAND TOTAL	**176**	**10.3**	**115**	**2**	**3**	**7**	**16**	**23**	**30**	**49**	**47**	**9.3**	**87**	**2**	**4**	**6**	**11**	**18**	**31**	**46**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	20	3.4	17	1	1	2	4	9	15	16	8	3.1	7	1	1	2	5	7	7	7
13-19	28	8.7	143	1	2	3	10	28	42	42	16	1.6	1	1	1	1	2	3	3	3
20-34	33	3.5	16	1	1	2	4	7	15	18	13	3.2	15	1	1	1	4	10	12	12
35-49	22	7.6	120	1	2	4	7	22	36	47	15	7.3	130	1	1	3	5	31	36	38
50-64	22	7.0	29	2	3	5	10	15	19	21	8	3.3	4	1	1	3	5	6	6	6
65 +	50	7.6	41	2	4	6	8	18	22	30	49	7.9	62	2	2	5	10	19	25	35
ALL AGES	175	6.4	61	1	2	4	7	16	21	42	109	5.6	54	1	1	3	7	13	22	36
B. FEMALE																				
0-12 YRS.	18	6.3	63	1	2	3	7	20	27	29	6	2.8	1	1	3	3	3	4	4	4
13-19	32	8.7	182	1	1	4	9	19	47	61	21	3.5	6	1	2	2	5	7	8	9
20-34	36	3.6	19	1	1	2	3	10	13	20	21	2.3	4	1	1	2	3	5	7	8
35-49	17	7.1	187	1	1	2	7	9	42	59	18	4.8	23	1	1	3	7	12	16	18
50-64	19	4.8	15	1	2	4	7	10	13	15	22	4.9	14	1	2	4	6	11	13	14
65 +	81	8.1	56	2	4	6	10	15	27	35	50	7.7	50	3	4	6	8	16	19	46
ALL AGES	203	6.9	77	1	2	4	8	14	21	54	138	5.2	29	1	2	4	7	11	15	23
SUBTOTAL	**378**	**6.7**	**69**	**1**	**2**	**4**	**7**	**15**	**21**	**46**	**247**	**5.4**	**40**	**1**	**2**	**3**	**7**	**11**	**17**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	18	18.9	187	4	8	14	24	41	46	49	3	3.0		3	3	3	3	3	3	3
13-19	43	7.0	60	1	2	4	10	16	21	42	30	4.2	18	1	1	3	5	10	12	19
20-34	101	6.6	104	1	1	3	8	17	23	57	64	2.8	8	1	1	2	3	6	8	14
35-49	71	4.0	18	1	2	3	5	7	13	26	35	3.6	19	1	1	2	4	9	10	24
50-64	23	4.4	24	1	2	3	5	7	13	25	15	4.4	15	1	1	3	8	11	12	12
65 +	19	15.4	152	3	6	11	21	36	41	42	25	7.3	36	2	3	6	10	12	20	28
ALL AGES	275	7.2	93	1	2	3	8	18	25	42	172	4.0	18	1	1	3	5	10	12	23
B. FEMALE																				
0-12 YRS.	4	6.3	53	1	1	3	11	17	17	17	2	8.0	32	4	4	8	12	12	12	12
13-19	49	7.6	70	1	3	5	10	18	28	39	30	4.5	28	1	1	2	5	11	17	24
20-34	98	6.7	77	1	2	4	7	14	26	48	59	3.5	10	1	1	2	4	8	10	18
35-49	67	7.5	60	1	1	5	11	15	22	38	51	3.4	14	1	1	3	4	6	7	25
50-64	15	6.9	68	1	2	4	8	12	28	34	13	3.7	6	1	2	3	4	8	9	9
65 +	56	11.3	139	2	4	7	15	24	27	72	40	7.2	33	2	4	5	8	15	20	31
ALL AGES	289	7.9	85	1	2	5	10	18	27	39	195	4.4	21	1	2	3	5	9	13	25
SUBTOTAL	**564**	**7.6**	**88**	**1**	**2**	**4**	**9**	**18**	**26**	**42**	**367**	**4.2**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**24**
GRAND TOTAL	**942**	**7.2**	**81**	**1**	**2**	**4**	**8**	**17**	**24**	**42**	**614**	**4.7**	**28**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	22.0		22	22	22	22	22	22	22										
20-34	7	13.0	64	1	5	17	20	20	20	20										
35-49	1	18.0		18	18	18	18	18	18	18										
50-64	4	6.5	6	3	5	7	8	9	9	9										
65 +	2	10.0	50	5	5	10	15	15	15	15	1	2.0		2	2	2	2	2	2	2
ALL AGES	15	11.8	52	3	5	10	19	20	22	22	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
35-49	4	10.5	39	3	6	10	15	18	18	18	2	8.0	98	1	1	7	15	15	15	15
50-64	5	16.4	213	2	3	14	31	33	33	33	1	5.0		5	5	5	5	5	5	5
65 +	4	21.3	14	16	18	22	24	25	25	25										
ALL AGES	14	15.4	102	3	6	15	24	30	32	33	4	5.8	40	1	1	3	10	15	15	15
SUBTOTAL	**29**	**13.5**	**78**	**3**	**6**	**14**	**20**	**25**	**30**	**33**	**5**	**5.0**	**34**	**1**	**1**	**2**	**7**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	19.0		19	19	19	19	19	19	19										
20-34	3	14.3	458	2	2	2	30	39	39	39										
35-49	2	6.0		6	6	6	6	6	6	6	2	3.5	1	3	3	3	4	4	4	4
50-64	3	5.7	10	2	3	7	8	8	8	8										
65 +	1	39.0		39	39	39	39	39	39	39										
ALL AGES	10	13.0	212	2	2	7	19	39	39	39	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5	2	8.0	50	3	3	8	13	13	13	13
35-49	1	7.0		7	7	7	7	7	7	7										
50-64																				
65 +	4	35.8	1059	7	14	27	57	82	82	82	1	8.0		8	8	8	8	8	8	8
ALL AGES	6	25.8	877	5	7	14	33	77	82	82	3	8.0	25	3	4	8	12	13	13	13
SUBTOTAL	**16**	**17.8**	**461**	**2**	**5**	**7**	**27**	**39**	**69**	**82**	**5**	**6.2**	**19**	**3**	**3**	**4**	**9**	**13**	**13**	**13**
GRAND TOTAL	**45**	**15.0**	**212**	**2**	**6**	**10**	**20**	**33**	**39**	**82**	**10**	**5.6**	**24**	**1**	**2**	**4**	**8**	**14**	**15**	**15**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-19	4	13.3	60	2	8	15	18	20	20	20	1	11.0		11	11	11	11	11	11	11
20-34	11	5.7	9	2	4	5	8	10	10	10										
35-49	4	13.8	49	5	8	14	19	22	22	22										
50-64	2	8.5	85	2	2	8	15	15	15	15										
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	22	9.1	38	2	4	8	14	18	21	22	2	8.0	18	5	5	8	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	7	11.9	63	6	6	10	15	26	28	28	1	33.0		33	33	33	33	33	33	33
20-34	13	11.8	46	4	8	10	15	21	27	28	2	19.5	481	4	4	19	35	35	35	35
35-49	14	11.7	42	5	7	11	14	19	27	29	2	3.5	13	1	1	3	6	6	6	6
50-64	5	11.8	36	6	6	12	16	20	20	20										
65 +	4	8.3	25	1	5	9	11	13	13	13	2	20.0	392	6	6	20	34	34	34	34
ALL AGES	43	11.5	41	5	7	10	14	19	28	29	7	17.0	256	2	4	6	34	35	35	35
SUBTOTAL	**65**	**10.7**	**40**	**3**	**6**	**10**	**14**	**19**	**23**	**29**	**9**	**15.0**	**210**	**2**	**5**	**6**	**33**	**35**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	12.8	162	4	5	9	17	35	35	35										
13-19	23	12.6	69	3	6	12	20	25	27	27										
20-34	16	8.8	47	2	4	7	13	21	22	23	1	12.0		12	12	12	12	12	12	12
35-49	14	7.1	18	2	3	7	9	14	15	15	1	2.0		2	2	2	2	2	2	2
50-64	1	26.0		26	26	26	26	26	26	26	2	10.5	85	4	4	10	17	17	17	17
65 +	1	17.0		17	17	17	17	17	17	17	1	7.0		7	7	7	7	7	7	7
ALL AGES	60	10.6	64	2	5	8	15	23	26	34	5	8.4	37	2	3	7	13	17	17	17
B. FEMALE																				
0-12 YRS.	4	35.5	1131	3	6	36	64	66	66	66										
13-19	22	22.2	379	5	10	14	33	44	65	84										
20-34	46	11.0	83	2	4	9	14	28	29	35	3	4.7	4	3	3	4	6	7	7	7
35-49	27	13.0	87	3	7	11	16	30	33	35	3	13.0	127	6	6	7	21	26	26	26
50-64	19	12.9	44	4	8	12	18	21	23	25										
65 +	8	14.0	187	3	7	10	14	37	46	46	2	8.0	32	4	4	8	12	12	12	12
ALL AGES	126	14.7	184	2	7	11	17	32	36	70	8	8.6	58	3	4	6	10	22	26	26
SUBTOTAL	**186**	**13.4**	**147**	**2**	**6**	**10**	**17**	**28**	**35**	**65**	**13**	**8.5**	**46**	**3**	**4**	**7**	**12**	**19**	**25**	**26**
GRAND TOTAL	**251**	**12.7**	**121**	**3**	**6**	**10**	**16**	**27**	**33**	**63**	**22**	**11.2**	**116**	**3**	**4**	**6**	**12**	**33**	**34**	**35**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	38.5	221	28	33	49	87	99 +	99 +	99 +										
13-19	6	14.8	70	5	8	15	18	27	28	28	2	36.5	145	28	28	36	45	45	45	45
20-34	16	8.9	61	1	2	7	13	20	24	26	5	7.8	86	2	3	3	11	24	24	24
35-49	4	11.0	279	1	2	3	20	36	36	36										
50-64																				
65 +																				
ALL AGES	28	12.6	145	1	3	9	19	33	51	99 +	7	16.0	277	2	3	7	27	42	45	45
B. FEMALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-19	5	17.6	128	4	11	20	33	93	99 +	99 +										
20-34	8	14.4	43	7	8	14	20	22	23	23	2	12.5	61	7	7	12	18	18	18	18
35-49	5	11.2	20	7	8	9	16	16	16	16	1	12.0		12	12	12	12	12	12	12
50-64	1	3.0		3	3	3	3	3	3	3										
65 +											1	20.0		20	20	20	20	20	20	20
ALL AGES	20	14.6	69	5	8	16	21	31	63	99 +	4	14.3	33	7	9	15	19	20	20	20
SUBTOTAL	**48**	**13.4**	**113**	**2**	**5**	**11**	**20**	**31**	**49**	**99 +**	**11**	**15.4**	**176**	**2**	**4**	**12**	**23**	**35**	**44**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-19	6	9.8	76	1	4	6	18	22	23	23										
20-34	24	11.5	314	1	3	6	15	23	46	87	2	6.0	50	1	1	6	11	11	11	11
35-49	11	12.4	33	5	8	12	15	21	22	22	1	11.0		11	11	11	11	11	11	11
50-64																				
65 +																				
ALL AGES	42	12.3	216	2	4	8	16	22	35	87	3	7.7	33	1	3	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	2	16.5	265	5	5	16	28	28	28	28	1	9.0		9	9	9	9	9	9	9
20-34	6	15.3	118	5	6	15	16	33	35	35	1	4.0		4	4	4	4	4	4	4
35-49	9	16.4	455	5	7	8	14	51	72	72	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	2	3.0	8	1	1	3	5	5	5	5										
ALL AGES	19	14.7	266	5	5	8	16	32	55	72	3	5.3	11	3	3	4	8	9	9	9
SUBTOTAL	**61**	**13.0**	**230**	**2**	**5**	**8**	**16**	**25**	**39**	**85**	**6**	**6.5**	**19**	**1**	**3**	**6**	**11**	**11**	**11**	**11**
GRAND TOTAL	**109**	**13.2**	**176**	**2**	**5**	**9**	**18**	**28**	**43**	**99 +**	**17**	**12.2**	**137**	**2**	**3**	**9**	**18**	**27**	**39**	**45**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	7.8	104	3	3	3	9	26	26	26										
13-19	8	15.0	45	7	12	16	28	99 +	99 +	99 +	2	18.0	512	2	2	18	34	34	34	34
20-34	13	8.6	64	2	3	5	14	22	25	26										
35-49	8	6.8	32	2	4	6	7	16	20	20	1	4.0		4	4	4	4	4	4	4
50-64	6	10.8	80	4	4	9	11	26	28	28										
65 +	4	12.0	23	5	9	14	15	15	15	15										
ALL AGES	44	10.0	58	3	4	8	15	26	42	99 +	3	13.3	323	2	2	4	26	34	34	34
B. FEMALE																				
0-12 YRS.	4	39.8	868	13	22	32	57	82	82	82	1	4.0		4	4	4	4	4	4	4
13-19	2	26.0	50	21	21	26	31	31	31	31	1	1.0		1	1	1	1	1	1	1
20-34	7	16.3	337	1	3	11	41	85	99 +	99 +										
35-49	3	20.0	37	13	15	23	24	24	24	24	1	9.0		9	9	9	9	9	9	9
50-64	1	14.0		14	14	14	14	14	14	14	1	7.0		7	7	7	7	7	7	7
65 +																				
ALL AGES	17	23.5	394	3	12	22	32	72	93	99 +	4	5.3	12	1	2	5	8	9	9	9
SUBTOTAL	**61**	**13.7**	**186**	**3**	**4**	**11**	**21**	**32**	**87**	**99 +**	**7**	**8.7**	**132**	**1**	**2**	**4**	**8**	**29**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	30.5	265	19	19	30	42	42	42	42	1	2.0		2	2	2	2	2	2	2
13-19	13	11.9	169	1	2	12	22	99 +	99 +	99 +	2	12.5	1	12	12	12	13	13	13	13
20-34	16	11.3	218	1	3	7	11	33	50	57	5	5.0	32	2	2	3	6	15	15	15
35-49	6	7.3	52	1	2	5	14	18	18	18	2	2.0	2	1	1	1	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3										
65 +	5	16.0	124	6	7	14	22	34	34	34										
ALL AGES	43	12.2	173	1	2	8	18	42	68	99 +	10	5.6	29	1	2	3	12	14	15	15
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-19	6	10.0	28	4	7	8	16	17	17	17										
20-34	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-49	4	14.5	153	1	4	16	25	25	25	25	1	2.0		2	2	2	2	2	2	2
50-64																				
65 +	2	7.5	1	7	7	7	8	8	8	8										
ALL AGES	15	10.9	56	4	7	8	17	25	25	25	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**58**	**11.9**	**141**	**1**	**4**	**8**	**18**	**34**	**52**	**99 +**	**12**	**4.9**	**27**	**1**	**2**	**3**	**8**	**14**	**15**	**15**
GRAND TOTAL	**119**	**12.8**	**164**	**2**	**4**	**9**	**18**	**33**	**64**	**99 +**	**19**	**6.3**	**64**	**1**	**2**	**3**	**8**	**14**	**25**	**34**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	2	7.0		7	7	7	7	7	7	7	1	35.0		35	35	35	35	35	35	35
35-49	1	16.0		16	16	16	16	16	16	16										
50-64	2	13.0	8	11	11	13	15	15	15	15										
65 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	7	13.1	90	5	7	11	16	29	32	32	1	35.0		35	35	35	35	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	4	17.8	16	13	14	17	21	23	23	23										
35-49	3	19.0	91	9	12	20	26	28	28	28										
50-64	1	11.0		11	11	11	11	11	11	11										
65 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	9	18.3	45	10	12	19	24	27	28	28										
SUBTOTAL	**16**	**16.1**	**65**	**7**	**10**	**15**	**21**	**28**	**31**	**32**	**1**	**35.0**		**35**	**35**	**35**	**35**	**35**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	13.0		13	13	13	13	13	13	13	1	11.0		11	11	11	11	11	11	11
20-34	7	22.3	453	1	6	10	41	52	54	54	1	41.0		41	41	41	41	41	41	41
35-49	5	11.6	200	2	2	7	17	36	36	36	2	8.0		8	8	8	8	8	8	8
50-64	4	14.0	39	9	10	12	18	23	23	23	1	4.0		4	4	4	4	4	4	4
65 +																				
ALL AGES	17	16.6	254	2	6	11	26	42	50	54	5	14.4	227	4	7	8	18	41	41	41
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-19	1	21.0		21	21	21	21	21	21	21	1	8.0		8	8	8	8	8	8	8
20-34	5	11.0	33	4	6	11	16	18	18	18	2	15.0	200	5	5	15	25	25	25	25
35-49	2	9.0	32	5	5	9	13	13	13	13										
50-64	6	15.7	206	1	6	13	19	40	42	42										
65 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	15	13.5	96	4	6	13	17	21	37	42	4	13.0	78	5	6	11	19	25	25	25
SUBTOTAL	**32**	**15.2**	**175**	**2**	**6**	**11**	**18**	**39**	**44**	**54**	**9**	**13.8**	**143**	**4**	**7**	**8**	**17**	**35**	**41**	**41**
GRAND TOTAL	**48**	**15.5**	**136**	**4**	**7**	**13**	**20**	**33**	**42**	**54**	**10**	**15.9**	**173**	**4**	**8**	**10**	**25**	**38**	**41**	**41**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	14.0	32	10	10	14	18	18	18	18	5	6.6	27	1	2	5	11	13	13	13
13-19																				
20-34	5	4.8	3	2	4	5	6	7	7	7	3	1.7		1	1	2	2	2	2	2
35-49	5	8.4	162	1	2	3	11	31	31	31	4	6.5	17	1	4	7	9	11	11	11
50-64																				
65 +											2	2.0		2	2	2	2	2	2	2
ALL AGES	12	7.8	75	2	3	5	8	22	30	31	14	4.9	17	1	2	3	7	11	13	13
B. FEMALE																				
0-12 YRS.	5	15.6	420	3	4	4	25	51	51	51	6	9.7	115	1	2	7	11	28	30	30
13-19	1	9.0		9	9	9	9	9	9	9	1	31.0		31	31	31	31	31	31	31
20-34	5	5.6	28	1	1	6	8	14	14	14	2	4.5	13	2	2	4	7	7	7	7
35-49	5	9.4	42	2	5	7	15	18	18	18	1	3.0		3	3	3	3	3	3	3
50-64	2	11.5	145	3	3	11	20	20	20	20	2	3.5	13	1	1	3	6	6	6	6
65 +	2	25.5	313	13	13	25	38	38	38	38										
ALL AGES	20	11.8	163	2	3	7	15	29	44	51	12	9.0	112	1	2	5	10	30	31	31
SUBTOTAL	**32**	**10.3**	**130**	**2**	**3**	**6**	**14**	**23**	**37**	**51**	**26**	**6.8**	**62**	**1**	**2**	**4**	**10**	**13**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	2	5.0	18	2	2	5	8	8	8	8										
35-49	2	2.5	1	2	2	2	3	3	3	3	1	13.0		13	13	13	13	13	13	13
50-64											1	14.0		14	14	14	14	14	14	14
65 +																				
ALL AGES	5	3.8	6	2	2	3	5	8	8	8	2	13.5	1	13	13	13	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19	2	3.5	5	2	2	3	5	5	5	5	1	3.0		3	3	3	3	3	3	3
20-34	15	5.0	9	1	2	6	7	9	10	10	1	6.0		6	6	6	6	6	6	6
35-49	6	9.5	47	2	6	8	11	21	22	22	4	7.5	34	2	3	6	12	15	15	15
50-64	2	4.0	18	1	1	3	7	7	7	7	2	9.5	1	9	9	9	10	10	10	10
65 +	2	6.5	41	2	2	6	11	11	11	11	3	6.7	14	4	4	5	9	11	11	11
ALL AGES	27	5.9	21	1	2	6	8	11	13	22	11	7.1	16	3	4	6	10	13	15	15
SUBTOTAL	**32**	**5.6**	**18**	**1**	**2**	**5**	**8**	**10**	**11**	**22**	**13**	**8.1**	**19**	**3**	**4**	**9**	**11**	**14**	**15**	**15**
GRAND TOTAL	**64**	**8.0**	**78**	**2**	**2**	**6**	**9**	**18**	**25**	**49**	**39**	**7.2**	**48**	**1**	**2**	**5**	**11**	**14**	**23**	**31**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	4.0	12	1	2	3	6	9	9	9										
35-49	2	7.5	61	2	2	7	13	13	13	13										
50-64	1	28.0		28	28	28	28	28	28	28										
65 +																				
ALL AGES	7	8.4	94	1	2	3	12	25	28	28										
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	4	14.5	78	6	7	14	22	24	24	24										
35-49	4	10.5	158	1	3	6	18	29	29	29										
50-64	4	21.3	143	7	11	22	31	34	34	34										
65 +	2	7.0	50	2	2	7	12	12	12	12										
ALL AGES	16	13.3	109	2	6	8	22	29	32	34										
SUBTOTAL	**23**	**11.8**	**106**	**2**	**4**	**7**	**19**	**28**	**31**	**34**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	12	7.6	30	2	3	7	11	16	18	18	2	1.5	1	1	1	1	2	2	2	2
35-49	5	7.0	16	2	4	6	10	12	12	12										
50-64	4	13.3	120	1	4	14	22	24	24	24										
65 +																				
ALL AGES	22	8.4	41	2	3	7	12	19	22	24	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	12	8.8	77	2	3	6	10	20	32	34										
35-49	7	12.6	26	6	8	14	16	19	20	20										
50-64	6	9.8	75	3	3	6	15	24	25	25										
65 +	2	9.0	8	7	7	9	11	11	11	11	1	3.0		3	3	3	3	3	3	3
ALL AGES	28	9.7	57	2	4	7	14	19	26	34	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**50**	**9.1**	**50**	**2**	**4**	**7**	**12**	**19**	**24**	**34**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**73**	**10.0**	**67**	**2**	**4**	**7**	**14**	**24**	**28**	**34**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	4.5	14	2	2	3	7	10	10	10	2	4.0	18	1	1	4	7	7	7	7
20-34	13	5.8	80	1	2	3	5	13	31	35	5	2.0	1	1	1	2	3	3	3	3
35-49	4	18.5	731	3	4	6	33	59	59	59	1	10.0		10	10	10	10	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4										
65 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	23	7.8	172	2	2	4	7	15	43	59	8	3.5	11	1	1	2	5	9	10	10
B. FEMALE																				
0-12 YRS.																				
13-19	2	4.5	13	2	2	4	7	7	7	7	1	7.0		7	7	7	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1	2	3.5	5	2	2	3	5	5	5	5
35-49																				
50-64																				
65 +																				
ALL AGES	3	3.3	11	1	1	2	6	7	7	7	3	4.7	6	2	3	5	6	7	7	7
SUBTOTAL	**26**	**7.3**	**154**	**2**	**2**	**3**	**7**	**10**	**40**	**59**	**11**	**3.8**	**9**	**1**	**1**	**3**	**6**	**8**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	19	7.1	82	2	3	4	8	12	29	42	5	6.2	89	1	1	3	8	23	23	23
20-34	46	6.5	58	1	2	4	9	15	19	43	8	6.1	68	1	1	2	9	21	23	23
35-49	11	6.5	51	1	2	4	7	18	24	25	2	12.0	128	4	4	12	20	20	20	20
50-64																				
65 +																				
ALL AGES	76	6.6	62	1	2	4	8	14	20	43	15	6.9	73	1	1	3	12	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-19	2	2.0	2	1	1	2	3	3	3	3										
20-34	13	3.4	4	1	2	3	4	7	8	8	1	3.0		3	3	3	3	3	3	3
35-49	3	22.7	1047	2	3	6	46	60	60	60										
50-64																				
65 +																				
ALL AGES	18	6.4	183	1	2	3	4	8	39	60	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**94**	**6.6**	**83**	**1**	**2**	**4**	**8**	**14**	**21**	**53**	**16**	**6.7**	**69**	**1**	**1**	**3**	**9**	**22**	**23**	**23**
GRAND TOTAL	**120**	**6.8**	**97**	**1**	**2**	**4**	**7**	**14**	**23**	**59**	**27**	**5.5**	**46**	**1**	**1**	**3**	**6**	**19**	**23**	**23**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	28.0		28	28	28	28	28	28	28
13-19	22	12.5	197	2	4	6	22	27	40	59	5	3.4	1	2	3	3	4	5	5	5
20-34	54	7.1	71	1	2	4	8	17	25	48	17	5.5	53	1	1	3	7	11	24	31
35-49	17	8.9	56	2	4	7	13	20	26	29	5	13.6	80	3	5	15	21	24	24	24
50-64	8	11.0	63	2	6	10	14	24	27	27										
65 +	3	9.3	5	7	8	10	11	11	11	11	1	6.0		6	6	53	99 +	99 +	99 +	99 +
ALL AGES	104	8.9	94	1	3	6	10	22	27	54	29	7.3	69	1	3	4	9	26	31	99 +
B. FEMALE																				
0-12 YRS.																				
13-19	34	11.1	119	2	4	6	17	29	34	40	6	5.3	27	1	3	3	7	14	15	15
20-34	190	9.5	107	1	3	6	12	22	33	50	20	6.3	33	1	2	4	9	15	19	22
35-49	126	8.9	73	1	3	6	11	24	26	41	12	8.3	77	1	1	3	15	20	27	28
50-64	14	9.6	50	3	5	6	18	19	22	23	2	4.0	2	3	3	4	5	5	5	5
65 +	7	13.9	242	1	2	12	19	40	45	45	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	371	9.6	95	1	3	6	12	23	30	47	42	6.5	42	1	2	4	9	15	18	28
SUBTOTAL	**475**	**9.4**	**96**	**1**	**3**	**6**	**12**	**23**	**28**	**48**	**71**	**6.8**	**53**	**1**	**2**	**4**	**9**	**17**	**27**	**85**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	42.4	423	7	33	53	54	57	57	57										
13-19	33	11.5	111	2	5	7	15	24	37	46	7	5.6	10	1	3	7	8	9	9	9
20-34	119	10.0	86	1	3	6	15	23	31	38	23	6.7	187	1	2	3	6	10	31	68
35-49	50	9.0	99	1	2	5	12	27	34	36	12	5.8	14	2	3	5	8	12	13	13
50-64	4	9.5	66	1	3	8	15	20	20	20	1	3.0		3	3	3	3	3	3	3
65 +	3	15.3	114	4	7	17	23	25	25	25										
ALL AGES	214	10.9	120	1	3	7	15	25	36	53	43	6.2	103	1	3	4	7	10	12	68
B. FEMALE																				
0-12 YRS.	2	55.5	145	47	55	82	99 +	99 +	99 +	99 +	4	27.3	71	18	20	27	34	36	36	36
13-19	79	16.9	320	2	4	11	27	35	59	83	12	13.8	97	3	5	12	21	27	32	33
20-34	338	10.6	116	2	3	7	14	24	33	72	33	11.5	223	1	2	7	13	24	52	68
35-49	137	9.6	67	2	4	7	13	20	25	48	10	9.0	177	1	2	3	9	31	44	44
50-64	13	9.0	51	2	4	7	12	18	26	28										
65 +	7	18.6	136	3	10	20	28	34	35	35										
ALL AGES	576	11.4	144	2	4	7	15	27	35	86	59	12.6	191	1	3	8	18	33	40	67
SUBTOTAL	**790**	**11.3**	**137**	**2**	**3**	**7**	**16**	**27**	**36**	**72**	**102**	**9.9**	**163**	**1**	**3**	**5**	**12**	**22**	**34**	**68**
GRAND TOTAL	**1265**	**10.6**	**122**	**2**	**3**	**7**	**14**	**25**	**33**	**60**	**173**	**8.7**	**118**	**1**	**3**	**5**	**11**	**22**	**32**	**68**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99T
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19	12	5.3	60	1	1	3	6	15	26	28	1	13.0		13	13	13	13	13	13	13
20-34	26	6.2	49	1	2	5	7	10	20	36	4	2.5	1	1	2	3	3	3	3	3
35-49	12	6.9	41	1	2	4	12	16	20	21	1	13.0		13	13	13	13	13	13	13
50-64	6	9.8	191	1	1	5	10	34	37	37										
65 +	5	18.8	281	4	4	14	33	42	42	42	1	43.0		43	43	43	43	43	43	43
ALL AGES	61	7.6	86	1	2	5	9	18	33	41	8	10.1	200	1	2	3	13	34	43	43
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-19	11	5.3	21	1	2	3	7	13	14	14	2	7.5	25	4	4	7	11	11	11	11
20-34	33	8.4	127	2	3	4	9	22	33	56	8	7.8	55	2	3	5	11	21	23	23
35-49	13	6.8	27	3	4	5	7	15	20	21	7	14.3	376	2	2	6	19	49	55	55
50-64	6	7.2	54	1	2	5	9	20	21	21	1	16.0		16	16	16	16	16	16	16
65 +	7	15.3	50	8	9	12	20	26	27	27										
ALL AGES	71	8.2	81	2	3	5	9	21	22	52	18	10.7	170	2	3	6	15	23	42	55
SUBTOTAL	**132**	**7.9**	**83**	**1**	**2**	**5**	**9**	**21**	**28**	**45**	**26**	**10.5**	**172**	**2**	**3**	**5**	**13**	**23**	**45**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	60.8	7	59	60	61	62	62	62	62										
13-19	8	10.6	50	4	5	8	17	21	22	22	1	14.0		14	14	14	14	14	14	14
20-34	42	6.3	128	1	1	3	6	14	20	70	10	8.0	76	1	1	5	12	22	26	26
35-49	12	7.0	49	1	2	4	9	19	23	24	2	6.0		6	6	6	6	6	6	6
50-64	5	7.6	76	2	3	4	10	23	23	23										
65 +	2	24.0	968	2	2	24	46	46	46	46										
ALL AGES	73	10.5	260	1	2	4	10	24	60	68	13	8.2	60	1	2	6	12	20	25	26
B. FEMALE																				
0-12 YRS.																				
13-19	8	11.4	137	3	5	7	13	32	38	38	5	16.0	97	9	10	10	22	32	32	32
20-34	43	8.0	51	2	2	6	13	19	21	29	7	14.6	316	2	3	6	18	46	52	52
35-49	16	10.1	114	2	4	6	10	29	36	39	7	7.4	18	3	5	7	9	14	15	15
50-64	6	12.7	81	5	6	10	15	28	29	29										
65 +	4	37.3	699	15	18	30	56	74	74	74	3	8.3	18	5	5	7	11	13	13	13
ALL AGES	77	10.7	138	2	3	6	14	22	35	65	22	11.8	130	2	5	9	14	24	40	52
SUBTOTAL	**150**	**10.6**	**196**	**1**	**2**	**5**	**13**	**23**	**39**	**70**	**35**	**10.4**	**106**	**2**	**4**	**8**	**14**	**20**	**30**	**52**
GRAND TOTAL	**282**	**9.3**	**145**	**1**	**2**	**5**	**10**	**21**	**35**	**62**	**61**	**10.5**	**130**	**2**	**3**	**7**	**13**	**23**	**37**	**55**

HOMOSEXUALITY (302.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64	1	16.0		16	16	16	16	16	16	16										
65 +																				
ALL AGES	2	9.0	98	2	2	9	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	2	9.0	98	2	2	9	16	16	16	16										
GRAND TOTAL	2	9.0	98	2	2	9	16	16	16	16										

ZOOPHILIA (302.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	14.0		14	14	14	14	14	14	14
13-19																				
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	8.0		8	8	8	8	8	8	8	1	14.0		14	14	14	14	14	14	14
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	8.0		8	8	8	8	8	8	8	1	14.0		14	14	14	14	14	14	14

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-19	2	11.5	61	6	6	11	17	17	17	17										
20-34	3	16.0	19	11	13	18	19	19	19	19	2	10.5	5	9	9	10	12	12	12	12
35-49	2	16.5	25	13	13	16	20	20	20	20										
50-64	2	17.5	5	16	16	17	19	19	19	19										
65 +																				
ALL AGES	10	15.0	21	8	11	16	19	20	20	20	2	10.5	5	9	9	10	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**10**	**15.0**	**21**	**8**	**11**	**16**	**19**	**20**	**20**	**20**	**2**	**10.5**	**5**	**9**	**9**	**10**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	7	12.6	49	4	9	11	16	24	25	25	1	4.0		4	4	4	4	4	4	4
20-34	23	19.5	239	10	14	17	20	26	49	86										
35-49	16	14.3	55	7	8	14	20	24	26	27	1	5.0		5	5	5	5	5	5	5
50-64	5	22.2	100	14	15	17	30	37	37	37										
65 +	4	10.3	26	4	6	11	14	15	15	15										
ALL AGES	55	16.7	139	7	10	16	20	25	29	84	2	4.5	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**55**	**16.7**	**139**	**7**	**10**	**16**	**20**	**25**	**29**	**84**	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**65**	**16.4**	**122**	**7**	**10**	**16**	**19**	**25**	**28**	**79**	**4**	**7.5**	**14**	**4**	**4**	**7**	**10**	**12**	**12**	**12**

TRANSVESTISM (302.3)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	13.0	50	8	8	13	18	18	18	18										
35-49																				
50-64																				
65 +																				
ALL AGES	2	13.0	50	8	8	13	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**13.0**	**50**	**8**	**8**	**13**	**18**	**18**	**18**	**18**										
GRAND TOTAL	**2**	**13.0**	**50**	**8**	**8**	**13**	**18**	**18**	**18**	**18**										

EXHIBITIONISM (302.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	15.0		15	15	15	15	15	15	15										
35-49																				
50-64																				
65 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	5.0		5	5	5	5	5	5	5
20-34	2	17.5	13	15	15	17	20	20	20	20										
35-49	8	16.4	85	4	11	16	19	30	34	34	1	14.0		14	14	14	14	14	14	14
50-64																				
65 +																				
ALL AGES	10	16.6	68	5	15	16	20	27	34	34	2	9.5	41	5	5	9	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**10**	**16.6**	**68**	**5**	**15**	**16**	**20**	**27**	**34**	**34**	**2**	**9.5**	**41**	**5**	**5**	**9**	**14**	**14**	**14**	**14**
GRAND TOTAL	**11**	**16.5**	**60**	**5**	**15**	**16**	**20**	**26**	**33**	**34**	**2**	**9.5**	**41**	**5**	**5**	**9**	**14**	**14**	**14**	**14**

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	12.7	51	8	8	9	18	21	21	21	46	8.3	54	1	3	6	12	16	21	37
35-49	3	13.7	101	2	6	19	20	20	20	20	21	9.3	45	1	1	9	16	18	19	20
50-64											5	8.6	38	4	4	8	11	19	19	19
65 +																				
ALL AGES	6	13.2	61	3	8	14	20	21	21	21	72	8.6	50	1	3	8	13	18	19	35
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	11.0	4	9	9	11	12	13	13	13	71	8.5	5	7	9	9	9	9	9	15
35-49	10	10.8	47	3	5	9	18	19	20	20	95	8.7	21	4	9	9	9	9	10	33
50-64											21	7.7	8	2	8	9	9	10	10	10
65 +																				
ALL AGES	13	10.8	37	4	6	10	16	19	20	20	187	8.5	14	4	9	9	9	9	10	18
SUBTOTAL	**19**	**11.6**	**42**	**3**	**7**	**10**	**19**	**20**	**21**	**21**	**259**	**8.5**	**24**	**2**	**9**	**9**	**9**	**12**	**16**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	17.0		17	17	17	17	17	17	17										
20-34											1	20.0		20	20	20	20	20	20	20
35-49	1	14.0		14	14	14	14	14	14	14										
50-64																				
65 +																				
ALL AGES	2	15.5	5	14	14	15	17	17	17	17	1	20.0		20	20	20	20	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	7.0		7	7	7	7	7	7	7
35-49	1	15.0		15	15	15	15	15	15	15										
50-64	1	14.0		14	14	14	14	14	14	14										
65 +																				
ALL AGES	2	14.5	1	14	14	14	15	15	15	15	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**4**	**15.0**	**2**	**14**	**14**	**15**	**16**	**17**	**17**	**17**	**2**	**13.5**	**85**	**7**	**7**	**13**	**20**	**20**	**20**	**20**
GRAND TOTAL	**23**	**12.2**	**36**	**4**	**7**	**13**	**18**	**20**	**21**	**21**	**261**	**8.6**	**23**	**2**	**8**	**9**	**9**	**12**	**16**	**27**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-19	1	30.0		30	30	30	30	30	30	30										
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	3	17.0	217	1	6	20	27	30	30	30										
SUBTOTAL	**4**	**13.3**	**199**	**1**	**1**	**11**	**25**	**30**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	8.0		8	8	8	8	8	8	8										
50-64																				
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	2	5.0	18	2	2	5	8	8	8	8										
B. FEMALE																				
0-12 YRS.											1	17.0		17	17	17	17	17	17	17
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	17.0		17	17	17	17	17	17	17
SUBTOTAL	**2**	**5.0**	**18**	**2**	**2**	**5**	**8**	**8**	**8**	**8**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**6**	**10.5**	**142**	**1**	**2**	**5**	**20**	**29**	**30**	**30**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	15.0		15	15	15	15	15	15	15										
35-49	7	3.3	3	2	2	3	4	6	7	7	6	2.3	1	1	2	2	3	3	3	3
50-64	18	2.1	1	1	1	2	3	4	4	4	16	2.1	2	1	1	2	3	4	5	6
65 +	7	2.6	1	1	2	2	4	4	4	4	5	1.8	1	1	1	2	2	3	3	3
ALL AGES	33	2.8	7	1	2	2	3	4	7	15	27	2.1	1	1	1	2	3	3	4	6
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**33**	**2.8**	**7**	**1**	**2**	**2**	**3**	**4**	**7**	**15**	**27**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	19.0	50	14	14	19	24	24	24	24										
20-34	1	25.0		25	25	25	25	25	25	25										
35-49	1	4.0		4	4	4	4	4	4	4										
50-64											1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	5	13.6	122	1	3	14	24	25	25	25	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**5**	**13.6**	**122**	**1**	**3**	**14**	**24**	**25**	**25**	**25**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**38**	**4.2**	**33**	**1**	**2**	**2**	**4**	**12**	**20**	**25**	**28**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	9.5	85	3	3	9	16	16	16	16										
35-49																				
50-64																				
65 +																				
ALL AGES	2	9.5	85	3	3	9	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4										
35-49	1	8.0		8	8	8	8	8	8	8	1	16.0		16	16	16	16	16	16	16
50-64	1	16.0		16	16	16	16	16	16	16										
65 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	4	10.3	27	4	6	10	14	16	16	16	2	9.5	85	3	3	9	16	16	16	16
SUBTOTAL	**6**	**10.0**	**34**	**3**	**4**	**10**	**16**	**16**	**16**	**16**	**2**	**9.5**	**85**	**3**	**3**	**9**	**16**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21	1	3.0		3	3	3	3	3	3	3
20-34	6	12.8	45	3	6	16	17	19	19	19	1	4.0		4	4	4	4	4	4	4
35-49	5	15.0	41	7	9	16	20	22	22	22	1	20.0		20	20	20	20	20	20	20
50-64	1	8.0		8	8	8	8	8	8	8										
65 +																				
ALL AGES	13	13.9	41	5	8	16	19	21	22	22	3	9.0	91	3	3	4	16	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	25.0		25	25	25	25	25	25	25										
50-64																				
65 +																				
ALL AGES	1	25.0		25	25	25	25	25	25	25										
SUBTOTAL	**14**	**14.7**	**46**	**6**	**8**	**16**	**20**	**22**	**24**	**25**	**3**	**9.0**	**91**	**3**	**3**	**4**	**16**	**20**	**20**	**20**
GRAND TOTAL	**20**	**13.3**	**45**	**4**	**7**	**16**	**18**	**21**	**23**	**25**	**5**	**9.2**	**67**	**3**	**3**	**4**	**17**	**20**	**20**	**20**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	19.0		19	19	19	19	19	19	19										
35-49																				
50-64																				
65 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
B. FEMALE																				
0-12 YRS.	1	82.0		82	82	82	82	82	82	82										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	82.0		82	82	82	82	82	82	82										
SUBTOTAL	**2**	**50.5**	**1985**	**19**	**19**	**50**	**82**	**82**	**82**	**82**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	20.0		20	20	20	20	20	20	20										
20-34	6	15.0	37	5	10	18	19	20	20	20										
35-49	4	15.3	177	1	5	14	25	32	32	32										
50-64	1	25.0		25	25	25	25	25	25	25										
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	13	15.7	74	4	9	19	20	26	31	32										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**13**	**15.7**	**74**	**4**	**9**	**19**	**20**	**26**	**31**	**32**										
GRAND TOTAL	**15**	**20.3**	**357**	**5**	**9**	**19**	**20**	**32**	**69**	**82**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	2	11.5	221	1	1	11	22	22	22	22
13-19	44	4.8	49	1	1	1	4	20	21	24	22	2.8	32	1	1	1	2	3	14	28
20-34	493	4.3	27	1	1	3	4	11	19	21	176	4.0	26	1	1	3	4	7	19	26
35-49	789	4.9	34	1	2	3	4	14	20	29	276	3.8	18	1	2	3	4	7	10	27
50-64	375	5.4	35	1	2	3	6	14	21	29	161	5.0	26	1	2	3	6	10	16	27
65 +	142	6.2	41	1	2	4	7	15	21	31	82	5.5	43	1	2	3	6	15	20	32
ALL AGES	1845	4.9	34	1	2	3	5	14	20	28	719	4.3	26	1	2	3	5	8	16	28
B. FEMALE																				
0-12 YRS.																				
13-19	17	3.9	25	1	1	2	4	9	17	21	11	1.4	1	1	1	1	1	3	4	4
20-34	165	5.1	41	1	1	3	5	14	21	32	64	3.0	18	1	1	2	3	4	11	22
35-49	188	5.5	49	1	2	3	5	13	21	32	96	5.3	41	1	2	3	5	11	25	28
50-64	93	5.9	47	2	3	3	6	13	21	37	44	4.5	22	1	2	3	5	9	15	24
65 +	44	7.7	74	1	3	4	11	18	24	40	27	3.9	11	2	2	3	5	7	10	18
ALL AGES	507	5.6	47	1	2	3	5	14	21	33	242	4.2	28	1	1	3	4	8	19	27
SUBTOTAL	**2352**	**5.1**	**36**	**1**	**2**	**3**	**5**	**14**	**21**	**30**	**961**	**4.3**	**26**	**1**	**2**	**3**	**4**	**8**	**17**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	62	7.5	82	1	1	4	13	21	29	40	34	10.6	139	1	1	5	21	29	34	36
20-34	1027	6.4	56	1	2	3	7	20	21	30	639	7.4	66	2	3	4	8	23	28	29
35-49	1185	6.6	51	2	3	4	7	17	22	32	929	7.0	58	2	3	4	7	21	28	29
50-64	525	6.9	45	2	3	4	8	18	21	29	371	7.3	64	2	3	4	7	21	28	29
65 +	162	8.1	67	2	3	5	10	18	27	42	157	9.1	81	2	3	6	11	28	28	34
ALL AGES	2962	6.7	53	1	2	4	7	19	22	31	2130	7.4	64	2	3	4	7	22	28	29
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	42	6.5	100	1	1	2	6	22	33	41	20	9.1	119	1	2	4	16	28	29	30
20-34	383	6.9	55	1	2	4	8	20	24	32	224	7.8	82	1	2	4	8	25	28	35
35-49	397	6.4	52	1	2	4	7	17	23	33	252	7.6	69	2	2	4	9	21	28	34
50-64	142	6.1	40	1	2	4	7	14	21	29	128	6.8	53	1	3	4	7	21	25	28
65 +	96	9.8	77	2	3	7	15	26	30	33	75	9.0	71	2	3	6	13	26	28	33
ALL AGES	1061	6.9	56	1	2	4	8	19	24	33	699	7.7	72	1	2	4	9	23	28	32
SUBTOTAL	**4023**	**6.7**	**54**	**1**	**2**	**4**	**8**	**19**	**22**	**31**	**2829**	**7.5**	**66**	**2**	**3**	**4**	**8**	**22**	**28**	**30**
GRAND TOTAL	**6375**	**6.1**	**48**	**1**	**2**	**3**	**7**	**17**	**21**	**31**	**3790**	**6.7**	**57**	**1**	**2**	**4**	**7**	**21**	**28**	**29**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-19	208	22.7	205	3	13	21	31	41	45	62	83	21.1	151	2	14	25	29	35	40	49
20-34	1672	12.6	95	2	4	10	21	28	28	35	926	13.2	104	2	4	11	21	28	29	32
35-49	2121	11.4	91	2	4	7	19	27	28	34	1206	11.7	90	2	4	7	21	28	28	32
50-64	1003	12.7	92	3	4	10	21	28	28	34	564	11.4	86	2	4	7	20	28	28	32
65 +	337	12.9	80	3	5	11	20	27	29	31	225	12.7	80	3	5	11	20	28	29	31
ALL AGES	5343	12.6	99	3	4	9	21	28	29	37	3004	12.4	98	2	4	8	21	28	29	33
B. FEMALE																				
0-12 YRS.	2	24.0	32	20	20	24	28	28	28	28										
13-19	131	24.3	233	3	13	27	35	42	44	70	41	19.8	129	3	10	22	28	34	37	42
20-34	607	12.3	91	2	4	10	21	28	28	32	346	11.6	85	2	4	9	19	28	28	31
35-49	594	12.5	86	3	4	10	21	28	28	35	349	10.5	78	2	3	7	16	26	28	31
50-64	308	12.6	86	3	4	10	21	27	28	31	163	13.3	107	2	4	9	22	28	30	35
65 +	135	13.5	88	3	4	13	21	28	29	35	96	14.0	89	3	5	14	22	28	28	31
ALL AGES	1777	13.4	108	3	4	11	21	28	30	42	995	12.1	91	2	4	9	21	28	29	33
SUBTOTAL	**7120**	**12.8**	**102**	**3**	**4**	**10**	**21**	**28**	**29**	**38**	**3999**	**12.4**	**94**	**2**	**4**	**8**	**21**	**28**	**29**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	15.1	196	3	4	14	34	80	99 +	99 +	5	22.6	371	3	4	22	42	42	42	42
13-19	777	26.0	211	5	15	28	35	42	50	80	289	23.0	163	4	13	26	32	41	42	47
20-34	3796	13.2	101	3	4	11	21	28	29	36	2001	12.0	90	3	4	7	21	28	28	32
35-49	3276	11.3	83	3	4	7	18	27	28	33	1785	10.1	75	3	4	5	15	25	28	32
50-64	1013	11.7	82	3	5	8	18	27	28	33	524	11.1	76	3	4	7	17	26	28	32
65 +	352	13.6	89	4	5	11	21	28	29	41	153	11.8	65	3	5	9	16	25	28	30
ALL AGES	9221	13.5	116	3	4	10	21	28	31	43	4757	11.8	97	3	4	7	21	28	29	39
B. FEMALE																				
0-12 YRS.	2	39.0	18	36	36	39	42	42	42	42	1	9.0		9	9	9	9	9	9	9
13-19	436	26.9	215	7	16	28	36	45	57	99 +	149	24.7	156	7	14	26	31	42	43	58
20-34	1508	12.7	95	3	4	10	21	28	29	35	789	11.7	82	3	4	9	20	25	28	36
35-49	989	12.1	85	3	4	9	20	27	28	32	497	10.5	76	3	4	6	14	27	29	32
50-64	366	12.6	93	3	5	10	20	28	30	36	179	11.3	88	2	4	7	18	28	29	32
65 +	186	14.4	92	4	7	11	21	28	31	41	77	13.7	109	3	5	10	21	28	30	49
ALL AGES	3487	14.4	130	3	5	12	22	29	35	50	1692	12.5	104	3	4	9	21	28	30	42
SUBTOTAL	**12708**	**13.7**	**121**	**3**	**4**	**11**	**21**	**28**	**32**	**45**	**6449**	**12.0**	**99**	**3**	**4**	**7**	**21**	**28**	**29**	**41**
GRAND TOTAL	**19828**	**13.4**	**114**	**3**	**4**	**10**	**21**	**28**	**30**	**43**	**10448**	**12.2**	**96**	**3**	**4**	**7**	**21**	**28**	**29**	**37**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	30	3.7		3	3	4	4	4	5	5	2	5.5	5	4	4	5	7	7	7	7
20-34	132	6.1	43	2	3	4	5	17	22	29	54	6.7	52	2	3	4	5	21	23	28
35-49	125	8.5	68	3	3	5	12	20	24	45	69	7.8	51	2	4	5	10	19	28	29
50-64	12	11.0	79	3	4	8	14	27	30	31	7	13.9	194	1	3	10	28	34	34	34
65 +	5	7.8	55	4	4	4	10	21	21	21	5	8.2	15	4	5	7	11	14	14	14
ALL AGES	304	7.1	53	3	3	4	7	18	23	33	137	7.7	57	2	3	5	9	21	27	33
B. FEMALE																				
0-12 YRS.																				
13-19	14	4.6	4	3	4	4	4	9	9	9	3	2.3	2	1	1	3	3	3	3	3
20-34	161	5.8	32	2	3	4	5	12	19	28	72	5.8	24	2	3	4	7	11	14	28
35-49	61	8.2	55	3	4	5	10	20	22	37	41	6.6	45	1	3	5	7	13	24	33
50-64	12	14.3	82	3	5	16	20	27	28	28	5	10.4	190	3	4	5	13	35	35	35
65 +	8	13.9	61	4	9	13	18	26	28	28	1	28.0		28	28	28	28	28	28	28
ALL AGES	256	7.0	43	3	4	4	8	17	22	31	122	6.4	40	2	3	5	7	12	23	34
SUBTOTAL	**560**	**7.0**	**49**	**3**	**3**	**4**	**7**	**18**	**22**	**31**	**259**	**7.0**	**50**	**2**	**3**	**5**	**7**	**15**	**27**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	9	3.9	3	1	3	4	5	7	7	7	7	14.0	167	3	4	5	27	31	32	32
20-34	291	8.4	55	2	4	5	13	21	24	33	203	8.2	54	3	4	5	8	21	27	30
35-49	386	8.5	50	3	4	5	12	21	22	30	266	8.5	53	3	4	6	10	21	27	30
50-64	40	9.5	52	3	4	7	15	21	23	28	24	10.2	80	3	4	5	17	26	27	28
65 +	7	12.4	66	5	8	10	14	26	29	29	1	7.0		7	7	7	7	7	7	7
ALL AGES	733	8.5	52	3	4	5	12	21	23	30	501	8.5	57	3	4	5	10	21	28	30
B. FEMALE																				
0-12 YRS.																				
13-19	3	4.3	9	1	2	6	6	6	6	6	3	7.7	80	2	2	3	14	18	18	18
20-34	305	8.5	60	2	4	5	10	21	27	34	219	9.2	80	3	4	5	10	27	28	41
35-49	171	10.5	68	3	5	7	14	22	28	32	105	9.6	64	3	4	6	10	25	28	30
50-64	31	13.6	81	3	5	13	20	28	30	30	15	9.5	62	1	4	7	14	24	26	27
65 +	14	14.2	52	6	9	14	18	24	27	28	6	9.2	89	3	3	6	8	26	28	28
ALL AGES	524	9.6	65	3	4	6	14	22	28	32	348	9.3	74	3	4	6	10	27	28	40
SUBTOTAL	**1257**	**8.9**	**59**	**3**	**4**	**6**	**13**	**21**	**26**	**31**	**849**	**8.9**	**63**	**3**	**4**	**6**	**10**	**22**	**28**	**32**
GRAND TOTAL	**1817**	**8.3**	**57**	**3**	**4**	**5**	**11**	**21**	**25**	**31**	**1108**	**8.4**	**61**	**3**	**4**	**5**	**10**	**21**	**28**	**32**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	17	9.2	101	2	3	4	13	27	31	33	6	12.7	65	5	5	12	21	21	21	21
35-49	31	6.0	38	3	4	4	5	15	18	32	3	9.0	31	3	5	10	13	14	14	14
50-64	4	5.3	2	4	4	5	6	7	7	7	2	21.0	18	18	18	21	24	24	24	24
65 +	5	15.0	119	1	5	19	24	25	25	25	3	11.3	22	6	8	14	14	14	14	14
ALL AGES	57	7.7	65	2	4	4	6	23	27	33	14	12.8	49	5	6	14	18	22	23	24
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	48	8.4	49	3	4	5	11	20	22	32	20	9.0	35	4	5	8	10	15	22	28
35-49	37	7.4	62	2	3	4	10	22	25	35	10	10.3	57	4	5	7	11	24	24	24
50-64	10	11.9	90	3	4	9	14	27	33	33	7	14.3	69	3	11	14	16	27	29	29
65 +	7	15.3	115	2	5	14	25	29	29	29										
ALL AGES	102	8.8	65	2	4	4	12	21	28	34	37	10.4	47	4	5	9	14	22	27	29
SUBTOTAL	**159**	**8.4**	**65**	**2**	**4**	**4**	**12**	**22**	**27**	**33**	**51**	**11.0**	**49**	**4**	**5**	**10**	**15**	**22**	**24**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	13.0	175	3	4	8	23	28	28	28	2	15.5	265	4	4	15	27	27	27	27
20-34	47	13.2	82	2	5	13	20	27	28	35	20	9.2	69	2	3	5	14	23	27	28
35-49	72	13.5	106	3	4	12	21	26	28	51	41	13.9	114	4	4	11	24	29	33	42
50-64	18	11.3	133	2	3	6	12	32	36	38	11	14.7	111	3	6	11	26	28	29	29
65 +	9	17.6	38	10	12	15	23	26	28	28	5	10.6	7	7	8	11	12	14	14	14
ALL AGES	149	13.4	97	3	4	12	21	27	28	42	79	12.6	100	3	4	10	18	28	29	40
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19	1	18.0		18	18	18	18	18	18	18										
20-34	82	13.7	123	3	5	11	21	27	29	60	39	10.3	56	3	5	7	15	23	25	28
35-49	86	12.7	87	4	5	10	17	27	30	45	34	13.7	104	3	4	12	22	29	30	31
50-64	39	16.4	68	5	10	17	21	28	29	30	12	12.7	71	4	7	9	18	26	29	29
65 +	48	17.2	137	9	10	13	23	29	42	66	14	17.9	431	4	8	10	19	52	72	78
ALL AGES	256	14.4	108	4	6	13	20	28	30	48	100	12.7	129	3	5	9	20	26	29	63
SUBTOTAL	**405**	**14.1**	**102**	**3**	**6**	**12**	**21**	**28**	**29**	**47**	**179**	**12.7**	**114**	**3**	**4**	**9**	**19**	**28**	**29**	**47**
GRAND TOTAL	**564**	**12.5**	**98**	**3**	**4**	**10**	**19**	**27**	**29**	**42**	**230**	**12.3**	**101**	**3**	**5**	**9**	**17**	**27**	**29**	**43**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19	22	7.4	83	2	3	4	9	16	29	42	10	15.5	275	2	4	5	37	40	41	41
20-34	492	9.1	71	2	3	4	14	22	27	30	284	10.0	74	3	5	6	13	27	28	34
35-49	248	9.0	62	2	3	4	14	21	26	28	124	9.6	68	3	5	6	13	28	28	30
50-64	8	15.1	73	3	9	16	20	25	27	27	13	12.6	162	3	4	5	26	30	38	40
65 +	4	12.8	42	4	8	13	17	20	20	20	2	8.5	25	5	5	8	12	12	12	12
ALL AGES	774	9.1	68	2	3	4	14	22	27	30	434	10.1	78	3	5	6	14	27	28	37
B. FEMALE																				
0-12 YRS.																				
13-19	25	8.6	60	1	3	4	14	20	23	28	9	4.6	11	1	2	4	6	10	12	12
20-34	538	7.4	53	3	3	4	9	20	26	28	348	9.1	56	3	4	6	10	21	28	32
35-49	103	7.9	54	3	3	4	10	21	26	29	71	9.3	74	3	4	5	10	28	29	32
50-64	6	6.5	20	3	4	4	10	14	14	14										
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	672	7.5	53	3	3	4	10	20	26	28	429	9.0	59	3	4	6	10	22	28	32
SUBTOTAL	**1446**	**8.4**	**61**	**2**	**3**	**4**	**13**	**21**	**27**	**29**	**863**	**9.5**	**70**	**3**	**5**	**6**	**11**	**26**	**28**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	99	18.3	189	3	6	20	27	33	51	99 +	30	18.7	189	3	6	19	28	43	44	45
20-34	1287	12.2	98	2	3	11	19	27	29	42	840	10.5	84	3	4	6	14	28	29	40
35-49	621	11.5	72	3	4	11	17	23	28	35	446	11.0	90	4	5	6	14	28	30	41
50-64	35	14.1	87	3	5	14	21	27	28	37	30	8.5	67	3	4	5	10	24	29	30
65 +	12	13.8	38	3	11	14	19	20	21	21	1	5.0		5	5	5	5	5	5	5
ALL AGES	2055	12.3	96	3	4	11	19	27	29	41	1347	10.8	89	3	4	6	15	28	29	40
B. FEMALE																				
0-12 YRS.																				
13-19	43	20.4	190	3	7	21	28	34	47	60	15	14.7	260	2	3	7	24	42	44	45
20-34	789	9.6	67	2	3	6	14	22	27	31	620	9.2	54	3	4	7	10	21	28	31
35-49	199	10.6	69	3	3	8	16	24	27	32	132	9.8	59	4	5	7	10	21	28	36
50-64	3	18.0	457	1	3	11	34	42	42	42	3	17.0	103	8	10	15	25	28	28	28
65 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	1035	10.3	77	2	3	6	15	24	28	33	770	9.5	58	3	4	7	10	21	28	34
SUBTOTAL	**3090**	**11.6**	**92**	**3**	**3**	**9**	**18**	**26**	**29**	**39**	**2117**	**10.3**	**79**	**3**	**4**	**6**	**14**	**27**	**28**	**40**
GRAND TOTAL	**4536**	**10.6**	**84**	**2**	**3**	**7**	**16**	**25**	**28**	**36**	**2980**	**10.1**	**76**	**3**	**4**	**6**	**14**	**27**	**28**	**39**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-19	46	24.8	180	6	14	26	32	42	47	54	19	24.1	138	8	14	27	30	39	43	45
20-34	33	15.6	81	4	7	14	21	28	29	30	16	22.8	46	13	20	23	28	30	31	32
35-49	5	16.6	159	4	6	14	26	35	35	35	2	8.5	85	2	2	8	15	15	15	15
50-64																						
65 +																						
ALL AGES	84	20.7	157	4	11	21	28	40	43	52	37	22.7	102	8	15	22	30	35	39	45
B. FEMALE																						
0-12 YRS.																						
13-19	9	17.3	209	2	3	14	29	38	41	41	5	31.2	70	22	25	28	39	41	41	41
20-34	9	18.8	89	5	13	21	28	29	30	30	3	17.7	183	2	8	25	26	26	26	26
35-49	4	12.3	141	2	3	9	21	28	28	28	1	4.0		4	4	4	4	4	4	4
50-64											1	20.0		20	20	20	20	20	20	20
65 +																						
ALL AGES	22	17.0	139	2	4	15	28	31	37	41	10	23.3	160	3	20	25	28	40	41	41
SUBTOTAL	**106**	**19.9**	**156**	**3**	**10**	**21**	**28**	**39**	**42**	**51**	**47**	**22.8**	**113**	**8**	**15**	**24**	**30**	**38**	**40**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	15.5	313	3	3	15	28	28	28	28	1	19.0		19	19	19	19	19	19	19
13-19	229	28.3	261	7	18	28	37	48	59	96	107	26.5	162	8	18	28	36	42	45	52
20-34	150	15.6	87	3	8	14	22	28	29	36	81	18.7	97	3	10	21	27	29	30	39
35-49	28	14.7	93	3	7	14	20	27	31	41	13	19.1	76	8	11	21	25	30	32	32
50-64	4	14.0	156	1	4	13	24	29	29	29										
65 +	8	31.9	195	11	20	41	42	42	42	42										
ALL AGES	421	22.7	227	5	12	21	30	42	50	79	202	22.8	146	5	14	24	30	40	43	49
B. FEMALE																						
0-12 YRS.																						
13-19	109	26.8	196	10	19	26	32	43	52	79	34	29.9	160	12	20	30	41	45	48	55
20-34	55	15.5	146	3	7	14	23	28	30	70	16	18.5	97	3	8	22	27	28	28	28
35-49	12	16.9	88	6	8	15	26	29	32	32	2	15.0	200	5	5	15	25	25	25	25
50-64																						
65 +																						
ALL AGES	176	22.6	200	6	12	22	30	39	49	76	52	25.8	169	6	18	27	34	44	47	55
SUBTOTAL	**597**	**22.7**	**218**	**5**	**12**	**21**	**30**	**42**	**49**	**76**	**254**	**23.4**	**153**	**5**	**14**	**25**	**30**	**41**	**44**	**51**
GRAND TOTAL	**703**	**22.3**	**208**	**5**	**12**	**21**	**29**	**42**	**48**	**73**	**301**	**23.4**	**142**	**5**	**15**	**25**	**30**	**40**	**44**	**50**

TOTAL U.S., JANUARY-DECEMBER 1990

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	15.0	338	2	2	15	28	28	28	28										
20-34	8	7.9	103	1	2	3	11	26	30	30	15	22.0	60	9	19	21	29	30	31	31
35-49	4	11.3	59	2	6	11	16	21	21	21	2	3.5	1	3	3	3	4	4	4	4
50-64																				
65 +																				
ALL AGES	14	9.9	102	1	2	5	16	28	30	30	17	19.8	91	5	13	21	29	30	31	31
B. FEMALE																				
0-12 YRS.																				
13-19	2	4.5	25	1	1	4	8	8	8	8	1	17.0		17	17	17	17	17	17	17
20-34	6	12.8	78	4	7	9	20	26	27	27	7	17.6	97	3	9	22	23	27	28	28
35-49	2	20.5	1	20	20	20	21	21	21	21	4	21.5	130	5	14	25	29	30	30	30
50-64	1	12.0		12	12	12	12	12	12	12										
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	12	11.8	69	2	5	9	20	23	26	27	12	18.8	94	4	11	22	25	29	30	30
SUBTOTAL	**26**	**10.7**	**86**	**1**	**2**	**8**	**20**	**26**	**28**	**30**	**29**	**19.4**	**89**	**4**	**13**	**21**	**28**	**30**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	6	21.7	72	9	15	24	28	30	30	30	3	7.7	66	2	2	4	14	17	17	17
20-34	55	15.7	93	3	6	15	25	28	29	32	36	17.3	82	3	10	20	21	28	29	40
35-49	15	17.1	105	2	9	19	28	28	29	29	8	13.4	80	3	4	14	21	25	26	26
50-64																				
65 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	76	16.4	96	3	8	16	27	28	29	32	48	15.8	86	3	6	19	21	27	29	40
B. FEMALE																				
0-12 YRS.																				
13-19	4	29.3	712	12	13	18	45	69	69	69	6	32.8	376	5	21	36	42	57	59	59
20-34	32	13.7	100	4	5	10	22	29	32	33	24	15.5	104	3	5	18	22	30	30	30
35-49	6	14.8	91	5	6	14	23	26	26	26	7	12.3	74	5	6	10	18	26	28	28
50-64	1	18.0		18	18	18	18	18	18	18										
65 +	2	7.5	5	6	6	7	9	9	9	9										
ALL AGES	45	15.1	151	4	6	11	22	29	32	69	37	17.7	178	3	6	20	28	31	42	59
SUBTOTAL	**121**	**15.9**	**116**	**4**	**6**	**15**	**25**	**28**	**30**	**43**	**85**	**16.6**	**126**	**3**	**6**	**19**	**22**	**29**	**33**	**53**
GRAND TOTAL	**147**	**15.0**	**114**	**3**	**6**	**13**	**23**	**28**	**29**	**34**	**114**	**17.3**	**118**	**3**	**6**	**20**	**23**	**30**	**31**	**48**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	16.0	9	13	14	16	18	19	19	19										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	16.0	9	13	14	16	18	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-19											1	28.0		28	28	28	28	28	28	28
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	28.0		28	28	28	28	28	28	28
SUBTOTAL	**4**	**12.5**	**55**	**2**	**7**	**14**	**17**	**19**	**19**	**19**	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	14	34.2	624	6	11	31	53	69	82	86	6	17.0	284	1	2	16	33	34	34	34
20-34	5	14.4	338	1	1	15	40	94	99 +	99 +	3	6.3	9	3	4	8	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5										
50-64																				
65 +																				
ALL AGES	20	27.8	603	2	6	28	45	75	92	99 +	9	13.4	209	1	2	8	31	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-19	5	28.6	155	7	23	35	36	37	37	37										
20-34	2	19.5	113	12	12	19	27	27	27	27	2	8.0	32	4	4	8	12	12	12	12
35-49																				
50-64																				
65 +																				
ALL AGES	7	26.0	142	8	16	29	35	37	37	37	2	8.0	32	4	4	8	12	12	12	12
SUBTOTAL	**27**	**27.3**	**476**	**3**	**7**	**28**	**40**	**64**	**87**	**99 +**	**11**	**12.5**	**173**	**1**	**2**	**8**	**25**	**33**	**34**	**34**
GRAND TOTAL	**31**	**25.4**	**443**	**2**	**7**	**26**	**38**	**60**	**84**	**99 +**	**12**	**13.8**	**177**	**2**	**3**	**8**	**29**	**33**	**34**	**34**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-19	8	19.1	780	3	3	5	28	68	78	78	4	10.3	232	1	1	3	19	33	33	33
20-34	9	8.8	89	2	3	4	10	25	31	31	6	9.2	68	1	2	9	17	18	18	18
35-49	5	15.0	230	1	2	9	29	35	35	35	3	4.3	1	4	4	4	5	5	5	5
50-64	2	12.0	162	3	3	12	21	21	21	21	1	14.0		14	14	14	14	14	14	14
65 +	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
ALL AGES	26	13.2	314	3	3	5	17	35	52	78	15	8.4	84	1	2	4	15	18	29	33
B. FEMALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5	1	20.0		20	20	20	20	20	20	20
20-34	7	7.6	85	2	3	4	7	24	28	28	8	5.9	26	2	3	4	6	15	18	18
35-49	7	11.3	99	3	4	5	19	27	28	28	9	6.3	8	3	4	6	9	10	10	10
50-64	3	10.7	36	4	6	12	15	16	16	16	6	10.5	76	2	3	8	21	21	21	21
65 +	3	20.0	229	8	10	15	31	37	37	37	1	14.0		14	14	14	14	14	14	14
ALL AGES	21	10.9	100	3	4	5	15	28	32	37	25	8.0	38	3	3	5	10	20	21	21
SUBTOTAL	**47**	**12.2**	**215**	**3**	**3**	**5**	**16**	**30**	**38**	**78**	**40**	**8.2**	**53**	**2**	**3**	**5**	**12**	**19**	**21**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	25.7	414	8	11	21	41	48	48	48										
13-19	22	24.3	409	5	10	19	31	65	66	66	4	27.3	97	20	21	23	33	42	42	42
20-34	13	13.6	253	1	1	4	26	36	47	50	11	11.5	151	1	2	4	26	29	29	29
35-49	16	6.8	33	2	3	5	8	15	20	22	6	5.2	11	1	4	5	6	10	11	11
50-64	3	14.3	27	9	10	15	18	19	19	19	1	21.0		21	21	21	21	21	21	21
65 +	1	20.0		20	20	20	20	20	20	20	1	28.0		28	28	28	28	28	28	28
ALL AGES	58	16.6	283	2	4	10	21	44	59	66	23	13.7	153	1	4	6	24	28	34	42
B. FEMALE																				
0-12 YRS.																				
13-19	5	47.2	1077	3	22	46	79	79	79	79	1	7.0		7	7	7	7	7	7	7
20-34	25	8.3	59	1	3	5	13	23	24	26	7	10.6	81	3	3	8	14	25	28	28
35-49	26	11.7	70	3	4	11	19	21	25	31	6	19.7	269	6	7	12	39	42	42	42
50-64	5	10.6	63	1	4	9	17	21	21	21	2	6.5	5	5	5	6	8	8	8	8
65 +	3	12.3	186	4	4	5	22	28	28	28	2	18.0	200	8	8	18	28	28	28	28
ALL AGES	64	13.1	231	2	4	7	19	26	35	79	18	13.8	148	3	6	8	15	36	41	42
SUBTOTAL	**122**	**14.8**	**256**	**2**	**4**	**9**	**20**	**31**	**50**	**79**	**41**	**13.8**	**145**	**2**	**4**	**8**	**23**	**29**	**40**	**42**
GRAND TOTAL	**169**	**14.0**	**246**	**2**	**4**	**8**	**20**	**31**	**48**	**79**	**81**	**11.0**	**107**	**2**	**4**	**6**	**17**	**28**	**31**	**42**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	25	7.1	65	3	4	4	6	13	31	35	4	6.3	30	1	2	5	10	14	14	14
20-34	150	5.4	30	3	4	4	4	8	21	28	82	7.6	56	3	4	5	7	23	28	28
35-49	121	6.6	44	3	4	4	4	16	23	32	62	7.9	55	3	4	5	8	23	28	28
50-64	10	8.9	75	3	4	4	17	23	28	28	5	9.2	30	4	5	7	14	16	16	16
65 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	307	6.1	40	3	4	4	4	15	21	32	153	7.8	53	3	4	5	7	21	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	18	4.7	17	3	4	4	4	4	14	21										
20-34	194	4.8	16	3	4	4	4	5	9	26	69	7.2	51	3	3	5	7	20	28	29
35-49	59	5.4	25	3	4	4	4	11	17	29	31	7.3	44	3	4	5	7	13	25	33
50-64	3	9.0	61	4	4	5	15	18	18	18										
65 +	4	18.0	186	3	6	19	29	31	31	31										
ALL AGES	278	5.2	22	3	4	4	4	6	18	28	100	7.2	49	3	3	5	7	14	28	31
SUBTOTAL	**585**	**5.7**	**31**	**3**	**4**	**4**	**4**	**10**	**21**	**31**	**253**	**7.5**	**52**	**3**	**4**	**5**	**7**	**17**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	16	25.3	349	3	9	21	45	52	55	56	12	12.6	116	4	5	6	25	28	29	29
20-34	185	7.0	50	3	4	4	5	19	26	31	487	5.7	33	3	4	4	5	7	25	29
35-49	181	7.0	45	3	4	4	6	17	23	30	421	5.7	26	3	4	4	5	7	16	29
50-64	12	8.0	34	2	4	5	13	17	18	18	20	7.2	62	3	4	4	6	21	29	30
65 +	4	17.3	23	13	13	16	21	24	24	24	4	7.3	22	3	4	6	10	14	14	14
ALL AGES	398	7.8	73	3	4	4	7	20	27	45	944	5.8	32	3	4	4	5	7	23	29
B. FEMALE																				
0-12 YRS.	1	71.0		71	71	71	71	71	71	71										
13-19	9	13.8	382	2	3	4	16	49	59	59	4	6.3	10	2	5	7	32	99 +	99 +	99 +
20-34	133	5.8	34	3	3	4	5	11	23	29	370	6.5	30	3	4	5	7	10	21	28
35-49	63	6.6	30	3	4	4	7	17	21	25	163	6.9	47	3	4	5	7	10	27	40
50-64	6	11.3	95	3	5	9	14	27	29	29	7	4.0	2	2	3	4	5	6	6	6
65 +	6	12.5	46	6	8	11	14	24	25	25	1	11.0		11	11	11	11	11	11	11
ALL AGES	218	7.0	69	3	3	4	6	14	24	43	545	6.6	35	3	4	5	7	10	23	32
SUBTOTAL	**616**	**7.5**	**72**	**3**	**4**	**4**	**7**	**19**	**26**	**45**	**1489**	**6.1**	**33**	**3**	**4**	**4**	**5**	**9**	**23**	**29**
GRAND TOTAL	**1201**	**6.6**	**53**	**3**	**4**	**4**	**5**	**16**	**24**	**33**	**1742**	**6.3**	**36**	**3**	**4**	**4**	**6**	**10**	**26**	**29**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	59.5	85	53	53	59	66	66	66	66										
13-19	85	36.1	266	15	27	35	44	58	68	81	8	16.5	86	6	7	17	24	28	28	28
20-34	35	11.4	114	2	4	5	20	28	32	35	32	14.3	101	3	5	10	27	28	29	30
35-49	20	13.0	337	3	4	4	18	33	56	78	11	21.7	103	4	15	27	29	30	31	31
50-64											2	19.0	98	12	12	19	26	26	26	26
65 +																				
ALL AGES	142	27.1	384	3	6	28	39	52	65	79	53	16.3	104	4	7	14	28	28	29	31
B. FEMALE																				
0-12 YRS.																				
13-19	52	40.2	384	13	31	38	50	73	78	99	5	9.2	121	2	2	4	14	28	28	28
20-34	48	13.5	99	4	4	10	24	28	29	30	39	12.1	104	1	5	10	23	28	28	30
35-49	11	8.5	74	3	4	5	9	24	29	29	10	10.3	87	2	3	8	14	26	27	27
50-64	3	18.0	76	12	12	14	24	28	28	28	4	10.3	157	3	3	5	17	29	29	29
65 +	3	18.7	140	5	10	24	26	27	27	27	1	14.0		14	14	14	14	14	14	14
ALL AGES	117	25.1	408	4	6	25	36	54	73	86	59	11.5	99	1	3	9	22	28	28	30
SUBTOTAL	**259**	**26.2**	**394**	**4**	**6**	**27**	**37**	**52**	**69**	**80**	**112**	**13.8**	**105**	**2**	**5**	**10**	**26**	**28**	**29**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-19	185	34.8	374	7	22	35	46	63	69	97	25	18.6	162	3	6	23	28	31	60	99 +
20-34	120	17.1	116	3	7	18	27	28	30	45	73	15.7	128	4	6	13	28	28	33	41
35-49	44	16.4	89	3	8	17	24	28	29	36	19	16.4	118	3	4	14	26	30	32	33
50-64	2	18.5	41	14	14	18	23	23	23	23										
65 +																				
ALL AGES	352	26.5	324	4	11	26	36	52	64	91	117	16.4	134	3	6	14	28	30	33	66
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-19	119	41.9	470	8	29	44	55	70	83	96	11	32.4	78	23	28	29	41	44	46	46
20-34	53	16.4	140	3	5	18	26	29	31	55	44	14.6	146	4	5	7	26	29	42	42
35-49	26	14.2	110	3	4	11	25	28	29	31	12	18.4	158	5	7	14	29	34	41	42
50-64	5	16.8	289	3	5	7	29	43	43	43	7	17.6	65	6	11	20	24	27	27	27
65 +	2	21.0	98	14	14	21	28	28	28	28	2	15.0	242	4	4	15	26	26	26	26
ALL AGES	206	31.0	493	4	9	28	46	60	74	92	76	18.0	165	4	6	15	28	39	42	45
SUBTOTAL	**558**	**28.1**	**394**	**4**	**11**	**27**	**40**	**56**	**66**	**91**	**193**	**17.1**	**144**	**4**	**6**	**15**	**28**	**31**	**41**	**48**
GRAND TOTAL	**817**	**27.5**	**394**	**4**	**10**	**27**	**39**	**55**	**67**	**89**	**305**	**15.8**	**134**	**3**	**5**	**13**	**28**	**29**	**32**	**44**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	56.0		56	56	56	56	56	56	56										
13-19	33	30.8	292	11	18	34	37	48	56	91	2	20.0	162	11	11	20	29	29	29	29
20-34	26	13.7	134	2	4	8	28	29	32	34	17	14.5	80	2	6	14	21	28	30	30
35-49	14	9.6	53	2	3	7	17	19	20	20	13	11.7	42	4	6	14	16	21	21	21
50-64	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	76	20.7	287	2	6	18	34	38	52	82	33	13.4	68	3	6	14	20	23	30	30
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	14	40.2	394	14	29	39	49	65	76	79										
20-34	22	10.3	81	2	2	7	19	25	27	28	17	12.8	63	3	6	14	19	21	27	30
35-49	10	11.2	148	1	4	5	15	32	38	38	5	10.4	119	2	3	5	17	28	28	28
50-64	3	16.3	187	1	6	21	25	27	27	27	2	17.0	450	2	2	17	32	32	32	32
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	51	18.7	354	1	3	13	28	48	57	79	24	12.7	86	2	4	13	19	28	31	32
SUBTOTAL	**127**	**19.9**	**312**	**2**	**5**	**17**	**31**	**39**	**55**	**82**	**57**	**13.1**	**74**	**3**	**5**	**14**	**20**	**27**	**30**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	32	33.7	321	4	27	35	45	63	64	99 +	4	22.0	149	4	14	27	29	30	30	30
20-34	35	12.3	89	2	4	10	19	28	28	28	12	11.5	125	2	3	7	19	29	32	33
35-49	25	12.6	110	3	3	11	21	28	31	33	8	11.4	69	2	4	10	18	23	24	24
50-64	5	15.6	68	8	9	14	20	29	29	29										
65 +	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
ALL AGES	98	19.4	266	2	5	17	29	41	58	82	25	13.0	113	2	4	9	24	29	31	33
B. FEMALE																				
0-12 YRS.	1	64.0		64	64	64	64	64	64	64										
13-19	22	39.3	506	8	24	39	63	70	84	99 +	1	20.0		20	20	20	20	20	20	20
20-34	20	13.8	79	3	5	14	22	26	27	28	7	4.9	14	1	2	4	9	10	10	10
35-49	25	13.2	96	2	3	13	21	27	28	29	5	7.2	19	3	4	5	10	14	14	14
50-64	4	10.5	54	4	6	8	15	21	21	21	2	3.0		3	3	3	3	3	3	3
65 +	3	17.3	126	9	10	13	26	30	30	30	1	28.0		28	28	28	28	28	28	28
ALL AGES	75	21.7	367	3	7	19	28	58	67	93	16	7.8	54	2	3	5	10	19	26	28
SUBTOTAL	**173**	**20.4**	**309**	**3**	**5**	**17**	**29**	**53**	**64**	**94**	**41**	**11.0**	**94**	**2**	**3**	**7**	**16**	**28**	**29**	**33**
GRAND TOTAL	**300**	**20.2**	**309**	**2**	**5**	**17**	**29**	**43**	**58**	**85**	**98**	**12.2**	**83**	**2**	**4**	**11**	**20**	**28**	**30**	**33**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	1.1		1	1	1	1	2	2	2	13	1.2		1	1	1	1	2	2	2
13-19	192	3.9	79	1	1	1	2	5	25	43	150	2.8	41	1	1	1	1	4	13	40
20-34	274	2.5	21	1	1	1	2	4	11	27	119	2.2	10	1	1	1	2	3	9	19
35-49	168	3.7	28	1	1	2	3	9	16	28	91	2.9	15	1	1	2	3	5	7	24
50-64	71	6.2	107	1	1	2	5	19	28	56	37	3.0	11	1	1	1	3	8	12	13
65 +	50	5.1	40	1	2	3	5	10	18	34	19	3.8	8	1	1	3	6	7	10	12
ALL AGES	763	3.6	47	1	1	1	3	7	18	36	429	2.6	22	1	1	1	2	5	10	22
B. FEMALE																				
0-12 YRS.	4	4.3	42	1	1	1	8	14	14	14	12	2.4	5	1	1	1	3	6	7	7
13-19	108	3.3	41	1	1	1	2	7	21	33	94	1.8	12	1	1	1	1	2	6	23
20-34	99	2.9	25	1	1	1	2	7	13	29	51	2.0	8	1	1	1	2	4	4	20
35-49	71	3.8	38	1	1	1	3	8	21	30	44	2.2	8	1	1	1	3	4	5	19
50-64	31	4.3	26	1	1	2	7	10	12	25	16	2.7	10	1	1	2	3	4	11	14
65 +	22	4.7	35	1	2	3	5	10	18	28	14	4.2	57	1	1	2	4	7	25	30
ALL AGES	335	3.5	33	1	1	1	3	8	17	29	231	2.2	12	1	1	1	2	4	6	22
SUBTOTAL	**1098**	**3.6**	**43**	**1**	**1**	**1**	**3**	**7**	**18**	**34**	**660**	**2.5**	**18**	**1**	**1**	**1**	**2**	**4**	**8**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	11.0	156	1	1	7	21	31	32	32	2	5.5	41	1	1	5	10	10	10	10
13-19	140	13.6	160	1	2	11	23	31	38	58	68	10.6	213	1	1	2	19	32	45	51
20-34	291	5.1	44	1	1	2	6	13	20	32	76	4.2	32	1	1	2	5	13	15	28
35-49	178	5.7	45	1	2	3	6	14	20	29	56	3.7	23	1	1	2	4	6	17	25
50-64	42	5.5	41	1	2	4	7	12	13	39	30	6.4	79	1	1	3	6	22	28	36
65 +	26	5.5	17	1	3	5	6	12	16	16	13	5.8	82	1	1	4	6	13	31	35
ALL AGES	684	7.1	78	1	1	3	9	20	28	43	245	6.2	95	1	1	2	5	21	29	49
B. FEMALE																				
0-12 YRS.	4	23.0	285	1	10	26	36	39	39	39										
13-19	118	12.5	151	1	1	10	21	30	34	51	47	7.4	113	1	1	2	9	25	38	40
20-34	153	5.5	51	1	1	3	6	15	21	31	52	3.7	16	1	1	2	5	9	15	18
35-49	80	4.9	66	1	1	2	5	9	21	47	38	3.0	9	1	1	2	4	5	11	15
50-64	27	5.0	29	1	1	2	9	13	17	18	14	4.4	30	1	2	3	4	15	18	19
65 +	11	3.6	10	1	1	2	6	9	9	9	6	8.2	42	1	2	8	14	15	15	15
ALL AGES	393	7.6	96	1	1	3	10	22	30	44	157	4.9	48	1	1	2	5	14	17	40
SUBTOTAL	**1077**	**7.3**	**85**	**1**	**1**	**3**	**9**	**21**	**28**	**43**	**402**	**5.7**	**77**	**1**	**1**	**2**	**5**	**15**	**27**	**44**
GRAND TOTAL	**2175**	**5.4**	**67**	**1**	**1**	**2**	**5**	**16**	**26**	**39**	**1062**	**3.7**	**43**	**1**	**1**	**1**	**3**	**7**	**16**	**36**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	2.5	5	1	1	2	4	4	4	4										
50-64	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
65 +																				
ALL AGES	3	6.0	39	1	2	4	11	13	13	13	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
20-34											1	2.0		2	2	2	2	2	2	2
35-49	3	3.3	5	1	2	4	5	5	5	5										
50-64																				
65 +																				
ALL AGES	4	5.0	14	1	2	4	7	10	10	10	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**7**	**5.4**	**21**	**1**	**2**	**4**	**9**	**12**	**13**	**13**	**3**	**3.7**	**8**	**2**	**2**	**2**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	9.0		9	9	9	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1										
35-49											2	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3	4	2.8	2	1	1	3	4	4	4	4
65 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	7	3.4	8	1	2	2	4	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	3.0	2	2	2	3	4	4	4	4
35-49	2	13.5	145	5	5	13	22	22	22	22	1	5.0		5	5	5	5	5	5	5
50-64											1	4.0		4	4	4	4	4	4	4
65 +											2	5.5	25	2	2	5	9	9	9	9
ALL AGES	2	13.5	145	5	5	13	22	22	22	22	6	4.3	7	2	2	4	5	9	9	9
SUBTOTAL	**4**	**7.8**	**92**	**1**	**2**	**4**	**13**	**22**	**22**	**22**	**13**	**3.8**	**7**	**1**	**2**	**4**	**5**	**9**	**9**	**9**
GRAND TOTAL	**11**	**6.3**	**41**	**1**	**2**	**4**	**9**	**17**	**22**	**22**	**16**	**3.8**	**7**	**2**	**2**	**3**	**5**	**9**	**9**	**9**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	7	8.6	60	1	2	9	10	21	24	24										
20-34	3	15.7	111	6	8	14	24	27	27	27	9	15.1	174	2	2	12	28	31	32	32
35-49	1	28.0		28	28	28	28	28	28	28	3	3.0	12	1	1	1	6	7	7	7
50-64																				
65 +																				
ALL AGES	11	12.3	96	2	4	10	21	27	28	28	12	12.1	158	1	2	5	26	30	32	32
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	4	16.5	766	2	2	3	31	58	58	58	1	9.0		9	9	9	9	9	9	9
20-34											1	28.0		28	28	28	28	28	28	28
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	4	16.5	766	2	2	3	31	58	58	58	4	10.3	150	1	2	6	18	28	28	28
SUBTOTAL	**15**	**13.4**	**237**	**2**	**3**	**9**	**21**	**28**	**50**	**58**	**16**	**11.6**	**148**	**1**	**2**	**5**	**26**	**29**	**31**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-19	43	24.5	388	3	9	21	33	49	61	90	15	16.6	191	1	6	13	29	30	43	48
20-34	19	13.1	118	1	1	15	22	28	29	30	10	12.5	148	1	3	5	27	29	30	30
35-49	4	23.3	148	5	16	28	30	31	31	31	2	24.5	25	21	21	24	28	28	28	28
50-64	1	10.0		10	10	10	10	10	10	10										
65 +																				
ALL AGES	68	21.2	313	2	5	20	30	45	50	86	27	15.7	164	1	4	13	28	30	33	48
B. FEMALE																				
0-12 YRS.											1	20.0		20	20	20	20	20	20	20
13-19	19	24.9	207	6	13	24	35	43	52	57	8	22.4	62	11	17	22	28	33	35	35
20-34	9	9.0	64	1	3	7	14	22	22	22	5	12.8	116	1	3	15	19	28	28	28
35-49											1	8.0		8	8	8	8	8	8	8
50-64																				
65 +																				
ALL AGES	28	19.8	214	3	8	19	30	39	46	57	15	18.1	92	4	11	19	26	29	33	35
SUBTOTAL	**96**	**20.8**	**282**	**2**	**6**	**20**	**30**	**42**	**49**	**80**	**42**	**16.5**	**139**	**1**	**6**	**16**	**28**	**29**	**32**	**48**
GRAND TOTAL	**111**	**19.8**	**280**	**2**	**5**	**19**	**29**	**41**	**49**	**77**	**58**	**15.2**	**142**	**1**	**4**	**13**	**28**	**29**	**31**	**47**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-19	5	2.0	3	1	1	1	3	5	5	5	5	1.6	1	1	1	1	2	3	3	3
20-34	2	6.0	2	5	5	6	7	7	7	7	3	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES	9	2.7	5	1	1	1	5	6	7	7	8	1.4		1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19	2	1.5	1	1	1	1	2	2	2	2	8	1.1		1	1	1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	3	1.7		1	1	2	2	2	2	2	8	1.1		1	1	1	1	2	2	2
SUBTOTAL	**12**	**2.4**	**4**	**1**	**1**	**2**	**4**	**6**	**7**	**7**	**16**	**1.3**		**1**	**1**	**1**	**1**	**2**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	14	4.1	20	1	1	2	5	12	14	14	7	6.4	101	1	1	2	8	24	28	28
20-34	9	8.0	52	1	1	8	11	20	22	22	3	2.7	8	1	1	1	5	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	24	5.5	33	1	1	3	9	14	18	22	10	5.3	72	1	1	2	6	19	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	5	7.0	21	2	3	7	11	12	12	12	4	15.0	88	5	7	16	23	23	23	23
20-34	2	10.5	181	1	1	10	20	20	20	20										
35-49																				
50-64																				
65 +																				
ALL AGES	7	8.0	47	1	2	7	12	18	20	20	4	15.0	88	5	7	16	23	23	23	23
SUBTOTAL	**31**	**6.0**	**37**	**1**	**1**	**3**	**10**	**15**	**20**	**22**	**14**	**8.1**	**91**	**1**	**1**	**4**	**10**	**24**	**27**	**28**
GRAND TOTAL	**43**	**5.0**	**30**	**1**	**1**	**2**	**8**	**13**	**17**	**22**	**30**	**4.4**	**53**	**1**	**1**	**1**	**3**	**16**	**23**	**28**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	1	1.0		1	1	1	1	1	1	1	2	5.0	18	2	2	5	8	8	8	8
35-49											2	8.5	61	3	3	8	14	14	14	14
50-64	3	6.7	24	1	3	9	10	10	10	10										
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	6	4.3	18	1	1	3	9	10	10	10	4	6.8	29	2	2	5	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	13.0	223	2	3	7	24	30	30	30	3	13.0	217	4	4	5	24	30	30	30
35-49	4	4.8	14	1	2	4	7	10	10	10										
50-64	2	15.0	18	12	12	15	18	18	18	18	1	4.0		4	4	4	4	4	4	4
65 +	3	8.0	1	7	7	8	9	9	9	9	1	7.0		7	7	7	7	7	7	7
ALL AGES	12	9.3	65	2	4	8	11	22	29	30	5	10.0	127	4	4	5	13	30	30	30
SUBTOTAL	**18**	**7.7**	**52**	**1**	**2**	**7**	**10**	**16**	**25**	**30**	**9**	**8.6**	**77**	**2**	**4**	**5**	**9**	**24**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	2	3.5	13	1	1	3	6	6	6	6	5	8.4	12	5	5	9	11	13	13	13
35-49	6	10.2	145	1	1	4	24	27	27	27	2	7.0		7	7	7	7	7	7	7
50-64	2	8.5	41	4	4	8	13	13	13	13										
65 +	2	2.0	2	1	1	2	3	3	3	3										
ALL AGES	13	6.9	80	1	1	3	8	25	27	27	7	8.0	8	5	6	7	10	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	6	7.5	28	1	4	7	11	15	15	15	7	3.3	13	1	1	1	4	10	11	11
35-49	10	7.1	25	1	3	6	11	14	15	15	3	6.0	12	4	4	4	9	10	10	10
50-64	3	4.3	18	1	1	3	7	9	9	9	3	9.0	84	1	2	7	16	19	19	19
65 +	4	6.8	6	3	5	7	8	9	9	9	1	20.0		20	20	20	20	20	20	20
ALL AGES	24	6.6	20	1	3	6	10	14	15	15	14	6.3	42	1	1	4	10	19	20	20
SUBTOTAL	**37**	**6.7**	**40**	**1**	**2**	**4**	**9**	**15**	**21**	**27**	**21**	**6.9**	**30**	**1**	**3**	**5**	**10**	**15**	**19**	**20**
GRAND TOTAL	**55**	**7.0**	**43**	**1**	**2**	**6**	**10**	**15**	**22**	**30**	**30**	**7.4**	**43**	**1**	**4**	**5**	**10**	**16**	**20**	**30**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	8	3.0	2	1	2	4	4	4	4	4	5	1.6	1	1	1	1	2	3	3	3
35-49	5	2.4	3	1	1	2	3	5	5	5	3	6.3	3	5	5	6	7	8	8	8
50-64																				
65 +																				
ALL AGES	13	2.8	2	1	1	3	4	5	5	5	9	3.3	6	1	1	3	5	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	29.0		29	29	29	29	29	29	29	2	3.5	5	2	2	3	5	5	5	5
35-49	2	3.5	1	3	3	3	4	4	4	4	2	16.5	181	7	7	16	26	26	26	26
50-64																				
65 +																				
ALL AGES	3	12.0	217	3	3	4	23	29	29	29	4	10.0	118	2	3	6	16	26	26	26
SUBTOTAL	**16**	**4.5**	**45**	**1**	**2**	**3**	**4**	**5**	**22**	**29**	**13**	**5.4**	**44**	**1**	**2**	**3**	**6**	**12**	**23**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	15	6.9	73	1	1	4	7	24	27	28	13	4.4	10	1	2	3	6	9	11	12
35-49	14	5.1	33	1	1	3	5	14	19	21	12	4.8	15	1	2	4	6	12	13	13
50-64	3	9.3	21	5	6	9	13	14	14	14	2	3.5	13	1	1	3	6	6	6	6
65 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	34	6.7	56	1	1	4	9	21	24	28	27	4.5	12	1	2	3	6	10	12	13
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
20-34	12	13.2	114	2	4	9	22	30	30	30	2	5.0	8	3	3	5	7	7	7	7
35-49	7	7.3	31	2	3	5	11	16	17	17	7	7.3	73	1	2	4	7	22	26	26
50-64											2	15.0	338	2	2	15	28	28	28	28
65 +	3	6.3	26	1	2	7	10	11	11	11										
ALL AGES	23	10.0	81	2	3	8	14	28	30	30	12	7.8	85	1	2	4	7	27	28	28
SUBTOTAL	**57**	**8.0**	**68**	**1**	**2**	**5**	**11**	**23**	**28**	**30**	**39**	**5.5**	**35**	**1**	**2**	**4**	**6**	**12**	**20**	**28**
GRAND TOTAL	**73**	**7.2**	**64**	**1**	**2**	**4**	**9**	**21**	**28**	**30**	**52**	**5.5**	**36**	**1**	**2**	**4**	**6**	**11**	**24**	**28**

TOTAL U.S., JANUARY-DECEMBER 1990

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	8	6.6	92	1	1	2	10	23	26	26	3	2.0	1	1	1	2	3	3	3	3
20-34	57	6.5	87	1	1	3	6	20	27	49	61	4.1	21	1	2	3	5	7	15	23
35-49	31	6.1	45	1	2	3	6	17	21	28	17	8.4	90	1	2	5	9	26	30	31
50-64											1	8.0		8	8	8	8	8	8	8
65 +																				
ALL AGES	96	6.4	72	1	1	3	6	20	26	41	82	5.0	37	1	2	3	5	9	21	30
B. FEMALE																				
0-12 YRS.																				
13-19	4	7.0	45	3	3	4	11	17	17	17	5	1.8	2	1	1	1	2	4	4	4
20-34	45	8.6	75	2	3	4	14	24	28	34	40	5.4	25	2	3	4	7	9	14	30
35-49	8	9.9	104	1	2	5	18	26	28	28	8	4.3	5	1	2	4	6	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1										
65 +																				
ALL AGES	58	8.5	75	2	3	4	14	23	28	34	53	4.9	21	1	3	4	6	8	13	30
SUBTOTAL	**154**	**7.2**	**74**	**1**	**2**	**3**	**8**	**21**	**28**	**34**	**135**	**4.9**	**31**	**1**	**2**	**3**	**6**	**8**	**19**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	16	14.2	218	1	4	10	21	27	49	59	11	5.7	31	1	2	5	7	13	20	21
20-34	127	9.5	85	1	3	5	14	23	29	36	100	5.5	40	2	2	3	5	14	23	29
35-49	49	11.0	88	2	4	7	16	23	29	37	33	7.3	61	2	3	4	6	20	28	30
50-64	2	8.0	72	2	2	8	14	14	14	14	2	4.5	1	4	4	4	5	5	5	5
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	194	10.3	96	1	3	6	15	23	29	38	147	5.9	43	2	2	4	5	14	26	30
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	6	15.5	223	2	7	8	26	39	41	41	4	13.0	168	1	2	12	24	27	27	27
20-34	73	10.3	114	2	3	7	14	22	31	92	64	6.9	43	2	3	4	8	15	26	29
35-49	30	6.9	34	1	3	5	11	16	20	21	27	8.3	40	2	3	7	11	17	20	28
50-64	1	13.0		13	13	13	13	13	13	13										
65 +																				
ALL AGES	111	9.6	99	1	3	7	13	21	26	79	95	7.6	46	2	3	5	10	16	26	29
SUBTOTAL	**305**	**10.0**	**98**	**1**	**3**	**7**	**14**	**23**	**29**	**52**	**242**	**6.6**	**44**	**2**	**3**	**4**	**7**	**15**	**26**	**29**
GRAND TOTAL	**459**	**9.1**	**90**	**1**	**3**	**5**	**14**	**22**	**28**	**46**	**377**	**6.0**	**40**	**1**	**2**	**4**	**6**	**14**	**22**	**30**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	28.0		28	28	28	28	28	28	28	1	2.0		2	2	2	2	2	2	2
20-34	5	1.2		1	1	1	2	2	2	2	5	7.4	137	1	1	1	11	28	28	28
35-49	1	34.0		34	34	34	34	34	34	34										
50-64																				
65 +																				
ALL AGES	7	9.7	215	1	1	1	21	33	34	34	6	6.5	115	1	1	2	6	26	28	28
B. FEMALE																				
0-12 YRS.																				
13-19											2	1.0		1	1	1	1	1	1	1
20-34	3	4.3	5	2	3	5	6	6	6	6	3	3.7	14	1	1	2	6	5	8	8
35-49											2	3.0	2	2	2	3	4	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5										
65 +																				
ALL AGES	4	4.5	3	2	3	5	6	6	6	6	7	2.7	7	1	1	2	4	7	8	8
SUBTOTAL	**11**	**7.8**	**137**	**1**	**1**	**2**	**6**	**30**	**34**	**34**	**13**	**4.5**	**55**	**1**	**1**	**2**	**4**	**12**	**25**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	6	14.5	135	2	3	13	26	30	30	30										
20-34	11	8.6	58	1	2	5	13	21	21	21	7	16.0	123	1	5	20	25	28	28	28
35-49	5	6.6	106	1	2	2	8	25	25	25	4	10.0	146	2	3	5	17	28	28	28
50-64																				
65 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	22	9.8	89	1	2	4	15	25	28	30	12	13.3	117	2	3	10	24	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	2	1.0		1	1	1	1	1	1	1	2	18.0	392	4	4	18	32	32	32	32
20-34	12	12.0	126	2	2	6	21	30	32	32	4	8.8	164	2	2	3	15	28	28	28
35-49	2	1.5	1	1	1	1	2	2	2	2	2	2.5	5	1	1	2	4	4	4	4
50-64	2	3.0	2	2	2	3	4	4	4	4										
65 +																				
ALL AGES	18	8.6	106	1	2	3	14	27	31	32	8	9.5	162	1	2	3	16	31	32	32
SUBTOTAL	**40**	**9.3**	**94**	**1**	**2**	**4**	**14**	**25**	**29**	**32**	**20**	**11.8**	**131**	**1**	**2**	**5**	**24**	**28**	**30**	**32**
GRAND TOTAL	**51**	**8.9**	**102**	**1**	**2**	**4**	**14**	**27**	**30**	**34**	**33**	**8.9**	**112**	**1**	**2**	**4**	**15**	**28**	**28**	**32**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	6.5	5	5	5	6	8	8	8	8										
35-49											1	18.0		18	18	18	18	18	18	18
50-64																				
65 +																				
ALL AGES	2	6.5	5	5	5	6	8	8	8	8	1	18.0		18	18	18	18	18	18	18
SUBTOTAL	**2**	**6.5**	**5**	**5**	**5**	**6**	**8**	**8**	**8**	**8**	**2**	**9.5**	**145**	**1**	**1**	**9**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	4	2.8	3	1	1	2	4	5	5	5	2	9.5	13	7	7	9	12	12	12	12
50-64																				
65 +																				
ALL AGES	5	3.6	6	1	2	3	5	7	7	7	3	7.3	21	3	4	7	11	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	1.5	1	1	1	1	2	2	2	2
35-49	3	8.0	1	7	7	8	9	9	9	9										
50-64																				
65 +																				
ALL AGES	3	8.0	1	7	7	8	9	9	9	9	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**8**	**5.3**	**8**	**1**	**2**	**6**	**8**	**9**	**9**	**9**	**5**	**5.0**	**21**	**1**	**2**	**3**	**8**	**12**	**12**	**12**
GRAND TOTAL	**10**	**5.5**	**8**	**1**	**3**	**6**	**8**	**9**	**9**	**9**	**7**	**6.3**	**42**	**1**	**1**	**3**	**11**	**17**	**18**	**18**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	37	20.5	362	1	3	14	31	45	50	76	8	3.3		2	3	3	4	5	5	5
20-34	48	8.5	76	1	2	4	13	22	28	29	42	6.0	40	2	3	4	6	14	24	28
35-49	19	7.4	84	1	2	3	10	19	30	37	15	6.4	95	1	2	3	5	14	33	39
50-64	1	29.0		29	29	29	29	29	29	29	3	10.3	210	1	1	3	21	27	27	27
65 +																				
ALL AGES	105	12.7	212	1	3	6	21	30	45	62	68	6.0	52	1	2	4	6	14	27	37
B. FEMALE																				
0-12 YRS.																				
13-19	16	15.5	354	1	1	5	28	48	56	58	6	1.5	2	1	1	1	1	4	4	4
20-34	23	6.7	46	1	2	5	8	16	22	29	25	7.3	42	2	4	5	8	21	23	25
35-49	21	9.0	70	1	2	5	15	21	26	30	8	6.1	88	1	1	3	5	22	29	29
50-64	4	9.3	98	1	2	6	16	23	23	23	4	13.0	117	5	7	9	19	29	29	29
65 +	4	14.5	129	2	5	15	24	26	26	26	5	9.2	61	3	4	6	14	22	22	22
ALL AGES	68	10.1	138	1	2	5	15	27	30	57	48	7.1	54	1	2	5	8	22	25	29
SUBTOTAL	**173**	**11.7**	**183**	**1**	**2**	**6**	**19**	**29**	**40**	**56**	**116**	**6.4**	**54**	**1**	**2**	**4**	**6**	**16**	**26**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	11.5	13	9	9	11	14	14	14	14	1	2.0		2	2	2	2	2	2	2
13-19	160	20.7	174	3	7	24	29	37	43	50	21	15.6	142	1	4	17	28	31	32	32
20-34	88	8.7	76	1	2	5	14	22	28	30	52	8.0	74	2	3	5	8	23	28	35
35-49	39	9.6	73	1	2	6	17	22	26	29	18	10.1	100	1	4	5	14	29	31	32
50-64	7	10.7	103	2	3	7	18	27	28	28	2	21.5	145	13	13	21	30	30	30	30
65 +	3	18.7	64	13	13	15	25	28	28	28	4	4.8	18	1	2	3	7	11	11	11
ALL AGES	299	15.4	161	1	3	13	28	30	38	49	98	10.1	101	1	3	5	14	28	31	34
B. FEMALE																				
0-12 YRS.	5	31.8	122	16	23	37	39	43	43	43										
13-19	119	22.4	215	3	8	27	32	37	49	78	4	30.8	529	9	12	27	49	60	60	60
20-34	52	5.3	35	1	2	4	6	10	21	28	25	8.6	75	1	3	5	12	21	28	33
35-49	29	6.7	52	1	2	4	7	15	23	34	14	7.3	59	2	4	5	6	17	28	31
50-64	7	9.3	71	1	2	9	14	22	24	24	1	4.0		4	4	4	4	4	4	4
65 +	6	13.2	132	1	4	11	21	29	30	30	4	5.8	47	1	1	3	10	16	16	16
ALL AGES	218	15.8	207	1	4	10	28	35	39	68	48	9.7	135	1	3	5	13	24	33	60
SUBTOTAL	**517**	**15.6**	**179**	**1**	**4**	**12**	**28**	**33**	**38**	**55**	**146**	**10.0**	**111**	**1**	**3**	**5**	**14**	**28**	**32**	**39**
GRAND TOTAL	**690**	**14.6**	**183**	**1**	**3**	**9**	**27**	**32**	**39**	**55**	**262**	**8.4**	**88**	**1**	**3**	**5**	**9**	**26**	**29**	**38**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
13-19																				
20-34											2	3.0	8	1	1	3	5	5	5	5
35-49	2	3.5	5	2	2	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
50-64											1	2.0		2	2	2	2	2	2	2
65 +											3	3.3	7	1	1	3	5	6	6	6
ALL AGES	3	2.7	4	1	1	2	4	5	5	5	8	2.6	4	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19	2	3.5	13	1	1	3	6	6	6	6	1	2.0		2	2	2	2	2	2	2
20-34	4	3.5	2	2	2	3	4	5	5	5	1	8.0		8	8	8	8	8	8	8
35-49	2	3.5	5	2	2	3	5	5	5	5										
50-64											2	7.5	13	5	5	7	10	10	10	10
65 +	2	4.5	5	3	3	4	6	6	6	6	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	10	3.7	3	1	2	4	5	6	6	6	6	5.3	10	2	3	4	8	10	10	10
SUBTOTAL	**13**	**3.5**	**3**	**1**	**2**	**3**	**5**	**6**	**6**	**6**	**14**	**3.8**	**7**	**1**	**2**	**3**	**5**	**8**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34	3	1.7	1	1	1	1	2	3	3	3										
35-49	3	2.3	2	1	1	3	3	3	3	3										
50-64	1	3.0		3	3	3	3	3	3	3										
65 +	2	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
ALL AGES	10	2.4	4	1	1	2	3	5	7	7	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	4.5	25	1	1	4	8	8	8	8										
13-19	1	29.0		29	29	29	29	29	29	29	3	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4	1	9.0		9	9	9	9	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	6	7.7	115	1	1	3	8	27	29	29	8	3.4	7	1	2	3	4	8	9	9
SUBTOTAL	**16**	**4.4**	**47**	**1**	**1**	**3**	**4**	**8**	**23**	**29**	**9**	**3.2**	**6**	**1**	**2**	**3**	**4**	**7**	**9**	**9**
GRAND TOTAL	**29**	**4.0**	**27**	**1**	**1**	**3**	**5**	**7**	**9**	**29**	**23**	**3.6**	**7**	**1**	**2**	**3**	**5**	**8**	**9**	**10**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	3	2.3	2	1	1	3	3	3	3	3
13-19	1	1.0		1	1	1	1	1	1	1	4	1.5		1	1	1	2	2	2	2
20-34	8	2.4	4	1	1	2	2	6	7	7	5	2.2	2	1	1	2	3	4	4	4
35-49	8	2.1	2	1	1	2	3	4	5	5	10	1.9	3	1	1	1	3	5	6	6
50-64	7	3.0	1	1	3	3	4	4	4	4	3	4.0	3	3	3	3	5	6	6	6
65 +	10	3.0	4	1	1	3	4	6	8	8	5	3.0	8	1	1	2	4	8	8	8
ALL AGES	35	2.6	3	1	1	2	3	4	6	8	30	2.3	3	1	1	2	3	5	6	8
B. FEMALE																				
0-12 YRS.	5	1.2		1	1	1	1	2	2	2	3	2.0	1	1	1	2	3	3	3	3
13-19	12	2.3	4	1	1	2	3	5	7	7	6	2.0	6	1	1	1	1	6	7	7
20-34	10	2.7	4	1	1	2	3	6	7	7	12	2.4	3	1	1	2	3	5	7	7
35-49	24	3.0	8	1	1	2	4	8	9	12	9	2.2	2	1	1	2	3	4	4	4
50-64	16	2.6	4	1	1	2	3	5	7	8	11	4.0	14	1	2	2	5	10	14	14
65 +	27	3.6	8	1	2	3	5	8	10	11	16	3.5	6	1	2	3	5	6	9	10
ALL AGES	94	2.9	6	1	1	2	3	6	8	12	57	2.9	6	1	1	2	3	6	7	14
SUBTOTAL	**129**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**8**	**11**	**87**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19	4	2.0	4	1	1	1	3	5	5	5	1	2.0		2	2	2	2	2	2	2
20-34	6	2.8	2	1	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
50-64	6	5.5	22	1	2	4	10	12	12	12	1	2.0		2	2	2	2	2	2	2
65 +	12	4.5	16	1	2	4	6	10	14	15	5	4.2	20	1	2	3	5	12	12	12
ALL AGES	30	3.8	13	1	1	2	5	9	12	15	11	3.4	9	1	2	2	4	8	12	12
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	2	4.0		4	4	4	4	4	4	4	5	2.0	1	1	1	2	3	3	3	3
20-34	7	2.7	3	1	1	2	4	6	6	6	7	2.0	1	1	1	2	3	3	3	3
35-49	13	3.5	8	1	2	2	5	8	10	11	16	3.0	3	1	2	3	4	5	7	8
50-64	7	3.7	13	1	1	2	7	9	9	9	7	2.7	1	1	2	3	3	4	4	4
65 +	27	4.9	15	1	2	4	6	12	14	16	13	6.5	28	2	3	4	10	13	19	20
ALL AGES	57	4.1	11	1	2	3	5	9	12	16	48	3.7	11	1	2	3	4	8	11	20
SUBTOTAL	**87**	**4.0**	**11**	**1**	**1**	**3**	**5**	**9**	**12**	**16**	**59**	**3.6**	**11**	**1**	**2**	**3**	**4**	**8**	**11**	**19**
GRAND TOTAL	**216**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**9**	**14**	**146**	**3.1**	**8**	**1**	**1**	**2**	**3**	**6**	**9**	**14**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	6	3.2	4	1	1	3	4	6	6	6	2	4.0	2	3	3	4	5	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
65 +	10	3.7	4	2	2	3	4	7	9	9	8	5.1	4	3	4	5	6	7	8	8
ALL AGES	19	3.2	4	1	2	3	4	6	8	9	13	4.0	5	1	2	4	6	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34											1	1.0		1	1	1	1	1	1	1
35-49											1	3.0		3	3	3	3	3	3	3
50-64	3	2.3	2	1	1	3	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
65 +	7	2.7	5	1	1	2	4	6	7	7	4	6.3	20	3	3	4	9	13	13	13
ALL AGES	11	2.5	3	1	1	2	3	5	7	7	8	4.3	13	1	2	3	4	11	13	13
SUBTOTAL	**30**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	**9**	**21**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**10**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	1.0		1	1	1	1	1	1	1										
35-49	5	2.8	6	1	1	2	4	7	7	7	1	3.0		3	3	3	3	3	3	3
50-64	1	10.0		10	10	10	10	10	10	10	1	5.0		5	5	5	5	5	5	5
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	8	3.3	11	1	1	2	5	9	10	10	3	3.0	4	1	1	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34																				
35-49	4	4.5	6	2	2	4	6	7	7	7	1	1.0		1	1	1	1	1	1	1
50-64	3	4.0	7	2	2	3	6	7	7	7	6	3.2	5	1	1	3	4	7	7	7
65 +	8	6.4	42	2	3	4	6	17	22	22	4	4.5	9	1	2	5	7	7	7	7
ALL AGES	16	5.2	23	2	3	4	6	7	18	22	11	3.5	6	1	1	3	6	7	7	7
SUBTOTAL	**24**	**4.5**	**20**	**1**	**2**	**3**	**6**	**8**	**14**	**22**	**14**	**3.4**	**5**	**1**	**1**	**3**	**5**	**7**	**7**	**7**
GRAND TOTAL	**54**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**22**	**35**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	1.0		1	1	1	1	1	1	1
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	1.4		1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
13-19	1	14.0		14	14	14	14	14	14	14	1	20.0		20	20	20	20	20	20	20
20-34	5	3.4	3	1	2	3	5	5	5	5	4	5.5	23	1	2	4	9	12	12	12
35-49	4	3.5	7	1	1	3	5	7	7	7	3	2.0	1	1	1	2	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2	3	2.7		2	2	3	3	3	3	3
65 +	5	5.4	12	1	2	6	8	10	10	10	3	8.0	39	3	4	6	13	15	15	15
ALL AGES	22	3.8	11	1	1	3	5	8	12	14	16	5.2	31	1	2	3	6	15	18	20
B. FEMALE																				
0-12 YRS.	5	6.0	31	1	2	6	15	91	99 +	99 +	3	4.7	16	1	2	4	8	9	9	9
13-19	3	4.0	4	2	2	4	5	6	6	6	6	2.3	4	1	1	2	3	6	6	6
20-34	13	5.8	33	2	3	3	7	15	21	22										
35-49	10	4.5	5	1	2	5	6	7	8	8	10	3.0	2	2	2	3	3	5	7	7
50-64	5	5.4	6	3	3	6	7	9	9	9	2	3.0	2	2	2	3	4	4	4	4
65 +	5	5.4	7	3	4	5	6	10	10	10	7	5.6	20	1	3	4	6	13	15	15
ALL AGES	41	5.3	16	2	3	4	7	11	18	99 +	28	3.7	9	1	2	3	4	7	10	15
SUBTOTAL	**63**	**4.7**	**15**	**1**	**2**	**4**	**6**	**10**	**14**	**89**	**44**	**4.2**	**17**	**1**	**2**	**3**	**5**	**9**	**15**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0	2	2	2	3	4	4	4	4	2	4.0		4	4	4	4	4	4	4
13-19	2	10.5	113	3	3	10	18	18	18	18	1	39.0		39	39	39	39	39	39	39
20-34	3	3.3	11	1	1	2	6	7	7	7	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	3	12.7	175	5	5	5	22	28	28	28	2	5.0	8	3	3	5	7	7	7	7
ALL AGES	12	6.7	65	1	2	4	6	21	27	28	7	8.9	178	2	3	4	6	33	39	39
B. FEMALE																				
0-12 YRS.	3	5.0	19	2	2	3	8	10	10	10	2	7.0	2	6	6	7	8	8	8	8
13-19											3	16.0	139	3	7	19	24	26	26	26
20-34	12	11.2	133	3	4	7	14	26	41	44	3	9.3	83	1	3	8	16	19	19	19
35-49	11	4.7	13	1	2	4	7	10	13	13	3	17.3	754	1	1	2	37	49	49	49
50-64	5	6.8	57	1	1	4	11	19	19	19	5	2.8	3	1	2	2	4	5	5	5
65 +	10	5.4	9	1	3	6	8	9	9	9	1	2.0		2	2	2	2	2	2	2
ALL AGES	41	7.0	57	1	3	5	9	14	19	44	17	9.3	160	1	2	4	11	25	41	49
SUBTOTAL	**53**	**7.0**	**57**	**1**	**3**	**5**	**8**	**16**	**19**	**44**	**24**	**9.2**	**158**	**1**	**2**	**4**	**8**	**27**	**42**	**49**
GRAND TOTAL	**116**	**5.8**	**35**	**1**	**2**	**4**	**7**	**13**	**18**	**62**	**68**	**6.0**	**71**	**1**	**2**	**3**	**6**	**15**	**21**	**47**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3										
35-49	1	5.0		5	5	5	5	5	5	5										
50-64											1	2.0		2	2	2	2	2	2	2
65 +	2	2.5	1	2	2	2	3	3	3	3										
ALL AGES	4	3.3	1	2	2	3	4	5	5	5	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	1	6.0		6	6	6	6	6	6	6										
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	4	3.5	3	2	2	3	5	6	6	6	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**8**	**3.4**	**2**	**2**	**2**	**3**	**4**	**6**	**6**	**6**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
35-49																				
50-64																				
65 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4	1	6.0		6	6	6	6	6	6	6
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	4.5	5	3	3	4	6	6	6	6
SUBTOTAL	**2**	**6.5**	**13**	**4**	**4**	**6**	**9**	**9**	**9**	**9**	**3**	**4.0**	**3**	**3**	**3**	**3**	**5**	**6**	**6**	**6**
GRAND TOTAL	**10**	**4.0**	**5**	**2**	**3**	**3**	**5**	**7**	**9**	**9**	**5**	**3.4**	**2**	**2**	**2**	**3**	**4**	**6**	**6**	**6**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49																				
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64	1	12.0		12	12	12	12	12	12	12										
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	1	12.0		12	12	12	12	12	12	12	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**8.0**	**32**	**4**	**4**	**8**	**12**	**12**	**12**	**12**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**2**	**8.0**	**32**	**4**	**4**	**8**	**12**	**12**	**12**	**12**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	15.0		15	15	15	15	15	15	15
50-64																				
65 +																				
ALL AGES											1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	2	8.5	61	3	3	8	14	14	14	14										
SUBTOTAL	**2**	**8.5**	**61**	**3**	**3**	**8**	**14**	**14**	**14**	**14**										
GRAND TOTAL	**3**	**6.3**	**45**	**2**	**2**	**3**	**11**	**14**	**14**	**14**	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											2	5.0	2	4	4	5	6	6	6	6
20-34	2	5.5	25	2	2	5	9	9	9	9										
35-49	1	31.0		31	31	31	31	31	31	31										
50-64											1	5.0		5	5	5	5	5	5	5
65 +																				
ALL AGES	3	14.0	229	2	4	9	25	31	31	31	3	5.0	1	4	4	5	6	6	6	6
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19	2	2.0	2	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
20-34	11	13.9	99	3	4	14	23	27	28	28	4	5.3	8	2	3	5	7	9	9	9
35-49	3	16.0	343	2	4	9	30	37	37	37										
50-64	5	2.4	3	1	1	2	3	5	5	5										
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	22	10.0	115	1	3	4	17	27	32	37	6	4.3	8	2	2	3	6	9	9	9
SUBTOTAL	**25**	**10.5**	**121**	**1**	**3**	**5**	**18**	**28**	**32**	**37**	**9**	**4.6**	**5**	**2**	**3**	**4**	**6**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
50-64											1	3.0		3	3	3	3	3	3	3
65 +	2	8.0	32	4	4	8	12	12	12	12	1	8.0		8	8	8	8	8	8	8
ALL AGES	4	5.0	23	1	2	3	8	12	12	12	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-19																				
20-34	2	2.5	1	2	2	2	3	3	3	3										
35-49	6	6.3	29	2	3	4	11	15	15	15	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
65 +	2	3.0	2	2	2	3	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	12	4.5	17	2	2	3	4	12	15	15	4	2.3	2	1	1	2	3	4	4	4
SUBTOTAL	**16**	**4.6**	**17**	**2**	**2**	**3**	**4**	**12**	**14**	**15**	**7**	**3.1**	**6**	**1**	**1**	**3**	**4**	**7**	**8**	**8**
GRAND TOTAL	**41**	**8.2**	**88**	**1**	**2**	**3**	**11**	**24**	**29**	**37**	**16**	**3.9**	**6**	**1**	**2**	**3**	**5**	**8**	**9**	**9**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1	1	9.0		9	9	9	9	9	9	9
ALL AGES	3	4.3	34	1	1	1	8	11	11	11	2	6.0	18	3	3	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	4	12.8	97	4	6	10	19	27	27	27	1	21.0		21	21	21	21	21	21	21
20-34	3	3.7	9	1	1	3	6	7	7	7	2	6.5	61	1	1	6	12	12	12	12
35-49	6	4.5	4	2	2	5	6	7	7	7	1	12.0		12	12	12	12	12	12	12
50-64	2	4.0	2	3	3	4	5	5	5	5	2	2.5	1	2	2	2	3	3	3	3
65 +	2	2.5	1	2	2	2	3	3	3	3	1	9.0		9	9	9	9	9	9	9
ALL AGES	17	6.0	37	2	3	5	7	11	21	27	7	8.6	51	1	2	9	12	19	21	21
SUBTOTAL	**20**	**5.8**	**34**	**1**	**2**	**4**	**7**	**11**	**19**	**27**	**9**	**8.0**	**42**	**1**	**3**	**9**	**12**	**17**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	18.7	228	5	8	16	30	35	35	35										
50-64	3	17.0	223	6	7	11	28	34	34	34	1	6.0		6	6	6	6	6	6	6
65 +																				
ALL AGES	6	17.8	184	5	6	13	34	35	35	35	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19	2	39.0	2048	7	7	39	71	71	71	71	3	3.0	4	1	1	3	4	5	5	5
20-34	6	6.5	30	2	3	5	7	16	17	17										
35-49	4	9.3	27	5	6	7	12	17	17	17	1	1.0		1	1	1	1	1	1	1
50-64	7	15.3	142	1	3	16	25	29	30	30										
65 +	4	14.5	127	6	7	10	21	31	31	31	2	7.5	61	2	2	7	13	13	13	13
ALL AGES	23	13.9	236	2	5	8	17	30	45	71	6	4.2	21	1	1	2	5	12	13	13
SUBTOTAL	**29**	**14.7**	**221**	**2**	**5**	**9**	**19**	**33**	**37**	**71**	**7**	**4.4**	**18**	**1**	**1**	**3**	**6**	**12**	**13**	**13**
GRAND TOTAL	**49**	**11.0**	**163**	**1**	**3**	**7**	**13**	**29**	**34**	**71**	**16**	**6.4**	**34**	**1**	**2**	**4**	**10**	**13**	**19**	**21**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	1	16.0		16	16	16	16	16	16	16	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**2**	**12.0**	**32**	**8**	**8**	**12**	**16**	**16**	**16**	**16**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**3**	**8.7**	**40**	**2**	**3**	**8**	**14**	**16**	**16**	**16**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36	1	26.0		26	26	26	26	26	26	26
13-19	6	23.0	497	5	9	11	48	54	55	55	4	34.3	348	10	21	36	47	55	55	55
20-34	2	5.5	5	4	4	5	7	7	7	7	1	3.0		3	3	3	3	3	3	3
35-49											3	5.7	2	4	4	6	7	7	7	7
50-64																				
65 +	1	17.0		17	17	17	17	17	17	17	1	10.0		10	10	10	10	10	10	10
ALL AGES	10	20.2	359	4	7	11	36	51	55	55	10	19.3	323	3	6	10	32	47	55	55
B. FEMALE																				
0-12 YRS.	16	20.8	524	3	4	15	29	39	77	93	11	28.4	774	3	6	19	54	68	82	83
13-19	71	27.7	439	5	13	24	39	75	89	99 +	46	23.2	316	3	10	22	32	41	57	89
20-34	58	21.1	667	1	3	11	32	64	96	99 +	25	17.8	300	3	3	8	32	44	51	54
35-49	11	12.6	143	5	7	9	14	63	95	99 +	7	13.6	249	1	1	6	28	37	38	38
50-64	2	27.0	200	17	17	27	37	37	37	37										
65 +	4	8.5	6	5	7	9	10	10	10	10	1	8.0		8	8	8	8	8	8	8
ALL AGES	162	23.1	512	3	7	16	34	64	93	99 +	90	21.4	364	2	5	15	33	48	57	87
SUBTOTAL	**172**	**23.0**	**499**	**3**	**7**	**16**	**34**	**62**	**92**	**99 +**	**100**	**21.2**	**356**	**3**	**5**	**15**	**33**	**48**	**57**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63										
13-19	7	21.9	357	5	10	16	47	87	99 +	99 +	3	11.0	193	2	2	4	21	27	27	27
20-34	7	26.4	448	3	5	27	47	52	52	52	2	25.0	578	8	8	25	42	42	42	42
35-49																				
50-64																				
65 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	16	26.8	422	3	11	27	51	62	87	99 +	5	16.6	300	2	3	8	31	42	42	42
B. FEMALE																				
0-12 YRS.	6	50.0	988	14	21	49	73	92	94	94	8	34.3	364	12	23	30	44	64	71	71
13-19	91	30.5	580	4	11	29	55	84	99 +	99 +	76	33.0	461	4	15	32	48	59	68	94
20-34	116	23.1	416	3	8	17	35	55	74	99 +	37	26.1	465	4	7	20	37	59	63	87
35-49	51	21.8	499	2	6	14	30	55	77	99 +	15	14.2	73	5	8	14	19	24	31	33
50-64	6	10.2	49	1	5	10	14	20	21	21										
65 +	3	16.7	200	4	6	14	27	32	32	32	2	15.5	113	8	8	15	23	23	23	23
ALL AGES	273	25.5	516	3	8	19	41	69	92	99 +	138	28.9	443	4	13	24	42	57	63	91
SUBTOTAL	**289**	**25.6**	**508**	**3**	**8**	**19**	**41**	**67**	**92**	**99 +**	**143**	**28.5**	**439**	**4**	**11**	**24**	**42**	**57**	**62**	**91**
GRAND TOTAL	**461**	**24.6**	**506**	**3**	**8**	**18**	**38**	**66**	**92**	**99 +**	**243**	**25.5**	**416**	**3**	**8**	**22**	**37**	**55**	**59**	**90**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	20.2	960	2	2	8	22	70	99	99 +	5	5.6	74	1	1	2	7	21	21	21
13-19	6	25.8	809	1	2	20	40	69	72	72										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	15	22.5	843	2	2	8	33	72	92	99	5	5.6	74	1	1	2	7	21	21	21
B. FEMALE																				
0-12 YRS.	5	7.6	88	1	1	3	13	23	23	23	4	2.5	3	1	1	2	4	5	5	5
13-19	2	9.5	5	8	8	9	11	11	11	11	1	3.0		3	3	3	3	3	3	3
20-34	1	9.0		9	9	9	9	9	9	9										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	9	7.6	49	1	2	8	10	18	23	23	5	2.6	2	1	2	2	3	5	5	5
SUBTOTAL	**24**	**16.9**	**585**	**1**	**2**	**8**	**22**	**43**	**80**	**99**	**10**	**4.1**	**37**	**1**	**2**	**2**	**3**	**13**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	30	23.4	372	3	7	19	32	52	65	76	1	3.0		3	3	3	3	3	3	3
13-19	19	24.6	525	3	11	16	37	47	74	96										
20-34	5	15.8	48	8	10	14	23	23	23	23										
35-49	1	9.0		9	9	9	9	9	9	9										
50-64																				
65 +																				
ALL AGES	55	22.9	386	3	9	18	30	48	63	95	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8										
13-19	2	8.5	113	1	1	8	16	16	16	16										
20-34																				
35-49	1	6.0		6	6	6	6	6	6	6										
50-64																				
65 +																				
ALL AGES	5	6.6	36	1	2	6	10	16	16	16										
SUBTOTAL	**60**	**21.5**	**378**	**3**	**7**	**16**	**29**	**47**	**60**	**94**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**84**	**20.2**	**435**	**2**	**5**	**14**	**26**	**46**	**67**	**98**	**11**	**4.0**	**33**	**1**	**2**	**2**	**3**	**11**	**20**	**21**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	16.0	450	1	1	16	31	31	31	31										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	16.0	450	1	1	16	31	31	31	31										
B. FEMALE																				
0-12 YRS.	2	19.5	265	8	8	19	31	31	31	31	1	3.0		3	3	3	3	3	3	3
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	19.5	265	8	8	19	31	31	31	31	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**17.8**	**240**	**1**	**4**	**19**	**31**	**31**	**31**	**31**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**4**	**17.8**	**240**	**1**	**4**	**19**	**31**	**31**	**31**	**31**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	2.0	2	1	1	2	3	4	4	4	4	1.3		1	1	1	2	2	2	2
13-19	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-49																				
50-64																				
65 +	2	3.5	5	2	2	3	5	5	5	5										
ALL AGES	11	2.1	2	1	1	2	3	4	5	5	6	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	3	2.0	1	1	1	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
13-19																				
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
50-64	3	6.0	39	1	2	4	11	13	13	13										
65 +	1	10.0		10	10	10	10	10	10	10	1	4.0		4	4	4	4	4	4	4
ALL AGES	8	4.8	19	1	2	3	7	12	13	13	3	2.7	2	1	1	3	4	4	4	4
SUBTOTAL	**19**	**3.2**	**10**	**1**	**1**	**2**	**4**	**8**	**12**	**13**	**9**	**1.8**	**1**	**1**	**1**	**1**	**2**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	12.0		12	12	12	12	12	12	12
13-19	1	1.0		1	1	1	1	1	1	1										
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	3	2.0	1	1	1	2	3	3	3	3	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-19	2	5.0	8	3	3	5	7	7	7	7										
20-34											2	2.5	1	2	2	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1										
50-64																				
65 +	3	1.7	1	1	1	1	3	3	3	3										
ALL AGES	8	2.6	5	1	1	2	4	6	7	7	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**11**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**7**	**7**	**3**	**5.7**	**30**	**2**	**2**	**3**	**10**	**12**	**12**	**12**
GRAND TOTAL	**30**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**10**	**13**	**12**	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**11**	**12**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	10.0	213	1	1	3	12	37	38	38	5	15.0	379	1	2	6	25	48	48	48
13-19	7	8.6	76	2	3	6	10	24	27	27										
20-34	5	16.8	255	3	4	10	31	39	39	39	2	27.5	13	25	25	27	30	30	30	30
35-49											1	5.0		5	5	5	5	5	5	5
50-64	1	15.0		15	15	15	15	15	15	15										
65 +	1	10.0		10	10	10	10	10	10	10	3	7.3	11	5	5	6	10	11	11	11
ALL AGES	24	11.2	158	1	3	5	13	36	38	39	11	14.3	212	2	5	6	23	37	47	48
B. FEMALE																				
0-12 YRS.	18	10.2	128	2	3	6	12	28	38	43	7	15.0	160	3	3	16	24	33	35	35
13-19	64	14.7	149	2	5	11	20	35	41	93	24	20.6	289	2	4	20	32	44	52	52
20-34	55	13.9	202	1	3	8	19	31	41	73	13	9.2	83	2	2	3	19	23	25	26
35-49	10	6.0	34	1	2	3	11	15	17	17	5	6.4	21	2	3	6	8	14	14	14
50-64	7	3.7	7	2	2	2	5	8	9	9	1	2.0		2	2	2	2	2	2	2
65 +	4	12.0	216	4	4	5	20	34	34	34	3	14.3	158	2	5	14	24	27	27	27
ALL AGES	158	12.8	159	2	3	8	19	31	41	73	53	15.0	207	2	3	9	25	36	43	52
SUBTOTAL	**182**	**12.6**	**158**	**2**	**3**	**8**	**18**	**31**	**40**	**69**	**64**	**14.9**	**204**	**2**	**3**	**8**	**25**	**35**	**44**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	22.5	481	7	7	22	38	38	38	38	3	27.7	630	8	11	19	47	56	56	56
13-19	7	26.9	418	7	10	20	40	59	63	63	1	22.0		22	22	22	22	22	22	22
20-34	11	19.2	174	5	7	15	28	38	42	42	1	25.0		25	25	25	25	25	25	25
35-49	9	27.3	254	9	18	27	30	51	63	63	2	31.0	128	23	23	31	39	39	39	39
50-64	1	24.0		24	24	24	24	24	24	24										
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	31	23.2	250	5	8	24	30	43	62	63	7	27.4	244	10	20	23	35	53	56	56
B. FEMALE																				
0-12 YRS.	8	28.6	484	4	6	31	46	57	59	59	2	10.5	145	2	2	10	19	19	19	19
13-19	94	23.9	383	3	8	20	36	51	58	86	58	25.9	289	4	11	26	37	54	56	64
20-34	171	18.7	233	3	7	14	27	42	50	64	70	21.3	165	4	11	21	30	38	44	91
35-49	34	15.3	142	2	7	11	22	31	34	53	19	14.9	128	3	5	11	24	31	36	39
50-64	6	19.5	143	11	13	15	20	41	43	43	2	13.5	25	10	10	13	17	17	17	17
65 +	7	6.3	44	2	3	4	6	18	21	21	3	17.7	59	9	12	20	23	24	24	24
ALL AGES	320	19.9	276	3	7	15	28	43	53	76	154	21.9	216	3	10	21	31	41	54	64
SUBTOTAL	**351**	**20.1**	**278**	**3**	**7**	**16**	**29**	**43**	**54**	**74**	**161**	**22.2**	**214**	**4**	**10**	**21**	**31**	**41**	**55**	**63**
GRAND TOTAL	**533**	**17.6**	**247**	**2**	**5**	**13**	**27**	**41**	**50**	**74**	**225**	**20.1**	**222**	**3**	**6**	**20**	**30**	**41**	**51**	**60**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34																				
35-49											1	4.0		4	4	4	4	4	4	4
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	3	3.0	3	2	2	2	4	5	5	5	2	2.5	5	1	1	2	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	3.0	3	2	2	2	4	5	5	5	2	2.5	5	1	1	2	4	4	4	4

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	3.1	6	1	2	2	4	7	8	8	2	4.0	8	2	2	4	6	6	6	6
13-19											2	21.0	648	3	3	21	39	39	39	39
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	7	3.1	6	1	2	2	4	7	8	8	4	12.5	315	2	2	4	22	39	39	39
B. FEMALE																				
0-12 YRS.	4	6.8	103	1	1	2	12	22	22	22	1	2.0		2	2	2	2	2	2	2
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	6.8	103	1	1	2	12	22	22	22	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**11**	**4.5**	**37**	**1**	**1**	**2**	**4**	**14**	**21**	**22**	**5**	**10.4**	**258**	**2**	**2**	**3**	**14**	**39**	**39**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	18.1	147	3	6	17	30	34	35	35	3	12.0	39	5	7	14	16	17	17	17
13-19	2	30.0	288	18	18	30	42	42	42	42										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	11	20.3	168	4	9	18	31	38	42	42	3	12.0	39	5	7	14	16	17	17	17
B. FEMALE																				
0-12 YRS.	1	59.0		59	59	59	59	59	59	59	2	25.0	32	21	21	25	29	29	29	29
13-19											1	23.0		23	23	23	23	23	23	23
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	59.0		59	59	59	59	59	59	59	3	24.3	20	21	21	23	27	29	29	29
SUBTOTAL	**12**	**23.5**	**279**	**4**	**11**	**19**	**33**	**47**	**57**	**59**	**6**	**18.2**	**67**	**6**	**14**	**19**	**23**	**28**	**29**	**29**
GRAND TOTAL	**23**	**14.4**	**251**	**1**	**2**	**7**	**22**	**36**	**48**	**59**	**11**	**14.6**	**155**	**2**	**3**	**14**	**22**	**33**	**38**	**39**

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	6.0	32	2	2	6	10	10	10	10	1	2.0		2	2	2	2	2	2	2
13-19	2	3.0		3	3	3	3	3	3	3	4	6.5	52	1	2	4	11	17	17	17
20-34	17	3.2	9	1	1	3	4	6	11	13	10	3.6	3	1	2	4	5	6	6	6
35-49	14	2.8	5	1	1	2	4	7	7	7	15	2.5	1	1	2	3	3	3	4	4
50-64	8	2.3	1	1	1	2	3	4	4	4	9	4.4	16	1	2	3	5	11	14	14
65 +	4	4.3	6	2	2	4	6	7	7	7	6	6.3	27	1	3	5	9	14	15	15
ALL AGES	47	3.1	7	1	1	2	4	7	8	13	45	4.0	12	1	2	3	5	7	14	17
B. FEMALE																				
0-12 YRS.	9	3.1	3	1	2	3	4	6	7	7	12	4.8	31	1	1	3	7	13	18	19
13-19	13	4.8	31	1	2	3	6	10	20	22	10	2.3	4	1	1	2	3	5	7	7
20-34	70	4.0	11	1	2	3	5	8	11	19	45	3.2	5	1	1	3	4	6	7	13
35-49	44	3.2	6	1	2	2	3	7	9	11	50	4.0	9	1	2	3	5	7	9	17
50-64	30	4.5	22	1	2	3	7	10	11	24	26	4.2	7	2	3	4	5	7	9	15
65 +	16	3.9	9	1	2	3	5	5	11	14	17	4.4	20	1	1	3	6	11	15	17
ALL AGES	182	3.9	12	1	2	3	4	8	11	21	160	3.8	10	1	2	3	5	7	10	17
SUBTOTAL	**229**	**3.7**	**11**	**1**	**2**	**3**	**4**	**7**	**10**	**20**	**205**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**11**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	4.5	5	3	3	4	6	6	6	6	1	6.0		6	6	6	6	6	6	6
13-19											2	2.5	5	1	1	2	4	4	4	4
20-34	7	15.9	258	1	3	4	32	35	35	35	8	7.3	72	2	2	4	8	22	27	27
35-49	6	7.7	59	1	2	4	17	18	18	18	9	2.7	2	1	2	3	3	5	5	5
50-64	5	4.8	10	1	2	6	7	8	8	8	3	3.3	1	3	3	3	4	4	4	4
65 +	6	7.5	10	3	5	8	9	12	12	12	3	6.0	16	2	3	6	9	10	10	10
ALL AGES	26	9.0	98	1	3	5	9	30	33	35	26	4.7	26	1	2	3	5	10	14	27
B. FEMALE																				
0-12 YRS.	3	5.7	4	4	4	5	7	8	8	8	2	5.0	2	4	4	5	6	6	6	6
13-19	8	6.9	78	2	2	3	7	22	28	28	6	7.2	46	2	3	3	16	16	16	16
20-34	26	6.5	35	2	3	4	6	14	23	24	24	3.8	7	1	2	3	6	8	9	10
35-49	30	7.0	64	1	2	4	8	19	27	34	20	4.8	13	2	2	3	6	11	13	15
50-64	17	6.1	20	2	3	5	8	11	17	20	16	3.3	5	2	2	3	4	4	9	11
65 +	22	7.4	58	1	2	6	11	14	24	35	6	5.8	27	2	2	4	8	14	15	15
ALL AGES	106	6.8	46	2	3	4	8	14	24	34	74	4.4	13	2	2	3	5	10	14	16
SUBTOTAL	**132**	**7.2**	**57**	**2**	**3**	**5**	**8**	**16**	**27**	**35**	**100**	**4.5**	**16**	**2**	**2**	**3**	**5**	**10**	**13**	**22**
GRAND TOTAL	**361**	**5.0**	**30**	**1**	**2**	**3**	**6**	**10**	**14**	**33**	**305**	**4.0**	**13**	**1**	**2**	**3**	**5**	**8**	**12**	**17**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.3	15	1	2	7	8	8	8	8	2	8.5	113	1	1	8	16	16	16	16
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	2	2.0	2	1	1	1	3	3	3	3										
35-49	1	5.0		5	5	5	5	5	5	5	2	3.0	2	2	2	3	4	4	4	4
50-64	5	4.6	10	2	3	4	6	10	10	10										
65 +	6	4.7	23	1	2	2	8	12	13	13	4	6.0	1	5	5	6	7	7	7	7
ALL AGES	18	4.6	11	1	2	3	7	9	12	13	8	5.9	21	1	3	5	7	13	16	16
B. FEMALE																				
0-12 YRS.	8	3.4	10	1	1	2	5	9	10	10	3	3.0	1	2	2	3	4	4	4	4
13-19	1	1.0		1	1	1	1	1	1	1	3	5.3	27	1	2	4	9	11	11	11
20-34	3	1.3		1	1	1	2	2	2	2	2	3.0	8	1	1	3	5	5	5	5
35-49	4	4.8	11	2	2	4	7	9	9	9	1	1.0		1	1	1	1	1	1	1
50-64	3	3.0	1	2	2	3	4	4	4	4	1	8.0		8	8	8	8	8	8	8
65 +	6	4.0	7	1	2	3	6	8	8	8	7	4.7	2	2	4	5	6	6	6	6
ALL AGES	25	3.4	7	1	1	2	5	8	9	10	17	4.3	7	1	2	4	6	8	10	11
SUBTOTAL	**43**	**3.9**	**9**	**1**	**2**	**3**	**6**	**8**	**10**	**13**	**25**	**4.8**	**11**	**1**	**2**	**4**	**6**	**8**	**12**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	3	9.0	52	1	3	11	14	15	15	15	2	7.5	85	1	1	7	14	14	14	14
50-64	1	3.0		3	3	3	3	3	3	3	3	15.0	147	4	6	13	24	28	28	28
65 +	5	6.6	8	2	5	8	8	9	9	9	6	3.2	7	1	1	2	4	8	8	8
ALL AGES	10	6.4	22	1	2	7	9	13	15	15	11	7.2	69	1	1	4	12	20	27	28
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-19	1	53.0		53	53	53	53	53	53	53										
20-34	1	19.0		19	19	19	19	19	19	19										
35-49	1	2.0		2	2	2	2	2	2	2	2	3.0		3	3	3	3	3	3	3
50-64	2	8.5	25	5	5	8	12	12	12	12										
65 +	11	6.1	13	2	4	5	8	12	14	14	3	5.7	17	1	2	7	8	9	9	9
ALL AGES	17	9.7	146	2	4	5	10	18	41	53	5	4.6	11	1	2	3	7	9	9	9
SUBTOTAL	**27**	**8.5**	**100**	**2**	**3**	**6**	**10**	**15**	**24**	**53**	**16**	**6.4**	**50**	**1**	**2**	**4**	**8**	**14**	**24**	**28**
GRAND TOTAL	**70**	**5.6**	**49**	**1**	**2**	**4**	**8**	**11**	**14**	**46**	**41**	**5.4**	**27**	**1**	**2**	**4**	**6**	**12**	**15**	**28**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34	4	3.8	4	1	2	4	5	6	6	6	4	2.0	1	1	1	2	3	3	3	3
35-49	6	1.5	1	1	1	1	2	3	3	3	7	2.6	6	1	1	2	3	7	8	8
50-64	3	15.0	291	1	3	10	28	34	34	34	3	1.0		1	1	1	1	1	1	1
65 +	3	1.0		1	1	1	1	1	1	1	8	5.3	8	1	4	5	6	10	11	11
ALL AGES	16	4.5	68	1	1	1	4	10	27	34	23	3.2	7	1	1	2	4	7	9	11
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-19	4	2.3	3	1	1	2	3	5	5	5	5	1.2		1	1	1	2	2	2	2
20-34	5	6.4	32	2	3	4	9	16	16	16	6	1.0		1	1	1	1	1	1	1
35-49	19	3.3	11	1	1	2	4	8	11	13	15	2.5	3	1	1	2	3	5	6	7
50-64	8	3.3	14	1	1	2	4	10	12	12	10	2.4	3	1	1	2	3	5	7	7
65 +	6	2.8	2	2	2	3	3	5	5	5	9	3.0	2	1	2	3	4	5	5	5
ALL AGES	43	3.7	14	1	1	2	5	9	13	16	45	2.2	3	1	1	2	3	4	6	7
SUBTOTAL	**59**	**3.9**	**28**	**1**	**1**	**2**	**5**	**9**	**13**	**32**	**68**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	15.0		15	15	15	15	15	15	15
13-19																				
20-34	9	2.4	3	1	1	2	3	5	6	6	3	1.0		1	1	1	1	1	1	1
35-49	4	6.3	24	1	1	6	10	11	11	11	5	1.8	1	1	1	2	2	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4	2	3.5	1	3	3	3	4	4	4	4
65 +	2	9.0	98	2	2	9	16	16	16	16	1	2.0		2	2	2	2	2	2	2
ALL AGES	16	4.3	19	1	1	3	5	11	14	16	12	3.0	15	1	1	2	3	7	14	15
B. FEMALE																				
0-12 YRS.																				
13-19	2	2.5	1	2	2	2	3	3	3	3										
20-34	10	7.9	58	2	3	5	7	22	23	23	7	5.3	77	1	1	2	4	21	25	25
35-49	9	3.6	11	2	2	2	3	9	12	12	8	2.3	1	1	1	2	3	4	4	4
50-64	6	4.8	50	1	1	2	4	17	19	19	4	3.3	6	1	1	2	5	7	7	7
65 +	1	57.0		57	57	57	57	57	57	57	4	4.3	6	2	2	3	6	8	8	8
ALL AGES	28	7.2	131	2	2	3	6	20	26	57	23	3.7	25	1	1	2	4	7	14	25
SUBTOTAL	**44**	**6.2**	**90**	**1**	**2**	**3**	**6**	**16**	**22**	**57**	**35**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**13**	**25**
GRAND TOTAL	**103**	**4.9**	**55**	**1**	**1**	**2**	**5**	**12**	**17**	**45**	**103**	**2.9**	**10**	**1**	**1**	**2**	**3**	**5**	**8**	**20**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	26.0		26	26	26	26	26	26	26
50-64											1	8.0		8	8	8	8	8	8	8
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	17.0	162	8	8	17	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**	**3**	**12.7**	**136**	**4**	**5**	**8**	**21**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12										
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64	1	6.0		6	6	6	6	6	6	6										
65 +																				
ALL AGES	4	5.5	22	2	2	4	9	12	12	12										
SUBTOTAL	**4**	**5.5**	**22**	**2**	**2**	**4**	**9**	**12**	**12**	**12**										
GRAND TOTAL	**6**	**4.5**	**17**	**1**	**2**	**3**	**6**	**11**	**12**	**12**	**3**	**12.7**	**136**	**4**	**5**	**8**	**21**	**26**	**26**	**26**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	1	26.0		26	26	26	26	26	26	26	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	3	11.3	166	2	3	6	21	26	26	26	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**4**	**9.0**	**132**	**2**	**2**	**4**	**16**	**26**	**26**	**26**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	3.0		3	3	3	3	3	3	3
35-49																				
50-64	1	4.0		4	4	4	4	4	4	4										
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
35-49																				
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**6**	**7.3**	**86**	**2**	**2**	**4**	**6**	**24**	**26**	**26**	**4**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	31.8	990	2	4	33	59	59	59	59	2	12.0	242	1	1	11	23	23	23	23
13-19	3	9.0	192	1	1	1	19	25	25	25	1	31.0		31	31	31	31	31	31	31
20-34	14	5.2	23	2	3	4	5	10	18	20	7	5.4	53	1	1	1	8	18	20	20
35-49	13	8.0	107	1	1	5	11	20	35	38	8	2.6	2	1	1	2	4	5	5	5
50-64	6	5.0	70	1	1	2	3	20	22	22	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
ALL AGES	41	8.8	194	1	1	3	9	23	47	59	20	5.9	73	1	1	2	5	21	27	31
B. FEMALE																				
0-12 YRS.	9	24.4	165	6	17	21	34	40	42	42	3	24.0	93	17	18	20	31	35	35	35
13-19	27	6.6	49	1	2	4	9	19	23	27	6	6.8	54	2	2	4	8	20	21	21
20-34	51	8.6	137	1	2	6	10	16	43	60	9	3.7	10	1	1	4	5	9	10	10
35-49	26	9.1	77	1	2	6	15	22	28	33	9	4.2	9	1	2	3	7	9	10	10
50-64	9	7.8	89	1	1	4	13	24	28	28	6	2.7	5	1	1	2	3	7	7	7
65 +	4	3.3	10	1	1	2	5	8	8	8	7	3.6	3	2	2	3	4	6	7	7
ALL AGES	126	9.2	116	1	2	6	12	22	33	51	40	5.6	47	1	2	3	7	14	20	35
SUBTOTAL	**167**	**9.1**	**134**	**1**	**2**	**5**	**11**	**22**	**34**	**59**	**60**	**5.7**	**54**	**1**	**2**	**3**	**7**	**18**	**22**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	20.2	323	3	7	22	46	95	99+	99+	2	21.5	265	10	10	21	33	33	33	33
13-19	11	11.7	97	2	6	10	13	30	30	30	3	6.0	19	3	3	4	9	11	11	11
20-34	35	10.3	145	2	2	5	13	27	37	52	6	12.8	296	2	4	6	13	44	47	47
35-49	33	8.0	80	1	2	6	10	15	30	43	8	4.0	18	1	1	2	6	11	13	13
50-64	4	9.5	114	2	2	5	16	25	25	25	2	2.0		2	2	2	2	2	2	2
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	88	10.2	123	1	2	7	12	30	38	81	22	8.0	127	1	2	4	10	19	39	47
B. FEMALE																				
0-12 YRS.	13	23.5	251	6	11	17	35	45	53	55	2	15.0	288	3	3	15	27	27	27	27
13-19	47	15.6	161	2	6	10	27	36	42	42	7	5.7	24	1	1	5	8	14	15	15
20-34	84	12.2	156	1	3	9	16	28	39	92	19	5.3	26	1	2	4	7	12	18	21
35-49	52	11.9	128	2	3	8	18	28	36	52	9	7.9	79	1	2	3	14	23	27	27
50-64	10	5.7	49	1	2	4	6	16	25	25	1	21.0		21	21	21	21	21	21	21
65 +	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	207	13.3	158	2	4	9	19	32	42	65	39	6.8	52	1	2	4	8	19	24	27
SUBTOTAL	**295**	**12.3**	**151**	**2**	**3**	**8**	**17**	**31**	**41**	**67**	**61**	**7.3**	**76**	**1**	**2**	**4**	**8**	**18**	**27**	**45**
GRAND TOTAL	**462**	**11.2**	**146**	**1**	**3**	**7**	**15**	**29**	**38**	**59**	**121**	**6.5**	**66**	**1**	**2**	**3**	**7**	**18**	**25**	**38**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	3	5.3	15	1	2	7	8	8	8	8	1	1.0		1	1	1	1	1	1	1
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	5	4.2	10	1	2	3	7	8	8	8	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	3	13.7	103	2	6	18	20	21	21	21										
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	4	11.0	98	2	2	10	19	21	21	21										
SUBTOTAL	**9**	**7.2**	**55**	**1**	**2**	**3**	**10**	**20**	**21**	**21**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	22.0		22	22	22	22	22	22	22										
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	2	11.5	221	1	1	11	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	2.0	1	1	1	2	3	3	3	3										
35-49	1	9.0		9	9	9	9	9	9	9										
50-64																				
65 +																				
ALL AGES	4	3.8	12	1	1	2	6	9	9	9										
SUBTOTAL	**6**	**6.3**	**68**	**1**	**1**	**2**	**9**	**21**	**22**	**22**										
GRAND TOTAL	**15**	**6.9**	**55**	**1**	**2**	**3**	**9**	**21**	**22**	**22**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16	1	2.0		2	2	2	2	2	2	2
13-19	4	9.8	55	2	5	8	14	20	20	20										
20-34																				
35-49	6	2.2	2	1	1	2	3	4	4	4	4	2.8		2	2	3	3	3	3	3
50-64	5	2.4	4	1	1	2	3	6	6	6										
65 +	1	3.0		3	3	3	3	3	3	3	3	2.3	1	2	2	2	3	3	3	3
ALL AGES	17	4.9	31	1	1	3	6	15	19	20	8	2.5		2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-19	3	6.7	26	1	3	8	10	11	11	11	1	1.0		1	1	1	1	1	1	1
20-34	9	4.1	36	1	2	2	3	13	20	20	1	9.0		9	9	9	9	9	9	9
35-49	10	3.5	6	1	2	3	5	7	8	8	4	1.8		1	1	2	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
65 +	4	2.0	1	1	1	2	3	3	3	3	4	9.0	79	2	3	6	14	22	22	22
ALL AGES	29	3.7	16	1	2	3	3	8	11	20	13	4.6	33	1	2	2	5	12	20	22
SUBTOTAL	**46**	**4.2**	**21**	**1**	**2**	**3**	**4**	**9**	**17**	**20**	**21**	**3.8**	**21**	**1**	**2**	**2**	**3**	**8**	**15**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	9.0		9	9	9	9	9	9	9	1	25.0		25	25	25	25	25	25	25
20-34	4	4.3	6	2	2	4	6	7	7	7	2	3.5	1	3	3	3	4	4	4	4
35-49																				
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	5	5.2	10	2	2	6	7	9	9	9	4	8.5	122	2	2	3	14	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-19	2	7.0	2	6	6	7	8	8	8	8	1	3.0		3	3	3	3	3	3	3
20-34	5	9.0	44	2	3	9	15	17	17	17	1	3.0		3	3	3	3	3	3	3
35-49	9	18.0	150	3	6	17	27	35	35	35	3	3.7	2	2	2	4	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4	2	3.5	1	3	3	3	4	4	4	4
65 +	4	7.0	22	2	3	7	11	11	11	11	1	6.0		6	6	6	6	6	6	6
ALL AGES	21	12.0	102	2	4	9	17	29	34	35	8	3.8	1	2	3	4	5	6	6	6
SUBTOTAL	**26**	**10.7**	**91**	**2**	**4**	**7**	**15**	**25**	**34**	**35**	**12**	**5.3**	**40**	**2**	**3**	**4**	**5**	**12**	**23**	**25**
GRAND TOTAL	**72**	**6.5**	**56**	**1**	**2**	**3**	**8**	**17**	**23**	**35**	**33**	**4.4**	**27**	**2**	**2**	**3**	**4**	**7**	**20**	**25**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	11.5	130	1	4	10	14	20	35	56	1	1.0		1	1	1	1	1	1	1
13-19	296	7.8	76	1	2	5	10	18	24	53	44	5.9	47	1	2	4	8	13	24	34
20-34	498	4.8	19	1	2	3	6	11	13	24	64	4.3	19	1	1	3	6	9	11	28
35-49	277	5.9	31	1	2	4	8	12	16	28	41	4.8	25	1	1	3	6	10	12	28
50-64	69	5.7	27	1	2	4	8	14	17	24	13	3.9	9	1	2	3	5	8	11	12
65 +	60	8.8	43	3	4	7	11	18	23	29	9	7.6	103	1	2	4	7	24	34	34
ALL AGES	1225	6.1	42	1	2	4	8	13	19	30	172	4.9	32	1	1	3	6	9	13	33
B. FEMALE																				
0-12 YRS.	32	10.0	100	1	2	7	16	26	40	99+	5	12.6	93	1	4	13	21	23	23	23
13-19	680	8.8	75	1	3	6	12	20	26	41	84	5.5	23	1	2	4	7	13	16	21
20-34	760	5.0	20	1	2	4	7	11	14	20	115	4.5	38	1	2	3	5	8	12	36
35-49	412	6.1	31	1	2	4	8	14	17	25	63	4.3	15	1	2	3	5	11	13	19
50-64	115	7.3	33	2	3	6	9	14	18	31	23	4.0	15	1	1	3	5	8	12	18
65 +	102	9.7	58	2	3	9	14	21	25	34	27	6.6	30	2	3	5	8	15	18	25
ALL AGES	2101	6.9	47	1	2	5	9	15	20	34	317	5.0	29	1	2	3	6	12	15	24
SUBTOTAL	**3326**	**6.6**	**45**	**1**	**2**	**4**	**9**	**14**	**20**	**32**	**489**	**5.0**	**29**	**1**	**2**	**3**	**6**	**11**	**14**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	27	20.1	168	6	12	18	27	36	51	54	4	21.0	139	4	13	25	29	29	29	29
13-19	349	10.1	110	1	3	7	14	24	31	52	32	7.1	28	1	4	6	9	16	18	21
20-34	946	6.6	37	1	3	5	8	14	18	30	94	5.2	26	1	2	3	7	12	17	26
35-49	534	6.6	37	1	2	5	8	15	19	28	53	5.9	47	1	1	3	9	13	18	39
50-64	123	8.5	64	1	3	6	12	19	23	44	18	6.5	25	2	3	4	9	14	18	20
65 +	61	11.8	151	3	4	10	16	20	29	74	10	10.5	196	1	3	5	12	31	48	48
ALL AGES	2040	7.7	60	1	3	5	10	16	23	38	211	6.3	46	1	2	4	8	14	19	34
B. FEMALE																				
0-12 YRS.	28	15.7	89	4	10	13	21	30	33	38	5	17.8	203	4	7	11	31	36	36	36
13-19	538	10.3	105	1	3	7	14	23	30	48	55	6.8	41	1	3	5	8	14	24	30
20-34	1067	7.3	46	1	3	5	9	15	20	35	114	6.7	42	1	2	5	9	15	20	32
35-49	578	7.8	46	2	3	6	11	17	21	33	86	8.5	114	1	3	5	11	18	25	63
50-64	123	8.3	43	3	4	7	11	15	22	35	23	5.6	67	1	2	3	6	10	21	41
65 +	84	11.4	79	3	5	9	15	23	28	49	17	10.1	70	3	4	7	12	22	30	34
ALL AGES	2418	8.4	63	2	3	6	11	18	24	39	300	7.5	71	1	3	5	10	16	25	40
SUBTOTAL	**4458**	**8.0**	**63**	**1**	**3**	**6**	**11**	**17**	**23**	**38**	**511**	**7.0**	**61**	**1**	**2**	**4**	**9**	**15**	**21**	**39**
GRAND TOTAL	**7784**	**7.4**	**56**	**1**	**3**	**5**	**10**	**16**	**22**	**36**	**1000**	**6.0**	**47**	**1**	**2**	**4**	**7**	**13**	**19**	**34**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-19	14	9.5	107	1	3	4	16	28	31	32	2	8.0	2	7	7	8	9	9	9	9
20-34	6	8.5	60	1	2	7	11	21	22	22	3	4.0	4	2	2	4	5	6	6	6
35-49	11	8.2	27	2	3	8	12	15	17	17	2	5.5	25	2	2	5	9	9	9	9
50-64	3	13.7	257	2	3	7	26	32	32	32										
65 +	5	5.6	11	1	4	5	8	10	10	10	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	40	9.3	77	1	3	6	12	25	30	32	9	5.1	8	2	3	4	7	9	9	9
B. FEMALE																				
0-12 YRS.	2	18.0	242	7	7	18	29	29	29	29										
13-19	29	10.6	140	2	3	6	15	26	35	53	8	6.4	72	1	1	2	9	21	25	25
20-34	23	7.0	20	3	4	5	12	14	14	14	8	3.1	4	1	2	3	4	6	7	7
35-49	20	8.5	109	2	2	4	8	24	32	40	6	7.3	49	1	3	6	9	19	20	20
50-64	8	7.0	28	1	3	5	11	15	16	16	3	3.0	4	1	1	3	4	5	5	5
65 +	13	11.8	213	3	4	9	13	24	52	58	6	7.5	133	2	3	3	3	28	31	31
ALL AGES	95	9.3	105	2	3	6	13	20	29	56	31	5.6	52	1	2	3	6	15	25	31
SUBTOTAL	**135**	**9.3**	**96**	**2**	**3**	**6**	**13**	**22**	**29**	**54**	**40**	**5.5**	**42**	**1**	**2**	**3**	**7**	**11**	**22**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	32.3	63	18	30	35	37	39	40	40										
13-19	15	17.5	198	3	9	13	23	42	49	52	1	9.0		9	9	9	9	9	9	9
20-34	29	5.6	11	1	3	6	7	10	11	14	7	5.7	9	2	4	6	8	9	9	9
35-49	19	7.2	51	1	2	3	10	19	24	25	4	4.8	9	2	2	4	7	9	9	9
50-64	3	8.3	17	6	6	6	11	13	13	13	1	21.0		21	21	21	21	21	21	21
65 +	4	17.5	80	9	10	16	24	29	29	29	1	2.0		2	2	2	2	2	2	2
ALL AGES	77	11.5	128	2	3	7	14	29	36	49	14	6.5	26	2	3	5	9	11	19	21
B. FEMALE																				
0-12 YRS.	3	32.3	412	14	18	29	48	54	54	54										
13-19	33	16.4	200	4	6	12	21	40	46	64	8	13.5	131	3	4	10	22	31	34	34
20-34	49	7.9	44	2	3	7	10	16	26	29	12	5.2	45	2	2	3	4	13	24	26
35-49	37	10.7	50	2	5	10	17	20	22	23	8	5.8	24	1	3	4	8	14	15	15
50-64	5	7.2	83	1	2	3	11	23	23	23	2	8.0	32	4	4	8	12	12	12	12
65 +	9	11.0	68	4	5	8	18	24	26	26	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	136	11.4	111	2	4	8	16	23	28	55	32	7.6	65	2	3	4	10	21	26	34
SUBTOTAL	**213**	**11.4**	**117**	**2**	**4**	**8**	**15**	**26**	**35**	**53**	**46**	**7.2**	**53**	**2**	**3**	**4**	**9**	**19**	**24**	**34**
GRAND TOTAL	**348**	**10.6**	**109**	**2**	**3**	**7**	**14**	**24**	**32**	**53**	**86**	**6.4**	**48**	**1**	**3**	**4**	**8**	**15**	**24**	**33**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	13.6	105	3	6	11	19	28	54	99+	3	4.3	11	2	2	3	7	8	8	8
13-19	114	10.7	180	1	2	6	14	29	37	68	19	8.8	52	2	4	6	14	21	23	24
20-34	166	5.7	29	1	2	4	8	11	15	28	30	5.5	49	1	2	4	6	12	15	37
35-49	101	5.9	41	1	2	4	8	13	16	37	12	5.2	32	1	1	3	8	14	18	19
50-64	27	6.3	29	1	3	5	8	15	18	22	3	2.7	4	1	1	2	4	5	5	5
65 +	29	10.0	47	3	4	7	14	18	22	32	6	5.3	12	1	2	6	8	9	9	9
ALL AGES	462	7.7	80	1	2	5	9	17	27	42	73	6.2	41	1	2	4	8	15	19	34
B. FEMALE																				
0-12 YRS.	22	19.2	267	8	10	15	21	35	54	80	4	15.8	204	3	3	14	28	31	31	31
13-19	195	9.9	105	1	2	6	14	24	28	49	21	7.7	78	1	2	3	13	24	25	26
20-34	234	5.6	23	1	2	4	8	12	15	22	25	4.7	14	1	2	4	6	10	14	15
35-49	145	5.4	19	1	2	4	7	12	14	17	25	6.3	12	2	4	6	9	11	13	15
50-64	66	6.6	31	1	2	5	9	13	15	31	11	4.6	32	1	1	2	6	13	19	20
65 +	56	9.9	68	2	4	7	13	21	27	40	11	8.9	52	2	4	7	11	21	26	26
ALL AGES	718	7.6	64	1	2	5	10	17	23	36	97	6.7	43	1	2	4	8	15	24	29
SUBTOTAL	**1180**	**7.6**	**71**	**1**	**2**	**5**	**10**	**17**	**24**	**41**	**170**	**6.5**	**42**	**1**	**2**	**4**	**8**	**15**	**22**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	35	20.2	227	4	8	19	28	49	59	99+	7	26.1	426	9	12	19	32	61	68	68
13-19	125	10.0	84	1	3	7	15	23	27	42	15	10.6	114	2	5	6	13	31	36	38
20-34	318	6.8	54	1	2	4	9	15	19	33	30	8.0	37	1	3	7	11	17	22	25
35-49	168	6.4	28	1	3	5	8	13	18	22	13	9.5	88	2	4	5	14	24	30	32
50-64	43	10.2	109	2	3	8	14	23	30	52	7	5.6	47	2	2	3	4	18	21	21
65 +	21	8.4	38	2	4	7	11	18	22	23	6	6.2	22	1	3	5	8	13	14	14
ALL AGES	710	8.2	73	1	3	6	11	19	24	43	78	10.0	115	2	3	7	12	22	32	60
B. FEMALE																				
0-12 YRS.	18	16.2	138	3	6	15	27	30	37	41	6	24.7	249	13	14	19	27	52	55	55
13-19	172	10.7	103	2	4	7	15	22	32	51	21	8.4	59	2	4	6	10	23	27	30
20-34	406	7.2	46	2	3	5	9	14	20	30	43	6.6	34	1	2	5	8	15	19	27
35-49	209	7.4	37	2	3	6	10	17	20	29	28	6.8	24	2	3	6	8	15	18	18
50-64	55	9.1	37	2	4	8	14	16	21	27	12	9.5	54	3	4	9	12	18	27	29
65 +	43	10.2	52	2	5	8	15	20	23	33	5	7.6	5	6	6	6	9	11	11	11
ALL AGES	903	8.4	58	2	3	6	11	19	22	40	115	8.2	62	2	3	6	10	18	24	39
SUBTOTAL	**1613**	**8.3**	**65**	**2**	**3**	**6**	**11**	**19**	**23**	**41**	**193**	**9.0**	**82**	**2**	**3**	**6**	**11**	**20**	**27**	**48**
GRAND TOTAL	**2793**	**8.0**	**68**	**1**	**3**	**6**	**10**	**18**	**23**	**41**	**363**	**7.8**	**65**	**1**	**3**	**5**	**10**	**18**	**24**	**37**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	13.1	48	2	9	14	16	24	26	26	2	6.0	8	4	4	6	8	8	8	8
13-19	56	11.7	167	2	4	7	14	27	46	61	13	7.2	19	3	3	7	9	15	16	16
20-34	24	5.3	81	1	1	3	4	9	26	44										
35-49	9	6.7	21	2	3	6	11	13	14	14	2	7.5	13	5	5	7	10	10	10	10
50-64	1	11.0		11	11	11	11	11	11	11										
65 +	3	3.7	21	1	1	1	7	9	9	9										
ALL AGES	112	9.9	120	1	3	7	13	21	30	57	17	7.1	15	3	4	7	9	14	16	16
B. FEMALE																				
0-12 YRS.	7	17.6	140	1	9	15	27	34	35	35	2	14.5	85	8	8	14	21	21	21	21
13-19	71	13.1	193	1	4	10	17	26	53	66	12	8.1	21	2	4	8	11	14	17	17
20-34	8	5.1	11	1	2	4	8	9	10	10	2	6.0		6	6	6	6	6	6	6
35-49	4	5.5	41	1	2	3	9	15	15	15	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2										
65 +	3	12.7	184	2	3	8	23	28	28	28										
ALL AGES	95	12.2	170	1	3	9	16	28	34	65	17	8.2	28	1	5	7	11	16	20	21
SUBTOTAL	**207**	**11.0**	**142**	**1**	**3**	**7**	**14**	**23**	**33**	**61**	**34**	**7.6**	**22**	**3**	**4**	**7**	**10**	**15**	**17**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	21.4	143	2	13	23	31	36	37	37	2	31.0	1352	5	5	31	57	57	57	57
13-19	42	13.9	242	1	4	8	18	28	49	76	8	4.6	2	3	4	5	6	6	6	6
20-34	26	7.1	36	1	2	6	10	17	18	19	2	4.0	8	2	2	4	6	6	6	6
35-49	13	4.5	14	1	1	4	6	9	13	14	3	7.3	3	6	6	7	8	9	9	9
50-64																				
65 +	4	7.8	60	1	2	5	12	19	19	19										
ALL AGES	101	11.9	163	1	3	8	17	27	35	68	15	8.6	182	3	4	5	6	9	45	57
B. FEMALE																				
0-12 YRS.	6	21.7	182	10	14	18	22	45	48	48	2	12.5	5	11	11	12	14	14	14	14
13-19	53	13.3	240	2	4	8	17	34	59	99	3	13.0	301	2	2	4	26	33	33	33
20-34	12	6.5	137	1	1	3	6	18	39	43	4	2.8	4	1	1	2	4	5	5	5
35-49	6	4.5	6	2	3	4	5	9	9	9	4	4.8	6	1	3	5	6	7	7	7
50-64	1	11.0		11	11	11	11	11	11	11										
65 +	1	14.0		14	14	14	14	14	14	14	1	1.0		1	1	1	1	1	1	1
ALL AGES	79	12.2	209	2	3	7	15	31	46	94	14	6.8	72	1	1	4	7	16	29	33
SUBTOTAL	**180**	**12.0**	**183**	**1**	**3**	**7**	**16**	**29**	**42**	**79**	**29**	**7.7**	**126**	**1**	**3**	**5**	**6**	**13**	**34**	**57**
GRAND TOTAL	**387**	**11.5**	**160**	**1**	**3**	**7**	**15**	**27**	**36**	**65**	**63**	**7.7**	**68**	**2**	**4**	**6**	**9**	**14**	**18**	**54**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	45	19.9	254	4	9	18	28	52	99 +	99 +	2	8.5	113	1	1	8	16	16	16	16
13-19	172	11.7	132	1	3	8	16	28	40	55	16	13.5	96	2	4	11	23	25	27	28
20-34	94	5.1	16	1	2	4	7	10	13	20	15	4.5	83	1	1	2	4	5	29	37
35-49	59	5.5	26	1	2	4	8	12	15	29	4	5.0	23	1	2	3	8	12	12	12
50-64	10	6.2	25	1	2	5	10	13	15	15	1	2.0		2	2	2	2	2	2	2
65 +	11	8.4	66	1	2	4	13	20	27	28	2	4.5	13	2	2	4	7	7	7	7
ALL AGES	391	9.9	118	1	3	7	13	25	36	93	40	8.3	91	1	2	4	12	24	27	37
B. FEMALE																				
0-12 YRS.	35	17.9	198	5	7	16	25	35	41	70	2	17.0	392	3	3	17	31	31	31	31
13-19	294	11.4	96	2	5	8	16	23	29	48	36	13.6	108	1	4	12	20	28	31	38
20-34	134	5.7	62	1	2	4	7	12	17	40	17	5.4	16	1	2	4	8	11	14	15
35-49	72	5.8	28	1	2	4	7	13	15	27	12	4.4	11	1	2	3	7	9	9	9
50-64	16	4.8	24	1	1	3	7	8	16	20	3	2.7	2	1	1	3	4	4	4	4
65 +	28	14.8	346	3	5	10	16	26	52	96	2	4.5	1	4	4	4	5	5	5	5
ALL AGES	579	9.8	107	2	3	6	14	22	28	48	72	9.5	86	1	3	6	14	25	29	37
SUBTOTAL	**970**	**9.8**	**112**	**1**	**3**	**6**	**14**	**23**	**29**	**57**	**112**	**9.1**	**87**	**1**	**2**	**5**	**13**	**25**	**28**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	43	25.7	355	8	14	21	32	59	68	83	4	9.3	24	5	5	8	13	16	16	16
13-19	200	12.1	127	2	4	8	18	28	35	52	19	5.6	45	1	1	2	7	18	21	22
20-34	255	6.5	45	1	2	5	8	13	19	34	16	8.0	48	2	3	5	12	16	24	27
35-49	128	7.3	49	2	3	5	9	16	19	42	23	5.6	19	1	2	4	7	14	14	14
50-64	17	7.6	24	2	4	7	11	15	16	17	2	6.0	18	3	3	6	9	9	9	9
65 +	11	7.9	50	2	3	6	10	20	25	25	3	7.7	12	4	5	8	10	11	11	11
ALL AGES	654	9.7	114	2	3	6	12	23	32	55	67	6.5	33	1	2	5	9	14	17	26
B. FEMALE																				
0-12 YRS.	23	16.7	89	3	9	16	23	32	33	33	1	21.0		21	21	21	21	21	21	21
13-19	249	11.2	114	2	4	8	15	27	35	42	33	11.1	158	1	3	7	14	26	43	54
20-34	232	7.2	52	1	2	5	9	16	21	36	25	7.7	188	2	3	5	7	10	27	72
35-49	129	8.1	47	2	4	6	11	17	21	34	11	4.2	10	1	2	4	5	9	12	12
50-64	22	8.1	26	3	4	7	11	16	18	19	6	8.8	84	1	3	6	10	24	26	26
65 +	19	10.3	61	2	4	9	15	22	25	27	1	5.0		5	5	5	5	5	5	5
ALL AGES	674	9.3	79	2	3	7	12	21	30	39	77	8.9	141	1	3	5	10	21	29	67
SUBTOTAL	**1328**	**9.5**	**96**	**2**	**3**	**6**	**12**	**22**	**31**	**45**	**144**	**7.8**	**91**	**1**	**2**	**5**	**10**	**17**	**24**	**55**
GRAND TOTAL	**2298**	**9.6**	**103**	**2**	**3**	**6**	**13**	**22**	**30**	**50**	**256**	**8.4**	**89**	**1**	**2**	**5**	**10**	**21**	**27**	**45**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	18.9	417	3	6	14	26	67	90	99+	3	6.7	30	1	2	7	11	12	12	12
13-19	32	14.1	370	1	3	5	19	36	64	80	4	4.0	3	2	2	4	5	6	6	6
20-34	21	5.2	38	1	2	3	5	13	21	27	7	7.3	52	2	2	3	11	19	21	21
35-49	12	6.4	25	1	3	5	8	14	17	18	3	6.3	25	3	3	4	10	12	12	12
50-64	1	1.0		1	1	1	1	1	1	1										
65 +	2	2.0	2	1	1	2	3	3	3	3	1	5.0		5	5	5	5	5	5	5
ALL AGES	83	11.2	253	1	3	5	15	27	64	93	18	6.2	27	2	2	4	9	12	18	21
B. FEMALE																				
0-12 YRS.	28	24.3	325	3	10	23	29	41	68	77	4	3.8	14	1	1	2	6	9	9	9
13-19	53	14.2	358	2	3	7	14	50	66	72	16	5.6	23	2	3	4	6	12	18	20
20-34	79	10.6	119	1	3	7	14	29	32	55	10	4.6	27	1	1	3	5	13	18	18
35-49	61	12.4	172	1	3	6	20	28	37	57	9	10.2	116	2	3	5	13	29	34	34
50-64	5	15.8	112	3	10	14	21	32	32	32	1	3.0		3	3	3	3	3	3	3
65 +	4	13.8	116	7	8	9	20	30	30	30	3	4.3	1	4	4	4	5	5	5	5
ALL AGES	230	13.7	227	1	3	8	20	31	42	68	43	6.0	43	1	2	4	7	14	20	34
SUBTOTAL	**313**	**13.0**	**236**	**1**	**3**	**7**	**18**	**30**	**52**	**74**	**61**	**6.1**	**37**	**1**	**2**	**4**	**7**	**13**	**20**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	50	33.8	493	8	21	29	42	64	78	95	6	21.5	255	8	8	15	35	46	47	47
13-19	37	18.6	310	2	5	17	34	66	99+	99+	15	5.8	20	1	2	5	9	13	14	14
20-34	57	8.7	96	1	3	6	11	21	25	57	3	11.7	49	4	6	13	17	18	18	18
35-49	55	10.4	79	2	3	9	14	22	33	39	7	6.7	47	1	2	5	8	19	21	21
50-64	8	16.9	253	3	4	14	24	41	48	48										
65 +																				
ALL AGES	207	17.3	326	2	4	11	25	42	60	99+	31	9.6	103	1	3	6	13	19	34	47
B. FEMALE																				
0-12 YRS.	38	30.1	571	4	17	29	56	99+	99+	99+	8	19.9	436	1	4	15	28	55	63	63
13-19	129	17.6	279	3	6	12	28	42	62	99+	25	9.9	85	3	4	8	12	21	29	44
20-34	195	14.4	251	2	5	9	18	29	49	89	25	11.7	148	3	4	8	13	23	40	57
35-49	141	11.7	128	2	3	8	15	26	37	50	12	11.9	286	2	3	4	12	43	52	54
50-64	11	12.1	100	2	4	8	22	27	29	29	4	8.5	30	4	4	7	12	16	16	16
65 +	4	9.5	38	1	5	11	14	15	15	15										
ALL AGES	518	15.5	263	2	5	11	21	38	59	99+	74	11.8	173	2	3	8	14	25	43	62
SUBTOTAL	**725**	**16.0**	**262**	**2**	**5**	**11**	**22**	**39**	**60**	**99+**	**105**	**11.2**	**151**	**2**	**3**	**7**	**14**	**23**	**40**	**60**
GRAND TOTAL	**1038**	**15.1**	**270**	**2**	**4**	**9**	**21**	**37**	**59**	**99+**	**166**	**9.3**	**115**	**2**	**3**	**5**	**12**	**20**	**34**	**57**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	18.7	300	1	3	14	34	44	48	48	2	7.5	41	3	3	7	12	12	12	12
13-19	55	7.9	169	1	1	3	10	27	67	99+	9	3.7	23	1	1	2	4	12	16	16
20-34	55	3.8	13	1	1	2	5	9	10	19	8	3.6	9	1	1	3	5	8	9	9
35-49	32	4.4	23	1	1	3	6	9	10	25	3	2.0	1	1	1	2	3	3	3	3
50-64	2	3.5	13	1	1	3	6	6	6	6										
65 +	11	5.8	13	1	3	5	9	11	11	11										
ALL AGES	166	6.4	97	1	1	3	8	14	32	96	22	3.8	15	1	1	2	4	10	14	16
B. FEMALE																				
0-12 YRS.	9	13.1	146	2	4	10	32	99+	99+	99+										
13-19	102	6.7	50	1	1	4	9	17	23	28	11	1.6	1	1	1	1	2	3	3	3
20-34	70	3.1	7	1	1	2	4	7	9	12	19	4.3	27	1	1	3	5	7	16	24
35-49	49	3.9	11	1	1	3	5	8	11	17	8	5.0	14	1	2	4	7	11	12	12
50-64	11	4.7	12	1	3	5	6	9	13	13	2	8.5	13	6	6	8	11	11	11	11
65 +	12	9.6	43	4	5	8	11	22	23	23	3	16.3	535	3	3	3	33	43	43	43
ALL AGES	253	5.4	37	1	1	3	7	14	22	34	43	4.8	52	1	1	3	5	9	16	43
SUBTOTAL	**419**	**5.8**	**61**	**1**	**1**	**3**	**7**	**14**	**23**	**85**	**65**	**4.4**	**40**	**1**	**1**	**3**	**5**	**9**	**13**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	16.4	201	2	11	11	41	99+	99+	99+	1	17.0		17	17	17	17	17	17	17
13-19	64	9.6	93	2	3	6	13	22	26	53	2	6.0	32	2	2	6	10	10	10	10
20-34	93	5.9	33	1	2	4	8	14	16	29	19	3.8	14	1	1	3	5	7	12	17
35-49	56	5.4	21	1	2	4	7	12	16	21	8	4.6	7	1	3	4	6	8	9	9
50-64	16	7.4	32	2	3	6	11	17	19	20	3	8.3	33	2	4	10	12	13	13	13
65 +	11	7.5	17	3	5	6	10	14	14	14	1	20.0		20	20	20	20	20	20	20
ALL AGES	249	7.3	55	1	3	5	10	17	22	56	34	5.4	25	1	2	4	7	13	17	20
B. FEMALE																				
0-12 YRS.	10	10.8	119	3	4	5	15	28	37	37										
13-19	102	11.0	197	1	3	6	15	26	39	98	14	4.1	23	1	1	2	4	12	14	14
20-34	126	5.7	42	1	2	3	7	13	19	31	16	8.1	107	1	3	4	8	28	34	36
35-49	66	6.5	50	1	2	4	8	18	23	30	7	4.7	14	2	2	3	8	11	11	11
50-64	19	9.5	76	1	3	7	13	16	29	38	4	7.5	25	2	4	7	11	14	14	14
65 +	13	11.5	99	4	6	8	13	23	38	41	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	336	8.1	101	1	2	4	10	20	27	49	43	6.0	53	1	2	4	8	14	20	36
SUBTOTAL	**585**	**7.7**	**82**	**1**	**2**	**5**	**10**	**18**	**25**	**52**	**77**	**5.8**	**39**	**1**	**2**	**4**	**7**	**14**	**17**	**34**
GRAND TOTAL	**1004**	**6.9**	**74**	**1**	**2**	**4**	**9**	**17**	**23**	**60**	**142**	**5.1**	**41**	**1**	**2**	**3**	**6**	**12**	**16**	**37**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-19	1	53.0		53	53	53	53	53	53	53										
20-34	1	9.0		9	9	9	9	9	9	9										
35-49																				
50-64	2	9.5	1	9	9	9	10	10	10	10										
65 +											2	12.0	72	6	6	12	18	18	18	18
ALL AGES	5	17.0	411	4	8	9	21	53	53	53	2	12.0	72	6	6	12	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64	2	3.0	2	2	2	3	4	4	4	4										
65 +	1	14.0		14	14	57	99 +	99 +	99 +	99 +										
ALL AGES	4	6.3	27	2	3	5	35	99 +	99 +	99 +										
SUBTOTAL	**9**	**12.2**	**249**	**3**	**4**	**9**	**14**	**76**	**99 +**	**99 +**	**2**	**12.0**	**72**	**6**	**6**	**12**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	84.0		84	84	84	84	84	84	84										
13-19	1	17.0		17	17	17	17	17	17	17										
20-34																				
35-49	2	37.5	1301	12	12	37	63	63	63	63										
50-64																				
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	5	37.2	1160	10	11	17	68	84	84	84										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	19.0		19	19	19	19	19	19	19										
50-64																				
65 +	1	11.0		11	11	11	11	11	11	11	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	2	15.0	32	11	11	15	19	19	19	19	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**7**	**30.9**	**893**	**10**	**11**	**17**	**52**	**80**	**84**	**84**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**16**	**20.4**	**581**	**4**	**8**	**11**	**27**	**80**	**94**	**99 +**	**4**	**8.0**	**46**	**3**	**4**	**5**	**12**	**18**	**18**	**18**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	23.8	117	12	14	21	32	41	42	42	1	50.0		50	50	50	50	50	50	50
13-19	11	27.5	882	1	2	13	45	78	80	80	1	29.0		29	29	29	29	29	29	29
20-34	32	13.2	123	2	4	11	19	38	42	99 +	4	16.0	10	12	13	16	18	19	19	19
35-49	15	13.7	112	4	7	10	25	88	99 +	99 +	5	10.4	43	3	7	10	13	21	21	21
50-64	22	15.8	243	4	6	11	16	38	53	67	4	15.3	149	1	7	14	23	31	31	31
65 +	37	12.4	110	2	5	13	17	20	22	60	8	9.1	38	3	5	8	12	19	21	21
ALL AGES	129	15.7	214	2	6	13	20	40	59	99 +	23	14.3	124	3	7	12	19	29	38	50
B. FEMALE																				
0-12 YRS.	4	25.3	428	1	8	28	42	44	44	44										
13-19	9	21.1	334	1	6	15	32	50	51	51	3	17.7	168	5	8	17	27	31	31	31
20-34	17	14.8	259	2	7	12	21	88	99 +	99 +	3	9.7	45	2	4	12	14	15	15	15
35-49	18	12.3	94	4	5	11	15	20	35	44	3	12.0	169	4	4	5	21	27	27	27
50-64	11	7.1	35	2	3	5	12	16	20	20	4	5.3	32	1	1	4	9	13	13	13
65 +	43	14.6	126	3	7	13	20	27	43	49	12	13.2	424	3	4	6	12	34	71	77
ALL AGES	102	14.4	168	2	5	12	19	41	48	99 +	25	11.9	243	2	4	6	15	27	42	77
SUBTOTAL	**231**	**15.1**	**194**	**2**	**6**	**13**	**20**	**41**	**49**	**99 +**	**48**	**13.0**	**185**	**2**	**5**	**9**	**16**	**28**	**33**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	30.0	278	14	15	26	40	55	64	67	1	3.0		3	3	3	3	3	3	3
13-19	21	14.6	77	4	11	13	17	25	35	40	1	11.0		11	11	11	11	11	11	11
20-34	50	13.7	52	4	9	13	18	23	24	32	3	10.3	122	3	3	5	18	23	23	23
35-49	31	15.8	106	6	9	15	18	32	39	44	5	8.0	49	1	2	8	13	18	18	16
50-64	21	14.9	187	5	7	11	15	29	46	65	3	13.7	119	5	6	10	22	26	26	26
65 +	27	14.0	111	5	8	12	16	25	32	55	7	9.9	81	1	2	8	16	24	25	25
ALL AGES	166	16.0	130	5	9	14	19	30	39	64	20	9.8	66	1	3	8	15	24	25	26
B. FEMALE																				
0-12 YRS.																				
13-19	9	16.3	330	3	5	8	21	48	57	57										
20-34	26	19.6	277	3	8	15	25	37	55	77	2	2.0	2	1	1	2	3	3	3	3
35-49	9	13.4	66	4	8	13	16	26	30	30	3	18.0	147	7	9	16	27	31	31	31
50-64	5	10.2	24	2	9	11	13	15	15	15										
65 +	32	14.2	142	3	7	13	17	21	48	56	10	9.0	64	2	3	7	11	20	29	29
ALL AGES	81	15.9	189	3	8	13	18	35	50	71	15	9.9	85	2	3	7	12	29	30	31
SUBTOTAL	**247**	**15.9**	**151**	**4**	**8**	**14**	**19**	**31**	**40**	**65**	**35**	**9.8**	**73**	**2**	**3**	**8**	**12**	**25**	**28**	**31**
GRAND TOTAL	**478**	**15.5**	**172**	**3**	**7**	**13**	**19**	**35**	**45**	**93**	**83**	**11.7**	**138**	**2**	**4**	**9**	**16**	**26**	**31**	**68**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	49	2.1	17	1	1	1	2	3	4	30	51	2.1	8	1	1	1	2	3	7	20
13-19	39	4.3	209	1	1	2	3	4	5	92	48	4.6	99	1	1	2	3	8	18	50
20-34	84	4.1	17	1	1	3	5	9	13	21	53	3.3	15	1	1	2	4	6	11	19
35-49	41	6.0	107	1	2	3	6	15	19	63	23	2.6	3	1	1	2	3	5	7	8
50-64	24	5.2	20	1	3	4	6	12	15	18	12	3.8	7	1	2	3	5	7	10	11
65 +	17	7.1	37	1	3	4	12	15	20	22	16	5.1	29	1	2	4	5	8	19	24
ALL AGES	254	4.4	63	1	1	2	4	9	15	30	203	3.4	33	1	1	2	3	6	9	36
B. FEMALE																				
0-12 YRS.	33	1.8	4	1	1	1	2	3	8	9	28	1.6	1	1	1	1	2	3	4	4
13-19	23	2.4	4	1	1	2	3	4	7	10	17	2.9	5	1	1	3	3	6	8	9
20-34	54	4.2	35	1	2	3	5	8	10	42	38	4.1	14	1	1	3	6	9	11	18
35-49	39	5.9	44	1	2	3	8	14	24	26	30	4.5	15	1	2	3	5	11	13	17
50-64	20	3.1	2	1	2	3	4	5	6	8	19	2.6	2	1	1	2	3	5	6	7
65 +	31	5.5	57	2	2	4	5	9	11	44	33	6.6	111	1	3	4	7	10	13	63
ALL AGES	200	4.0	30	1	1	3	4	8	11	35	165	4.0	31	1	1	3	4	8	10	18
SUBTOTAL	**454**	**4.2**	**49**	**1**	**1**	**2**	**4**	**9**	**14**	**30**	**368**	**3.6**	**32**	**1**	**1**	**2**	**4**	**7**	**10**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	3.0	1	2	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
13-19	3	15.0	547	1	1	2	32	42	42	42	4	2.8	1	2	2	3	3	4	4	4
20-34	31	8.3	238	1	2	4	10	16	19	87	10	2.7	2	1	2	2	4	5	5	5
35-49	11	16.8	423	1	2	4	29	46	64	66	12	3.1	5	1	1	2	5	7	7	7
50-64	9	13.1	151	2	4	6	21	33	37	37	4	3.0	7	1	1	2	5	7	7	7
65 +	6	22.0	1186	3	8	8	13	84	92	92	4	11.8	116	6	6	7	17	28	28	28
ALL AGES	63	11.9	340	1	2	5	13	30	50	91	35	3.9	21	1	2	2	5	7	7	28
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
13-19	2	15.0	338	2	2	15	28	28	28	28	1	5.0		5	5	5	5	5	5	5
20-34	6	3.7	4	2	2	3	5	7	7	7	5	2.2	1	1	2	2	3	3	3	3
35-49	12	5.8	31	1	2	5	6	13	21	22	1	4.0		4	4	4	4	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3	1	6.0		6	6	6	6	6	6	6
65 +	8	9.5	144	3	5	6	15	76	99 +	99 +	11	6.5	13	2	2	7	10	11	11	11
ALL AGES	32	6.5	66	2	2	5	6	23	37	99 +	20	5.2	10	2	2	4	7	10	11	11
SUBTOTAL	**95**	**10.1**	**252**	**1**	**2**	**5**	**10**	**28**	**41**	**96**	**55**	**4.3**	**18**	**1**	**2**	**3**	**6**	**7**	**11**	**27**
GRAND TOTAL	**549**	**5.2**	**89**	**1**	**1**	**3**	**5**	**11**	**18**	**63**	**423**	**3.7**	**31**	**1**	**1**	**2**	**4**	**7**	**10**	**25**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	19.0		19	19	19	19	19	19	19
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3	1	18.0		18	18	18	18	18	18	18
35-49	3	14.0	111	4	6	13	22	25	25	25	3	9.7	5	7	8	10	11	12	12	12
50-64	4	15.8	242	2	3	12	28	36	36	36	1	3.0		3	3	3	3	3	3	3
65 +	8	6.6	12	3	4	6	8	12	13	13	4	10.3	8	6	8	11	12	13	13	13
ALL AGES	16	10.1	90	2	4	6	13	24	33	36	10	11.0	25	4	7	11	13	18	19	19
B. FEMALE																				
0-12 YRS.											1	10.0		10	10	10	10	10	10	10
13-19																				
20-34	2	59.0		59	59	59	59	59	59	59										
35-49	2	6.5	13	4	4	6	9	9	9	9										
50-64	4	8.8		8	8	9	9	10	10	10	1	8.0		8	8	8	8	8	8	8
65 +	8	9.0	35	3	5	7	13	18	19	19	4	8.3	46	2	4	6	12	18	18	18
ALL AGES	16	14.9	314	4	6	8	13	55	59	59	6	8.5	29	2	6	7	10	17	18	18
SUBTOTAL	**32**	**12.5**	**201**	**3**	**5**	**8**	**13**	**28**	**56**	**59**	**16**	**10.1**	**25**	**3**	**6**	**10**	**12**	**18**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	16.7	23	11	13	19	20	20	20	20										
20-34	2	51.0	2048	19	19	51	83	83	83	83	1	2.0		2	2	2	2	2	2	2
35-49	3	8.7	7	7	7	7	11	12	12	12										
50-64	1	8.0		8	8	8	8	8	8	8										
65 +	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
ALL AGES	10	19.7	520	7	8	12	19	51	83	83	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	1	23.0		23	23	23	23	23	23	23										
20-34	1	21.0		21	21	21	21	21	21	21										
35-49	1	15.0		15	15	15	15	15	15	15										
50-64	2	7.5	5	6	6	7	9	9	9	9	1	5.0		5	5	5	5	5	5	5
65 +	8	9.3	14	4	6	9	12	14	14	14										
ALL AGES	13	11.4	34	5	7	10	14	21	23	23	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**23**	**15.0**	**249**	**6**	**8**	**11**	**18**	**21**	**44**	**83**	**3**	**3.0**	**3**	**2**	**2**	**2**	**4**	**5**	**5**	**5**
GRAND TOTAL	**55**	**13.5**	**220**	**4**	**6**	**9**	**15**	**23**	**53**	**82**	**19**	**8.9**	**30**	**2**	**5**	**8**	**12**	**18**	**19**	**19**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	41.0		41	41	70	99 +	99 +	99 +	99 +	1	2.0		2	2	2	2	2	2	2
13-19	4	17.8	576	1	2	8	33	53	53	53	2	4.5	1	4	4	4	5	5	5	5
20-34	14	11.1	159	1	5	7	11	28	44	48	3	9.0	37	2	4	12	13	13	13	13
35-49	21	8.4	53	1	3	5	14	19	24	25	5	5.2	9	3	3	4	7	10	10	10
50-64	17	9.0	47	1	4	8	11	19	25	28	8	11.3	148	3	4	6	14	33	39	39
65 +	118	10.9	144	2	4	8	14	21	32	92	70	9.5	61	3	4	7	12	17	26	39
ALL AGES	175	10.8	136	2	4	8	14	23	36	97	89	9.2	63	3	4	7	12	17	26	39
B. FEMALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31	1	2.0		2	2	2	2	2	2	2
13-19	3	8.7	68	2	3	6	15	18	18	18										
20-34	3	6.7	41	2	2	4	11	14	14	14										
35-49	5	15.0	135	1	5	14	25	29	29	29										
50-64	23	13.6	233	3	4	7	18	42	53	54	6	9.0	14	3	7	9	12	13	13	13
65 +	179	12.0	177	2	5	8	15	23	37	93	125	9.8	103	3	4	6	13	23	51	99 +
ALL AGES	214	12.2	178	2	4	8	15	24	38	86	132	9.7	99	3	4	6	13	22	48	99 +
SUBTOTAL	**389**	**11.5**	**161**	**2**	**4**	**8**	**14**	**24**	**37**	**94**	**221**	**9.5**	**84**	**3**	**4**	**7**	**12**	**21**	**37**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	84.0		84	84	84	84	84	84	84										
13-19	5	18.4	82	5	13	18	25	29	29	29	1	8.0		8	8	8	8	8	8	8
20-34	16	16.3	312	1	7	10	15	48	57	61	4	15.0	109	4	8	13	22	29	29	29
35-49	23	8.9	89	2	3	6	9	20	32	42	7	17.0	708	3	4	9	10	64	77	77
50-64	30	13.7	123	3	5	12	23	33	43	99 +	9	10.9	280	2	4	5	8	37	55	55
65 +	73	13.3	238	3	5	9	14	29	50	89	31	12.3	183	4	6	7	14	32	53	55
ALL AGES	148	13.6	229	3	5	8	16	31	49	98	52	12.8	246	3	5	7	12	31	55	77
B. FEMALE																				
0-12 YRS.																				
13-19	2	20.0	2	19	19	20	21	21	21	21										
20-34	5	8.6	35	3	4	6	15	15	15	15	1	1.0		1	1	1	1	1	1	1
35-49	10	9.7	112	1	3	7	11	27	35	35	2	2.5	1	2	2	2	3	3	3	3
50-64	27	13.2	100	3	6	10	19	28	35	37	2	1.5	1	1	1	1	2	2	2	2
65 +	105	13.0	88	3	7	11	17	26	29	71	38	7.5	33	2	4	6	10	15	26	99 +
ALL AGES	149	12.7	91	3	6	11	18	26	31	48	43	6.8	33	2	3	5	9	14	26	99 +
SUBTOTAL	**297**	**13.2**	**158**	**3**	**5**	**9**	**17**	**28**	**39**	**91**	**95**	**10.1**	**157**	**2**	**4**	**7**	**10**	**25**	**49**	**89**
GRAND TOTAL	**686**	**12.3**	**158**	**2**	**5**	**8**	**15**	**26**	**37**	**94**	**316**	**9.7**	**105**	**3**	**4**	**7**	**12**	**21**	**38**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	30.4	249	12	23	28	35	48	58	86	4	1.5		1	1	1	2	2	2	2
13-19	103	12.2	189	1	3	8	14	30	42	68	16	8.8	119	1	1	2	19	28	29	29
20-34	107	6.8	78	1	2	4	8	15	23	51	45	6.8	38	1	1	6	11	16	21	22
35-49	102	7.8	64	1	2	6	10	17	24	42	20	7.6	72	1	2	4	10	17	27	36
50-64	51	7.8	36	1	3	6	11	19	21	22	22	5.9	30	1	3	4	6	17	19	19
65 +	82	12.5	106	2	6	10	18	26	34	49	20	10.2	156	1	3	5	13	30	43	46
ALL AGES	470	10.6	134	1	3	7	14	25	32	55	127	7.4	70	1	1	4	11	19	22	41
B. FEMALE																				
0-12 YRS.	24	22.0	117	8	13	21	29	37	41	44	4	2.0	2	1	1	2	3	4	4	4
13-19	143	14.1	241	1	3	8	21	35	51	64	24	6.8	74	1	1	3	10	20	25	31
20-34	243	7.9	72	1	2	5	11	20	25	33	87	5.3	35	1	1	3	7	13	18	27
35-49	190	8.2	66	1	3	6	11	20	25	36	69	4.7	30	1	2	3	6	11	15	86
50-64	114	9.3	53	2	3	8	14	20	24	30	43	4.7	35	1	1	3	5	10	13	36
65 +	162	12.5	128	2	6	9	16	27	32	59	58	5.9	22	2	3	5	7	11	15	27
ALL AGES	876	10.4	117	1	3	7	14	24	31	56	285	5.3	34	1	2	3	6	12	17	32
SUBTOTAL	**1346**	**10.4**	**124**	**1**	**3**	**7**	**14**	**25**	**31**	**56**	**412**	**5.9**	**46**	**1**	**2**	**4**	**7**	**15**	**20**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	45	29.0	211	8	21	30	37	47	87	99 +	2	3.0		3	3	3	3	3	3	3
13-19	174	18.0	329	2	6	13	26	40	61	94	12	8.8	56	2	3	8	11	19	27	28
20-34	262	9.4	96	1	3	6	12	21	27	44	47	8.7	110	1	2	4	12	26	32	46
35-49	197	8.6	74	1	3	6	12	21	24	39	34	8.7	92	1	2	3	14	26	28	32
50-64	58	11.4	62	3	5	9	15	25	27	30	10	6.7	45	1	2	4	7	18	22	22
65 +	51	14.7	162	3	7	12	17	28	41	62	18	9.8	63	3	4	7	14	24	26	27
ALL AGES	787	12.7	179	2	4	8	17	29	37	81	123	8.6	85	1	2	4	12	24	28	42
B. FEMALE																				
0-12 YRS.	29	26.1	259	4	14	28	40	48	67	99 +	2	19.5	481	4	4	19	35	35	35	35
13-19	234	16.9	233	2	6	13	24	36	50	89	21	4.1	8	1	2	3	5	9	10	10
20-34	319	9.3	71	1	3	7	13	22	26	40	63	6.4	69	1	2	3	7	17	23	46
35-49	301	10.6	89	1	3	8	15	24	25	47	56	5.3	29	1	2	4	7	12	15	28
50-64	70	12.2	130	2	4	8	19	27	40	51	16	7.6	61	1	2	5	10	19	26	29
65 +	101	14.4	159	3	6	11	19	28	46	59	26	5.4	16	2	3	5	6	13	15	16
ALL AGES	1054	12.5	143	2	4	9	18	27	37	60	184	5.9	46	1	2	4	7	14	18	33
SUBTOTAL	**1841**	**12.6**	**158**	**2**	**4**	**9**	**18**	**28**	**37**	**68**	**307**	**7.0**	**63**	**1**	**2**	**4**	**9**	**17**	**26**	**37**
GRAND TOTAL	**3187**	**11.7**	**144**	**1**	**3**	**8**	**16**	**27**	**35**	**62**	**719**	**6.4**	**53**	**1**	**2**	**4**	**8**	**16**	**22**	**36**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	24	23.7	537	2	9	15	32	61	81	85	4	37.3	492	20	24	29	50	70	70	70
13-19	54	13.7	109	3	6	11	19	26	33	56	6	10.2	80	3	3	7	15	25	26	26
20-34	8	9.4	66	3	4	7	10	23	28	28										
35-49	5	6.4	14	3	4	4	10	11	11	11										
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	92	15.4	235	3	5	11	19	32	43	82	10	21.0	406	3	5	17	29	50	70	70
B. FEMALE																				
0-12 YRS.	10	10.4	39	4	5	9	15	20	21	21	1	2.0		2	2	2	2	2	2	2
13-19	7	13.0	39	6	8	12	18	21	22	22										
20-34	2	9.0	8	7	7	9	11	11	11	11										
35-49																				
50-64																				
65 +																				
ALL AGES	19	11.2	35	4	7	10	16	21	22	22	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**111**	**14.7**	**202**	**3**	**6**	**10**	**19**	**29**	**42**	**81**	**11**	**19.3**	**397**	**2**	**4**	**15**	**28**	**46**	**68**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	48	25.2	314	6	12	28	39	69	99 +	99 +	13	54.5	630	20	34	60	66	93	95	95
13-19	76	22.6	426	3	7	19	33	62	91	99 +	11	20.4	324	2	7	17	30	49	59	60
20-34	2	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
35-49											1	6.0		6	6	6	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7										
65 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	128	23.1	379	3	9	21	35	61	99	99 +	26	36.3	793	6	12	33	60	76	93	95
B. FEMALE																				
0-12 YRS.	9	20.6	236	1	11	19	31	43	49	49	4	19.5	160	2	10	22	28	31	31	31
13-19	18	20.4	383	2	7	15	29	55	57	57										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	27	20.5	321	1	7	15	30	53	56	57	4	19.5	160	2	10	22	28	31	31	31
SUBTOTAL	**155**	**22.7**	**366**	**3**	**9**	**19**	**35**	**56**	**95**	**99 +**	**30**	**34.1**	**731**	**4**	**12**	**28**	**60**	**70**	**93**	**95**
GRAND TOTAL	**266**	**19.4**	**311**	**3**	**7**	**14**	**29**	**47**	**72**	**99 +**	**41**	**30.1**	**675**	**3**	**8**	**21**	**45**	**66**	**84**	**95**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	10.5	25	7	7	10	14	14	14	14	1	1.0		1	1	1	1	1	1	1
13-19	7	14.4	179	5	6	8	18	38	42	42										
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4										
50-64																				
65 +																				
ALL AGES	10	12.6	133	4	5	8	14	31	42	42	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	5	5.0	35	1	1	1	9	14	14	14	1	1.0		1	1	1	1	1	1	1
13-19	7	11.4	25	5	8	10	15	18	19	19										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	12	8.8	36	1	3	9	14	16	19	19	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**22**	**10.5**	**80**	**1**	**5**	**8**	**14**	**19**	**29**	**42**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	21.0	98	14	14	21	28	28	28	28	1	17.0		17	17	17	17	17	17	17
13-19	9	15.3	77	4	10	14	20	28	32	32	2	18.5	85	12	12	18	25	25	25	25
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	11	16.4	75	6	11	14	22	30	32	32	3	18.0	43	12	13	17	23	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-19	10	14.9	259	1	5	9	13	44	46	46	2	17.0	162	8	8	17	26	26	26	26
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	11	13.6	252	1	3	9	13	44	46	46	2	17.0	162	8	8	17	26	26	26	26
SUBTOTAL	**22**	**15.0**	**158**	**2**	**8**	**12**	**19**	**35**	**44**	**46**	**5**	**17.6**	**62**	**8**	**11**	**17**	**25**	**26**	**26**	**26**
GRAND TOTAL	**44**	**12.8**	**120**	**1**	**5**	**10**	**15**	**28**	**42**	**46**	**7**	**12.9**	**106**	**1**	**3**	**12**	**23**	**26**	**26**	**26**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	16.9	198	1	5	15	29	37	41	42	1	5.0		5	5	5	5	5	5	5
13-19	51	14.9	197	4	6	11	18	42	52	99	6	8.0	21	2	3	9	10	14	14	14
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	66	15.4	193	3	5	11	21	41	50	94	7	7.6	18	2	3	9	10	13	14	14
B. FEMALE																				
0-12 YRS.	2	13.5	41	9	9	13	18	18	18	18										
13-19	31	18.0	258	2	8	15	22	34	62	70	3	11.7	29	6	7	12	16	17	17	17
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	33	17.7	245	2	8	15	21	34	59	70	3	11.7	29	6	7	12	16	17	17	17
SUBTOTAL	**99**	**16.2**	**208**	**3**	**6**	**12**	**21**	**36**	**51**	**85**	**10**	**8.8**	**23**	**2**	**5**	**9**	**12**	**15**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	22.7	220	5	15	20	35	75	99 +	99 +	1	9.0		9	9	9	9	9	9	9
13-19	104	20.9	373	4	7	17	29	59	85	99 +	2	10.5	181	1	1	10	20	20	20	20
20-34	2	7.5	85	1	1	7	14	14	14	14										
35-49																				
50-64																				
65 +																				
ALL AGES	115	20.8	357	3	7	17	29	58	88	99 +	3	10.0	91	1	3	9	17	20	20	20
B. FEMALE																				
0-12 YRS.	5	24.6	1110	7	8	10	31	84	84	84	1	4.0		4	4	4	4	4	4	4
13-19	64	22.8	388	3	6	18	36	57	60	81	4	11.0	47	6	6	8	15	21	21	21
20-34	1	7.0		7	7	7	7	7	7	7										
35-49																				
50-64																				
65 +																				
ALL AGES	70	22.7	422	3	7	15	34	57	60	84	5	9.6	45	4	5	7	13	21	21	21
SUBTOTAL	**185**	**21.5**	**381**	**3**	**7**	**17**	**33**	**58**	**80**	**99 +**	**8**	**9.8**	**51**	**2**	**5**	**8**	**15**	**21**	**21**	**21**
GRAND TOTAL	**284**	**19.6**	**328**	**3**	**7**	**14**	**29**	**49**	**65**	**99 +**	**18**	**9.2**	**34**	**2**	**5**	**9**	**12**	**19**	**21**	**21**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	31	20.0	323	2	9	16	35	40	83	99+	4	10.8	29	3	7	12	14	16	16	16
13-19	74	19.4	198	2	9	18	32	42	60	99+	3	8.7	3	7	7	8	10	11	11	11
20-34	32	10.0	71	1	4	10	13	22	38	99+	4	8.5	26	4	4	7	12	15	15	15
35-49	16	7.5	42	2	3	6	9	18	22	24	3	4.0	3	3	3	3	5	6	6	6
50-64	5	8.8	82	4	4	5	10	25	25	25										
65 +	2	12.5	221	2	2	12	23	23	23	23										
ALL AGES	160	16.0	199	2	5	12	24	38	48	99+	14	8.2	21	3	4	7	11	15	16	16
B. FEMALE																				
0-12 YRS.	5	22.2	173	7	9	25	34	35	35	35	1	22.0		22	22	22	22	22	22	22
13-19	16	7.1	16	3	5	7	11	75	99+	99+	1	15.0		15	15	15	15	15	15	15
20-34	16	15.8	168	3	10	14	17	23	49	60										
35-49	8	8.1	30	1	4	7	12	16	17	17										
50-64	7	19.3	292	3	7	10	30	45	49	49										
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	53	12.9	136	3	6	10	16	34	57	99+	2	18.5	25	15	15	18	22	22	22	22
SUBTOTAL	**213**	**15.2**	**185**	**2**	**5**	**12**	**23**	**38**	**49**	**99+**	**16**	**9.5**	**32**	**3**	**4**	**9**	**14**	**16**	**20**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	47	28.0	451	7	13	24	40	77	95	99+	1	15.0		15	15	15	15	15	15	15
13-19	146	20.7	233	6	10	17	27	41	53	83	7	13.4	196	2	3	10	19	37	41	41
20-34	68	11.9	187	1	4	8	14	24	50	67	5	4.8	7	1	2	6	7	7	7	7
35-49	24	12.3	55	5	7	9	17	22	27	31	4	2.3	1	1	1	2	3	4	4	4
50-64	2	15.5	13	13	13	15	18	18	18	18										
65 +	6	9.2	20	5	6	7	12	16	17	17										
ALL AGES	293	18.9	265	4	8	14	25	41	55	98	17	8.4	102	1	2	6	10	21	34	41
B. FEMALE																				
0-12 YRS.	7	27.9	308	7	14	32	38	53	56	56	1	41.0		41	41	41	41	41	41	41
13-19	40	19.3	218	5	11	17	27	35	93	99+	3	21.0	181	10	12	17	31	36	36	36
20-34	14	8.4	25	3	3	8	13	14	15	15	4	13.5	50	6	9	12	18	23	23	23
35-49	6	12.7	59	5	6	11	17	24	25	25	4	8.8	38	3	3	8	14	16	16	16
50-64	1	10.0		10	10	10	10	10	10	10										
65 +	1	12.0		12	12	12	12	12	12	12	1	3.0		3	3	3	3	3	3	3
ALL AGES	69	17.1	196	4	7	15	25	34	55	99+	13	15.1	143	3	5	12	18	37	40	41
SUBTOTAL	**362**	**18.5**	**254**	**4**	**8**	**14**	**25**	**41**	**56**	**99+**	**30**	**11.3**	**127**	**2**	**3**	**7**	**15**	**29**	**41**	**41**
GRAND TOTAL	**575**	**17.3**	**230**	**3**	**7**	**14**	**24**	**39**	**54**	**99+**	**46**	**10.7**	**92**	**2**	**3**	**8**	**15**	**22**	**37**	**41**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	15.5	127	3	10	13	20	34	38	38										
13-19	7	8.3	45	2	3	6	14	18	19	19										
20-34	1	54.0		54	54	54	54	54	54	54										
35-49																				
50-64																				
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	17	14.3	190	2	6	11	17	35	48	54										
B. FEMALE																				
0-12 YRS.																				
13-19	7	18.0	232	1	4	18	28	40	43	43	1	2.0		2	2	2	2	2	2	2
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	7	18.0	232	1	4	18	28	40	43	43	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**24**	**15.4**	**195**	**2**	**5**	**11**	**20**	**38**	**46**	**54**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	22.2	425	4	8	20	29	57	57	57										
13-19	10	9.1	22	3	5	8	14	15	16	16										
20-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-49	1	12.0		12	12	12	12	12	12	12										
50-64																				
65 +																				
ALL AGES	17	12.8	160	3	5	10	15	20	44	57	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19	17	16.4	144	4	6	14	26	30	41	47	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64																				
65 +	1	82.0		82	82	82	82	82	82	82										
ALL AGES	19	19.2	368	4	5	14	27	40	66	82	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**36**	**16.2**	**272**	**4**	**5**	**12**	**19**	**30**	**54**	**82**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**60**	**15.9**	**237**	**3**	**5**	**12**	**19**	**34**	**50**	**79**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	10.0	123	1	2	4	21	27	30	31	6	5.2	47	1	2	3	4	17	19	19
13-19	22	16.7	166	2	8	16	24	30	42	53	7	8.0	57	2	3	8	8	21	24	24
20-34	8	8.6	11	5	6	8	11	13	13	13	1	7.0		7	7	7	7	7	7	7
35-49	5	4.4	1	3	4	4	5	6	6	6										
50-64											1	4.0		4	4	4	4	4	4	4
65 +	3	14.0	100	4	6	14	21	24	24	24										
ALL AGES	52	12.3	124	2	4	8	20	28	31	53	15	6.5	44	2	2	4	8	19	23	24
B. FEMALE																				
0-12 YRS.	7	20.1	670	1	2	4	47	57	57	57	2	1.0		1	1	1	1	1	1	1
13-19	15	8.0	39	2	3	7	11	16	22	24	2	5.5	5	4	4	5	7	7	7	7
20-34	4	3.3	4	1	1	3	5	5	5	5	1	13.0		13	13	13	13	13	13	13
35-49	2	4.5	25	1	1	4	8	8	8	8										
50-64																				
65 +																				
ALL AGES	28	10.1	208	1	2	5	10	22	57	57	5	5.2	25	1	1	4	8	13	13	13
SUBTOTAL	**80**	**11.6**	**151**	**1**	**3**	**7**	**17**	**27**	**32**	**57**	**20**	**6.2**	**38**	**1**	**2**	**4**	**8**	**16**	**21**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	10.3	110	1	1	6	19	25	31	32	3	18.7	375	2	5	14	33	40	40	40
13-19	27	16.4	147	5	7	10	27	35	38	45	3	26.7	912	1	5	19	50	60	60	60
20-34	7	6.9	25	3	3	5	11	15	15	15	1	1.0		1	1	1	1	1	1	1
35-49											1	1.0		1	1	1	1	1	1	1
50-64																				
65 +																				
ALL AGES	46	13.3	131	2	5	9	20	31	36	45	8	17.3	481	1	1	8	29	54	60	60
B. FEMALE																				
0-12 YRS.	2	12.5	13	10	10	12	15	15	15	15	1	8.0		8	8	8	8	8	8	8
13-19	16	14.3	108	2	6	11	25	28	31	32	4	17.3	108	5	9	17	25	30	30	30
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	1	11.0		11	11	11	11	11	11	11										
50-64	2	4.0	18	1	1	4	7	7	7	7										
65 +	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
ALL AGES	23	12.1	93	1	5	11	17	28	30	32	6	13.5	102	4	5	11	20	29	30	30
SUBTOTAL	**69**	**12.9**	**117**	**1**	**5**	**10**	**20**	**30**	**32**	**43**	**14**	**15.6**	**304**	**1**	**2**	**11**	**20**	**42**	**56**	**60**
GRAND TOTAL	**149**	**12.2**	**135**	**1**	**4**	**9**	**18**	**28**	**32**	**57**	**34**	**10.1**	**163**	**1**	**2**	**5**	**14**	**25**	**38**	**60**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	72	15.3	215	1	3	11	26	34	52	94	7	4.9	34	1	1	2	6	15	17	17
13-19	103	14.7	200	2	5	10	20	35	52	80	14	5.3	35	1	2	3	7	11	20	23
20-34	14	8.3	213	1	2	4	6	16	49	58										
35-49	3	6.7	26	1	3	8	10	11	11	11	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4										
65 +	4	4.3	27	1	1	2	7	12	12	12										
ALL AGES	198	14.0	204	1	4	9	20	34	51	86	22	5.0	32	1	1	3	7	12	19	23
B. FEMALE																				
0-12 YRS.	19	16.2	450	1	2	8	21	51	70	75	2	1.0		1	1	1	1	1	1	1
13-19	81	13.5	109	2	6	12	19	27	32	51	7	7.7	23	2	4	7	10	15	16	16
20-34	6	7.5	12	4	5	7	8	13	14	14	1	1.0		1	1	1	1	1	1	1
35-49	3	22.3	803	6	6	6	43	55	55	55										
50-64																				
65 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	110	13.8	176	2	5	10	19	30	34	68	10	5.7	26	1	1	5	8	13	16	16
SUBTOTAL	**308**	**13.9**	**194**	**2**	**4**	**10**	**20**	**32**	**50**	**74**	**32**	**5.2**	**29**	**1**	**1**	**3**	**7**	**12**	**17**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	64	23.6	226	5	10	25	41	45	58	99+	3	45.7	570	18	28	59	60	60	60	60
13-19	159	17.9	256	3	6	14	25	37	51	89	18	12.6	284	1	2	5	15	33	55	67
20-34	5	6.0	8	1	5	7	7	8	8	8	1	2.0		2	2	2	2	2	2	2
35-49	3	3.3	5	1	2	4	5	5	5	5	3	2.0	1	1	1	2	3	3	3	3
50-64											1	3.0		3	3	3	3	3	3	3
65 +	5	5.6	9	1	4	6	7	9	9	9										
ALL AGES	236	18.8	248	3	7	14	28	42	50	99+	26	14.4	389	1	2	4	18	57	61	67
B. FEMALE																				
0-12 YRS.	22	25.2	231	4	13	29	35	45	52	53	7	33.4	774	3	9	30	60	69	70	70
13-19	131	17.3	229	3	6	13	25	41	49	83	11	16.7	218	2	4	12	30	38	43	43
20-34	4	6.8	25	2	3	5	10	14	14	14	3	2.3	6	1	1	1	4	5	5	5
35-49											1	6.0		6	6	6	6	6	6	6
50-64																				
65 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	157	18.1	235	3	7	14	28	42	50	78	23	19.3	427	1	4	10	31	53	65	70
SUBTOTAL	**393**	**18.5**	**243**	**3**	**7**	**14**	**28**	**42**	**50**	**99+**	**49**	**16.7**	**405**	**1**	**2**	**8**	**25**	**55**	**63**	**70**
GRAND TOTAL	**701**	**16.5**	**226**	**2**	**5**	**12**	**25**	**39**	**50**	**93**	**81**	**12.2**	**285**	**1**	**2**	**5**	**14**	**35**	**59**	**69**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	23.1	105	11	14	26	32	41	80	99+										
13-19	6	18.0	153	2	10	17	25	36	37	37										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	22	21.7	117	10	14	21	30	38	62	99+										
B. FEMALE																				
0-12 YRS.	7	16.6	222	2	6	14	18	41	47	47										
13-19	8	16.1	78	8	9	14	21	30	33	33	1	29.0		29	29	29	29	29	29	29
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	15	16.3	135	3	8	14	18	33	43	47	1	29.0		29	29	29	29	29	29	29
SUBTOTAL	**37**	**19.5**	**129**	**8**	**13**	**18**	**28**	**37**	**45**	**99+**	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	36	22.5	128	12	14	19	29	40	47	53	3	31.3	163	20	22	29	41	45	45	45
13-19	18	15.4	59	6	8	17	21	25	27	29										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	54	20.1	117	7	14	18	27	31	43	53	3	31.3	163	20	22	29	41	45	45	45
B. FEMALE																				
0-12 YRS.	17	19.6	86	10	14	17	27	30	38	42	4	26.8	423	9	11	21	42	55	55	55
13-19	6	31.7	417	8	15	28	56	56	56	56										
20-34	1	11.0		11	11	11	11	11	11	11										
35-49																				
50-64																				
65 +																				
ALL AGES	24	22.3	183	9	14	18	28	43	56	56	4	26.8	423	9	11	21	42	55	55	55
SUBTOTAL	**78**	**20.8**	**135**	**7**	**14**	**18**	**27**	**33**	**47**	**56**	**7**	**28.7**	**274**	**10**	**15**	**29**	**41**	**53**	**55**	**55**
GRAND TOTAL	**115**	**20.4**	**131**	**8**	**14**	**18**	**27**	**37**	**46**	**71**	**8**	**28.8**	**231**	**10**	**17**	**29**	**37**	**52**	**55**	**55**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	15.0	8	13	13	15	17	17	17	17										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	15.0	8	13	13	15	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**15.0**	**8**	**13**	**13**	**15**	**17**	**17**	**17**	**17**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.0	50	21	21	26	31	31	31	31										
13-19	2	7.0		7	7	7	7	7	7	7										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	16.5	137	7	7	14	26	31	31	31										
B. FEMALE																				
0-12 YRS.	2	7.5	41	3	3	7	12	12	12	12										
13-19	3	24.7	208	10	17	32	69	99 +	99 +	99 +										
20-34																				
35-49	1	21.0		21	21	21	21	21	21	21										
50-64																				
65 +																				
ALL AGES	6	18.3	166	4	10	21	35	88	99 +	99 +										
SUBTOTAL	**10**	**17.6**	**138**	**5**	**8**	**21**	**29**	**63**	**97**	**99 +**										
GRAND TOTAL	**12**	**17.2**	**113**	**6**	**9**	**17**	**26**	**51**	**91**	**99 +**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	138	25.0	297	7	13	22	38	66	99 +	99 +	11	28.1	703	3	12	23	29	77	83	84
13-19	108	17.9	214	3	8	14	24	34	47	73	5	18.0	202	2	3	27	28	30	30	30
20-34											1	22.0		22	22	22	22	22	22	22
35-49																				
50-64																				
65 +																				
ALL AGES	246	21.9	271	4	11	19	30	51	74	99 +	17	24.8	510	2	10	23	28	64	80	84
B. FEMALE																				
0-12 YRS.	76	22.1	204	7	13	21	28	45	72	99 +	8	16.0	150	5	6	12	24	36	39	39
13-19	116	16.3	170	3	7	13	21	35	39	69	13	13.0	66	3	5	12	22	23	23	23
20-34	2	10.5	61	5	5	10	16	16	16	16	1	16.0		16	16	16	16	16	16	16
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	195	18.4	191	4	9	15	26	38	46	99 +	22	14.2	91	4	5	13	22	25	32	39
SUBTOTAL	**441**	**20.3**	**240**	**4**	**9**	**17**	**28**	**44**	**65**	**99 +**	**39**	**18.8**	**294**	**3**	**6**	**16**	**26**	**30**	**57**	**84**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	299	28.6	262	11	20	28	36	49	64	99 +	35	44.1	560	18	25	38	61	82	88	92
13-19	200	20.5	203	4	10	19	28	40	50	72	21	9.9	97	2	3	7	10	27	34	38
20-34																				
35-49											1	98.0		98	98	98	98	98	98	98
50-64																				
65 +																				
ALL AGES	499	25.4	251	7	14	23	32	47	60	99 +	57	32.4	730	4	8	25	54	73	87	98
B. FEMALE																				
0-12 YRS.	119	26.6	215	11	17	23	36	48	62	99 +	13	36.8	554	17	19	30	47	67	91	97
13-19	213	18.1	223	4	8	14	25	38	48	71	26	13.8	81	4	5	13	19	24	32	37
20-34	1	28.0		28	28	28	28	28	28	28										
35-49																				
50-64																				
65 +																				
ALL AGES	333	21.2	234	5	9	18	28	42	53	81	39	21.5	347	5	8	18	24	44	57	97
SUBTOTAL	**832**	**23.7**	**249**	**6**	**12**	**21**	**31**	**45**	**57**	**99**	**96**	**28.0**	**596**	**5**	**8**	**20**	**39**	**63**	**82**	**98**
GRAND TOTAL	**1273**	**22.5**	**250**	**6**	**11**	**21**	**30**	**44**	**61**	**99 +**	**135**	**25.3**	**526**	**4**	**8**	**19**	**31**	**60**	**80**	**97**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	29.5	519	12	16	21	42	63	63	63										
13-19	1	2.0		2	2	2	2	2	2	2										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	24.0	541	2	9	21	32	63	63	63										
B. FEMALE																				
0-12 YRS.																				
13-19	7	13.7	115	1	6	10	21	30	32	32										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	7	13.7	115	1	6	10	21	30	32	32										
SUBTOTAL	**12**	**18.0**	**287**	**1**	**7**	**14**	**22**	**41**	**60**	**63**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	4.5	10	1	2	4	7	8	8	8										
13-19	2	2.5	5	1	1	2	4	4	4	4										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	6	3.8	8	1	1	3	6	8	8	8										
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-19	7	6.9	37	1	1	6	12	16	16	16										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	8	8.5	54	1	2	7	15	19	20	20										
SUBTOTAL	**14**	**6.5**	**38**	**1**	**1**	**5**	**8**	**16**	**19**	**20**										
GRAND TOTAL	**26**	**11.8**	**180**	**1**	**2**	**8**	**17**	**22**	**38**	**63**										

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	168	21.2	357	2	9	15	28	48	62	96	11	12.1	122	1	3	10	17	29	37	38
13-19	28	22.6	287	3	12	17	36	42	55	69	2	6.0	50	1	1	6	11	11	11	11
20-34	1	8.0		8	8	8	8	8	8	8										
35-49	1	7.0		7	7	7	7	7	7	7										
50-64																				
65 +																				
ALL AGES	198	21.3	342	2	9	15	29	46	62	95	13	11.2	111	1	1	10	14	26	36	38
B. FEMALE																				
0-12 YRS.	20	22.0	246	3	11	17	29	48	53	54	1	44.0		44	44	44	44	44	44	44
13-19	3	13.7	1	13	13	14	14	14	14	14										
20-34	1	27.0		27	27	27	27	27	27	27										
35-49																				
50-64																				
65 +																				
ALL AGES	24	21.1	216	3	12	15	28	44	53	54	1	44.0		44	44	44	44	44	44	44
SUBTOTAL	**222**	**21.2**	**331**	**2**	**9**	**15**	**29**	**44**	**61**	**93**	**14**	**13.5**	**180**	**1**	**1**	**10**	**18**	**39**	**43**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	404	28.4	314	10	17	26	34	56	70	99 +	19	24.2	474	2	4	15	43	57	61	63
13-19	101	20.6	183	6	11	19	28	40	58	99 +	8	20.3	157	4	9	20	30	37	39	39
20-34	6	10.0	82	1	2	8	17	22	23	23	1	5.0		5	5	5	5	5	5	5
35-49	1	9.0		9	9	9	9	9	9	9										
50-64	1	6.0		6	6	6	6	6	6	6										
65 +																				
ALL AGES	513	26.5	302	9	15	24	33	53	69	99 +	28	22.4	372	2	5	17	36	53	59	63
B. FEMALE																				
0-12 YRS.	66	29.2	248	11	21	28	44	74	99 +	99 +	2	18.5	181	9	9	18	28	28	28	28
13-19	28	21.4	175	7	9	21	29	31	47	61	2	29.0	32	25	25	29	33	33	33	33
20-34	2	50.0	3042	11	30	89	97	99 +	99 +	99 +										
35-49																				
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	96	27.3	278	8	18	27	39	67	99 +	99 +	5	19.4	175	2	7	25	29	33	33	33
SUBTOTAL	**609**	**26.7**	**294**	**9**	**16**	**24**	**34**	**56**	**73**	**99 +**	**33**	**21.9**	**339**	**2**	**5**	**19**	**33**	**51**	**58**	**63**
GRAND TOTAL	**831**	**25.2**	**311**	**7**	**13**	**22**	**32**	**53**	**69**	**99 +**	**47**	**19.4**	**302**	**1**	**4**	**13**	**32**	**44**	**55**	**63**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	14.0		14	14	14	14	14	14	14										
GRAND TOTAL	1	14.0		14	14	14	14	14	14	14										

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0	8	13	13	15	17	17	17	17										
13-19																				
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	3	10.3	70	1	4	13	16	17	17	17										
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	3	10.3	70	1	4	13	16	17	17	17	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	10.3	70	1	4	13	16	17	17	17	1	1.0		1	1	1	1	1	1	1

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	2	4.5	13	2	2	4	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-19	2	29.5	85	23	23	29	36	36	36	36										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	29.5	85	23	23	29	36	36	36	36										
SUBTOTAL	**4**	**17.0**	**241**	**2**	**4**	**15**	**29**	**36**	**36**	**36**										
GRAND TOTAL	**5**	**14.0**	**226**	**2**	**2**	**7**	**26**	**36**	**36**	**36**										

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49											1	9.0		9	9	9	9	9	9	9
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	5.0	32	1	1	5	9	9	9	9
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-19	1	58.0		58	58	58	58	58	58	58										
20-34																				
35-49																				
50-64																				
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	32.5	1301	7	7	32	58	58	58	58	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**3**	**22.3**	**963**	**2**	**3**	**7**	**45**	**58**	**58**	**58**	**3**	**4.3**	**18**	**1**	**1**	**3**	**7**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**4**	**18.0**	**715**	**2**	**3**	**6**	**32**	**58**	**58**	**58**	**3**	**4.3**	**18**	**1**	**1**	**3**	**7**	**9**	**9**	**9**

Appendix

Appendix A: Table 1

HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[1]

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			TOTAL		
	U.S.[2] Total	LOS Sample	% of U.S.[3] Total	U.S. Total	LOS Sample	% of U.S. Total	U.S.	LOS Sample	% of U.S.
All Hospitals	1,423	346	24.3	3,986	588	14.8	5,409	934	17.3
Control									
Public	234	46	19.7	1,245	144	11.6	1,479	190	12.8
Private	1,183	294	24.9	2,737	440	16.1	3,920	734	18.7
Unavailable	6	6		4	4	100.0	10	10	
Bedsize									
< 100 Beds	135	37	27.4	2,551	349	13.7	2,686	386	14.4
100-199	328	82	25.0	812	121	14.9	1,140	203	17.8
200-299	336	76	22.6	365	60	16.4	701	136	19.4
300-399	248	57	23.0	149	38	25.5	397	95	23.9
400-499	149	39	26.2	60	12	20.0	209	51	24.4
500+	227	55	24.2	48	7	14.6	275	62	22.5
Unavailable				1	1		1	1	
Teaching Intensity									
Low	785	184	23.4	3,614	502	13.9	4,399	686	15.6
Medium	408	113	27.7	307	66	21.5	715	179	25.0
High	230	49	21.3	63	18	28.6	293	67	22.9
Unavailable				2	2		2	2	
Location									
Rural	286	70	24.5	2,239	295	13.2	2,525	365	14.5
Urban	1,137	276	24.3	1,747	293	16.8	2,884	569	19.7

---

[1] Hospitals with average stay less than 30 days.

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 LOS sample is compared to the universe of hospitals in 1989.

Appendix A: Table 2

HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx [1]	% [2]
All Hospitals	346	100.0	187,461	100.0
Control				
Public	46	13.3	22,453	12.0
Private	294	85.0	162,877	86.9
Unavailable	6	1.7	2,131	1.1
Bedsize				
< 100 Beds	37	10.7	6,031	3.2
100-199	82	23.7	31,930	17.0
200-299	76	22.0	34,823	18.6
300-399	57	16.5	39,541	21.1
400-499	39	11.3	28,821	15.4
500+	55	15.9	46,315	24.7
Teaching Intensity				
Low	184	53.2	78,560	41.9
Medium	113	32.7	75,030	40.0
High	49	14.2	33,871	18.1
Location				
Rural	70	20.2	23,686	12.6
Urban	276	79.8	163,775	87.4

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Appendix A: Table 3

HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx[1]	%[2]
All Hospitals	588	100.0	54,023	100.0
Control				
Public	144	24.5	8,552	15.8
Private	440	74.8	43,188	79.9
Unavailable	4	.7	2,283	4.2
Bedsize				
<100 Beds	349	59.4	13,344	24.7
100-199	121	20.6	14,430	26.7
200-299	60	10.2	10,098	18.7
300-399	38	6.5	6,817	12.6
400-499	12	2.0	4,990	9.2
500+	7	1.2	2,647	4.9
Unavailable	1	.2	1,697	3.1
Teaching Intensity				
Low	502	85.4	36,544	67.6
Medium	66	11.2	11,333	21.0
High	18	3.1	4,445	8.2
Unavailable	2	0.3	1,701	3.1
Location				
Rural	295	50.2	11,831	21.9
Urban	293	49.8	42,192	78.1

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Hospitals With or Without a Psychiatric Unit or Beds

Nonfederal, short-term general hospitals that reported a psychiatric unit or beds are included in the hospitals with psychiatric unit/beds category.[1] Nonfederal, short-term general hospitals that did not indicate having a psychiatric unit or beds are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories can, however, offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, long-term psychiatric hospitalization, or partial hospitalization.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[2] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by Accreditation Council for Graduate Medical Education (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(\text{JCAHO}) + 14.0(\text{CANC}) + 28.0(\text{ACGME}) + 14.7(\text{MSA}) + 13.3(\text{NURS}) + 20.1(\text{COTH})$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

Control: Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment not-for-profit and investor-owned (for-profit) facilities.

---

[1] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[2] Phillip, P.,J., and Hai, Abdul, An Index of Programs for Hospitals, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** includes Alaska and Hawaii

APPENDIX D

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25
293.82	Organic hallucinosis syndrome	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders** Fifth-digit subclassification for use with 295: 0 Unspecified state 1 Subchronic state 2 Chronic state 3 Subchronic state with acute exacerbation 4 Chronic state with acute exacerbation 5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses** Fifth-digit subclassification for use with 296.0-296.6: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree, without mention of psychotic behavior 4 Severe degree, specified as with psychotic behavior 5 In partial or unspecified remission 6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50
296.90	Unspecified affective psychosis	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.4	Psychogenic paranoid psychosis	61
298.8	Other and unspecified reactive psychosis	62
298.9	Unspecified psychosis	63
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	64
299.8	Other specified early childhood psychoses	65
299.9	Unspecified childhood psychosis	66
300	**Neurotic disorders**	
300.0	Anxiety states	67
300.00	Anxiety state, unspecified	67
300.01	Panic disorder	67
300.02	Generalized anxiety disorder	67
300.09	Other anxiety states	67
300.1	Hysteria	68
300.10	Hysteria, unspecified	68
300.11	Conversion disorder	68
300.12	Psychogenic amnesia	68
300.13	Psychogenic fugue	68
300.14	Multiple personality	68
300.15	Dissociative disorder or reaction, unspecified	68
300.16	Factitious illness with psychological symptoms	68
300.19	Other and unspecified factitious illness	68
300.2	Phobic disorders	69
300.20	Phobia, unspecified	69
300.21	Agoraphobia with panic attacks	69
300.22	Agoraphobia without mention of panic attacks	69
300.23	Social phobia	69
300.29	Other isolated or simple phobias	69
300.3	Obsessive-compulsive disorders	70
300.4	Neurotic depression	71
300.5	Neurasthenia	72
300.6	Depersonalization syndrome	73
300.7	Hypochondriasis	74
300.8	Other neurotic disorders	75

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
300.81	Somatization disorder	75
300.89	Other neurotic disorders	75
300.9	Unspecified neurotic disorder	76
301	**Personality disorders**	
301.0	Paranoid personality disorder	77
301.1	Affective personality disorder	78
301.10	Affective personality disorder, unspecified	78
301.11	Chronic hypomanic personality disorder	78
301.12	Chronic depressive personality disorder	78
301.13	Cyclothymic disorder	78
301.2	Schizoid personality disorder	79
301.20	Schizoid personality disorder, unspecified	79
301.21	Introverted personality	79
301.22	Schizotypal personality	79
301.3	Explosive personality disorder	80
301.4	Compulsive personality disorder	81
301.5	Histrionic personality disorder	82
301.50	Histrionic personality disorder, unspecified	82
301.51	Chronic factitious illness with physical symptoms	82
301.59	Other histrionic personality disorder	82
301.6	Dependent personality disorder	83
301.7	Antisocial personality disorder	84
301.8	Other personality disorders	85
301.81	Narcissistic personality	85
301.82	Avoidant personality	85
301.83	Borderline personality	85
301.84	Passive-aggressive personality	85
301.89	Other personality disorders	85
301.9	Unspecified personality disorder	86
302	**Sexual deviations and disorders**	
302.0	Homosexuality	87
302.1	Zoophilia	88
302.2	Pedophilia	89
302.3	Transvestism	90
302.4	Exhibitionism	91
302.5	Trans-sexualism	92
302.50	Trans-sexualism with unspecified sexual history	92
302.51	Trans-sexualism with asexual history	92
302.52	Trans-sexualism with homosexual history	92
302.53	Trans-sexualism with heterosexual history	92
302.6	Disorders of psychosexual identity	93
302.7	Psychosexual dysfunction	94
302.70	Psychosexual dysfunction, unspecified	94
302.71	Psychosexual dysfunction with inhibited sexual desire	94
302.72	Psychosexual dysfunction with inhibited sexual excitement	94
302.73	Psychosexual dysfunction with inhibited female orgasm	94
302.74	Psychosexual dysfunction with inhibited male orgasm	94
302.75	Psychosexual dysfunction with premature ejaculation	94
302.76	Psychosexual dysfunction with functional dyspareunia	94
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	94
302.8	Other specified psychosexual disorders	95
302.81	Fetishism	95

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
302.82	Voyeurism	95
302.83	Sexual masochism	95
302.84	Sexual sadism	95
302.85	Gender identity disorder of adolescent or adult life	95
302.89	Other specified psychosexual disorders	95
302.9	Unspecified psychosexual disorder	96
303	**Alcohol dependence syndrome** Fifth-digit subclassification for use with 303: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
303.0	Acute alcoholic intoxication	97
303.9	Other and unspecified alcohol dependence	98
304	**Drug dependence** Fifth-digit subclassification for use with 304: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
304.0	Opioid type dependence	99
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	100
304.2	Cocaine dependence	101
304.3	Cannabis dependence	102
304.4	Amphetamine and other psychostimulant dependence	103
304.5	Hallucinogen dependence	104
304.6	Other specified drug dependence	105
304.7	Combinations of opioid type drug with any other drug dependence	106
304.8	Combinations of drug dependence excluding opioid type drug	107
304.9	Unspecified drug dependence	108
305	**Nondependent abuse of drugs** Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
305.0	Alcohol abuse	109
305.1	Tobacco use disorder	110
305.2	Cannabis abuse	111
305.3	Hallucinogen abuse	112
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	113
305.5	Opioid abuse	114
305.6	Cocaine abuse	115
305.7	Amphetamine or related acting sympathomimetic abuse	116
305.8	Antidepressant type abuse	117
305.9	Other, mixed, or unspecified drug abuse	118
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	119
306.1	Respiratory malfunction arising from mental factors	120
306.2	Cardiovascular malfunction arising from mental factors	121

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
306.3	Skin disorder arising from mental factors	122
306.4	Gastrointestinal malfunction arising from mental factors	123
306.5	Genitourinary malfunction arising from mental factors	124
306.50	Psychogenic genitourinary malfunction, unspecified	124
306.51	Psychogenic vaginismus	124
306.52	Psychogenic dysmenorrhea	124
306.53	Psychogenic dysuria	124
306.59	Other genitourinary malfunction arising from mental factors	124
306.6	Endocrine disorder arising from mental factors	125
306.7	Disorder of organs of special sense arising from mental factors	126
306.8	Other specified psychophysiological malfunction	127
306.9	Unspecified psychophysiological malfunction	128
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	129
307.1	Anorexia nervosa	130
307.2	Tics	131
307.20	Tic disorder, unspecified	131
307.21	Transient tic disorder of childhood	131
307.22	Chronic motor tic disorder	131
307.23	Gilles de la Tourette's disorder	131
307.3	Stereotyped repetitive movements	132
307.4	Specific disorders of sleep of nonorganic origin	133
307.40	Nonorganic sleep disorder, unspecified	133
307.41	Transient disorder of initiating or maintaining sleep	133
307.42	Persistent disorder of initiating or maintaining sleep	133
307.43	Transient disorder of initiating or maintaining wakefulness	133
307.44	Persistent disorder of initiating or maintaining wakefulness	133
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	133
307.46	Somnambulism or night terrors	133
307.47	Other dysfunctions of sleep stages or arousal from sleep	133
307.48	Repetitive intrusions of sleep	133
307.49	Other specific disorders of sleep of nonorganic origin	133
307.5	Other and unspecified disorders of eating	134
307.50	Eating disorder, unspecified	134
307.51	Bulimia	134
307.52	Pica	134
307.53	Psychogenic rumination	134
307.54	Psychogenic vomiting	134
307.59	Other disorders of eating	134
307.6	Enuresis	135
307.7	Encopresis	136
307.8	Psychalgia	137
307.80	Psychogenic pain, site unspecified	137
307.81	Tension headache	137
307.89	Other psychalgia	137
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	138
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	139
308.1	Predominant disturbance of consciousness	140
308.2	Predominant psychomotor disturbance	141
308.3	Other acute reactions to stress	142
308.4	Mixed disorders as reaction to stress	143

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
308.9	Unspecified acute reaction to stress	144
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	145
309.1	Adjustment reaction with prolonged depressive reaction	146
309.2	Adjustment reaction with predominant disturbance of other emotions	147
309.21	Separation anxiety disorder	147
309.22	Emancipation disorder of adolescence and early adult life	147
309.23	Specific academic or work inhibition	147
309.24	Adjustment reaction with anxious mood	147
309.28	Adjustment reaction with mixed emotional features	147
309.29	Other adjustment reactions with predominant disturbance of other emotions	147
309.3	Adjustment reaction with predominant disturbance of conduct	148
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	149
309.8	Other specified adjustment reactions	150
309.81	Prolonged posttraumatic stress disorder	150
309.82	Adjustment reaction with physical symptoms	150
309.83	Adjustment reaction with withdrawal	150
309.89	Other specified adjustment reactions	150
309.9	Unspecified adjustment reaction	151
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	152
310.1	Organic personality syndrome	153
310.2	Postconcussion syndrome	154
310.8	Other specified nonpsychotic mental disorders following organic brain damage	155
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	156
311	**Depressive disorder, not elsewhere classified**	**157**
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	158
312.1	Undersocialized conduct disorder, unaggressive type	159
312.2	Socialized conduct disorder	160
312.3	Disorders of impulse control, not elsewhere classified	161
312.30	Impulse control disorder, unspecified	161
312.31	Pathological gambling	161
312.32	Kleptomania	161
312.33	Pyromania	161
312.34	Intermittent explosive disorder	161
312.35	Isolated explosive disorder	161
312.39	Other disorders of impulse control	161
312.4	Mixed disturbance of conduct and emotions	162
312.8	Other specified disturbances of conduct, not elsewhere classified	163
312.9	Unspecified disturbance of conduct	164
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	165

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	166
313.21	Shyness disorder of childhood	166
313.22	Introverted disorder of childhood	166
313.23	Elective mutism specific to childhood and adolescence	166
313.8	Other or mixed emotional disturbances of childhood or adolescence	167
313.81	Oppositional disorder of childhood or adolescence	167
313.82	Identity disorder of childhood or adolescence	167
313.83	Academic underachievement disorder of childhood or adolescence	167
313.89	Other emotional disturbances of childhood or adolescence	167
313.9	Unspecified emotional disturbance of childhood or adolescence	168
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	169
314.00	Attention deficit disorder of childhood without mention of hyperactivity	169
314.01	Attention deficit disorder of childhood with hyperactivity	169
314.1	Hyperkinesis of childhood with developmental delay	170
314.2	Hyperkinetic conduct disorder of childhood	171
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	172
314.9	Unspecified hyperkinetic syndrome of childhood	173

APPENDIX E

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	167
Acute alcoholic intoxication	303.0	97
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0 - 308.9	139-144
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0 - 309.9	145-151
Adjustment reaction with anxious mood	309.24	147
Adjustment reaction with brief depressive reaction	309.0	145
Adjustment reaction with mixed emotional features	309.28	147
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	149
Adjustment reaction with physical symptoms	309.82	150
Adjustment reaction with predominant disturbance of other emotions	309.2	147
Adjustment reaction with predominant disturbance of conduct	309.3	148
Adjustment reaction with prolonged depressive reaction	309.1	146
Adjustment reaction with withdrawal	309.83	150
Affective personality disorder	301.1	78
Affective personality disorder, unspecified	301.10	78
Affective psychoses	296.0 - 296.9	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	69
Agoraphobia without mention of panic attacks	300.22	69
Alcohol abuse	305.0	109
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0 - 303.9	97-98
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0 - 291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	103
Amphetamine or related acting sympathomimetic abuse	305.7	116
Anorexia nervosa	307.1	130
Antidepressant type abuse	305.8	117
Antisocial personality disorder	301.7	84
Anxiety state, unspecified	300.00	67
Anxiety states	300.0	67
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	169
Attention deficit disorder of childhood without mention of hyperactivity	314.00	169
Attention deficit disorder of childhood with hyperactivity	314.01	169
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	85
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	100
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	113
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	85
Bulimia	307.51	134
Cannabis abuse	305.2	111
Cannabis dependence	304.3	102
Cardiovascular malfunction arising from mental factors	306.2	121
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	78
Chronic factitious illness with physical symptoms	301.51	82
Chronic hypomanic personality disorder	301.11	78
Chronic motor tic disorder	307.22	131
Cocaine abuse	305.6	115
Cocaine dependence	304.2	101
Combinations of drug dependence excluding opioid type drug	304.8	107
Combinations of opioid type drug with any other drug dependence	304.7	106
Compulsive personality disorder	301.4	81
Conversion disorder	300.11	68
Cyclothymic disorder	301.13	78
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	83
Depersonalization syndrome	300.6	73
Depressive disorder, not elsewhere classified	311	157
Depressive type psychosis	298.0	57
Disorder of organs of special sense arising from mental factors	306.7	126
Disorders of impulse control, not elsewhere classified	312.3	161
Disorders of psychosexual identity	302.6	93
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	68
Disturbance of conduct, not elsewhere classified	312.0 - 312.9	158-164
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0 - 313.9	165-168
Drug dependence	304.0 - 304.9	99-108
Fifth-digit subclassification for use with 304:		

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0 - 292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	134
Elective mutism specific to childhood and adolescence	313.23	166
Emancipation disorder of adolescence and early adult life	309.22	147
Encopresis	307.7	136
Endocrine disorder arising from mental factors	306.6	125
Enuresis	307.6	135
Excitative type psychosis	298.1	58
Exhibitionism	302.4	91
Explosive personality disorder	301.3	80
Factitious illness with psychological symptoms	300.16	68
Fetishism	302.81	95
Frontal lobe syndrome	310.0	152
Gastrointestinal malfunction arising from mental factors	306.4	123
Gender identity disorder of adolescent or adult life	302.85	95
Generalized anxiety disorder	300.02	67
Genitourinary malfunction arising from mental factors	306.5	124
Gilles de la Tourette's disorder	307.23	131
Hallucinogen abuse	305.3	112
Hallucinogen dependence	304.5	104
Histrionic personality disorder	301.5	82
Histrionic personality disorder, unspecified	301.50	82
Homosexuality	302.0	87
Hyperkinesis of childhood with developmental delay	314.1	170
Hyperkinetic conduct disorder of childhood	314.2	171
Hyperkinetic syndrome of childhood	314.0 - 314.9	169-173
Hypochondriasis	300.7	74
Hysteria	300.1	68
Hysteria, unspecified	300.10	68
Identity disorder of childhood or adolescence	313.82	167
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	161
Infantile autism	299.0	64
Intermittent explosive disorder	312.34	161
Introverted disorder of childhood	313.22	166
Introverted personality	301.21	79
Isolated explosive disorder	312.35	161

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Kleptomania	312.32	161
Latent schizophrenia	295.5	36
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Mixed disorders as reaction to stress	308.4	143
Mixed disturbance of conduct and emotions	312.4	162
Multiple personality	300.14	68
Musculoskeletal malfunction arising from mental factors	306.0	119
Narcissistic personality	301.81	85
Neurasthenia	300.5	72
Neurotic depression	300.4	71
Neurotic disorders	300.0 - 300.9	67-76
Nondependent abuse of drugs	305.0 - 305.9	109-118
Fifth-digit subclassification for use with 305:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	133
Obsessive-compulsive disorders	300.3	70
Opioid abuse	305.5	114
Opioid type dependence	304.0	99
Oppositional disorder of childhood or adolescence	313.81	167
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	153
Other acute reactions to stress	308.3	142
Other adjustment reactions with predominant disturbance of other emotions	309.29	147
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	98
Other and unspecified disorders of eating	307.5	134
Other and unspecified factitious illness	300.19	68
Other and unspecified reactive psychosis	298.8	62
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	138
Other anxiety states	300.09	67
Other disorders of eating	307.59	134
Other disorders of impulse control	312.39	161
Other dysfunctions of sleep stages or arousal from sleep	307.47	133
Other emotional disturbances of childhood or adolescence	313.89	167
Other genitourinary malfunction arising from mental factors	306.59	124
Other histrionic personality disorder	301.59	82
Other isolated or simple phobias	300.29	69
Other manic-depressive psychosis	296.89	49

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Other neurotic disorders	300.8	75
Other neurotic disorders	300.89	75
Other nonorganic psychoses	298.0 - 298.9	57-63
Other or mixed emotional disturbances of childhood or adolescence	313.8	167
Other organic psychotic conditions (chronic)	294.0 - 294.9	27-30
Other personality disorders	301.8	85
Other personality disorders	301.89	85
Other psychalgia	307.89	137
Other specific disorders of sleep of nonorganic origin	307.49	133
Other specified adjustment reactions	309.8	150
Other specified adjustment reactions	309.89	150
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	163
Other specified drug dependence	304.6	105
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	65
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	172
Other specified nonpsychotic mental disorders following organic brain damage	310.8	155
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	127
Other specified psychosexual disorders	302.8	95
Other specified psychosexual disorders	302.89	95
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	118
Overanxious disorder specific to childhood and adolescence	313.0	165
Panic disorder	300.01	67
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	77
Paranoid state, simple	297.0	51
Paranoid states	297.0 - 297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	85
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	161
Pedophilia	302.2	89
Persistent disorder of initiating or maintaining sleep	307.42	133
Persistent disorder of initiating or maintaining wakefulness	307.44	133
Personality disorders	301.0 - 301.9	77-86
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	133
Phobia, unspecified	300.20	69
Phobic disorders	300.2	69
Physiological malfunction arising from mental factors	306.0 - 306.9	119-128
Pica	307.52	134
Postconcussion syndrome	310.2	154
Predominant disturbance of consciousness	308.1	140

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Predominant disturbance of emotions	308.0	139
Predominant psychomotor disturbance	308.2	141
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	150
Psychalgia	307.8	137
Psychogenic amnesia	300.12	68
Psychogenic dysmenorrhea	306.52	124
Psychogenic dysuria	306.53	124
Psychogenic fugue	300.13	68
Psychogenic genitourinary malfunction, unspecified	306.50	124
Psychogenic pain, site unspecified	307.80	137
Psychogenic paranoid psychosis	298.4	61
Psychogenic rumination	307.53	134
Psychogenic vaginismus	306.51	124
Psychogenic vomiting	307.54	134
Psychoses with origin specific to childhood	299.0 - 299.9	64-66
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	94
Psychosexual dysfunction with inhibited sexual desire	302.71	94
Psychosexual dysfunction with inhibited sexual excitement	302.72	94
Psychosexual dysfunction with inhibited female orgasm	302.73	94
Psychosexual dysfunction with inhibited male orgasm	302.74	94
Psychosexual dysfunction with premature ejaculation	302.75	94
Psychosexual dysfunction with functional dyspareunia	302.76	94
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	94
Psychosexual dysfunction, unspecified	302.70	94
Pyromania	312.33	161
Reactive confusion	298.2	59
Repetitive intrusions of sleep	307.48	133
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	120
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	79
Schizoid personality disorder, unspecified	301.20	79
Schizophrenic disorders	295.0 - 295.9	31-39
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	79
Senile and presenile organic psychotic conditions	290.0 - 290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	166
Separation anxiety disorder	309.21	147
Sexual deviations and disorders	302.0 - 302.9	87-96
Sexual masochism	302.83	95
Sexual sadism	302.84	95
Shared paranoid disorder	297.3	54
Shyness disorder of childhood	313.21	166
Simple type schizophrenia	295.0	31
Skin disorder arising from mental factors	306.3	122
Social phobia	300.23	69
Socialized conduct disorder	312.2	160
Somatization disorder	300.81	75
Somnambulism or night terrors	307.46	133
Special symptoms or syndromes, not elsewhere classified	307.0 - 307.9	129-138
Specific academic or work inhibition	309.23	147
Specific disorders of sleep of nonorganic origin	307.4	133
Specific nonpsychotic mental disorders due to organic brain damage	310.0 - 310.9	152-156
Stammering and stuttering	307.0	129
Stereotyped repetitive movements	307.3	132
Subacute delirium	293.1	24
Tension headache	307.81	137
Tic disorder, unspecified	307.20	131
Tics	307.2	131
Tobacco use disorder	305.1	110
Trans-sexualism	302.5	92
Trans-sexualism with asexual history	302.51	92
Trans-sexualism with heterosexual history	302.53	92
Trans-sexualism with homosexual history	302.52	92
Trans-sexualism with unspecified sexual history	302.50	92
Transient disorder of initiating or maintaining sleep	307.41	133
Transient disorder of initiating or maintaining wakefulness	307.43	133
Transient organic psychotic conditions	293.0 - 293.9	23-26
Transient tic disorder of childhood	307.21	131
Transvestism	302.3	90
Undersocialized conduct disorder, aggressive type	312.0	158
Undersocialized conduct disorder, unaggressive type	312.1	159
Unspecified acute reaction to stress	308.9	144
Unspecified adjustment reaction	309.9	151
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	66
Unspecified disturbance of conduct	312.9	164
Unspecified drug dependence	304.9	108
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	168
Unspecified hyperkinetic syndrome of childhood	314.9	173
Unspecified neurotic disorder	300.9	76
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	156

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	86
Unspecified psychophysiological malfunction	306.9	128
Unspecified psychosexual disorder	302.9	96
Unspecified psychosis	298.9	63
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26
Voyeurism	302.82	95
Zoophilia	302.1	88

APPENDIX F

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[1] It was developed in response to a need expressed by medical records administrators for a standardized means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal Agencies). This crosswalk has been specifically developed to facilitate such coding and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association and is available through the APA Office of Research.

INSTRUCTIONS FOR USING THE CROSSWALK

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances, discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content" and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*; *ICD-9-CM* is the more inclusive system. However, since one of its primary purposes is to serve as a complete list of medical terms to assist in the coding of medical records, there are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not in *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote One (following the Crosswalk) for general notes about the crosswalk.

---

[1] American Psychiatric Association: *Diagnostic and Statistical Manual of Mental Disorders, Third Edition, Revised*. Washington, D.C., 1987.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R **Code**	***ICD-9-CM*** **Code**	**Narrative** *ICD-9-CM*, **plus [*DSM-III-R*]**	**Footnotes**
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R **Code**	***ICD-9-CM*** **Code**	**Narrative** ***ICD-9-CM*****, plus [*****DSM-III-R*****]**	**Footnotes**
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor or verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

B4460-22-2

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
North Central Region, 1990

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
North Central Region, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
November, 1991

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the Psychiatric Length of Stay by Diagnosis series:

Psychiatric Length of Stay by Diagnosis, United States, 1990
ISSN 0898-0543

Psychiatric Length of Stay by Diagnosis, Northeastern Region, 1990
ISSN 0898-0527

Psychiatric Length of Stay by Diagnosis, North Central Region, 1990
ISSN 0898-249X

Psychiatric Length of Stay by Diagnosis, Southern Region, 1990
ISSN 0898-0519

Psychiatric Length of Stay by Diagnosis, Western Region, 1990
ISSN 0898-0535

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither CPHA nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

CONTENTS

Introduction v

Description of the Database vi
  Source of the Data
  Data Quality
  Hospital Characteristics

Organization of the Tables viii
  Diagnosis Classification Categories
  Hospital Service Type
  Patient Data Stratification

Explanation of the Statistics x
  Total Number of Patients
  Average Length of Stay
  Variance
  Percentiles
  Subtotal and Grand Total

Using the Tables xi

Psychiatric Length of Stay Tables 1

Appendix A
  1990 Hospital Characteristics 169
    Table 1: Universe of Hospitals
    Table 2: Hospitals With Psychiatric Units
    Table 3: Hospitals Without Psychiatric Units

Appendix B
  Description of Hospital Characteristics 172

Appendix C
  State Inclusions By Region 173

Appendix D
  Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 174

Appendix E
  Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 182

Appendix F
  Crosswalk From *DSM-III-R* to *ICD-9-CM* 190

ACKNOWLEDGEMENTS

1990 PSYCHIATRIC LENGTH OF STAY BY DIAGNOSIS

PROJECT TEAM:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda E. Vanek, Manager, Normative Products
Helen Garcia, Programmer Analyst
Jan Sweet, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources.

We offer a special thank-you to the following individuals for their assistance:

Joyce Beach, Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, software, and magnetic media. The Psychiatric Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States during 1990. This book is one volume in a set of five books. The complete set is the latest in a series of publications on psychiatric length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Psychiatric Length of Stay by Diagnosis*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source.* Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

SOURCE OF THE DATA

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.

2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.

5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

HOSPITAL CHARACTERISTICS

Data chosen for inclusion in the Psychiatric Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in the tables in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

DIAGNOSIS CLASSIFICATION CATEGORIES

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*[1], updated as of October 1, 1990. This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix D lists, in numerical order, the *ICD-9-CM* diagnosis codes in the tables, their accompanying description, and the page number of the table. Appendix E lists, in alphabetical order, the *ICD-9-CM* psychiatric diagnoses description and accompanying numerical codes along with the page number of the table. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included in Appendix F.)

HOSPITAL SERVICE TYPE

The tables are also categorized by hospital service unit.[2] The divisions are:

a. **Hospitals with a psychiatric unit/beds** – nonfederal, short-term general hospitals reporting a psychiatric unit or beds set-up.

b. **Hospitals without a psychiatric unit/beds** – nonfederal, short-term general hospitals that do not report a psychiatric unit or beds set-up.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, long-term psychiatric hospitalization, or partial hospitalization.

PATIENT DATA STRATIFICATION

The psychiatric length of stay data are stratified into two patient groups, by sex, and by six age ranges. The age categories have been collapsed from the seven groups previously presented to six. This provides a more accurate breakdown of adolescent, teen, young adult, middle and senior adult length of stay patterns.

Patient Groups

Patients in the tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that, after study, explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code only (*ICD-9-CM* 290-314.9) or patients having the specified psychiatric principal diagnosis code and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table as their only diagnosis. Alternatively, a patient with the same principal psychiatric diagnosis and a secondary diagnosis of diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9).

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

0-12 (includes newborns)
13-19
20-34
35-49
50-64
65+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF THE STATISTICS

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

TOTAL NUMBER OF PATIENTS

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

AVERAGE LENGTH OF STAY

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

VARIANCE

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

DISTRIBUTION PERCENTILES

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

SUBTOTAL AND GRAND TOTAL

The subtotal represents the total patients in each of the two patient groups. The Grand Total represents the total number of patients in the specified psychiatric diagnosis category within one of the two hospital service type categories.

USING THE TABLES

The Psychiatric Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Appendix at the back of the book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Length of Stay tables; the *ICD-9-CM* diagnosis code number follows the English title of each table.

Step 3: Find the appropriate portion of the table for review:

- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	428	17.7	274	2	5	14	26	41	58	99+	58	4.7	68	1	1	2	3	16	20	48
13-19	2114	17.4	235	2	5	14	26	39	49	81	220	11.5	163	1	1	4	22	32	37	44
20-34	5997	13.3	140	2	4	10	20	28	35	57	1094	12.6	122	1	3	10	21	28	30	47
35-49	5516	12.9	129	2	4	10	18	28	33	52	1087	11.6	117	2	3	8	18	27	30	45
50-64	2345	13.5	114	2	5	11	19	28	33	49	469	10.3	88	2	3	7	16	24	28	36
65 +	2278	13.3	116	3	5	11	18	27	33	50	464	8.6	77	2	3	6	11	19	26	52
ALL AGES	18678	13.8	146	2	5	11	20	29	37	59	3392	11.2	114	1	3	7	18	27	30	45
B. FEMALE																				
0-12 YRS.	279	16.3	226	1	4	12	25	36	45	71	54	6.4	143	1	2	3	4	15	20	81
13-19	2449	15.8	203	2	5	12	22	35	44	90	199	11.6	168	1	1	4	22	32	36	47
20-34	5875	12.7	120	2	5	10	17	27	33	54	923	10.5	120	1	3	7	14	24	30	53
35-49	5921	13.8	124	3	6	11	19	28	35	54	717	10.9	123	2	3	7	15	27	31	54
50-64	3384	14.9	122	3	7	13	20	29	36	54	379	11.5	157	2	3	7	17	26	33	63
65 +	4554	15.6	148	3	7	13	21	31	38	60	773	8.9	76	2	4	6	11	19	28	43
ALL AGES	22462	14.3	139	3	6	11	20	29	37	59	3045	10.3	119	1	3	6	14	25	31	52
SUBTOTAL	**41140**	**14.1**	**141**	**2**	**5**	**11**	**20**	**29**	**37**	**59**	**6437**	**10.8**	**116**	**1**	**3**	**7**	**15**	**26**	**30**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	731	23.6	260	7	13	21	31	47	63	99+	15	9.9	124	2	2	4	16	29	34	36
13-19	3463	21.4	261	4	9	19	30	42	53	86	360	20.6	167	2	9	22	30	37	40	44
20-34	8827	12.3	101	2	4	10	18	26	28	46	1998	12.3	93	2	3	10	21	26	29	37
35-49	7253	11.6	89	2	4	9	17	24	28	44	1831	10.0	83	2	3	6	15	24	28	35
50-64	2177	12.2	99	2	4	10	17	25	29	46	580	10.2	93	2	3	5	15	26	30	40
65 +	1475	14.5	126	3	7	12	20	28	36	55	261	9.8	108	2	4	7	12	21	28	50
ALL AGES	23926	13.9	140	3	5	11	20	28	35	60	5045	11.7	102	2	3	8	20	27	30	40
B. FEMALE																				
0-12 YRS.	312	23.0	298	4	11	19	31	49	64	99+	15	13.5	213	1	2	6	31	35	36	36
13-19	3522	20.1	271	3	8	16	29	43	57	99+	245	19.2	231	2	4	18	30	38	42	60
20-34	7577	12.6	115	3	5	10	18	27	32	52	1279	11.5	82	2	4	10	16	24	28	40
35-49	5998	12.8	95	3	5	11	18	26	31	46	795	10.8	96	2	3	8	15	24	29	45
50-64	2135	14.4	125	3	7	12	19	28	34	60	268	8.8	73	2	3	5	13	22	29	32
65 +	2435	16.5	148	4	8	14	22	31	40	63	300	9.7	87	2	4	7	12	22	27	46
ALL AGES	21979	14.6	151	3	6	12	20	29	38	66	2902	11.6	103	2	4	9	16	26	30	44
SUBTOTAL	**45905**	**14.2**	**146**	**3**	**5**	**12**	**20**	**29**	**37**	**63**	**7947**	**11.6**	**104**	**2**	**3**	**9**	**18**	**27**	**30**	**41**
GRAND TOTAL	**87045**	**14.1**	**145**	**3**	**5**	**11**	**20**	**29**	**37**	**61**	**14384**	**11.3**	**108**	**2**	**3**	**8**	**17**	**26**	**30**	**44**

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	27.5	221	17	17	27	38	38	38	38										
65 +	64	9.8	60	3	5	7	13	19	27	38	15	9.1	60	1	3	7	13	18	27	30
ALL AGES	66	10.3	71	3	5	7	14	21	33	38	15	9.1	60	1	3	7	13	18	27	30
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	84	8.7	38	3	4	7	12	15	19	36	36	6.6	23	2	3	6	9	11	14	25
ALL AGES	84	8.7	38	3	4	7	12	15	19	36	36	6.6	23	2	3	6	9	11	14	25
SUBTOTAL	**150**	**9.4**	**53**	**3**	**5**	**7**	**12**	**17**	**22**	**38**	**51**	**7.4**	**33**	**2**	**3**	**6**	**10**	**14**	**18**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	16	11.3	67	2	6	10	14	24	31	34	2	9.5	5	8	8	9	11	11	11	11
ALL AGES	16	11.3	67	2	6	10	14	24	31	34	2	9.5	5	8	8	9	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	30	14.6	94	6	8	11	18	33	35	39	6	6.5	5	4	5	6	9	9	9	9
ALL AGES	30	14.6	94	6	8	11	18	33	35	39	6	6.5	5	4	5	6	9	9	9	9
SUBTOTAL	**46**	**13.5**	**84**	**5**	**8**	**10**	**16**	**31**	**34**	**39**	**8**	**7.3**	**5**	**4**	**5**	**7**	**9**	**10**	**11**	**11**
GRAND TOTAL	**196**	**10.4**	**62**	**3**	**5**	**8**	**13**	**19**	**30**	**39**	**59**	**7.4**	**29**	**2**	**4**	**6**	**9**	**13**	**16**	**30**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	40.0		40	40	40	40	40	40	40										
35-49	4	9.8	56	5	5	6	14	21	21	21	1	13.0		13	13	13	13	13	13	13
50-64	14	13.8	137	6	7	11	14	26	45	50	3	17.7	416	3	4	9	33	41	41	41
65 +	154	10.4	95	3	5	8	13	19	26	90	38	10.1	165	2	4	7	10	19	43	65
ALL AGES	173	10.8	102	3	5	9	14	20	29	83	42	10.7	173	2	4	7	10	23	46	65
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	13.5	13	11	11	13	16	16	16	16	1	9.0		9	9	9	9	9	9	9
50-64	10	10.8	72	1	4	9	16	23	24	24	4	16.8	297	5	5	10	28	42	42	42
65 +	186	11.3	115	3	5	9	14	23	36	74	61	9.3	114	2	4	7	12	16	19	75
ALL AGES	198	11.3	112	3	5	9	14	23	33	69	66	9.7	123	3	4	7	12	17	20	75
SUBTOTAL	**371**	**11.1**	**106**	**3**	**5**	**9**	**14**	**21**	**30**	**81**	**108**	**10.1**	**141**	**3**	**4**	**7**	**11**	**17**	**28**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	13.0	3	12	12	12	14	15	15	15										
50-64	2	23.0	18	20	20	23	26	26	26	26	2	13.0	18	10	10	13	16	16	16	16
65 +	36	12.8	65	4	7	11	16	23	28	37	7	8.1	73	3	3	6	8	23	27	27
ALL AGES	41	13.3	63	5	8	12	18	24	27	37	9	9.2	62	3	4	6	11	23	27	27
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	10.0		10	10	10	10	10	10	10	1	11.0		11	11	11	11	11	11	11
65 +	58	13.8	70	4	7	13	18	26	32	41	13	16.1	395	3	5	9	16	46	69	74
ALL AGES	59	13.7	70	4	7	13	18	26	32	40	14	15.7	368	3	6	10	16	42	67	74
SUBTOTAL	**100**	**13.6**	**65**	**4**	**8**	**12**	**17**	**25**	**30**	**39**	**23**	**13.2**	**249**	**3**	**4**	**9**	**15**	**29**	**51**	**74**
GRAND TOTAL	**471**	**11.6**	**99**	**3**	**5**	**9**	**15**	**23**	**30**	**50**	**131**	**10.6**	**161**	**3**	**4**	**7**	**12**	**18**	**38**	**75**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	5	23.4	94	12	16	24	28	38	38	38										
65 +	68	16.4	132	5	9	14	21	33	47	92	8	13.6	295	3	5	7	14	44	54	54
ALL AGES	73	16.8	134	5	10	15	24	33	46	90	8	13.6	295	3	5	7	14	44	54	54
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	6	23.0	299	10	12	14	33	52	54	54										
65 +	186	18.4	94	8	12	17	23	32	37	51	5	10.0	58	4	5	7	13	23	23	23
ALL AGES	192	18.5	102	8	12	17	23	32	38	53	5	10.0	58	4	5	7	13	23	23	23
SUBTOTAL	**265**	**18.1**	**108**	**7**	**11**	**16**	**23**	**33**	**40**	**56**	**13**	**12.2**	**195**	**3**	**5**	**7**	**12**	**29**	**49**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	14.0		14	14	14	14	14	14	14										
50-64	1	15.0		15	15	15	15	15	15	15										
65 +	21	18.4	98	5	14	16	25	32	39	42										
ALL AGES	23	18.0	93	5	14	16	24	30	38	42										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	23.0	343	9	11	16	37	44	44	44										
65 +	38	19.4	173	6	12	17	24	33	49	66	2	7.5	61	2	2	7	13	13	13	13
ALL AGES	41	19.6	180	6	11	16	24	36	50	66	2	7.5	61	2	2	7	13	13	13	13
SUBTOTAL	**64**	**19.1**	**144**	**6**	**13**	**16**	**24**	**36**	**43**	**65**	**2**	**7.5**	**61**	**2**	**2**	**7**	**13**	**13**	**13**	**13**
GRAND TOTAL	**329**	**18.3**	**115**	**6**	**12**	**16**	**24**	**33**	**41**	**57**	**15**	**11.6**	**174**	**3**	**4**	**7**	**12**	**23**	**46**	**54**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	19.0		19	19	19	19	19	19	19	1	5.0		5	5	5	5	5	5	5
50-64																				
65 +	88	12.1	70	3	6	11	16	23	27	46	22	7.8	25	3	4	6	12	16	18	19
ALL AGES	89	12.2	70	3	6	11	16	22	27	46	23	7.7	24	3	4	6	11	16	18	19
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	4	15.8	175	3	7	19	50	99+	99+	99+										
65 +	140	11.8	62	3	6	10	17	22	27	35	41	8.9	99	3	4	7	10	14	29	53
ALL AGES	144	11.9	65	3	6	10	18	23	28	43	41	8.9	99	3	4	7	10	14	29	53
SUBTOTAL	**233**	**12.0**	**67**	**3**	**6**	**10**	**17**	**23**	**27**	**45**	**64**	**8.5**	**71**	**3**	**4**	**6**	**10**	**14**	**18**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	22	15.9	84	5	8	17	20	26	33	40	5	5.6	4	3	4	7	7	7	7	7
ALL AGES	22	15.9	84	5	8	17	20	26	33	40	5	5.6	4	3	4	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	51	16.3	116	4	8	14	24	32	35	42	7	10.4	122	3	4	5	12	30	34	34
ALL AGES	51	16.3	116	4	8	14	24	32	35	42	7	10.4	122	3	4	5	12	30	34	34
SUBTOTAL	**73**	**16.2**	**104**	**4**	**8**	**15**	**24**	**32**	**35**	**42**	**12**	**8.4**	**74**	**3**	**4**	**6**	**8**	**20**	**32**	**34**
GRAND TOTAL	**306**	**13.0**	**79**	**4**	**6**	**11**	**18**	**25**	**32**	**43**	**76**	**8.5**	**70**	**3**	**4**	**6**	**10**	**14**	**19**	**51**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34																				
35-49																				
50-64	6	12.5	196	2	2	9	14	36	39	39	3	7.0	25	2	3	7	11	12	12	12
65 +	129	11.1	59	4	6	9	14	21	27	58	21	8.0	44	2	3	6	12	18	23	24
ALL AGES	136	11.1	64	4	6	9	14	22	30	54	24	7.8	42	2	3	6	11	17	23	24
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	14.0		14	14	14	14	14	14	14										
50-64	8	15.4	159	5	6	9	25	35	38	38										
65 +	184	11.7	78	3	6	10	15	21	30	45	43	11.4	169	3	4	7	12	30	42	63
ALL AGES	193	11.9	80	3	6	10	15	22	31	45	43	11.4	169	3	4	7	12	30	42	63
SUBTOTAL	**329**	**11.6**	**72**	**3**	**6**	**10**	**15**	**22**	**31**	**45**	**67**	**10.1**	**125**	**2**	**4**	**7**	**12**	**22**	**35**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	13.0		13	13	13	13	13	13	13										
50-64	7	18.1	571	3	4	7	20	60	70	70										
65 +	50	12.0	129	3	6	8	13	24	32	70	1	13.0		13	13	13	13	13	13	13
ALL AGES	58	12.7	177	3	6	8	15	24	33	70	1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	39.0		39	39	39	39	39	39	39										
50-64	6	12.5	179	4	5	7	13	36	39	39										
65 +	68	14.1	158	3	7	11	17	30	40	63	7	8.1	17	3	6	7	12	13	13	13
ALL AGES	75	14.3	164	3	7	10	17	34	39	62	7	8.1	17	3	6	7	12	13	13	13
SUBTOTAL	**133**	**13.6**	**169**	**3**	**6**	**10**	**17**	**28**	**39**	**70**	**8**	**8.8**	**16**	**3**	**6**	**8**	**13**	**13**	**13**	**13**
GRAND TOTAL	**462**	**12.2**	**100**	**3**	**6**	**10**	**15**	**23**	**33**	**56**	**75**	**10.0**	**113**	**2**	**4**	**7**	**12**	**21**	**33**	**60**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	57.0		57	57	57	57	57	57	57										
ALL AGES	1	57.0		57	57	57	57	57	57	57										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	1	13.0		13	13	13	13	13	13	13										
SUBTOTAL	**2**	**35.0**	**968**	**13**	**13**	**35**	**57**	**57**	**57**	**57**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**35.0**	**968**	**13**	**13**	**35**	**57**	**57**	**57**	**57**										

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	6.0		6	6	6	6	6	6	6
65 +	7	14.7	81	3	8	14	22	27	28	28	1	8.0		8	8	8	8	8	8	8
ALL AGES	7	14.7	81	3	8	14	22	27	28	28	2	7.0	2	6	6	7	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	18.0		18	18	18	18	18	18	18										
65 +	6	18.2	165	5	8	14	34	34	34	34	1	4.0		4	4	4	4	4	4	4
ALL AGES	7	18.1	140	6	9	17	30	34	34	34	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**14**	**16.4**	**105**	**5**	**8**	**15**	**23**	**34**	**34**	**34**	**3**	**6.0**	**4**	**4**	**4**	**6**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											2	8.0	32	4	4	8	12	12	12	12
ALL AGES											2	8.0	32	4	4	8	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	6	12.7	46	5	8	12	14	24	25	25	1	11.0		11	11	11	11	11	11	11
ALL AGES	6	12.7	46	5	8	12	14	24	25	25	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**6**	**12.7**	**46**	**5**	**8**	**12**	**14**	**24**	**25**	**25**	**3**	**9.0**	**19**	**4**	**6**	**11**	**12**	**12**	**12**	**12**
GRAND TOTAL	**20**	**15.3**	**87**	**5**	**8**	**13**	**21**	**31**	**34**	**34**	**6**	**7.5**	**12**	**4**	**4**	**7**	**11**	**12**	**12**	**12**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	13	5.2	13	1	2	4	9	10	12	12	6	4.0	1	3	3	4	4	6	6	6
35-49	23	5.6	14	2	3	4	8	11	14	15	12	4.8	16	1	2	4	6	11	14	15
50-64	21	8.5	87	2	3	5	9	18	30	42	6	6.0	17	1	3	6	9	11	11	11
65 +	10	6.8	12	2	4	7	10	11	11	11	6	5.5	15	1	3	5	10	10	10	10
ALL AGES	67	6.6	37	2	3	5	9	12	17	38	30	5.0	12	1	3	4	7	10	11	15
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	4.0	7	2	2	3	6	7	7	7	2	4.0	2	3	3	4	5	5	5	5
35-49	6	7.0	13	1	5	8	9	11	11	11	2	8.5	61	3	3	8	14	14	14	14
50-64	2	6.5	25	3	3	6	10	10	10	10	1	3.0		3	3	3	3	3	3	3
65 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	12	7.0	21	1	3	7	10	13	16	17	5	5.6	23	3	3	3	7	14	14	14
SUBTOTAL	**79**	**6.7**	**34**	**2**	**3**	**5**	**9**	**12**	**17**	**36**	**35**	**5.1**	**13**	**1**	**3**	**4**	**7**	**10**	**13**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	126	4.5	11	2	3	4	6	8	10	19	17	4.9	35	1	2	4	5	7	20	27
35-49	232	4.8	12	2	3	4	6	8	10	20	61	5.5	37	2	3	4	5	9	23	30
50-64	103	6.9	44	2	3	5	9	12	21	39	28	5.8	31	2	2	4	8	12	15	28
65 +	41	10.4	102	3	4	7	11	25	33	47	14	7.7	18	3	5	8	10	13	16	17
ALL AGES	502	5.6	29	2	3	4	7	10	14	29	120	5.8	32	2	3	4	6	10	18	30
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	23	4.5	10	2	3	3	5	9	13	13	8	3.4	2	2	2	3	4	5	5	5
35-49	49	4.3	8	2	2	4	5	9	10	13	13	4.0	7	1	2	3	5	9	9	9
50-64	32	5.8	25	2	3	5	7	9	20	23	6	4.0	4	2	3	3	6	7	7	7
65 +	4	7.3	21	3	3	6	11	13	13	13										
ALL AGES	108	4.9	14	2	3	4	6	9	13	22	27	3.8	5	2	2	3	5	7	9	9
SUBTOTAL	**610**	**5.5**	**26**	**2**	**3**	**4**	**6**	**10**	**13**	**28**	**147**	**5.4**	**28**	**2**	**3**	**4**	**6**	**10**	**14**	**30**
GRAND TOTAL	**689**	**5.6**	**27**	**2**	**3**	**4**	**7**	**10**	**14**	**28**	**182**	**5.3**	**26**	**2**	**3**	**4**	**6**	**10**	**14**	**29**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	9.0		9	9	9	9	9	9	9										
50-64	2	15.5	113	8	8	15	23	23	23	23	2	9.5	1	9	9	9	10	10	10	10
65 +	2	20.0	128	12	12	20	28	28	28	28	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	5	16.0	81	8	9	12	24	28	28	28	4	6.5	14	2	3	7	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	52.0		52	52	52	52	52	52	52
35-49	2	4.0		4	4	4	4	4	4	4										
50-64	1	19.0		19	19	19	19	19	19	19										
65 +	2	30.0	1250	5	5	30	55	55	55	55										
ALL AGES	5	17.4	482	4	4	5	28	55	55	55	1	52.0		52	52	52	52	52	52	52
SUBTOTAL	**10**	**16.7**	**251**	**4**	**5**	**10**	**23**	**41**	**55**	**55**	**5**	**15.6**	**424**	**2**	**4**	**9**	**20**	**52**	**52**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	12.0		12	12	12	12	12	12	12										
35-49	7	17.3	527	1	2	9	24	58	65	65	1	13.0		13	13	13	13	13	13	13
50-64	7	9.7	53	3	6	7	13	22	24	24	5	6.4	25	2	3	4	10	14	14	14
65 +	9	18.7	163	6	10	14	27	40	44	44	3	9.0	61	4	4	5	15	18	18	18
ALL AGES	24	15.4	223	2	6	11	20	34	50	65	9	8.0	33	2	4	5	13	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	10.3	53	2	5	14	15	15	15	15	3	4.0	12	2	2	2	7	8	8	8
50-64	3	16.7	196	2	6	18	27	30	30	30	1	16.0		16	16	16	16	16	16	16
65 +	5	19.2	108	10	14	16	23	37	37	37										
ALL AGES	11	16.1	108	2	11	15	18	33	37	37	4	7.0	44	2	2	5	12	16	16	16
SUBTOTAL	**35**	**15.6**	**183**	**2**	**6**	**12**	**18**	**33**	**42**	**65**	**13**	**7.7**	**33**	**2**	**3**	**5**	**13**	**16**	**18**	**18**
GRAND TOTAL	**45**	**15.8**	**195**	**2**	**6**	**12**	**20**	**33**	**47**	**65**	**18**	**9.9**	**136**	**2**	**3**	**7**	**13**	**17**	**38**	**52**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	8.0		8	8	8	8	8	8	8										
50-64	4	12.5	24	6	9	13	16	18	18	18	1	9.0		9	9	9	9	9	9	9
65 +	6	12.3	145	1	4	10	13	33	35	35	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	11	12.0	81	3	6	11	13	25	34	35	3	7.0	7	4	5	8	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	5.0		5	5	5	5	5	5	5										
50-64	2	9.5	5	8	8	9	11	11	11	11										
65 +	4	24.0	810	2	5	14	43	65	65	65										
ALL AGES	7	17.1	483	3	6	8	18	56	65	65										
SUBTOTAL	**18**	**14.0**	**224**	**3**	**6**	**10**	**13**	**31**	**53**	**65**	**3**	**7.0**	**7**	**4**	**5**	**8**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	6	6.0	9	2	3	6	8	10	10	10										
35-49	9	11.1	19	7	8	9	14	18	19	19	1	3.0		3	3	3	3	3	3	3
50-64	16	11.3	40	3	7	9	16	20	23	24	4	9.8	46	2	4	10	15	16	16	16
65 +	18	13.0	80	4	5	11	17	28	31	31	2	31.0	338	18	18	31	44	44	44	44
ALL AGES	49	11.2	50	3	7	9	15	21	25	31	7	14.9	206	2	4	15	17	39	44	44
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	30.5	265	19	25	42	85	99 +	99 +	99 +	1	4.0		4	4	4	4	4	4	4
50-64	3	18.0	508	4	4	6	34	44	44	44	4	10.3	19	4	7	11	13	14	14	14
65 +	7	12.6	65	3	6	14	18	24	25	25	2	10.0	72	4	4	10	16	16	16	16
ALL AGES	12	16.9	199	4	6	15	29	55	92	99 +	7	9.3	27	4	4	10	14	16	16	16
SUBTOTAL	**61**	**12.3**	**83**	**4**	**6**	**10**	**17**	**25**	**35**	**93**	**14**	**12.1**	**116**	**3**	**4**	**11**	**16**	**21**	**39**	**44**
GRAND TOTAL	**79**	**12.7**	**113**	**3**	**6**	**10**	**17**	**25**	**38**	**89**	**17**	**11.2**	**99**	**3**	**4**	**9**	**15**	**18**	**35**	**44**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	30.0	242	19	19	30	41	41	41	41										
35-49	1	3.0		3	3	3	3	3	3	3	2	2.0	2	1	1	2	3	3	3	3
50-64	1	9.0		9	9	9	9	9	9	9										
65 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	5	16.2	225	3	7	9	24	41	41	41	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**5**	**16.2**	**225**	**3**	**7**	**9**	**24**	**41**	**41**	**41**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	14	7.9	151	2	2	4	7	17	42	49	3	3.7	2	2	2	4	5	5	5	5
35-49	41	6.2	30	2	3	4	8	12	18	28	10	3.1	2	1	2	3	4	5	6	6
50-64	14	7.4	46	1	3	4	13	19	20	20	3	3.0	1	2	2	3	4	4	4	4
65 +	5	14.4	179	4	6	8	21	37	37	37	1	2.0		2	2	2	2	2	2	2
ALL AGES	74	7.3	66	2	3	5	8	16	22	46	17	3.1	2	2	2	3	4	5	6	6
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	8	12.8	298	1	2	6	16	43	52	52										
35-49	11	4.9	14	2	2	4	6	11	14	14	3	3.7	1	3	3	3	5	5	5	5
50-64	2	9.5	13	7	7	9	12	12	12	12										
65 +	2	3.0		3	3	3	3	3	3	3										
ALL AGES	23	7.9	117	2	2	4	8	16	33	52	3	3.7	1	3	3	3	5	5	5	5
SUBTOTAL	**97**	**7.4**	**78**	**2**	**3**	**4**	**8**	**15**	**23**	**51**	**20**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**6**
GRAND TOTAL	**102**	**7.9**	**85**	**2**	**3**	**5**	**9**	**17**	**25**	**50**	**22**	**3.1**	**2**	**1**	**2**	**3**	**4**	**5**	**6**	**6**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	1.0		1	1	1	1	1	1	1										
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	4	2.0	2	1	1	1	3	4	4	4										
50-64																				
65 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	8	2.3	3	1	1	2	3	5	6	6										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**8**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**										
GRAND TOTAL	**9**	**2.2**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**										

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4										
50-64											1	11.0		11	11	11	11	11	11	11
65 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	2	11.0	98	4	4	11	18	18	18	18	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**3**	**8.0**	**76**	**2**	**2**	**4**	**14**	**18**	**18**	**18**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
GRAND TOTAL	**3**	**8.0**	**76**	**2**	**2**	**4**	**14**	**18**	**18**	**18**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	20	4.3	15	1	2	3	5	9	14	18	10	4.4	20	1	2	3	5	11	16	16
35-49	56	4.9	19	2	2	4	6	10	15	23	13	4.2	5	2	2	4	5	8	9	9
50-64	29	6.8	37	2	3	5	9	16	19	26	14	6.1	37	2	2	3	8	13	22	24
65 +	9	16.0	802	2	4	8	10	59	91	91	5	9.0	73	1	3	7	13	23	23	23
ALL AGES	114	6.1	87	2	2	4	7	12	18	49	42	5.4	28	2	2	4	7	11	19	24
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	6	3.5	2	2	2	3	5	5	5	5	3	3.0		3	3	3	3	3	3	3
35-49	15	6.7	49	1	2	4	8	22	23	24	5	2.2	1	1	2	2	3	3	3	3
50-64	4	11.3	109	2	4	8	18	26	26	26	3	8.3	38	3	4	7	13	15	15	15
65 +	4	10.5	172	2	3	5	18	30	30	30	3	8.3	47	3	4	6	13	16	16	16
ALL AGES	29	7.2	62	1	2	4	7	23	26	30	14	5.0	22	2	3	3	6	15	16	16
SUBTOTAL	**143**	**6.4**	**81**	**2**	**2**	**4**	**7**	**12**	**20**	**34**	**56**	**5.3**	**26**	**2**	**2**	**3**	**6**	**12**	**16**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	11.0	217	2	2	3	22	28	28	28	5	2.8		2	2	3	3	3	3	3
20-34	207	4.9	33	1	2	3	4	14	19	27	108	3.6	18	1	2	3	3	5	7	28
35-49	465	4.5	25	2	2	3	4	8	15	28	243	3.2	4	2	3	3	3	4	7	10
50-64	209	5.6	32	2	3	3	6	13	21	26	99	5.5	44	2	3	3	5	10	28	31
65 +	73	7.2	37	2	3	5	10	16	19	29	24	8.3	63	2	3	7	10	13	31	35
ALL AGES	957	5.1	30	2	3	3	5	11	18	28	479	4.0	20	2	3	3	4	7	10	29
B. FEMALE																				
0-12 YRS.																				
13-19	1	15.0		15	15	15	15	15	15	15										
20-34	91	6.0	72	2	2	3	4	19	28	42	32	3.9	23	2	2	3	4	5	6	29
35-49	94	4.6	32	1	2	3	4	9	20	27	45	3.3	14	1	2	3	3	5	7	26
50-64	56	4.0	8	2	3	3	5	7	9	18	31	4.5	21	2	3	3	4	8	12	26
65 +	19	6.3	46	2	3	4	7	12	23	31	4	5.3	15	2	3	4	8	11	11	11
ALL AGES	261	5.1	43	2	2	3	4	10	22	31	112	3.9	18	2	2	3	4	6	9	27
SUBTOTAL	**1218**	**5.1**	**32**	**2**	**2**	**3**	**5**	**11**	**19**	**28**	**591**	**4.0**	**20**	**2**	**2**	**3**	**4**	**7**	**10**	**29**
GRAND TOTAL	**1361**	**5.2**	**38**	**2**	**2**	**3**	**5**	**11**	**19**	**28**	**647**	**4.1**	**20**	**2**	**2**	**3**	**4**	**7**	**10**	**29**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
35-49											1	1.0		1	1	1	1	1	1	1
50-64																				
65 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	4.3	7	1	2	4	6	7	7	7										
35-49	2	11.5	41	7	7	11	16	16	16	16										
50-64	6	4.5	13	1	1	4	7	10	10	10										
65 +	3	7.0	28	3	3	5	11	13	13	13										
ALL AGES	15	5.9	19	1	3	5	7	13	15	16										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	9.0	98	2	2	9	16	16	16	16	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	2	9.0	98	2	2	9	16	16	16	16	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**17**	**6.2**	**25**	**1**	**2**	**5**	**8**	**15**	**16**	**16**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**18**	**6.2**	**23**	**1**	**3**	**5**	**7**	**15**	**16**	**16**	**3**	**2.3**	**2**	**1**	**1**	**3**	**3**	**3**	**3**	**3**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19																				
20-34	2	10.0	98	3	3	10	17	17	17	17										
35-49	4	9.5	206	1	2	3	17	31	31	31	2	1.5	1	1	1	1	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5	2	2.5	5	1	1	2	4	4	4	4
65 +	2	5.0	2	4	4	5	6	6	6	6										
ALL AGES	10	7.6	87	2	3	4	6	24	31	31	4	2.0	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	4	8.0	51	2	3	6	13	18	18	18										
35-49	7	7.4	64	2	2	4	15	19	19	19	2	4.5	25	1	1	4	8	8	8	8
50-64	5	5.0	28	1	2	3	7	14	14	14	1	4.0		4	4	4	4	4	4	4
65 +	3	17.7	8	15	15	17	20	21	21	21	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	19	8.5	55	2	2	4	16	19	20	21	5	4.0	7	1	2	4	5	8	8	8
SUBTOTAL	**29**	**8.2**	**64**	**2**	**3**	**4**	**15**	**19**	**21**	**31**	**9**	**3.1**	**5**	**1**	**1**	**3**	**4**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	1.5	1	1	1	1	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
20-34	57	5.0	46	2	3	3	4	8	22	36	67	3.0	3	2	3	3	3	3	4	13
35-49	43	5.4	35	2	3	3	5	11	22	28	106	2.8	1	2	3	3	3	3	4	6
50-64	9	4.9	5	2	3	4	6	9	9	9	18	5.0	72	2	3	3	3	4	25	39
65 +	2	10.5	25	7	7	10	14	14	14	14	4	3.5		3	3	3	4	4	4	4
ALL AGES	113	5.2	37	2	3	3	5	8	18	34	197	3.1	8	2	3	3	3	3	4	12
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
20-34	52	7.1	98	1	3	3	8	19	21	60	33	3.2	7	1	2	3	4	6	8	14
35-49	30	7.4	45	3	3	5	8	16	23	31	23	4.7	32	2	3	3	4	6	16	30
50-64	10	7.0	28	2	2	6	11	15	18	18	6	4.2	19	1	2	3	4	12	13	13
65 +	6	4.5	5	2	3	4	6	8	8	8	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	99	7.0	68	2	3	4	8	16	21	46	66	3.9	16	1	2	3	4	7	9	27
SUBTOTAL	**212**	**6.0**	**53**	**2**	**3**	**3**	**6**	**14**	**21**	**34**	**263**	**3.3**	**10**	**2**	**3**	**3**	**3**	**4**	**6**	**14**
GRAND TOTAL	**241**	**6.3**	**54**	**2**	**3**	**4**	**7**	**15**	**21**	**33**	**272**	**3.3**	**10**	**2**	**3**	**3**	**3**	**4**	**6**	**14**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-19	1	8.0		8	8	8	8	8	8	8										
20-34																				
35-49	2	3.5	13	1	1	3	6	6	6	6	1	7.0		7	7	7	7	7	7	7
50-64																				
65 +	8	6.0	7	3	4	6	8	10	10	10	2	7.0	72	1	1	7	13	13	13	13
ALL AGES	13	5.1	8	1	3	5	7	9	10	10	3	7.0	36	1	2	7	11	13	13	13
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
20-34	2	6.5	1	6	6	6	7	7	7	7	1	5.0		5	5	5	5	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7										
50-64	4	5.8	11	2	3	5	8	10	10	10										
65 +	11	6.5	8	3	4	5	8	11	12	12	8	9.6	186	2	3	6	7	32	43	43
ALL AGES	19	6.4	7	3	4	6	8	11	12	12	11	7.6	143	1	2	5	7	22	41	43
SUBTOTAL	**32**	**5.8**	**8**	**2**	**4**	**6**	**8**	**10**	**11**	**12**	**14**	**7.5**	**115**	**1**	**2**	**5**	**7**	**16**	**37**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	10.5	5	9	9	10	12	12	12	12										
20-34	11	15.6	326	1	4	7	25	48	49	49										
35-49	9	8.6	53	1	2	6	14	18	21	21	1	2.0		2	2	2	2	2	2	2
50-64	3	4.3	7	2	2	4	6	7	7	7										
65 +	8	10.8	39	2	5	11	15	19	20	20	1	5.0		5	5	5	5	5	5	5
ALL AGES	33	11.2	137	1	3	7	14	23	45	49	2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	2	2.0		2	2	2	2	2	2	2										
20-34	5	9.4	40	4	5	7	12	20	20	20										
35-49	4	12.0	101	3	3	11	20	23	23	23										
50-64	4	5.3	10	2	2	5	8	8	8	8										
65 +	9	11.7	77	3	4	10	16	26	29	29										
ALL AGES	25	9.0	61	2	3	7	13	21	24	29										
SUBTOTAL	**58**	**10.3**	**103**	**2**	**3**	**7**	**14**	**21**	**29**	**49**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
GRAND TOTAL	**90**	**8.7**	**73**	**2**	**3**	**6**	**11**	**19**	**23**	**49**	**16**	**7.0**	**102**	**1**	**2**	**5**	**7**	**12**	**34**	**43**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19																				
20-34											1	2.0		2	2	2	2	2	2	2
35-49																				
50-64																				
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											3	3.0	1	2	2	3	4	4	4	4
SUBTOTAL											**4**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64											1	31.0		31	31	31	31	31	31	31
65 +																				
ALL AGES	2	4.0	18	1	1	3	7	7	7	7	1	31.0		31	31	31	31	31	31	31
SUBTOTAL	**4**	**3.3**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**	**1**	**31.0**		**31**	**31**	**31**	**31**	**31**	**31**	**31**
GRAND TOTAL	**4**	**3.3**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**	**5**	**8.2**	**164**	**1**	**2**	**3**	**11**	**31**	**31**	**31**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
20-34	10	7.7	45	1	3	5	14	18	19	19										
35-49	6	4.0	5	1	3	4	6	7	7	7	4	3.8	18	1	1	2	6	10	10	10
50-64	10	11.6	86	3	6	8	13	28	32	32	3	2.3	3	1	1	2	3	4	4	4
65 +	34	4.7	11	2	3	4	5	8	13	17	16	4.8	7	2	3	4	6	9	10	11
ALL AGES	62	6.1	34	2	3	4	7	14	18	31	24	4.1	9	1	2	3	5	9	10	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	4	5.0	23	1	2	3	8	12	12	12	1	1.0		1	1	1	1	1	1	1
35-49	9	3.6	9	1	2	3	4	9	11	11	8	9.3	39	3	4	8	15	18	18	18
50-64	7	8.0	20	2	4	10	10	14	15	15	10	3.1	4	1	1	3	4	6	7	7
65 +	61	5.8	19	2	3	5	7	11	18	19	26	5.8	7	3	4	5	7	9	11	13
ALL AGES	81	5.7	19	2	3	4	7	11	16	19	45	5.7	16	1	3	5	7	11	14	18
SUBTOTAL	**143**	**5.9**	**25**	**2**	**3**	**4**	**7**	**13**	**17**	**25**	**69**	**5.1**	**14**	**1**	**3**	**4**	**7**	**10**	**13**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	5	4.6	20	1	1	2	9	10	10	10										
20-34	14	11.0	48	2	5	11	17	21	21	21	2	9.5	1	9	9	9	10	10	10	10
35-49	12	9.6	50	1	4	8	15	19	23	24	2	9.0	50	4	4	9	14	14	14	14
50-64	8	7.9	27	3	4	6	11	16	17	17	1	3.0		3	3	3	3	3	3	3
65 +	17	6.0	6	4	4	6	7	10	11	11	5	7.0	18	4	4	5	9	14	14	14
ALL AGES	56	8.2	33	1	4	6	12	17	20	24	10	7.5	17	3	4	6	10	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19	2	3.0	8	1	1	3	5	5	5	5										
20-34	11	15.0	199	4	6	10	14	42	45	45	2	11.0	98	4	4	11	18	18	18	18
35-49	11	5.6	13	2	3	5	8	11	11	11	4	12.3	23	5	9	14	15	16	16	16
50-64	14	10.7	46	4	6	9	12	22	25	26	3	13.0	243	4	4	4	24	31	31	31
65 +	41	7.7	45	2	3	6	10	15	16	40	13	7.8	43	2	3	5	12	16	22	24
ALL AGES	79	8.8	68	2	3	7	11	15	24	44	22	9.6	61	3	4	6	14	20	27	31
SUBTOTAL	**135**	**8.6**	**52**	**2**	**4**	**7**	**11**	**16**	**21**	**41**	**32**	**9.0**	**46**	**3**	**4**	**6**	**13**	**17**	**23**	**31**
GRAND TOTAL	**278**	**7.2**	**40**	**2**	**3**	**5**	**9**	**15**	**18**	**38**	**101**	**6.4**	**26**	**2**	**3**	**5**	**8**	**13**	**16**	**27**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	1	11.0		11	11	11	11	11	11	11	3	5.3	25	2	2	3	9	11	11	11
50-64	2	1.5	1	1	1	1	2	2	2	2										
65 +											2	5.5	5	4	4	5	7	7	7	7
ALL AGES	4	4.8	20	1	1	3	8	11	11	11	5	5.4	13	2	3	4	8	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
35-49	2	11.0	200	1	1	11	21	21	21	21										
50-64	2	4.5	5	3	3	4	6	6	6	6	2	5.5	1	5	5	5	6	6	6	6
65 +	3	4.7	2	3	3	5	6	6	6	6	1	4.0		4	4	4	4	4	4	4
ALL AGES	8	6.0	40	1	3	4	6	17	21	21	4	4.5	2	3	3	4	5	6	6	6
SUBTOTAL	**12**	**5.6**	**31**	**1**	**2**	**4**	**6**	**14**	**20**	**21**	**9**	**5.0**	**8**	**2**	**3**	**4**	**6**	**9**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	6	8.0	14	3	4	9	11	12	12	12	1	2.0		2	2	2	2	2	2	2
20-34	12	5.8	12	1	3	5	9	10	11	11										
35-49	7	5.6	8	2	3	7	7	9	10	10	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	2	6.0	8	4	4	6	8	8	8	8	1	2.0		2	2	2	2	2	2	2
ALL AGES	27	6.3	10	2	3	6	9	11	11	12	3	2.3	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	7	4.7	14	1	2	3	6	11	12	12										
35-49	4	3.5	2	2	2	3	4	5	5	5										
50-64	3	3.7	9	1	1	3	6	7	7	7										
65 +	6	12.7	116	3	3	10	18	30	31	31	3	7.3	3	6	6	7	8	9	9	9
ALL AGES	20	6.7	53	1	3	4	7	16	24	31	3	7.3	3	6	6	7	8	9	9	9
SUBTOTAL	**47**	**6.4**	**28**	**2**	**3**	**5**	**9**	**12**	**15**	**31**	**6**	**4.8**	**9**	**2**	**2**	**4**	**7**	**9**	**9**	**9**
GRAND TOTAL	**59**	**6.3**	**28**	**1**	**3**	**5**	**8**	**12**	**16**	**30**	**15**	**4.9**	**8**	**2**	**3**	**4**	**7**	**9**	**10**	**11**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-19	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
20-34	13	4.1	30	1	1	2	5	10	19	21	1	2.0		2	2	2	2	2	2	2
35-49	17	5.6	41	1	2	3	7	16	22	24	8	2.4	1	1	1	2	3	4	4	4
50-64	29	4.1	7	1	3	4	5	7	9	13	9	5.7	37	1	2	4	7	16	18	18
65 +	83	6.7	28	2	3	5	9	13	16	28	57	6.9	62	2	3	4	7	15	22	48
ALL AGES	145	5.7	26	1	3	4	7	12	15	25	76	6.2	53	1	2	4	6	14	18	44
B. FEMALE																				
0-12 YRS.											2	3.5	1	3	3	3	4	4	4	4
13-19	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
20-34	5	5.8	13	1	2	8	8	9	9	9										
35-49	11	7.8	93	1	2	5	12	22	32	33	2	2.5	1	2	2	2	3	3	3	3
50-64	32	4.5	20	2	2	3	5	8	13	24	18	4.2	10	1	2	3	5	9	11	13
65 +	150	6.9	28	2	3	5	9	15	18	22	99	6.9	30	2	4	5	8	14	17	32
ALL AGES	199	6.5	30	1	3	5	8	14	18	26	122	6.3	28	2	3	5	8	13	17	29
SUBTOTAL	**344**	**6.2**	**28**	**1**	**3**	**4**	**8**	**13**	**17**	**25**	**198**	**6.3**	**37**	**2**	**3**	**4**	**7**	**13**	**17**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	8	5.8	43	2	3	4	5	17	22	22	2	8.0	98	1	1	8	15	15	15	15
35-49	11	8.0	28	2	4	6	12	15	19	19	1	3.0		3	3	3	3	3	3	3
50-64	13	7.5	55	1	2	4	12	18	24	26	6	15.8	233	2	5	11	24	40	42	42
65 +	44	10.5	71	3	4	8	14	24	30	32	23	7.7	62	3	4	6	9	11	25	41
ALL AGES	77	9.0	61	2	3	6	12	22	28	32	32	9.1	96	2	4	6	9	19	39	42
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	7	7.9	146	2	2	2	6	29	35	35	1	4.0		4	4	4	4	4	4	4
35-49	12	14.4	237	3	4	10	14	46	46	46	5	4.6	10	2	2	3	8	8	8	8
50-64	18	7.3	24	2	4	6	9	14	18	21	3	10.3	17	6	7	11	13	14	14	14
65 +	75	7.4	27	3	4	6	9	14	19	27	38	6.2	16	2	3	5	7	11	14	21
ALL AGES	113	8.1	58	3	4	6	10	15	20	46	47	6.2	17	2	3	5	8	11	14	21
SUBTOTAL	**190**	**8.5**	**58**	**2**	**4**	**6**	**11**	**18**	**24**	**41**	**79**	**7.4**	**50**	**2**	**3**	**6**	**8**	**15**	**19**	**42**
GRAND TOTAL	**534**	**7.0**	**40**	**2**	**3**	**5**	**9**	**14**	**19**	**31**	**277**	**6.6**	**41**	**2**	**3**	**5**	**8**	**14**	**17**	**40**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	8.5	13	6	6	8	11	11	11	11										
ALL AGES	2	8.5	13	6	6	8	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	4.5	5	3	3	4	6	6	6	6	1	12.0		12	12	12	12	12	12	12
65 +	5	15.2	145	5	5	13	23	34	34	34	1	14.0		14	14	14	14	14	14	14
ALL AGES	7	12.1	126	3	5	6	17	31	34	34	2	13.0	2	12	12	13	14	14	14	14
SUBTOTAL	**9**	**11.3**	**99**	**4**	**5**	**6**	**14**	**28**	**34**	**34**	**2**	**13.0**	**2**	**12**	**12**	**13**	**14**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	1	14.0		14	14	57	99 +	99 +	99 +	99 +										
50-64																				
65 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	3	11.3	87	1	7	16	59	99 +	99 +	99 +										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	21.5	1	21	21	21	22	22	22	22										
ALL AGES	2	21.5	1	21	21	21	22	22	22	22										
SUBTOTAL	**5**	**15.4**	**74**	**1**	**14**	**20**	**22**	**92**	**99 +**	**99 +**										
GRAND TOTAL	**14**	**12.8**	**87**	**3**	**5**	**13**	**21**	**34**	**83**	**99 +**	**2**	**13.0**	**2**	**12**	**12**	**13**	**14**	**14**	**14**	**14**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	17.5	61	12	12	17	23	23	23	23	1	3.0		3	3	3	3	3	3	3
13-19	9	12.4	93	3	4	9	23	26	26	26										
20-34	53	15.1	166	4	7	11	20	30	40	67	2	6.5	1	6	6	6	7	7	7	7
35-49	40	14.7	138	6	7	10	17	31	41	58										
50-64	36	17.6	142	3	8	15	28	34	41	46	3	30.7	866	8	11	20	53	64	64	64
65 +	117	14.8	94	3	7	14	22	28	30	47	6	10.3	44	2	8	10	12	20	21	21
ALL AGES	257	15.2	120	4	7	12	21	29	35	53	12	14.2	281	2	6	8	16	34	60	64
B. FEMALE																				
0-12 YRS.																				
13-19	2	13.5	13	11	11	13	16	16	16	16	1	5.0		5	5	5	5	5	5	5
20-34	34	15.5	165	4	7	11	19	32	49	54										
35-49	29	19.1	282	3	8	15	22	45	50	79	1	10.0		10	10	10	10	10	10	10
50-64	34	14.7	128	2	7	12	22	29	42	44	1	8.0		8	8	8	8	8	8	8
65 +	171	15.6	100	5	9	14	20	28	43	90	7	18.1	291	3	4	10	29	43	47	47
ALL AGES	270	15.8	131	4	8	14	21	29	44	74	10	15.0	220	3	5	9	29	38	47	47
SUBTOTAL	**527**	**15.5**	**126**	**4**	**7**	**13**	**21**	**29**	**40**	**57**	**22**	**14.5**	**244**	**3**	**5**	**8**	**20**	**35**	**54**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-19	3	17.3	14	14	15	17	20	21	21	21										
20-34	66	14.5	72	4	7	14	19	28	30	35	2	13.0		13	13	13	13	13	13	13
35-49	61	16.3	121	4	9	14	21	35	39	94	3	8.7	19	4	5	9	12	13	13	13
50-64	31	16.5	172	5	10	14	20	28	32	73	2	29.5	5	28	28	29	31	31	31	31
65 +	67	16.6	102	6	10	16	22	30	34	52	3	9.3	66	2	3	8	15	18	18	18
ALL AGES	229	16.0	104	5	9	14	21	29	35	57	10	13.9	90	3	8	13	18	29	31	31
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-19	9	26.6	328	6	11	22	44	52	52	52										
20-34	27	17.4	323	4	7	11	19	41	52	88	5	13.2	91	5	7	9	18	29	29	29
35-49	44	17.4	206	5	8	13	25	37	51	99 +										
50-64	23	19.1	420	4	7	12	24	40	61	97										
65 +	104	16.3	113	5	9	13	22	30	36	55	5	22.8	76	13	15	24	28	35	35	35
ALL AGES	208	17.5	204	5	8	13	23	35	43	92	10	18.0	100	6	9	15	26	32	35	35
SUBTOTAL	**437**	**16.7**	**152**	**5**	**8**	**14**	**21**	**32**	**39**	**81**	**20**	**16.0**	**93**	**4**	**8**	**13**	**25**	**30**	**33**	**35**
GRAND TOTAL	**964**	**16.0**	**139**	**4**	**8**	**14**	**21**	**30**	**40**	**65**	**42**	**15.2**	**169**	**4**	**7**	**11**	**21**	**30**	**40**	**64**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	3	34.7	3	32	33	35	36	37	37	37										
20-34	2	9.0	98	2	2	9	16	16	16	16										
35-49	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
50-64	4	4.8	10	1	2	5	7	8	8	8	2	3.0	2	2	2	3	4	4	4	4
65 +	4	9.0	21	5	5	9	13	13	13	13										
ALL AGES	15	12.1	158	1	3	7	15	35	36	37	3	2.7	1	2	2	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
35-49	3	16.0	196	2	5	16	26	30	30	30	2	1.5	1	1	1	1	2	2	2	2
50-64	2	5.0	2	4	4	5	6	6	6	6										
65 +	5	8.0	43	2	3	5	14	16	16	16	4	7.3	22	2	3	7	11	13	13	13
ALL AGES	11	9.5	75	2	3	6	15	22	29	30	7	5.0	20	1	2	3	8	12	13	13
SUBTOTAL	**26**	**11.0**	**120**	**2**	**3**	**6**	**16**	**32**	**35**	**37**	**10**	**4.3**	**15**	**1**	**2**	**3**	**5**	**11**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	59.0		59	59	59	59	59	59	59	1	1.0		1	1	1	1	1	1	1
20-34	3	10.7	65	5	5	7	17	20	20	20										
35-49	1	34.0		34	34	34	34	34	34	34										
50-64											2	23.5	421	9	9	23	38	38	38	38
65 +	5	4.6	6	2	3	4	6	8	8	8										
ALL AGES	10	14.8	339	2	4	6	20	46	59	59	3	16.0	379	1	2	9	31	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-19	1	47.0		47	47	47	47	47	47	47										
20-34	1	14.0		14	14	14	14	14	14	14										
35-49	3	12.0	9	9	10	12	14	15	15	15	1	9.0		9	9	9	9	9	9	9
50-64																				
65 +	7	7.4	14	2	4	8	10	12	12	12	1	11.0		11	11	11	11	11	11	11
ALL AGES	12	12.4	134	3	7	10	13	25	44	47	2	10.0	2	9	9	10	11	11	11	11
SUBTOTAL	**22**	**13.5**	**217**	**3**	**5**	**8**	**14**	**38**	**52**	**59**	**5**	**13.6**	**201**	**1**	**7**	**9**	**18**	**38**	**38**	**38**
GRAND TOTAL	**48**	**12.1**	**163**	**2**	**4**	**7**	**15**	**33**	**38**	**59**	**15**	**7.4**	**87**	**1**	**2**	**4**	**9**	**13**	**32**	**38**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	26.0		26	26	26	26	26	26	26										
50-64	1	6.0		6	6	6	6	6	6	6	2	15.0	242	4	4	15	26	26	26	26
65 +	2	18.5	13	16	16	18	21	21	21	21										
ALL AGES	4	17.3	71	6	11	18	23	26	26	26	2	15.0	242	4	4	15	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +	5	14.6	29	7	11	15	17	22	22	22	1	6.0		6	6	6	6	6	6	6
ALL AGES	7	12.3	41	3	8	13	16	21	22	22	2	3.5	13	1	1	3	6	6	6	6
SUBTOTAL	**11**	**14.1**	**53**	**4**	**8**	**15**	**20**	**24**	**26**	**26**	**4**	**9.3**	**128**	**1**	**2**	**5**	**16**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +	2	10.5	5	9	10	12	78	99 +	99 +	99 +	1	7.0		7	7	7	7	7	7	7
ALL AGES	3	7.3	33	1	5	10	56	99 +	99 +	99 +	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +	2	21.5	85	15	15	21	28	28	28	28										
ALL AGES	3	15.0	169	2	5	15	25	28	28	28										
SUBTOTAL	**6**	**11.2**	**97**	**1**	**4**	**12**	**25**	**86**	**99 +**	**99 +**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**17**	**13.1**	**66**	**2**	**7**	**14**	**21**	**27**	**71**	**99 +**	**5**	**8.8**	**98**	**1**	**3**	**6**	**12**	**26**	**26**	**26**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	5	8.4	33	3	4	5	14	16	16	16	1	4.0		4	4	4	4	4	4	4
35-49	6	8.0	16	2	6	7	12	13	13	13	1	3.0		3	3	3	3	3	3	3
50-64	5	12.2	90	2	4	12	18	26	26	26	1	13.0		13	13	13	13	13	13	13
65 +	12	7.8	26	3	4	6	11	16	18	18	5	14.4	117	2	6	13	23	29	29	29
ALL AGES	28	8.8	33	2	4	7	12	16	19	26	8	11.5	91	2	3	10	17	27	29	29
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	13.3	59	8	8	10	19	22	22	22										
65 +	19	11.2	25	6	7	11	15	19	20	21	8	5.4	4	3	4	5	6	8	9	9
ALL AGES	22	11.5	27	6	8	10	15	20	21	22	8	5.4	4	3	4	5	6	8	9	9
SUBTOTAL	**50**	**10.0**	**32**	**3**	**6**	**9**	**13**	**18**	**21**	**26**	**16**	**8.4**	**55**	**2**	**4**	**6**	**11**	**20**	**27**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	35.5	25	32	32	35	39	39	39	39	1	22.0		22	22	22	22	22	22	22
50-64	2	14.5	85	8	8	14	21	21	21	21										
65 +	4	13.5	48	7	7	13	19	20	20	20										
ALL AGES	8	19.3	135	7	8	19	26	37	39	39	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	10.5	61	5	5	10	16	16	16	16										
35-49	2	23.0	128	15	15	23	31	31	31	31										
50-64	4	18.0	458	5	6	8	29	50	50	50	1	13.0		13	13	13	13	13	13	13
65 +	6	11.7	54	3	6	10	19	22	22	22	2	29.5	685	11	11	29	48	48	48	48
ALL AGES	14	14.9	163	5	6	10	19	33	46	50	3	24.0	433	11	11	13	39	48	48	48
SUBTOTAL	**22**	**16.5**	**151**	**5**	**8**	**13**	**21**	**34**	**43**	**50**	**4**	**23.5**	**290**	**11**	**12**	**17**	**35**	**48**	**48**	**48**
GRAND TOTAL	**72**	**12.0**	**75**	**4**	**6**	**10**	**16**	**21**	**30**	**48**	**20**	**11.5**	**126**	**3**	**4**	**7**	**13**	**25**	**38**	**48**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	16.0		16	16	16	16	16	16	16										
20-34	5	11.8	56	1	6	13	18	19	19	19	1	21.0		21	21	21	21	21	21	21
35-49	5	10.0	40	5	6	8	12	21	21	21										
50-64	6	9.8	62	2	4	7	19	20	20	20										
65 +	20	11.8	77	2	4	12	18	26	27	27										
ALL AGES	37	11.3	62	2	5	9	18	21	26	27	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-19	1	9.0		9	9	9	9	9	9	9										
20-34	1	20.0		20	20	20	20	20	20	20										
35-49	4	20.0	158	4	10	22	30	31	31	31										
50-64	13	17.3	187	3	6	17	27	41	43	43	2	9.0	18	6	6	9	12	12	12	12
65 +	40	13.0	86	3	6	12	20	32	64	99 +	6	6.7	23	3	4	5	7	15	16	16
ALL AGES	59	14.5	110	3	6	12	20	32	42	99 +	8	7.3	19	3	4	6	9	15	16	16
SUBTOTAL	**96**	**13.3**	**92**	**3**	**5**	**12**	**19**	**28**	**38**	**99 +**	**9**	**8.8**	**38**	**3**	**4**	**6**	**13**	**19**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	23.5	221	13	13	23	34	34	34	34										
20-34	5	14.8	77	1	10	16	21	24	24	24										
35-49	12	11.7	76	3	4	7	21	23	24	24										
50-64	6	11.5	44	5	5	10	17	21	21	21										
65 +	16	18.4	340	4	9	13	23	28	65	81	1	4.0		4	4	4	4	4	4	4
ALL AGES	41	15.2	182	3	6	13	22	24	31	81	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48										
13-19	1	12.0		12	12	12	12	12	12	12										
20-34	3	12.3	134	1	4	12	21	24	24	24										
35-49	4	8.5	58	1	3	7	13	19	19	19	1	4.0		4	4	4	4	4	4	4
50-64	6	13.5	78	3	7	12	18	27	28	28										
65 +	18	14.4	63	3	10	14	19	24	30	33										
ALL AGES	33	14.3	99	2	7	13	19	26	32	48	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**74**	**14.8**	**143**	**3**	**7**	**13**	**20**	**24**	**32**	**73**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**170**	**13.9**	**116**	**3**	**6**	**12**	**20**	**27**	**34**	**96**	**11**	**7.9**	**35**	**3**	**4**	**6**	**11**	**18**	**21**	**21**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	5	18.2	145	4	11	22	33	93	99 +	99 +										
35-49	8	15.6	147	3	6	12	23	34	38	38										
50-64	8	23.4	550	3	7	13	37	62	69	69										
65 +	26	16.9	313	4	7	11	15	40	53	84	3	14.7	373	3	3	4	29	37	37	37
ALL AGES	47	17.9	296	3	7	11	26	44	70	99 +	3	14.7	373	3	3	4	29	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-19	1	18.0		18	18	18	18	18	18	18										
20-34																				
35-49																				
50-64	9	12.7	45	4	9	10	17	23	23	23										
65 +	39	13.5	33	5	8	15	17	20	23	26	2	8.0	50	3	3	8	13	13	13	13
ALL AGES	49	13.4	35	5	9	15	17	21	23	26	2	8.0	50	3	3	8	13	13	13	13
SUBTOTAL	**96**	**15.6**	**167**	**4**	**8**	**14**	**18**	**29**	**44**	**92**	**5**	**12.0**	**213**	**3**	**3**	**4**	**19**	**37**	**37**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	29.0		29	29	29	29	29	29	29										
20-34	5	13.0	58	6	6	11	21	21	21	21	1	2.0		2	2	2	2	2	2	2
35-49	9	15.0	194	4	5	9	22	39	45	45										
50-64	6	15.5	122	3	6	15	26	28	28	28										
65 +	10	13.2	71	6	7	13	14	25	35	35										
ALL AGES	31	14.6	111	5	6	11	21	29	35	45	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	1	16.0		16	16	16	16	16	16	16										
20-34	3	20.0	301	5	8	16	33	39	39	39										
35-49	6	13.7	50	4	8	13	20	23	23	23										
50-64	3	9.0	12	7	7	7	12	13	13	13										
65 +	14	16.4	100	7	8	15	19	28	40	44	2	14.5	181	5	5	14	24	24	24	24
ALL AGES	27	15.4	91	6	8	14	19	25	40	44	2	14.5	181	5	5	14	24	24	24	24
SUBTOTAL	**58**	**15.0**	**99**	**5**	**7**	**13**	**20**	**29**	**37**	**45**	**3**	**10.3**	**143**	**2**	**3**	**5**	**19**	**24**	**24**	**24**
GRAND TOTAL	**154**	**15.4**	**140**	**5**	**8**	**13**	**19**	**29**	**40**	**83**	**8**	**11.4**	**162**	**2**	**3**	**4**	**18**	**33**	**37**	**37**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12										
20-34	2	17.5	25	14	14	17	21	21	21	21										
35-49	3	24.0	372	10	11	16	38	46	46	46										
50-64																				
65 +																				
ALL AGES	6	19.8	180	10	12	15	21	43	46	46										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	9.5	25	6	6	9	13	13	13	13										
65 +																				
ALL AGES	2	9.5	25	6	6	9	13	13	13	13										
SUBTOTAL	**8**	**17.3**	**152**	**7**	**11**	**13**	**18**	**38**	**46**	**46**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	10.0		10	10	10	10	10	10	10										
35-49																				
50-64	1	12.0		12	12	12	12	12	12	12										
65 +																				
ALL AGES	2	11.0	2	10	10	11	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	12.0		12	12	12	12	12	12	12										
35-49	1	31.0		31	31	31	31	31	31	31										
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	2	14.0	8	12	12	14	16	16	16	16										
ALL AGES	5	15.2	94	5	10	12	20	31	31	31										
SUBTOTAL	**7**	**14.0**	**67**	**6**	**10**	**12**	**15**	**28**	**31**	**31**										
GRAND TOTAL	**15**	**15.7**	**110**	**6**	**11**	**12**	**16**	**31**	**42**	**46**										

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-19	2	49.5	25	46	46	49	53	53	53	53										
20-34	17	23.6	497	6	8	16	29	57	73	81										
35-49	20	30.3	419	9	16	24	42	57	71	85										
50-64	7	26.4	231	7	14	27	38	46	48	48										
65 +																				
ALL AGES	47	28.4	410	8	12	22	45	56	62	85										
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-19	1	39.0		39	39	39	39	39	39	39										
20-34	17	26.0	226	11	16	21	37	51	53	54										
35-49	16	18.1	178	8	10	15	23	28	50	60										
50-64	7	16.4	88	8	9	13	24	31	32	32										
65 +	5	12.8	84	3	7	9	20	26	26	26										
ALL AGES	47	20.5	185	8	10	16	27	40	52	60										
SUBTOTAL	**94**	**24.4**	**313**	**8**	**11**	**19**	**32**	**53**	**58**	**83**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	12	16.3	108	6	8	15	22	34	37	38										
35-49	6	21.2	106	6	13	24	28	32	33	33										
50-64	1	9.0		9	9	9	9	9	9	9										
65 +																				
ALL AGES	19	17.8	104	6	9	16	25	33	36	38										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34	12	16.3	107	7	8	12	22	35	36	36										
35-49																				
50-64	2	14.5	5	13	13	14	16	16	16	16										
65 +																				
ALL AGES	15	15.1	98	6	8	13	20	34	35	36										
SUBTOTAL	**34**	**16.6**	**101**	**6**	**8**	**14**	**23**	**33**	**36**	**38**										
GRAND TOTAL	**128**	**22.4**	**264**	**7**	**10**	**17**	**29**	**48**	**55**	**82**										

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	12.5	13	10	11	15	79	99+	99+	99+										
20-34	3	26.0	403	5	11	28	41	45	45	45										
35-49	6	16.3	236	1	1	16	22	39	41	41	1	7.0		7	7	7	7	7	7	7
50-64	4	11.8	55	4	5	11	18	20	20	20										
65 +																				
ALL AGES	15	16.5	183	1	6	15	25	45	83	99+	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21										
20-34	5	13.8	128	1	2	20	22	24	24	24	1	2.0		2	2	2	2	2	2	2
35-49	4	20.5	108	8	12	22	29	30	30	30										
50-64	5	10.4	69	1	4	9	17	22	22	22	1	19.0		19	19	19	19	19	19	19
65 +	3	17.3	424	4	5	7	32	41	41	41	1	6.0		6	6	6	6	6	6	6
ALL AGES	18	15.3	133	1	5	15	22	29	37	41	3	9.0	79	2	3	6	16	19	19	19
SUBTOTAL	**33**	**15.9**	**149**	**1**	**5**	**15**	**22**	**41**	**44**	**99+**	**4**	**8.5**	**54**	**2**	**4**	**6**	**13**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	23.7	320	10	12	17	37	44	44	44	1	12.0		12	12	12	12	12	12	12
35-49	4	16.0	54	7	10	17	22	22	22	22										
50-64											1	5.0		5	5	5	5	5	5	5
65 +																				
ALL AGES	7	19.3	151	8	11	17	22	40	44	44	2	8.5	25	5	5	8	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	2	41.5	1105	18	18	41	65	65	65	65										
35-49	5	17.8	192	3	5	16	31	33	33	33										
50-64	4	23.0	77	14	15	23	30	31	31	31	1	4.0		4	4	4	4	4	4	4
65 +	3	22.3	57	14	17	25	27	28	28	28										
ALL AGES	15	22.3	243	3	14	18	31	33	57	65	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**22**	**21.3**	**209**	**5**	**13**	**18**	**30**	**36**	**52**	**65**	**3**	**7.0**	**19**	**4**	**4**	**5**	**10**	**12**	**12**	**12**
GRAND TOTAL	**55**	**18.1**	**175**	**3**	**7**	**17**	**26**	**40**	**45**	**98**	**7**	**7.9**	**33**	**2**	**4**	**6**	**11**	**18**	**19**	**19**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	38	19.2	194	3	11	17	25	35	52	62										
20-34	759	17.4	170	4	8	14	24	36	44	64	55	22.9	235	7	11	18	32	45	55	66
35-49	564	17.2	174	5	8	14	23	35	43	69	45	25.1	277	5	13	25	33	45	58	75
50-64	127	16.3	102	4	8	16	23	30	33	48	6	15.8	147	4	5	14	23	33	34	34
65 +	24	20.3	148	6	13	18	26	36	44	50										
ALL AGES	1512	17.3	167	5	8	14	23	35	44	63	106	23.4	250	5	10	20	33	45	55	71
B. FEMALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-19	22	25.3	346	8	15	18	40	55	90	99 +										
20-34	420	18.3	179	5	9	15	24	35	44	69	21	26.6	382	4	14	23	34	62	67	67
35-49	492	16.9	142	5	8	14	23	33	42	55	27	23.2	313	4	9	22	33	45	58	78
50-64	298	16.9	124	5	9	14	21	32	40	54	16	24.3	442	3	13	17	31	54	76	84
65 +	153	19.6	200	6	11	16	26	35	46	79	8	13.3	117	4	5	9	20	31	33	33
ALL AGES	1386	17.8	160	5	9	15	23	34	43	66	72	23.3	343	4	10	21	31	50	66	83
SUBTOTAL	**2898**	**17.5**	**165**	**5**	**8**	**14**	**23**	**35**	**43**	**64**	**178**	**23.4**	**284**	**4**	**10**	**21**	**32**	**45**	**56**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	20	24.3	549	6	9	17	31	76	94	99 +										
20-34	332	16.3	196	4	7	13	21	31	44	74	47	14.4	86	4	7	14	17	26	35	46
35-49	284	15.4	164	4	7	12	20	31	42	61	27	17.9	166	6	9	15	24	28	45	65
50-64	37	16.3	122	6	8	14	24	34	38	44	7	22.4	218	8	10	15	38	41	41	41
65 +	16	21.0	366	4	8	15	28	59	64	65										
ALL AGES	689	16.3	193	4	7	13	21	32	44	76	81	16.2	128	5	8	15	21	30	40	59
B. FEMALE																				
0-12 YRS.	2	41.5	1201	17	17	41	66	66	66	66										
13-19	13	21.8	471	6	9	17	37	83	96	99 +										
20-34	139	18.7	208	5	8	15	26	37	44	76	12	16.6	179	2	7	13	25	39	41	41
35-49	153	14.9	132	4	7	12	20	30	38	57	7	23.1	387	7	11	15	38	55	57	57
50-64	54	20.7	301	7	11	16	21	45	64	86	2	14.5	265	3	3	14	26	26	26	26
65 +	32	16.4	78	4	10	17	22	33	36	99 +	2	17.5	221	7	7	17	28	28	28	28
ALL AGES	393	17.5	198	5	8	14	22	36	45	79	23	18.5	226	3	7	14	27	42	49	57
SUBTOTAL	**1082**	**16.7**	**196**	**4**	**7**	**13**	**21**	**34**	**44**	**77**	**104**	**16.7**	**149**	**5**	**8**	**14**	**22**	**35**	**41**	**61**
GRAND TOTAL	**3980**	**17.3**	**173**	**5**	**8**	**14**	**23**	**34**	**44**	**68**	**282**	**20.9**	**245**	**5**	**9**	**17**	**29**	**42**	**54**	**73**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	36.7	561	21	22	25	54	64	64	64										
13-19	12	18.3	110	2	14	18	21	35	37	37										
20-34	26	14.1	85	2	7	13	20	25	28	38	3	20.3	662	5	5	6	39	50	50	50
35-49	13	22.7	531	3	13	17	26	44	84	93	1	3.0		3	3	3	3	3	3	3
50-64	7	21.9	170	8	11	20	32	41	43	43	1	16.0		16	16	16	16	16	16	16
65 +	3	23.7	90	15	17	22	31	34	34	34										
ALL AGES	64	19.0	221	3	10	17	24	34	39	89	5	16.0	387	3	4	6	24	50	50	50
B. FEMALE																				
0-12 YRS.	2	35.0	288	23	23	35	47	47	47	47										
13-19	8	36.3	672	12	23	38	91	99 +	99 +	99 +										
20-34	24	23.5	317	9	11	18	35	43	60	80	4	27.8	918	1	1	27	54	56	56	56
35-49	25	19.6	176	6	9	16	31	41	44	49	2	18.0	72	12	12	18	24	24	24	24
50-64	18	15.3	107	3	9	13	21	29	37	41										
65 +	6	18.3	117	7	7	20	28	28	28	28	1	7.0		7	7	7	7	7	7	7
ALL AGES	83	21.7	267	7	10	17	31	43	58	99 +	7	22.0	538	1	3	12	45	55	56	56
SUBTOTAL	**147**	**20.5**	**248**	**6**	**10**	**17**	**27**	**41**	**51**	**99 +**	**12**	**19.5**	**443**	**2**	**4**	**9**	**37**	**53**	**56**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	76.0		76	76	76	76	76	76	76										
13-19	4	20.8	131	12	12	17	29	37	37	37										
20-34	18	15.4	162	3	6	12	20	34	46	50	1	31.0		31	31	31	31	31	31	31
35-49	3	14.0	97	3	6	17	21	22	22	22	2	1.5	1	1	1	1	2	2	2	2
50-64	3	22.3	299	3	9	28	34	36	36	36										
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	30	18.6	261	3	7	15	22	38	50	76	3	11.3	291	1	1	2	24	31	31	31
B. FEMALE																				
0-12 YRS.	2	22.0	18	19	19	22	25	25	25	25										
13-19	3	18.0	243	9	9	9	29	36	36	36										
20-34	10	16.7	113	2	7	21	24	29	31	31										
35-49	8	10.1	37	4	5	10	13	19	22	22										
50-64	2	30.5	13	28	28	30	33	33	33	33										
65 +	4	14.0	125	4	7	11	21	30	30	30										
ALL AGES	29	16.0	105	4	8	12	24	31	33	36										
SUBTOTAL	**59**	**17.3**	**183**	**3**	**7**	**13**	**23**	**35**	**38**	**74**	**3**	**11.3**	**291**	**1**	**1**	**2**	**24**	**31**	**31**	**31**
GRAND TOTAL	**206**	**19.6**	**230**	**4**	**10**	**17**	**25**	**39**	**49**	**96**	**15**	**17.9**	**400**	**1**	**2**	**7**	**29**	**52**	**55**	**56**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	36.0		36	36	36	36	36	36	36										
20-34	1	38.0		38	38	38	38	38	38	38	1	44.0		44	44	44	44	44	44	44
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	3	25.0	433	1	10	36	37	38	38	38	1	44.0		44	44	44	44	44	44	44
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	2.0		2	2	2	2	2	2	2
50-64																				
65 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**3**	**25.0**	**433**	**1**	**10**	**36**	**37**	**38**	**38**	**38**	**2**	**23.0**	**882**	**2**	**2**	**23**	**44**	**44**	**44**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	15.0		15	15	15	15	15	15	15										
35-49																				
50-64																				
65 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**4**	**22.5**	**314**	**1**	**8**	**25**	**37**	**38**	**38**	**38**	**3**	**16.3**	**576**	**2**	**2**	**3**	**34**	**44**	**44**	**44**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19	18	22.4	524	4	8	23	42	99+	99+	99+	1	19.0		19	19	19	19	19	19	19
20-34	445	21.6	252	5	10	17	30	43	51	79	25	24.5	360	7	10	22	34	49	66	81
35-49	312	20.2	219	5	9	16	28	43	50	63	17	26.3	437	12	15	18	25	61	80	88
50-64	100	19.9	122	7	11	17	26	37	41	50	3	12.3	78	5	6	10	19	22	22	22
65 +	30	15.4	115	4	7	13	24	29	33	47	1	6.0		6	6	6	6	6	6	6
ALL AGES	906	20.7	228	5	10	17	28	43	51	82	47	23.9	360	7	12	18	25	48	68	88
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-19	11	25.6	247	9	14	25	50	99+	99+	99+										
20-34	241	19.4	232	5	9	16	26	35	45	81	14	17.1	271	2	7	15	18	34	60	67
35-49	263	20.0	237	5	10	15	26	41	48	82	12	21.2	176	6	10	18	30	39	48	49
50-64	161	16.6	120	5	8	14	23	33	38	53	8	27.9	325	11	16	18	42	55	60	60
65 +	66	18.1	116	5	8	17	26	34	36	44	6	14.0	58	3	8	14	21	23	23	23
ALL AGES	743	19.0	199	5	9	15	26	36	46	80	40	20.0	228	4	9	16	25	42	54	67
SUBTOTAL	**1649**	**19.9**	**217**	**5**	**9**	**16**	**27**	**40**	**49**	**80**	**87**	**22.1**	**300**	**7**	**11**	**17**	**25**	**45**	**62**	**85**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	9	22.4	319	3	11	21	27	52	59	59										
20-34	190	14.9	94	4	8	13	21	30	34	47	23	14.4	109	6	7	14	14	25	37	53
35-49	138	17.9	171	5	8	15	21	36	52	71	8	12.5	52	4	7	12	16	23	26	26
50-64	39	22.6	268	7	12	19	28	42	55	87										
65 +	13	14.6	39	7	11	14	19	23	25	26										
ALL AGES	389	16.9	147	5	8	14	22	32	44	65	31	13.9	93	6	7	14	15	25	29	53
B. FEMALE																				
0-12 YRS.																				
13-19	3	20.3	148	11	13	25	67	99+	99+	99+										
20-34	98	16.4	127	4	8	15	22	34	43	99+	8	13.0	18	8	9	13	16	19	19	19
35-49	94	16.4	110	4	9	14	22	32	36	48	8	11.8	38	2	8	14	16	17	18	18
50-64	35	15.1	129	5	8	13	18	26	44	53	3	12.0	84	2	5	14	18	20	20	20
65 +	27	15.8	71	5	9	16	24	27	28	29	1	23.0		23	23	23	23	23	23	23
ALL AGES	257	16.2	114	5	8	14	22	31	39	95	20	12.9	34	2	9	14	17	19	21	23
SUBTOTAL	**646**	**16.6**	**134**	**5**	**8**	**14**	**22**	**32**	**42**	**67**	**51**	**13.5**	**69**	**5**	**8**	**14**	**16**	**23**	**26**	**53**
GRAND TOTAL	**2295**	**19.0**	**195**	**5**	**9**	**15**	**26**	**38**	**47**	**80**	**138**	**18.9**	**232**	**6**	**10**	**15**	**22**	**38**	**51**	**82**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	58	22.8	227	8	12	21	29	48	56	98	2	25.0	8	23	23	25	27	27	27	27
20-34	423	18.0	169	5	9	15	24	36	42	66	19	16.2	72	7	12	14	19	29	32	34
35-49	375	17.3	126	5	9	14	23	34	41	53	9	14.3	130	3	6	11	19	33	38	38
50-64	99	17.1	102	7	11	15	22	28	37	56										
65 +	20	24.4	204	9	17	22	29	44	59	63	2	11.0	50	6	6	11	16	16	16	16
ALL AGES	975	18.1	150	6	9	15	24	35	42	60	32	15.9	84	5	10	14	21	29	34	38
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-19	23	21.0	177	9	11	19	26	48	68	99 +	1	16.0		16	16	16	16	16	16	16
20-34	482	17.7	165	5	8	14	24	35	43	64	27	20.8	363	5	11	15	21	43	57	94
35-49	580	18.3	163	6	9	15	25	35	43	66	25	14.2	163	3	5	11	20	31	38	58
50-64	303	19.6	192	6	11	16	25	36	47	73	10	15.6	80	7	8	13	21	29	33	33
65 +	109	22.7	262	7	11	18	31	45	61	88	8	24.3	97	10	15	27	31	35	36	36
ALL AGES	1498	18.7	179	6	9	15	25	36	44	69	71	18.1	223	4	9	15	22	34	44	86
SUBTOTAL	**2473**	**18.4**	**170**	**6**	**9**	**15**	**24**	**35**	**44**	**65**	**103**	**17.4**	**180**	**4**	**9**	**15**	**22**	**33**	**38**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	33	28.9	464	6	14	22	46	61	31	86	3	19.3	622	3	4	7	38	48	48	48
20-34	333	15.5	135	5	8	13	20	29	38	69	52	15.3	115	6	8	13	21	27	30	51
35-49	264	15.7	132	4	8	12	21	31	41	53	30	14.9	95	5	8	13	19	26	31	48
50-64	46	17.9	190	6	10	15	22	29	38	90	6	9.3	54	2	5	8	10	22	23	23
65 +	13	23.8	505	3	9	19	31	53	80	86	1	7.0		7	7	7	7	7	7	7
ALL AGES	689	16.5	169	5	8	13	21	32	43	70	92	14.8	116	5	7	12	20	27	30	51
B. FEMALE																				
0-12 YRS.																				
13-19	32	26.1	472	7	11	23	36	91	98	99 +										
20-34	369	14.9	109	5	8	12	20	30	35	54	29	13.9	74	4	8	13	19	27	30	37
35-49	318	15.6	120	5	8	13	21	30	35	51	29	15.8	75	5	9	16	20	29	32	37
50-64	140	19.3	152	8	11	16	23	36	44	67	2	6.0	50	1	1	6	11	11	11	11
65 +	48	21.0	159	10	12	20	26	36	52	64	3	31.0	237	14	19	35	42	44	44	44
ALL AGES	907	16.6	139	5	8	14	22	32	37	65	63	15.3	93	3	8	14	19	29	36	43
SUBTOTAL	**1596**	**16.5**	**154**	**5**	**8**	**14**	**21**	**32**	**40**	**67**	**155**	**15.0**	**106**	**4**	**8**	**13**	**19**	**28**	**37**	**50**
GRAND TOTAL	**4069**	**17.7**	**163**	**5**	**9**	**14**	**23**	**34**	**42**	**66**	**258**	**16.0**	**135**	**4**	**8**	**14**	**21**	**31**	**37**	**51**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	10.3	52	3	5	9	15	20	20	20										
20-34	30	18.1	124	5	10	15	28	34	37	44	3	20.7	38	17	17	17	25	28	28	28
35-49	22	15.0	239	3	6	12	16	31	49	72	1	27.0		27	27	27	27	27	27	27
50-64	10	13.0	26	5	10	13	16	19	22	22	1	14.0		14	14	14	14	14	14	14
65 +	4	25.8	211	14	15	21	36	46	46	46										
ALL AGES	70	16.4	150	4	8	14	20	33	37	67	5	20.6	41	14	16	17	27	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	2	18.0	450	3	3	18	33	33	33	33										
20-34	20	17.1	122	5	9	13	24	35	38	41	2	10.5	41	6	6	10	15	15	15	15
35-49	31	14.7	83	6	7	14	21	29	41	99+	2	10.5	181	1	1	10	20	20	20	20
50-64	14	17.6	41	9	13	19	22	29	82	99+	3	21.0	76	11	14	25	26	27	27	27
65 +	8	18.5	193	7	8	13	26	41	46	46	1	5.0		5	5	5	5	5	5	5
ALL AGES	75	16.4	98	6	9	15	22	35	41	99+	8	13.8	91	1	5	13	22	26	27	27
SUBTOTAL	**145**	**16.4**	**122**	**5**	**9**	**14**	**22**	**33**	**41**	**99+**	**13**	**16.4**	**79**	**4**	**10**	**17**	**25**	**27**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	7	27.6	870	10	13	16	26	80	93	93										
20-34	13	15.4	127	4	7	12	21	35	39	40	4	13.8	1	12	12	13	15	16	16	16
35-49	12	18.4	72	10	13	17	20	29	39	41	1	26.0		26	26	26	26	26	26	26
50-64	4	10.3	50	3	5	9	15	20	20	20										
65 +	2	15.0	32	11	11	15	19	19	19	19										
ALL AGES	38	18.0	236	7	10	15	20	32	41	93	5	16.2	32	12	13	14	18	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-19	2	14.0	72	8	8	14	20	20	20	20										
20-34	14	18.2	219	5	8	15	22	34	54	60	3	26.3	267	12	15	23	39	44	44	44
35-49	15	15.5	122	4	5	16	22	27	38	42	3	11.7	40	7	7	9	16	19	19	19
50-64																				
65 +	5	24.0	469	6	12	15	33	61	61	61										
ALL AGES	36	17.7	193	4	7	15	23	31	55	61	6	19.0	187	7	9	15	23	42	44	44
SUBTOTAL	**74**	**17.9**	**210**	**5**	**9**	**15**	**21**	**31**	**42**	**85**	**11**	**17.7**	**109**	**8**	**12**	**14**	**22**	**33**	**43**	**44**
GRAND TOTAL	**219**	**16.9**	**152**	**5**	**9**	**14**	**21**	**33**	**41**	**95**	**24**	**17.0**	**89**	**6**	**11**	**15**	**24**	**27**	**33**	**44**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	45.8	224	24	34	49	59	59	59	59										
13-19	29	21.5	264	5	12	18	27	44	66	67	1	33.0		33	33	33	33	33	33	33
20-34	183	15.5	126	4	7	14	20	29	40	53	11	16.0	108	6	8	14	18	35	37	37
35-49	123	14.5	101	4	7	13	21	29	31	48	9	22.8	488	6	12	14	26	61	75	75
50-64	40	16.0	84	6	7	15	22	28	33	39	2	12.5	113	5	5	12	20	20	20	20
65 +	14	14.3	98	4	9	12	16	33	36	37										
ALL AGES	394	16.0	137	4	7	14	21	30	39	59	23	19.1	255	6	9	14	21	38	52	75
B. FEMALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45	1	2.0		2	2	2	2	2	2	2
13-19	17	19.8	192	6	8	16	32	40	44	45										
20-34	160	15.2	142	4	7	12	20	31	42	61	11	14.5	142	6	7	8	21	34	40	41
35-49	109	17.3	145	6	9	14	23	32	43	79	6	24.5	200	8	14	22	39	42	42	42
50-64	70	17.0	106	7	10	14	21	32	38	53	4	28.3	987	4	8	17	48	74	74	74
65 +	43	17.4	230	5	7	13	23	36	48	80	2	12.0	50	7	7	12	17	17	17	17
ALL AGES	400	16.6	149	5	8	13	22	33	43	63	24	18.6	284	5	7	13	26	41	52	74
SUBTOTAL	**794**	**16.3**	**143**	**4**	**8**	**14**	**22**	**31**	**42**	**61**	**47**	**18.8**	**266**	**5**	**8**	**14**	**24**	**40**	**47**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	42.5	396	17	27	43	57	69	71	71										
13-19	13	20.3	195	5	9	18	32	40	45	46										
20-34	94	18.3	231	6	9	13	21	39	46	78	4	15.8	61	8	9	15	22	24	24	24
35-49	64	14.5	118	4	8	12	18	28	30	66	5	16.2	213	2	2	16	28	35	35	35
50-64	16	15.6	121	5	8	14	18	36	41	43										
65 +	5	20.8	182	8	9	18	32	39	39	39										
ALL AGES	200	18.1	210	5	9	13	21	38	46	71	9	16.0	130	2	7	16	24	31	35	35
B. FEMALE																				
0-12 YRS.											1	36.0		36	36	36	36	36	36	36
13-19	13	23.4	451	7	11	19	31	89	98	99 +										
20-34	52	14.6	121	3	7	12	20	29	39	53	2	18.0	200	8	8	18	28	28	28	28
35-49	50	17.4	195	5	9	13	20	39	45	67	2	26.0	648	8	8	26	44	44	44	44
50-64	24	16.1	112	7	9	13	21	30	40	50										
65 +	10	14.9	35	8	12	14	16	24	26	26										
ALL AGES	149	16.6	167	6	8	13	21	34	45	99 +	5	24.8	267	8	8	28	38	44	44	44
SUBTOTAL	**349**	**17.4**	**194**	**6**	**9**	**13**	**21**	**38**	**46**	**84**	**14**	**19.1**	**183**	**2**	**8**	**18**	**28**	**37**	**42**	**44**
GRAND TOTAL	**1143**	**16.6**	**160**	**5**	**8**	**13**	**21**	**33**	**43**	**67**	**61**	**18.9**	**242**	**5**	**8**	**14**	**26**	**39**	**43**	**75**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	6	22.3	457	9	9	15	23	60	64	64										
35-49	13	10.1	73	3	4	8	12	26	28	29										
50-64	3	12.3	84	2	5	16	18	19	19	19										
65 +	4	14.3	20	8	11	15	17	19	19	19										
ALL AGES	27	13.5	157	4	5	9	18	25	34	64										
B. FEMALE																				
0-12 YRS.																				
13-19	2	32.0	288	20	20	32	44	44	44	44	1	4.0		4	4	4	4	4	4	4
20-34	12	10.7	56	1	3	11	15	22	22	22										
35-49	15	13.5	98	2	5	14	19	26	33	36	1	11.0		11	11	11	11	11	11	11
50-64	9	9.3	30	2	5	9	13	17	19	19	2	7.5	85	1	1	7	14	14	14	14
65 +	6	19.5	57	9	14	20	23	30	31	31										
ALL AGES	44	13.5	93	2	6	13	20	24	32	44	4	7.5	36	1	2	7	12	14	14	14
SUBTOTAL	**71**	**13.5**	**115**	**2**	**5**	**11**	**19**	**24**	**31**	**60**	**4**	**7.5**	**36**	**1**	**2**	**7**	**12**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	22.0	162	13	13	22	31	31	31	31										
20-34	5	25.0	582	8	11	15	34	67	67	67										
35-49	6	8.7	48	1	3	8	10	20	21	21										
50-64																				
65 +											1	49.0		49	49	49	49	49	49	49
ALL AGES	13	17.0	293	2	8	12	21	38	62	67	1	49.0		49	49	49	49	49	49	49
B. FEMALE																				
0-12 YRS.																				
13-19	3	40.7	1076	11	17	35	66	76	76	76										
20-34	5	17.2	191	7	8	15	22	41	41	41										
35-49	8	12.4	109	1	3	10	22	26	26	26										
50-64	4	29.3	520	12	16	21	42	63	63	63										
65 +	3	16.7	260	2	5	14	29	34	34	34	1	2.0		2	2	2	2	2	2	2
ALL AGES	23	20.6	361	2	7	15	26	45	68	76	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**36**	**19.3**	**331**	**2**	**8**	**14**	**24**	**40**	**66**	**76**	**2**	**25.5**	**1105**	**2**	**2**	**25**	**49**	**49**	**49**	**49**
GRAND TOTAL	**107**	**15.5**	**191**	**2**	**6**	**13**	**20**	**30**	**41**	**71**	**6**	**13.5**	**329**	**1**	**2**	**7**	**14**	**45**	**49**	**49**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	5	21.8	397	1	13	18	27	55	55	55	2	4.0	8	2	2	4	6	6	6	6
35-49	6	17.0	225	8	8	12	15	44	47	47	2	6.5	1	6	6	6	7	7	7	7
50-64	1	16.0		16	16	16	16	16	16	16	1	18.0		18	18	18	18	18	18	18
65 +	2	17.0	200	7	7	17	27	27	27	27	1	1.0		1	1	1	1	1	1	1
ALL AGES	14	18.6	232	6	8	15	18	48	53	55	6	6.7	36	1	2	6	7	17	18	18
B. FEMALE																				
0-12 YRS.																				
13-19	1	11.0		11	11	11	11	11	11	11										
20-34	6	11.5	35	6	6	10	17	20	20	20										
35-49	6	7.8	32	1	1	9	12	14	14	14	1	7.0		7	7	7	7	7	7	7
50-64	6	16.8	72	7	7	19	24	25	25	25	3	28.0	64	20	22	28	34	36	36	36
65 +	3	17.7	5	15	16	18	19	20	20	20	2	10.5	181	1	1	10	20	20	20	20
ALL AGES	22	12.8	48	4	7	12	18	23	24	25	6	18.7	166	2	7	20	28	35	36	36
SUBTOTAL	**36**	**15.1**	**122**	**6**	**8**	**14**	**18**	**25**	**41**	**55**	**12**	**12.7**	**131**	**1**	**4**	**7**	**20**	**30**	**35**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	6.0	12	2	3	8	8	8	8	8										
35-49	4	18.0	195	6	7	15	29	36	36	36	1	2.0		2	2	2	2	2	2	2
50-64	4	26.3	197	14	14	26	38	39	39	39										
65 +																				
ALL AGES	11	17.7	192	4	8	14	32	38	39	39	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	1	8.0		8	8	8	8	8	8	8										
20-34	3	30.7	271	15	18	29	43	48	48	48	1	26.0		26	26	26	26	26	26	26
35-49	2	22.5	221	12	12	22	33	33	33	33										
50-64	5	17.0	122	7	9	12	25	34	34	34										
65 +	2	9.5	5	8	8	9	11	11	11	11	1	26.0		26	26	26	26	26	26	26
ALL AGES	13	19.2	166	8	10	12	30	37	46	48	2	26.0		26	26	26	26	26	26	26
SUBTOTAL	**24**	**18.5**	**171**	**7**	**8**	**13**	**31**	**38**	**42**	**48**	**3**	**18.0**	**192**	**2**	**8**	**26**	**26**	**26**	**26**	**26**
GRAND TOTAL	**60**	**16.4**	**144**	**6**	**8**	**14**	**21**	**35**	**43**	**54**	**15**	**13.7**	**137**	**1**	**3**	**7**	**24**	**28**	**34**	**36**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	50	21.2	156	4	12	22	28	34	45	61	1	22.0		22	22	22	22	22	22	22
13-19	343	20.4	212	5	10	18	28	40	49	82	5	29.2	144	11	21	33	36	43	43	43
20-34	448	11.5	95	2	5	9	15	23	28	48	28	14.6	96	6	8	12	19	27	34	46
35-49	478	12.1	80	3	6	10	16	22	28	42	25	12.3	133	3	5	6	14	29	39	43
50-64	249	14.8	123	4	7	12	19	30	37	49	10	11.6	41	3	7	12	16	20	21	21
65 +	267	17.4	135	4	9	15	23	33	41	54	18	11.6	156	2	3	7	18	19	41	55
ALL AGES	1835	14.9	136	3	7	12	20	30	38	56	87	13.9	126	3	6	11	19	29	39	52
B. FEMALE																				
0-12 YRS.	43	24.3	249	8	12	23	32	41	59	72	1	19.0		19	19	19	19	19	19	19
13-19	532	18.8	191	4	9	16	27	37	47	76	22	21.6	178	2	9	26	29	39	43	43
20-34	874	11.8	79	2	5	10	16	23	30	45	63	14.6	154	4	6	8	22	36	40	47
35-49	847	12.7	92	3	6	11	17	24	29	47	79	12.8	197	2	4	8	16	29	40	80
50-64	481	15.0	101	6	9	13	19	26	32	55	25	15.1	61	5	9	16	20	25	30	32
65 +	660	17.3	140	5	10	16	22	30	37	62	44	14.2	77	4	7	13	18	29	32	36
ALL AGES	3437	14.8	123	4	7	12	19	28	36	57	234	14.7	148	3	6	10	20	31	38	49
SUBTOTAL	**5272**	**14.8**	**129**	**4**	**7**	**12**	**19**	**29**	**36**	**57**	**321**	**14.4**	**144**	**3**	**6**	**11**	**20**	**31**	**38**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	89	27.2	355	8	15	21	38	49	65	92	1	36.0		36	36	36	36	36	36	36
13-19	395	20.4	225	5	9	17	28	39	49	73	7	12.3	264	1	2	4	22	40	43	43
20-34	681	11.7	79	3	5	10	15	23	28	43	45	12.3	90	2	5	11	17	24	27	48
35-49	677	12.7	69	3	6	11	17	23	28	39	46	14.2	99	3	7	12	18	28	36	47
50-64	214	13.5	102	3	7	12	17	26	32	49	18	15.7	185	2	7	11	22	41	43	43
65 +	178	17.8	161	4	10	16	23	35	43	65	7	16.9	301	2	4	8	26	46	50	50
ALL AGES	2234	14.8	138	3	7	12	20	29	37	60	124	13.9	129	3	5	11	19	28	41	49
B. FEMALE																				
0-12 YRS.	41	27.1	339	9	15	23	37	57	66	81	2	3.0	8	1	1	2	5	5	5	5
13-19	679	21.1	262	5	10	17	28	43	61	99 +	15	18.3	257	3	4	12	31	44	49	51
20-34	1095	13.4	99	3	6	11	18	26	32	48	112	14.0	92	4	7	11	19	26	37	44
35-49	912	13.8	91	4	7	12	18	26	32	47	57	13.7	118	4	6	11	18	25	38	59
50-64	334	15.0	91	5	9	14	20	25	29	49	20	7.7	25	3	3	6	12	14	17	20
65 +	388	18.4	147	5	10	16	24	32	42	62	23	11.3	105	4	6	7	15	19	35	50
ALL AGES	3449	15.9	147	4	8	13	21	30	39	69	229	13.3	107	3	6	11	17	26	38	50
SUBTOTAL	**5683**	**15.5**	**143**	**4**	**7**	**13**	**21**	**30**	**38**	**64**	**353**	**13.5**	**115**	**3**	**6**	**11**	**18**	**27**	**38**	**50**
GRAND TOTAL	**10955**	**15.2**	**135**	**4**	**7**	**13**	**20**	**29**	**37**	**62**	**674**	**14.0**	**127**	**3**	**6**	**11**	**19**	**29**	**38**	**49**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	20.2	119	10	13	20	38	99 +	99 +	99 +										
13-19	88	16.2	144	5	9	13	20	29	36	71	1	33.0		33	33	33	33	33	33	33
20-34	267	11.5	76	3	6	10	15	21	27	58	14	18.6	108	5	11	18	27	34	34	34
35-49	377	14.3	135	3	7	12	19	28	34	60	27	13.2	243	3	4	10	14	29	37	79
50-64	224	13.8	98	5	7	12	18	25	30	47	8	9.3	27	4	5	7	14	17	17	17
65 +	223	18.6	159	5	11	16	25	35	39	82	9	14.4	25	9	10	14	19	21	21	21
ALL AGES	1189	14.6	124	4	7	12	19	28	35	64	59	14.5	153	3	6	12	19	30	33	75
B. FEMALE																				
0-12 YRS.	6	14.5	32	7	11	14	18	22	23	23	1	1.0		1	1	1	1	1	1	1
13-19	176	17.1	217	3	6	13	23	36	50	93	3	9.3	163	1	1	3	19	24	24	24
20-34	574	12.6	97	4	6	10	16	23	28	54	36	18.3	257	3	6	12	28	43	55	62
35-49	859	13.6	83	4	7	12	18	26	31	45	38	15.2	132	3	6	14	19	27	41	55
50-64	512	15.2	113	5	8	13	19	28	34	56	34	17.9	244	5	10	16	22	28	43	89
65 +	776	19.9	161	6	11	18	27	36	44	64	28	16.5	122	3	6	16	23	29	40	44
ALL AGES	2903	15.6	127	4	8	13	21	30	36	58	140	16.7	188	3	7	14	22	31	44	65
SUBTOTAL	**4092**	**15.3**	**127**	**4**	**7**	**13**	**20**	**29**	**36**	**59**	**199**	**16.0**	**180**	**3**	**6**	**14**	**21**	**30**	**43**	**71**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	22.9	178	8	14	20	27	44	52	55										
13-19	155	21.2	300	4	9	16	30	45	60	99 +	5	19.0	414	1	2	15	33	50	50	50
20-34	542	12.9	98	4	6	11	17	25	32	53	51	14.4	83	5	7	14	18	24	31	50
35-49	600	12.8	109	3	6	10	16	24	31	57	61	14.3	96	4	8	13	18	25	35	52
50-64	211	14.6	109	5	8	12	19	27	38	53	15	19.3	110	7	11	17	25	34	41	43
65 +	161	18.9	155	6	10	16	24	37	47	66	8	21.3	153	5	11	21	30	39	41	41
ALL AGES	1685	14.5	136	4	7	12	19	29	40	62	140	15.5	105	4	8	14	19	29	38	51
B. FEMALE																				
0-12 YRS.	11	19.5	204	4	11	15	27	39	52	53										
13-19	267	18.1	200	5	9	15	24	40	49	99 +	3	13.7	315	1	2	6	27	34	34	34
20-34	1180	13.9	129	4	6	11	18	27	36	55	83	15.1	134	3	7	14	19	33	38	56
35-49	1215	14.0	108	4	7	11	18	27	35	52	78	16.5	195	4	7	14	21	30	41	81
50-64	431	16.5	125	5	9	14	21	30	36	61	19	14.3	68	3	9	14	20	28	29	29
65 +	487	21.1	173	8	12	18	27	39	46	67	18	18.8	117	6	10	16	28	35	36	37
ALL AGES	3591	15.5	141	4	7	13	20	30	38	63	201	15.9	150	4	7	14	21	31	37	63
SUBTOTAL	**5276**	**15.2**	**139**	**4**	**7**	**12**	**20**	**30**	**39**	**62**	**341**	**15.7**	**132**	**4**	**7**	**14**	**21**	**31**	**37**	**54**
GRAND TOTAL	**9368**	**15.2**	**135**	**4**	**7**	**13**	**20**	**30**	**37**	**61**	**540**	**15.8**	**150**	**4**	**7**	**14**	**21**	**30**	**38**	**62**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	14.5	1	14	14	14	15	15	15	15										
13-19	28	19.1	225	6	9	15	23	33	61	67										
20-34	240	18.4	172	5	9	16	24	35	44	74	18	18.0	182	3	8	14	29	37	43	47
35-49	252	17.9	217	5	7	14	24	35	45	84	12	15.3	93	4	7	13	23	30	32	32
50-64	143	18.7	154	7	10	16	24	38	46	54	5	17.6	151	4	8	16	27	35	35	35
65 +	81	14.2	79	4	8	13	19	29	31	35	4	20.8	117	7	12	22	29	31	31	31
ALL AGES	746	17.9	174	5	9	15	23	34	44	69	39	17.4	136	3	8	16	28	33	37	47
B. FEMALE																				
0-12 YRS.																				
13-19	27	21.6	313	6	10	17	29	41	68	77	1	14.0		14	14	14	14	14	14	14
20-34	310	16.9	149	5	8	13	22	33	41	71	5	27.4	153	7	20	32	36	38	38	38
35-49	442	16.6	146	5	8	14	22	32	38	63	17	23.4	130	12	17	19	31	40	45	47
50-64	321	16.5	107	6	9	14	22	32	36	50	15	17.3	142	7	10	16	19	27	48	55
65 +	203	20.2	218	5	10	17	26	37	49	79	2	20.0	32	16	16	20	24	24	24	24
ALL AGES	1303	17.3	154	5	9	14	23	33	41	67	40	21.2	135	8	13	18	28	38	43	55
SUBTOTAL	**2049**	**17.5**	**162**	**5**	**9**	**14**	**23**	**34**	**42**	**68**	**79**	**19.3**	**139**	**5**	**10**	**17**	**28**	**35**	**39**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	22.8	65	18	18	19	27	35	35	35										
13-19	13	20.2	237	6	10	14	29	38	57	61										
20-34	92	15.6	197	3	6	12	19	31	48	68	6	13.7	66	5	7	19	22	84	99 +	99 +
35-49	97	14.1	105	4	7	11	19	29	37	47	6	13.7	34	7	8	13	20	21	21	21
50-64	57	15.5	123	3	8	14	20	30	37	51										
65 +	22	17.9	83	9	11	17	22	33	38	39	2	9.5	5	8	8	9	11	11	11	11
ALL AGES	285	15.6	141	4	7	13	20	32	38	60	14	13.1	41	7	8	12	21	22	80	99 +
B. FEMALE																				
0-12 YRS.	1	50.0		50	50	50	50	50	50	50										
13-19	24	26.4	583	7	9	20	36	74	92	99 +	1	4.0		4	4	4	4	4	4	4
20-34	81	14.9	80	4	7	14	21	27	31	38	5	20.8	139	8	9	23	29	36	36	36
35-49	108	14.3	61	6	8	13	19	25	30	37	6	18.5	68	10	11	16	28	29	29	29
50-64	54	20.8	136	8	13	18	28	34	41	63										
65 +	53	19.4	90	10	13	17	24	35	36	55	2	23.5	5	22	22	23	25	25	25	25
ALL AGES	321	17.4	136	6	10	15	22	31	36	73	14	19.0	91	8	10	20	27	30	35	36
SUBTOTAL	**606**	**16.5**	**141**	**5**	**9**	**14**	**21**	**31**	**38**	**63**	**28**	**16.0**	**74**	**7**	**8**	**15**	**22**	**29**	**39**	**99 +**
GRAND TOTAL	**2655**	**17.3**	**156**	**5**	**9**	**14**	**23**	**33**	**41**	**68**	**107**	**18.5**	**121**	**6**	**10**	**17**	**26**	**35**	**38**	**74**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	18	12.7	60	5	7	10	18	25	28	29										
20-34	83	13.1	128	3	6	11	17	23	30	71	3	8.0	31	3	4	7	12	14	14	14
35-49	111	12.1	88	3	6	10	15	21	25	55	4	16.8	463	1	2	9	31	48	48	48
50-64	66	18.3	168	6	9	15	21	36	50	59	2	21.0	128	13	13	21	29	29	29	29
65 +	32	19.2	134	8	10	15	26	41	44	44	2	17.0	450	2	2	17	32	32	32	32
ALL AGES	310	14.5	124	4	7	12	18	28	36	57	11	15.2	227	1	3	13	25	38	47	48
B. FEMALE																				
0-12 YRS.	2	23.0	8	21	21	23	25	25	25	25										
13-19	21	12.7	73	2	7	12	16	26	31	32										
20-34	135	14.1	79	4	8	11	19	28	34	37	5	16.0	131	4	8	11	26	31	31	31
35-49	187	12.6	89	3	7	10	16	27	31	45	13	13.2	63	4	7	13	20	25	27	27
50-64	130	15.7	117	5	8	14	20	29	38	53	2	15.5	1	15	15	15	16	16	16	16
65 +	102	19.0	168	8	11	15	24	35	40	75	3	24.3	215	14	15	18	35	41	41	41
ALL AGES	577	14.8	111	4	8	12	19	29	35	48	23	15.4	93	5	8	14	22	28	34	41
SUBTOTAL	**887**	**14.7**	**115**	**4**	**8**	**12**	**19**	**29**	**35**	**52**	**34**	**15.4**	**129**	**3**	**7**	**14**	**23**	**31**	**39**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	56.3	280	39	44	58	68	72	72	72										
13-19	21	19.0	132	6	11	17	24	35	43	50	1	18.0		18	18	18	18	18	18	18
20-34	135	12.3	71	3	7	10	17	22	27	48	6	22.3	319	11	12	13	29	53	56	56
35-49	126	14.1	136	3	7	11	19	26	33	73	9	11.6	8	7	9	13	14	15	15	15
50-64	40	16.4	91	6	9	14	22	32	37	40	3	14.3	198	3	5	10	25	30	30	30
65 +	17	17.0	78	7	10	17	24	30	30	30										
ALL AGES	342	14.5	120	4	7	12	19	26	34	59	19	15.7	139	7	10	13	15	30	44	56
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-19	24	20.6	306	5	9	14	30	49	83	99 +										
20-34	141	14.8	153	4	7	11	20	28	42	64	7	14.1	48	8	9	12	18	25	27	27
35-49	187	15.3	121	4	7	13	21	29	38	52	3	21.3	142	14	14	15	30	35	35	35
50-64	58	15.0	115	5	8	13	19	26	35	59	2	7.5	13	5	5	7	10	10	10	10
65 +	44	21.1	327	6	10	17	24	38	52	99	5	12.4	47	6	6	12	17	22	22	22
ALL AGES	455	16.0	161	4	7	13	21	31	41	75	17	14.1	64	6	8	12	17	26	32	35
SUBTOTAL	**797**	**15.3**	**145**	**4**	**7**	**12**	**20**	**29**	**39**	**67**	**36**	**15.0**	**100**	**6**	**10**	**13**	**16**	**29**	**33**	**56**
GRAND TOTAL	**1684**	**15.0**	**129**	**4**	**7**	**12**	**19**	**29**	**37**	**59**	**70**	**15.2**	**112**	**4**	**8**	**13**	**18**	**30**	**35**	**54**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	21.0	72	15	15	21	27	27	27	27										
13-19	37	18.9	128	7	10	17	26	30	42	58										
20-34	91	15.7	127	5	8	13	19	29	38	62	1	14.0		14	14	14	14	14	14	14
35-49	96	15.9	152	4	8	13	20	28	41	69	2	18.0	128	10	10	18	26	26	26	26
50-64	36	13.5	119	3	7	11	17	22	36	58	1	2.0		2	2	2	2	2	2	2
65 +	14	18.9	124	7	11	16	25	38	43	44	2	15.0	338	2	2	15	28	28	28	28
ALL AGES	276	16.1	135	5	8	14	20	29	41	58	6	13.7	128	2	2	12	26	28	28	28
B. FEMALE																				
0-12 YRS.	4	24.8	17	19	22	25	28	30	30	30										
13-19	29	16.1	112	7	10	14	20	29	35	55										
20-34	135	15.0	103	4	8	13	19	27	34	51	6	17.2	306	7	8	9	18	49	52	52
35-49	175	15.3	101	5	9	13	20	28	36	50	3	25.3	407	3	10	31	39	42	42	42
50-64	100	18.1	169	6	10	14	23	38	45	63	5	24.2	139	7	17	24	34	37	37	37
65 +	71	21.0	142	7	12	19	27	39	46	50										
ALL AGES	514	16.7	123	5	9	14	21	31	40	56	14	21.4	239	6	8	19	33	43	50	52
SUBTOTAL	**790**	**16.5**	**127**	**5**	**9**	**14**	**21**	**30**	**40**	**57**	**20**	**19.1**	**210**	**3**	**7**	**16**	**29**	**39**	**47**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	12.8	52	4	6	13	18	22	23	23										
13-19	47	20.7	141	7	13	17	28	38	48	52										
20-34	104	13.2	101	4	6	11	17	26	31	51	2	7.0	18	4	4	7	10	10	10	10
35-49	78	15.6	148	5	8	13	19	29	43	63	6	12.5	20	7	8	13	16	18	18	18
50-64	19	16.3	216	4	6	10	21	43	48	52	1	18.0		18	18	18	18	18	18	18
65 +	7	11.1	26	5	7	9	16	18	18	18	1	50.0		50	50	50	50	50	50	50
ALL AGES	261	15.4	134	5	7	13	19	29	40	54	10	15.7	168	5	8	13	18	34	50	50
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-19	40	18.3	210	6	11	14	23	30	36	91										
20-34	95	13.2	66	4	6	13	17	24	29	38	10	14.7	13	10	11	16	17	19	21	21
35-49	126	15.4	104	6	8	13	20	30	37	49	4	12.0	15	8	9	11	15	17	17	17
50-64	46	14.0	145	4	7	11	17	24	30	79	4	18.0	314	5	7	11	29	44	44	44
65 +	23	22.9	223	8	10	18	37	42	48	56										
ALL AGES	331	15.5	126	5	8	13	20	29	37	54	18	14.8	70	8	10	14	17	20	35	44
SUBTOTAL	**592**	**15.5**	**128**	**5**	**8**	**13**	**20**	**29**	**39**	**54**	**28**	**15.1**	**101**	**7**	**9**	**14**	**17**	**20**	**45**	**50**
GRAND TOTAL	**1382**	**16.0**	**130**	**5**	**8**	**13**	**20**	**30**	**39**	**56**	**48**	**16.8**	**146**	**5**	**9**	**14**	**19**	**36**	**45**	**52**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	15.0	196	5	6	8	21	39	41	41										
13-19	30	19.9	213	4	8	20	28	40	48	62	1	6.0		6	6	6	6	6	6	6
20-34	83	13.7	108	4	7	12	17	27	31	60	8	19.3	493	5	7	10	22	58	71	71
35-49	69	14.0	129	3	6	10	17	31	41	51	16	21.7	167	7	10	23	31	38	45	48
50-64	30	17.9	94	7	10	14	25	33	36	36	3	18.0	244	8	8	10	29	36	36	36
65 +	21	16.0	122	3	7	17	21	30	38	44	3	19.0	97	8	11	22	26	27	27	27
ALL AGES	239	15.3	132	4	7	12	20	31	37	53	31	19.9	232	6	8	15	28	37	48	71
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-19	35	24.3	313	8	14	19	32	43	85	99 +	2	20.5	221	10	10	20	31	31	31	31
20-34	84	14.4	72	5	8	14	20	26	32	37	15	12.0	95	6	7	8	14	34	35	35
35-49	121	17.1	209	3	7	14	21	36	47	71	18	11.9	67	4	7	9	13	27	31	31
50-64	95	18.2	121	5	10	17	23	35	42	50	9	22.7	413	5	8	13	32	57	64	64
65 +	59	21.4	158	8	13	18	29	37	41	61	6	10.8	83	4	5	8	12	26	28	28
ALL AGES	395	18.1	167	4	9	16	23	36	42	66	50	14.1	150	4	7	10	15	31	35	64
SUBTOTAL	**634**	**17.1**	**153**	**4**	**8**	**15**	**21**	**34**	**42**	**62**	**81**	**16.3**	**188**	**5**	**7**	**10**	**24**	**34**	**42**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	21.4	131	8	16	18	28	38	44	44										
13-19	59	23.7	344	8	11	18	32	62	81	99 +	2	26.5	181	17	17	26	36	36	36	36
20-34	90	12.6	89	4	6	10	16	26	30	47	10	13.3	153	4	6	9	17	32	45	45
35-49	70	12.8	81	4	7	12	15	25	30	43	5	12.2	24	7	9	11	15	20	20	20
50-64	24	15.4	194	4	6	10	22	32	51	58	3	9.0	112	1	2	5	17	21	21	21
65 +	8	15.4	186	4	7	10	19	39	46	46										
ALL AGES	260	15.8	178	4	7	12	21	31	46	83	20	13.7	120	4	6	11	18	28	40	45
B. FEMALE																				
0-12 YRS.	6	19.0	40	13	16	17	19	30	31	31										
13-19	63	18.0	181	6	8	15	28	40	99 +	99 +	1	28.0		28	28	28	28	28	28	28
20-34	115	14.5	145	4	7	11	20	28	38	63	8	16.9	130	7	9	12	25	35	38	38
35-49	95	14.9	90	4	7	13	21	29	30	44	6	14.5	92	4	7	13	20	29	30	30
50-64	34	17.7	190	2	8	14	25	35	42	61	2	8.0		8	8	8	8	8	8	8
65 +	31	23.7	361	5	9	18	36	53	66	71	2	6.0	2	5	5	6	7	7	7	7
ALL AGES	344	16.5	163	4	7	14	23	33	43	99 +	19	14.6	103	5	7	10	21	30	34	38
SUBTOTAL	**604**	**16.2**	**169**	**4**	**7**	**13**	**22**	**32**	**44**	**90**	**39**	**14.2**	**107**	**5**	**7**	**10**	**20**	**30**	**37**	**45**
GRAND TOTAL	**1238**	**16.6**	**163**	**4**	**8**	**14**	**22**	**34**	**42**	**77**	**120**	**15.6**	**162**	**5**	**7**	**10**	**22**	**33**	**38**	**66**

NORTH CENTRAL REGION, JANUARY-DECEMBER 1990

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	22.8	379	11	12	14	33	52	52	52										
13-19	22	15.4	126	4	7	14	17	29	40	53										
20-34	36	11.9	123	2	5	10	14	24	29	60										
35-49	27	11.0	111	3	6	7	11	27	37	47	5	13.2	165	6	7	7	16	36	36	36
50-64	13	15.8	75	4	8	16	22	27	29	29	1	1.0		1	1	1	1	1	1	1
65 +	9	14.0	39	6	8	15	19	21	22	22										
ALL AGES	111	13.4	117	3	6	11	17	26	31	56	6	11.2	156	1	6	7	10	33	36	36
B. FEMALE																				
0-12 YRS.	3	29.3	204	14	18	32	39	42	42	42										
13-19	47	13.3	62	4	8	12	18	23	29	39										
20-34	51	11.5	77	2	6	9	16	21	27	47	1	5.0		5	5	5	5	5	5	5
35-49	43	14.5	154	4	8	10	17	27	39	71	4	5.8	9	3	3	5	8	10	10	10
50-64	24	17.3	107	5	9	16	23	30	35	46	2	2.0	2	1	1	2	3	3	3	3
65 +	19	25.1	315	8	12	20	34	54	67	70	3	16.0	219	6	7	9	27	33	33	33
ALL AGES	187	15.0	137	3	8	13	19	30	38	68	10	8.0	85	2	3	5	9	21	33	33
SUBTOTAL	**298**	**14.4**	**130**	**3**	**7**	**12**	**19**	**29**	**36**	**62**	**16**	**9.2**	**105**	**1**	**4**	**6**	**9**	**31**	**35**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	27.6	324	6	15	28	50	69	96	99 +										
13-19	32	20.3	324	3	9	16	24	37	55	93										
20-34	66	12.1	152	3	4	8	16	24	36	74	10	16.5	94	9	10	14	18	32	41	41
35-49	33	13.2	53	4	7	13	17	25	27	28	3	11.0	61	6	6	7	17	20	20	20
50-64	19	13.4	46	3	9	13	17	23	25	27	1	1.0		1	1	1	1	1	1	1
65 +	11	17.9	125	10	10	17	20	32	48	49										
ALL AGES	172	15.3	179	4	7	13	20	28	45	90	14	14.2	95	5	8	12	18	25	37	41
B. FEMALE																				
0-12 YRS.	3	11.7	23	6	8	14	15	15	15	15										
13-19	32	13.9	188	2	6	10	20	27	38	70										
20-34	80	15.6	219	3	6	11	22	33	41	83	4	10.3	90	1	2	10	18	19	19	19
35-49	72	15.9	98	4	8	14	21	30	34	44	6	11.0	56	2	4	11	16	20	21	21
50-64	30	15.9	228	4	8	13	17	28	30	86										
65 +	22	26.4	241	10	15	24	32	51	60	64										
ALL AGES	239	16.4	188	4	7	13	22	31	40	72	10	10.7	62	1	3	11	18	20	21	21
SUBTOTAL	**411**	**16.0**	**182**	**4**	**7**	**13**	**21**	**30**	**42**	**82**	**24**	**12.8**	**79**	**2**	**6**	**12**	**18**	**21**	**28**	**41**
GRAND TOTAL	**709**	**15.3**	**161**	**4**	**7**	**12**	**20**	**30**	**39**	**70**	**40**	**11.3**	**92**	**2**	**5**	**9**	**16**	**22**	**34**	**41**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	13.3	172	1	4	12	23	27	27	27										
20-34	10	14.1	388	2	6	7	11	46	67	67	2	16.0	288	4	4	16	28	28	28	28
35-49	6	11.5	86	2	6	10	11	27	29	29	1	16.0		16	16	16	16	16	16	16
50-64	7	11.9	77	4	7	9	14	27	30	30										
65 +	4	25.0	149	7	18	29	32	34	34	34										
ALL AGES	30	14.4	198	2	6	9	25	30	34	67	3	16.0	144	4	7	16	25	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	2	13.0	162	4	4	13	22	22	22	22										
20-34	14	7.7	50	1	1	5	13	19	22	23	1	4.0		4	4	4	4	4	4	4
35-49	16	13.9	139	7	8	11	13	29	45	51	1	3.0		3	3	3	3	3	3	3
50-64	9	20.2	109	6	12	23	32	67	99 +	99 +	2	4.5	13	2	2	4	7	7	7	7
65 +	21	23.0	309	8	13	19	28	40	61	85	1	12.0		12	12	12	12	12	12	12
ALL AGES	62	16.5	199	3	8	13	22	34	44	98	5	5.6	16	2	3	4	8	12	12	12
SUBTOTAL	**92**	**15.8**	**198**	**3**	**7**	**12**	**23**	**32**	**41**	**94**	**8**	**9.5**	**79**	**2**	**3**	**6**	**14**	**24**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	5	7.8	30	3	4	6	10	17	17	17										
20-34	17	15.6	73	4	9	14	22	27	30	32	6	9.3	61	2	4	7	13	22	23	23
35-49	19	15.2	93	5	9	12	20	32	35	37	3	17.3	60	9	11	19	23	24	24	24
50-64	6	14.8	229	2	7	11	15	41	44	44	1	11.0		11	11	11	11	11	11	11
65 +	15	15.1	78	6	8	13	20	29	33	35	1	20.0		20	20	20	20	20	20	20
ALL AGES	62	14.7	88	5	7	13	20	30	33	43	11	12.6	62	3	6	11	20	23	24	24
B. FEMALE																				
0-12 YRS.																				
13-19	7	16.1	225	2	5	10	23	40	44	44	1	25.0		25	25	25	25	25	25	25
20-34	19	12.7	78	4	6	11	18	25	30	34	2	4.0	18	1	1	4	7	7	7	7
35-49	15	15.4	134	5	7	13	19	39	40	41	3	4.0	27	1	1	1	8	10	10	10
50-64	8	12.4	80	2	5	11	18	25	28	28										
65 +	12	15.8	86	7	10	14	18	28	39	41	1	7.0		7	7	7	7	7	7	7
ALL AGES	61	14.3	105	4	7	13	19	27	40	44	7	7.4	74	1	1	7	9	22	25	25
SUBTOTAL	**123**	**14.5**	**96**	**4**	**7**	**13**	**19**	**28**	**36**	**44**	**18**	**10.6**	**69**	**1**	**4**	**9**	**19**	**24**	**25**	**25**
GRAND TOTAL	**215**	**15.1**	**138**	**4**	**7**	**12**	**20**	**30**	**38**	**73**	**26**	**10.3**	**68**	**1**	**4**	**8**	**16**	**24**	**26**	**28**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	9.0		9	9	9	9	9	9	9										
65 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	2	12.5	41	8	8	12	17	17	17	17										
SUBTOTAL	**3**	**11.3**	**25**	**8**	**8**	**9**	**15**	**17**	**17**	**17**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	18.0		18	18	18	18	18	18	18										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**2**	**13.0**	**50**	**8**	**8**	**13**	**18**	**18**	**18**	**18**										
GRAND TOTAL	**5**	**12.0**	**26**	**8**	**8**	**9**	**17**	**18**	**18**	**18**										

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	3.5	13	1	1	3	6	6	6	6										
35-49	3	18.3	88	12	12	14	25	29	29	29										
50-64	4	21.0	109	13	14	17	28	36	36	36	1	17.0		17	17	17	17	17	17	17
65 +	3	10.3	47	5	6	8	15	18	18	18										
ALL AGES	12	14.8	99	4	7	13	19	31	35	36	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	9.0		9	9	9	9	9	9	9										
35-49	3	10.3	13	7	8	10	13	14	14	14										
50-64	7	14.9	215	4	6	8	24	39	42	42										
65 +	20	18.9	245	7	9	11	20	44	56	65										
ALL AGES	31	16.8	211	6	8	11	19	41	48	65										
SUBTOTAL	**43**	**16.2**	**179**	**6**	**8**	**11**	**19**	**37**	**44**	**65**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	14.5	51	7	9	13	19	24	24	24	1	17.0		17	17	17	17	17	17	17
35-49	3	17.3	147	6	8	16	26	30	30	30	1	6.0		6	6	6	6	6	6	6
50-64	1	12.0		12	12	12	12	12	12	12										
65 +	3	31.3	75	25	26	28	38	41	41	41										
ALL AGES	11	19.6	119	7	12	16	27	34	40	41	2	11.5	61	6	6	11	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	7	10.3	57	1	5	8	16	21	22	22										
35-49	9	11.6	93	4	6	10	12	28	35	35	1	9.0		9	9	9	9	9	9	9
50-64	5	17.0	337	2	8	12	21	49	49	49										
65 +	7	27.6	375	9	14	25	31	60	67	67										
ALL AGES	28	16.2	224	4	7	11	22	34	51	67	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**39**	**17.2**	**192**	**4**	**7**	**12**	**25**	**34**	**45**	**67**	**3**	**10.7**	**31**	**6**	**7**	**9**	**15**	**17**	**17**	**17**
GRAND TOTAL	**82**	**16.7**	**182**	**5**	**8**	**12**	**22**	**35**	**44**	**66**	**4**	**12.3**	**30**	**6**	**7**	**13**	**17**	**17**	**17**	**17**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	11.0	8	9	9	11	13	13	13	13										
ALL AGES	2	11.0	8	9	9	11	13	13	13	13										
SUBTOTAL	**2**	**11.0**	**8**	**9**	**9**	**11**	**13**	**13**	**13**	**13**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	7.0		7	7	7	7	7	7	7										
65 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
GRAND TOTAL	**3**	**9.7**	**8**	**7**	**7**	**9**	**12**	**13**	**13**	**13**										

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21										
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	2	12.0	162	3	3	12	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**12.0**	**162**	**3**	**3**	**12**	**21**	**21**	**21**	**21**										
GRAND TOTAL	**2**	**12.0**	**162**	**3**	**3**	**12**	**21**	**21**	**21**	**21**										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	15.7	224	7	7	7	27	33	33	33	1	15.0		15	15	15	15	15	15	15
35-49	1	16.0		16	16	16	16	16	16	16										
50-64																				
65 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	5	15.4	113	7	7	14	20	33	33	33	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	27.5	365	14	14	27	41	41	41	41										
50-64	1	7.0		7	7	7	7	7	7	7	1	10.0		10	10	10	10	10	10	10
65 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	4	19.0	226	7	10	14	28	41	41	41	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**9**	**17.0**	**145**	**7**	**7**	**14**	**20**	**38**	**41**	**41**	**2**	**12.5**	**13**	**10**	**10**	**12**	**15**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	36.0		36	36	36	36	36	36	36										
35-49	4	11.8	9	8	9	12	14	15	15	15										
50-64																				
65 +																				
ALL AGES	5	16.6	126	8	9	14	20	36	36	36										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	16.0	21	11	12	17	19	20	20	20										
50-64																				
65 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	4	18.8	42	11	14	18	23	27	27	27										
SUBTOTAL	**9**	**17.6**	**79**	**9**	**11**	**15**	**22**	**32**	**36**	**36**										
GRAND TOTAL	**18**	**17.3**	**106**	**7**	**10**	**14**	**20**	**35**	**39**	**41**	**2**	**12.5**	**13**	**10**	**10**	**12**	**15**	**15**	**15**	**15**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	22	11.7	51	4	6	10	14	22	25	28										
35-49	32	11.3	114	2	3	8	16	24	31	49	2	21.5	481	6	6	21	37	37	37	37
50-64	16	9.2	35	2	5	8	13	18	21	22	1	29.0		29	29	29	29	29	29	29
65 +	16	17.6	205	4	8	13	25	31	51	59	2	9.0	8	7	7	9	11	11	11	11
ALL AGES	87	12.1	104	2	5	10	15	23	29	55	5	18.0	199	6	7	11	31	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	17	10.9	34	5	6	9	14	21	23	23										
35-49	40	12.8	93	4	6	9	19	24	30	46	1	54.0		54	54	54	54	54	54	54
50-64	23	13.4	51	4	7	14	18	23	27	27										
65 +	65	14.7	96	6	8	13	20	27	28	58	5	8.2	75	1	1	5	15	21	21	21
ALL AGES	145	13.5	81	4	7	11	19	24	27	47	6	15.8	411	1	1	9	21	51	54	54
SUBTOTAL	**232**	**13.0**	**89**	**4**	**6**	**11**	**18**	**24**	**28**	**51**	**11**	**16.8**	**286**	**1**	**5**	**11**	**27**	**44**	**53**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	13.0	242	2	2	13	24	24	24	24										
20-34	18	8.2	20	3	5	7	12	12	17	20	1	1.0		1	1	1	1	1	1	1
35-49	26	15.4	92	6	10	14	20	23	30	52	1	10.0		10	10	10	10	10	10	10
50-64	7	15.7	72	3	9	18	21	25	26	26										
65 +	14	16.9	97	7	9	16	21	32	37	38	2	7.5	41	3	3	7	12	12	12	12
ALL AGES	67	13.7	82	5	7	12	19	24	28	50	4	6.5	28	1	1	6	11	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	12	12.7	184	3	5	10	17	60	92	99 +										
35-49	18	11.6	53	3	5	10	17	24	26	26										
50-64	15	16.3	154	6	8	12	19	41	42	43										
65 +	26	18.5	69	9	13	17	25	28	35	38	2	11.5	113	4	4	11	19	19	19	19
ALL AGES	72	15.1	108	4	8	13	21	29	41	88	2	11.5	113	4	4	11	19	19	19	19
SUBTOTAL	**139**	**14.5**	**93**	**5**	**7**	**12**	**20**	**27**	**36**	**57**	**6**	**8.2**	**46**	**1**	**3**	**7**	**12**	**18**	**19**	**19**
GRAND TOTAL	**371**	**13.5**	**93**	**4**	**6**	**11**	**19**	**26**	**29**	**52**	**17**	**13.8**	**210**	**1**	**4**	**10**	**19**	**35**	**48**	**54**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	5.0	18	2	2	5	8	8	8	8										
20-34	1	12.0		12	12	12	12	12	12	12	2	13.0	32	9	9	13	17	17	17	17
35-49	1	9.0		9	9	9	9	9	9	9	1	12.0		12	12	12	12	12	12	12
50-64	5	16.4	261	3	4	6	33	36	36	36										
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	10	12.0	144	2	5	7	12	34	36	36	3	12.7	15	9	10	12	16	17	17	17
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-19	1	39.0		39	39	39	39	39	39	39	1	1.0		1	1	1	1	1	1	1
20-34	5	10.6	21	5	6	11	14	16	16	16	1	15.0		15	15	15	15	15	15	15
35-49	4	20.8	58	11	14	22	27	28	28	28	3	12.0	31	7	8	11	16	18	18	18
50-64	3	21.0	169	8	11	21	31	34	34	34										
65 +	6	17.0	96	3	8	20	24	27	27	27	2	8.0	18	5	5	8	11	11	11	11
ALL AGES	20	17.5	100	6	9	17	25	31	36	39	7	9.7	35	2	5	11	14	17	18	18
SUBTOTAL	**30**	**15.6**	**119**	**4**	**7**	**12**	**24**	**33**	**36**	**39**	**10**	**10.6**	**28**	**3**	**7**	**11**	**15**	**17**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	12.3	134	1	4	12	21	24	24	24										
35-49	2	12.5	181	3	3	12	22	22	22	22	1	4.0		4	4	4	4	4	4	4
50-64	3	18.7	431	2	4	12	34	42	42	42										
65 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	9	16.0	187	1	3	12	24	36	42	42	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19	2	31.5	5	30	30	31	33	33	33	33										
20-34	5	5.0	6	3	4	4	6	9	9	9	1	30.0		30	30	30	30	30	30	30
35-49	5	8.0	9	4	5	9	10	11	11	11	2	12.5	181	3	3	12	22	22	22	22
50-64	3	30.0	139	20	22	27	39	43	43	43										
65 +	1	26.0		26	26	26	26	26	26	26	1	21.0		21	21	21	21	21	21	21
ALL AGES	16	15.3	160	4	5	10	26	33	40	43	4	19.0	130	3	12	21	26	30	30	30
SUBTOTAL	**25**	**15.5**	**164**	**3**	**4**	**11**	**26**	**33**	**42**	**43**	**5**	**16.0**	**143**	**3**	**4**	**21**	**24**	**30**	**30**	**30**
GRAND TOTAL	**55**	**15.6**	**136**	**3**	**6**	**11**	**25**	**33**	**38**	**43**	**15**	**12.4**	**66**	**3**	**5**	**11**	**18**	**22**	**28**	**30**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	2	15.5	421	1	1	15	30	30	30	30										
20-34	5	6.0	35	1	2	4	8	16	16	16	2	10.0	128	2	2	10	18	18	18	18
35-49	1	17.0		17	17	17	17	17	17	17	2	3.0	8	1	1	3	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8										
65 +	2	21.5	85	15	15	21	28	28	28	28										
ALL AGES	11	11.7	108	1	3	8	17	29	30	30	5	5.4	52	1	1	2	8	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19	1	31.0		31	31	31	31	31	31	31										
20-34	2	3.5	1	3	3	3	4	4	4	4										
35-49	4	11.5	81	7	7	7	16	25	25	25	2	16.0	128	8	8	16	24	24	24	24
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	9	13.1	135	3	5	7	26	30	31	31	2	16.0	128	8	8	16	24	24	24	24
SUBTOTAL	**20**	**12.4**	**112**	**2**	**4**	**7**	**21**	**29**	**30**	**31**	**7**	**8.4**	**84**	**1**	**1**	**5**	**15**	**23**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	3	15.7	219	3	5	12	27	32	32	32										
50-64	2	5.5	25	2	2	5	9	9	9	9										
65 +	1	36.0		36	36	36	36	36	36	36	1	6.0		6	6	6	6	6	6	6
ALL AGES	7	14.4	193	2	4	9	27	35	36	36	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19											1	28.0		28	28	28	28	28	28	28
20-34	2	7.0		7	7	7	7	7	7	7										
35-49	3	13.3	210	5	5	5	24	30	30	30	2	2.0		2	2	2	2	2	2	2
50-64	1	55.0		55	55	55	55	55	55	55										
65 +	5	23.2	1247	5	5	6	32	86	86	86	2	6.5	25	3	3	6	10	10	10	10
ALL AGES	11	20.5	713	5	5	7	26	67	84	86	5	9.0	124	2	2	3	14	28	28	28
SUBTOTAL	**18**	**18.1**	**498**	**3**	**5**	**7**	**30**	**49**	**74**	**86**	**6**	**8.5**	**101**	**2**	**2**	**4**	**10**	**26**	**28**	**28**
GRAND TOTAL	**38**	**15.1**	**295**	**3**	**5**	**7**	**25**	**32**	**47**	**86**	**13**	**8.5**	**83**	**1**	**2**	**5**	**12**	**25**	**27**	**28**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34																				
35-49																				
50-64	2	1.0		1	1	1	1	1	1	1										
65 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	23.0		23	23	23	23	23	23	23										
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	2	13.0	200	3	3	13	23	23	23	23										
SUBTOTAL	**5**	**6.0**	**91**	**1**	**1**	**2**	**8**	**23**	**23**	**23**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**5**	**6.0**	**91**	**1**	**1**	**2**	**8**	**23**	**23**	**23**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	14.3	59	9	9	11	20	23	23	23	1	5.0		5	5	5	5	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
50-64	5	8.2	8	4	6	9	10	11	11	11										
65 +	4	25.3	247	4	13	28	37	40	40	40										
ALL AGES	13	14.8	133	4	7	10	23	35	39	40	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	11.0	28	7	7	9	15	17	17	17	1	5.0		5	5	5	5	5	5	5
35-49	7	4.6	5	1	3	5	6	8	8	8	1	14.0		14	14	14	14	14	14	14
50-64	4	9.0	19	4	5	9	12	14	14	14										
65 +	6	17.3	164	3	11	12	32	34	34	34	3	19.0	169	11	11	12	28	34	34	34
ALL AGES	20	10.3	78	2	4	8	12	24	33	34	5	15.2	122	5	9	12	19	34	34	34
SUBTOTAL	**33**	**12.0**	**103**	**3**	**5**	**9**	**13**	**32**	**34**	**40**	**7**	**12.0**	**111**	**3**	**5**	**11**	**13**	**30**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	11.0		11	11	11	11	11	11	11										
20-34	2	11.5	41	7	7	11	16	16	16	16	1	7.0		7	7	7	7	7	7	7
35-49	4	9.5	43	1	4	10	14	16	16	16										
50-64																				
65 +											2	51.0	4050	6	6	51	96	96	96	96
ALL AGES	7	10.3	29	1	7	11	15	16	16	16	3	36.3	2674	6	6	7	74	96	96	96
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	5.3	9	2	3	7	7	7	7	7										
35-49	3	18.7	63	14	14	14	25	28	28	28	3	2.7	1	2	2	2	4	4	4	4
50-64	2	6.5	61	1	1	6	12	12	12	12										
65 +	4	14.5	16	9	11	15	17	18	18	18	2	14.0	72	8	8	14	20	20	20	20
ALL AGES	12	11.9	56	2	7	13	16	21	27	28	5	7.2	57	2	2	4	11	20	20	20
SUBTOTAL	**19**	**11.3**	**45**	**1**	**7**	**12**	**15**	**18**	**23**	**28**	**8**	**18.1**	**1024**	**2**	**3**	**6**	**14**	**73**	**96**	**96**
GRAND TOTAL	**52**	**11.8**	**79**	**3**	**6**	**10**	**14**	**25**	**34**	**40**	**15**	**15.3**	**568**	**2**	**4**	**7**	**13**	**34**	**80**	**96**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	18.5	113	11	11	18	26	26	26	26										
50-64																				
65 +																				
ALL AGES	2	18.5	113	11	11	18	26	26	26	26										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**18.5**	**113**	**11**	**11**	**18**	**26**	**26**	**26**	**26**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	26.0		26	26	26	26	26	26	26										
65 +																				
ALL AGES	1	26.0		26	26	26	26	26	26	26										
SUBTOTAL	**1**	**26.0**		**26**	**26**	**26**	**26**	**26**	**26**	**26**										
GRAND TOTAL	**3**	**21.0**	**75**	**11**	**15**	**26**	**26**	**26**	**26**	**26**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-19	9	9.6	61	2	4	8	14	23	25	25	2	2.5	5	1	1	2	4	4	4	4
20-34	23	11.3	34	5	7	10	14	19	25	28	1	6.0		6	6	6	6	6	6	6
35-49	17	9.1	87	3	4	7	10	12	32	43										
50-64	1	4.0		4	4	4	4	4	4	4										
65 +	4	8.0	21	2	5	8	11	13	13	13	1	8.0		8	8	8	8	8	8	8
ALL AGES	55	9.9	51	4	5	9	12	18	24	42	4	4.8	8	1	2	5	7	8	8	8
B. FEMALE																				
0-12 YRS.	2	21.5	613	4	4	21	39	39	39	39										
13-19	5	10.4	11	6	8	12	14	91	99 +	99 +										
20-34	43	9.4	41	3	5	8	14	19	20	30	3	10.7	99	3	4	7	18	22	22	22
35-49	27	12.4	211	3	4	8	13	34	51	60	5	7.0	24	1	4	5	12	12	12	12
50-64	11	8.7	21	3	6	7	14	15	15	15	3	2.7	2	1	1	3	4	4	4	4
65 +	17	12.0	60	2	6	12	15	24	28	30	8	10.1	100	2	3	7	13	27	32	32
ALL AGES	105	10.8	91	3	5	8	14	20	31	78	19	8.2	64	1	3	5	11	20	27	32
SUBTOTAL	**160**	**10.5**	**77**	**3**	**5**	**8**	**14**	**19**	**29**	**59**	**23**	**7.6**	**55**	**1**	**3**	**5**	**10**	**17**	**25**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	26.3	97	18	19	24	34	37	37	37										
13-19	5	18.0	247	6	7	17	42	94	99 +	99 +										
20-34	37	10.1	42	3	5	9	15	17	21	31	2	13.0	32	9	9	13	17	17	17	17
35-49	21	9.3	25	2	4	10	14	15	15	15	1	5.0		5	5	5	5	5	5	5
50-64	3	9.3	71	4	4	5	15	19	19	19										
65 +	3	18.7	132	11	11	13	27	32	32	32										
ALL AGES	72	11.4	68	3	5	10	15	22	32	87	3	10.3	38	5	6	9	15	17	17	17
B. FEMALE																				
0-12 YRS.	2	12.5	61	7	7	12	18	18	18	18										
13-19	9	16.4	85	5	9	17	23	29	29	29										
20-34	35	11.8	54	4	7	9	15	23	28	32	1	5.0		5	5	5	5	5	5	5
35-49	24	12.7	64	5	6	11	18	24	31	31	1	4.0		4	4	4	4	4	4	4
50-64	3	7.3	17	5	5	5	10	12	12	12										
65 +	5	7.0	34	1	3	5	11	16	16	16										
ALL AGES	78	12.2	58	4	7	10	17	23	29	32	2	4.5	1	4	4	4	5	5	5	5
SUBTOTAL	**150**	**11.8**	**63**	**4**	**6**	**10**	**16**	**23**	**31**	**42**	**5**	**8.0**	**29**	**4**	**5**	**5**	**11**	**17**	**17**	**17**
GRAND TOTAL	**310**	**11.1**	**71**	**3**	**5**	**9**	**14**	**21**	**30**	**54**	**28**	**7.7**	**49**	**1**	**3**	**5**	**9**	**17**	**23**	**32**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	29.1	145	16	24	32	43	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
13-19	33	20.5	347	3	7	15	37	74	99 +	99 +	5	6.8	26	2	2	7	10	14	14	14
20-34	60	12.8	112	3	6	11	16	25	30	63	3	3.7	21	1	1	1	7	9	9	9
35-49	58	10.4	74	2	4	8	14	21	26	43	5	11.6	99	3	3	8	20	25	25	25
50-64	28	13.7	204	2	3	11	18	27	41	69	10	7.0	96	1	2	3	10	23	32	32
65 +	129	9.3	56	2	4	7	12	21	26	33	49	8.4	99	2	4	6	9	17	23	66
ALL AGES	319	12.4	134	2	4	9	17	29	38	99 +	73	8.0	88	1	3	6	9	17	25	58
B. FEMALE																				
0-12 YRS.	4	13.3	7	10	11	13	15	17	17	17	3	2.7	2	1	1	3	4	4	4	4
13-19	16	17.7	140	6	7	20	25	42	80	99 +	4	2.0	2	1	1	1	3	4	4	4
20-34	88	11.8	84	3	6	10	15	26	36	78	7	14.4	166	1	5	8	24	34	36	36
35-49	99	9.9	64	2	5	8	12	19	25	43	7	8.1	33	2	4	8	10	17	19	19
50-64	60	10.4	77	2	4	9	14	19	21	53	16	4.7	14	2	3	3	5	10	14	16
65 +	197	10.4	78	3	5	8	14	20	27	46	78	6.9	39	2	3	5	9	14	21	32
ALL AGES	464	10.9	77	3	5	8	14	21	29	52	115	6.9	44	2	3	5	9	15	22	34
SUBTOTAL	**783**	**11.5**	**101**	**3**	**5**	**8**	**15**	**24**	**35**	**73**	**188**	**7.3**	**61**	**1**	**3**	**5**	**9**	**16**	**23**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	29.3	342	9	21	28	42	73	95	99 +										
13-19	27	18.4	233	4	6	14	30	48	59	99 +	1	5.0		5	5	5	5	5	5	5
20-34	66	11.3	56	4	6	10	15	24	28	28	6	11.5	136	1	2	8	19	30	31	31
35-49	69	11.2	79	2	5	8	15	23	29	41										
50-64	23	13.3	151	3	4	7	21	27	39	51	9	6.8	41	1	3	4	10	18	19	19
65 +	69	13.4	103	2	7	12	18	22	33	60	15	7.0	15	4	4	6	8	13	15	16
ALL AGES	266	13.5	127	3	6	11	19	28	36	66	31	7.7	45	2	4	5	10	17	19	31
B. FEMALE																				
0-12 YRS.	3	24.7	228	11	14	22	36	41	41	41										
13-19	14	22.7	590	4	10	16	49	98	99 +	99 +	2	1.0		1	1	1	1	1	1	1
20-34	73	12.0	118	2	5	10	16	36	51	99 +	3	36.3	908	2	14	49	56	58	58	58
35-49	61	11.3	51	3	6	11	16	21	24	29	8	4.1	15	1	1	3	5	11	13	13
50-64	34	14.7	219	3	6	12	16	28	35	83	2	10.5	25	7	7	10	14	14	14	14
65 +	95	13.3	115	4	6	11	17	27	40	51	18	10.1	56	1	4	9	15	23	25	25
ALL AGES	280	13.3	142	3	6	11	17	27	42	99 +	33	10.5	169	1	2	7	13	24	45	58
SUBTOTAL	**546**	**13.4**	**135**	**3**	**6**	**11**	**18**	**28**	**38**	**99 +**	**64**	**9.2**	**108**	**1**	**3**	**5**	**12**	**19**	**27**	**57**
GRAND TOTAL	**1329**	**12.3**	**115**	**3**	**5**	**9**	**16**	**26**	**36**	**99 +**	**252**	**7.8**	**73**	**1**	**3**	**5**	**9**	**17**	**25**	**49**

INFANTILE AUTISM (299.0)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	9.4	51	3	4	6	14	20	22	22										
13-19	3	5.3	9	2	3	7	7	7	7	7										
20-34	2	20.5	365	7	7	20	34	34	34	34										
35-49																				
50-64																				
65 +																				
ALL AGES	12	10.3	87	3	4	7	13	26	33	34										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**12**	**10.3**	**87**	**3**	**4**	**7**	**13**	**26**	**33**	**34**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	30.7	1421	5	7	13	59	74	74	74										
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	2	12.0	72	6	6	12	18	18	18	18										
35-49																				
50-64																				
65 +																				
ALL AGES	6	20.0	729	4	5	9	18	68	74	74										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**6**	**20.0**	**729**	**4**	**5**	**9**	**18**	**68**	**74**	**74**										
GRAND TOTAL	**18**	**13.5**	**294**	**3**	**4**	**7**	**14**	**30**	**58**	**74**										

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	16.6	211	5	6	11	26	40	40	40										
13-19	2	15.5	221	5	5	15	26	26	26	26										
20-34	1	26.0		26	26	26	26	26	26	26										
35-49																				
50-64																				
65 +																				
ALL AGES	8	17.5	164	5	6	16	26	36	40	40										
B. FEMALE																				
0-12 YRS.	4	25.3	235	4	16	28	35	41	41	41										
13-19																				
20-34																				
35-49	1	71.0		71	71	71	71	71	71	71										
50-64																				
65 +																				
ALL AGES	5	34.4	597	4	22	28	48	71	71	71										
SUBTOTAL	**13**	**24.0**	**368**	**5**	**6**	**26**	**31**	**47**	**66**	**71**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	37.4	810	10	19	27	54	84	89	89	1	2.0		2	2	2	2	2	2	2
13-19	3	23.3	293	13	13	28	71	99 +	99 +	99 +										
20-34																				
35-49	1	10.0		10	10	10	10	10	10	10										
50-64																				
65 +																				
ALL AGES	12	31.6	654	10	14	26	50	91	98	99 +	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	6	10.2	46	1	3	11	17	17	17	17										
13-19	2	21.0	50	16	16	21	26	26	26	26										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	8	12.9	65	2	7	14	17	23	26	26										
SUBTOTAL	**20**	**24.1**	**492**	**7**	**12**	**17**	**30**	**79**	**94**	**99 +**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**33**	**24.1**	**428**	**5**	**11**	**19**	**28**	**71**	**86**	**99 +**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	29.5	538	7	9	30	49	50	50	50										
13-19	5	14.2	104	3	7	10	24	26	26	26										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	9	21.0	319	5	8	12	32	50	50	50										
B. FEMALE																				
0-12 YRS.	2	29.0	2	28	28	29	30	30	30	30										
13-19	3	17.7	104	9	10	15	25	29	29	29										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	22.2	92	9	13	28	29	30	30	30										
SUBTOTAL	**14**	**21.4**	**226**	**7**	**9**	**19**	**29**	**49**	**50**	**50**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	37.5	85	31	31	37	44	44	44	44										
13-19	1	21.0		21	21	21	21	21	21	21										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	32.0	133	21	23	31	41	44	44	44										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**3**	**32.0**	**133**	**21**	**23**	**31**	**41**	**44**	**44**	**44**										
GRAND TOTAL	**17**	**23.3**	**216**	**7**	**10**	**24**	**30**	**48**	**50**	**50**										

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	14.0	245	1	3	9	25	36	36	36										
13-19	10	8.4	124	1	1	2	17	26	34	34	3	1.3		1	1	1	2	2	2	2
20-34	40	4.3	14	1	1	3	6	10	12	15	9	4.3	51	1	1	2	3	16	23	23
35-49	42	2.7	6	1	1	2	3	7	9	10	9	3.0	3	1	1	4	4	5	5	5
50-64	24	3.8	9	1	1	3	4	9	10	13	10	2.7	2	1	1	3	4	5	5	5
65 +	31	6.9	112	1	2	3	9	14	16	59	15	3.3	6	1	1	2	5	7	8	8
ALL AGES	151	4.8	47	1	1	3	5	11	15	36	46	3.2	12	1	1	2	4	5	7	23
B. FEMALE																				
0-12 YRS.	3	10.0	129	2	3	5	18	23	23	23										
13-19	11	5.3	41	1	1	3	7	14	22	23	5	2.0	3	1	1	1	3	5	5	5
20-34	63	6.0	29	1	2	4	10	15	16	21	19	2.6	4	1	1	2	4	6	7	7
35-49	58	4.9	31	1	2	3	5	15	19	24	27	3.7	18	1	1	2	4	9	12	21
50-64	59	5.5	40	1	2	3	7	15	20	30	19	3.6	28	1	1	2	3	8	17	24
65 +	81	6.3	52	2	3	4	7	14	19	40	37	3.5	9	1	2	3	4	6	8	18
ALL AGES	275	5.8	39	1	2	3	7	15	19	31	107	3.3	13	1	1	2	4	6	9	22
SUBTOTAL	**426**	**5.4**	**43**	**1**	**2**	**3**	**6**	**14**	**18**	**34**	**153**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**8**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	22.0	302	3	7	22	36	40	40	40										
13-19	9	10.3	44	2	4	11	14	19	22	22	2	13.0	288	1	1	13	25	25	25	25
20-34	54	9.4	80	2	4	7	13	18	20	51	7	4.6	15	1	2	2	8	11	11	11
35-49	54	7.4	58	1	2	4	9	21	26	31	7	5.1	50	1	2	3	4	18	21	21
50-64	16	10.6	170	3	4	7	12	16	45	57	5	5.4	19	2	3	4	7	13	13	13
65 +	19	11.1	116	2	3	7	14	28	34	38	5	4.2	5	2	3	4	5	8	8	8
ALL AGES	156	9.4	92	2	3	6	12	21	29	50	26	5.5	36	1	2	3	5	13	22	25
B. FEMALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19	1	2.0		2	2	2	2	2	2	2
13-19	13	10.1	101	2	3	5	15	25	33	35										
20-34	86	9.7	79	2	4	7	13	20	26	49	8	4.1	4	2	3	4	5	7	7	7
35-49	82	8.4	39	2	4	7	12	17	20	31	4	13.0	250	1	1	8	24	35	35	35
50-64	48	9.7	44	3	4	8	13	20	25	27	10	3.1	4	1	2	2	5	6	7	7
65 +	57	8.3	44	2	3	7	12	20	21	30	16	4.1	6	1	2	4	5	8	9	9
ALL AGES	287	9.1	56	2	4	7	12	19	23	34	39	4.7	32	1	2	3	5	8	12	35
SUBTOTAL	**443**	**9.2**	**68**	**2**	**3**	**7**	**12**	**19**	**25**	**40**	**65**	**5.0**	**33**	**1**	**2**	**3**	**5**	**9**	**16**	**33**
GRAND TOTAL	**869**	**7.3**	**60**	**1**	**2**	**5**	**10**	**17**	**22**	**36**	**218**	**3.8**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**24**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	4.4	24	1	1	2	6	13	14	14	4	1.5		1	1	1	2	2	2	2
13-19	13	6.4	41	1	3	4	7	19	21	22	3	2.0	1	1	1	2	3	3	3	3
20-34	26	5.5	27	1	2	4	8	16	18	19	6	2.7	2	1	1	2	4	5	5	5
35-49	15	5.7	20	2	2	4	9	11	15	17										
50-64	7	5.7	33	2	2	4	6	16	18	18	3	3.0	7	1	1	2	5	6	6	6
65 +	4	14.0	433	2	2	5	26	45	45	45										
ALL AGES	72	6.1	47	1	2	4	7	17	18	40	16	2.3	2	1	1	2	3	5	6	6
B. FEMALE																				
0-12 YRS.	11	5.5	47	1	3	3	5	15	24	25	7	5.6	20	1	3	4	6	13	15	15
13-19	29	9.1	259	1	3	3	6	26	37	81	9	3.8	2	2	3	4	5	6	6	6
20-34	72	9.3	135	2	3	5	12	28	44	90	12	2.5	3	1	1	2	4	5	6	6
35-49	69	8.4	88	1	2	5	11	22	24	52	13	5.8	34	1	1	5	7	17	18	18
50-64	13	3.2	2	1	2	3	4	5	6	6	8	3.4	6	1	1	3	5	7	7	7
65 +	15	3.1	7	1	1	2	4	7	10	11	4	4.0	5	1	2	4	5	6	6	6
ALL AGES	209	7.9	118	1	2	4	9	22	30	67	53	4.2	14	1	1	4	5	7	14	18
SUBTOTAL	**281**	**7.5**	**99**	**1**	**2**	**4**	**8**	**18**	**26**	**57**	**69**	**3.7**	**12**	**1**	**1**	**3**	**5**	**6**	**9**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	4.0	1	3	3	4	5	5	5	5										
13-19	11	16.6	391	1	4	8	26	49	62	63	1	1.0		1	1	1	1	1	1	1
20-34	15	7.9	55	3	3	5	8	17	27	31	3	5.7	21	3	3	3	9	11	11	11
35-49	10	3.7	3	2	2	3	5	6	7	7	8	5.3	11	3	3	4	6	11	13	13
50-64	7	16.0	96	3	7	16	25	27	27	27	2	5.5	13	3	3	5	8	8	8	8
65 +	3	4.7	4	3	3	4	6	7	7	7	3	7.0	39	2	3	5	12	14	14	14
ALL AGES	49	9.7	139	2	3	5	9	26	32	63	17	5.4	15	2	3	4	7	13	14	14
B. FEMALE																				
0-12 YRS.	5	20.0	457	2	2	15	34	53	53	53	2	4.0	8	2	2	4	6	6	6	6
13-19	15	15.7	223	3	5	7	25	43	45	46	5	3.2	1	2	3	3	4	4	4	4
20-34	90	11.3	108	2	3	7	15	29	32	43	17	6.2	27	1	2	4	9	14	17	19
35-49	74	13.3	117	3	4	10	20	30	41	99 +	11	7.1	48	2	3	5	10	17	24	25
50-64	14	4.5	10	2	2	4	6	8	12	13	4	6.0	17	3	3	4	8	12	12	12
65 +	7	10.3	30	3	6	11	13	18	19	19	4	8.0	45	2	3	6	13	17	17	17
ALL AGES	205	12.0	124	2	4	8	17	30	40	73	43	6.1	29	2	2	4	9	13	18	25
SUBTOTAL	**254**	**11.6**	**126**	**2**	**3**	**7**	**16**	**29**	**39**	**62**	**60**	**5.9**	**25**	**2**	**3**	**4**	**8**	**13**	**16**	**24**
GRAND TOTAL	**535**	**9.4**	**117**	**2**	**3**	**5**	**13**	**24**	**32**	**58**	**129**	**4.8**	**18**	**1**	**2**	**3**	**6**	**11**	**14**	**20**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	46.5	1201	22	22	46	71	71	71	71	1	1.0		1	1	1	1	1	1	1
20-34	5	8.8	93	3	4	5	10	26	26	26										
35-49	2	7.0	32	3	3	7	11	11	11	11	1	8.0		8	8	8	8	8	8	8
50-64	1	11.0		11	11	11	11	11	11	11										
65 +	3	7.3	45	3	3	4	12	15	15	15										
ALL AGES	13	14.2	347	3	4	5	17	35	64	71	2	4.5	25	1	1	4	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	2	20.0	8	18	18	20	22	22	22	22										
20-34	11	10.2	117	1	3	5	15	30	32	32	1	1.0		1	1	1	1	1	1	1
35-49	10	11.8	28	6	8	11	15	19	23	23										
50-64	2	27.0	1250	2	2	27	52	52	52	52										
65 +	2	4.0		4	4	4	4	4	4	4	1	25.0		25	25	25	25	25	25	25
ALL AGES	28	12.0	129	2	4	8	16	26	34	52	2	13.0	288	1	1	13	25	25	25	25
SUBTOTAL	**41**	**12.7**	**192**	**3**	**4**	**8**	**16**	**27**	**41**	**71**	**4**	**8.8**	**127**	**1**	**1**	**5**	**16**	**25**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	17.0	450	2	2	17	32	32	32	32										
13-19	1	9.0		9	9	9	9	9	9	9										
20-34	12	13.5	153	3	5	10	19	29	44	46	1	1.0		1	1	1	1	1	1	1
35-49	10	11.9	69	1	4	11	20	22	24	24	1	3.0		3	3	3	3	3	3	3
50-64	1	26.0		26	26	26	26	26	26	26										
65 +											2	21.5	5	20	20	21	23	23	23	23
ALL AGES	26	13.5	118	2	4	11	21	26	35	46	4	11.8	127	1	2	11	21	23	23	23
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-19	4	23.0	954	3	5	10	40	69	69	69										
20-34	21	12.9	139	1	6	8	18	28	41	48	1	3.0		3	3	3	3	3	3	3
35-49	21	11.7	48	5	7	11	14	18	27	35	2	5.5	13	3	3	5	8	8	8	8
50-64	4	18.0	61	8	12	19	24	26	26	26										
65 +	4	17.0	69	11	11	14	22	29	29	29										
ALL AGES	55	13.8	141	3	7	11	16	26	35	68	3	4.7	8	3	3	3	7	8	8	8
SUBTOTAL	**81**	**13.7**	**132**	**2**	**7**	**11**	**17**	**26**	**35**	**62**	**7**	**8.7**	**82**	**1**	**3**	**3**	**17**	**22**	**23**	**23**
GRAND TOTAL	**122**	**13.4**	**150**	**3**	**5**	**11**	**17**	**26**	**35**	**70**	**11**	**8.7**	**88**	**1**	**2**	**3**	**17**	**24**	**25**	**25**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-19	4	21.8	187	8	10	20	33	38	38	38										
20-34	9	16.9	82	3	11	19	24	27	28	28										
35-49	4	8.0	26	1	4	9	11	13	13	13										
50-64	3	6.0	49	1	1	3	11	14	14	14	2	14.0	18	11	11	14	17	17	17	17
65 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	22	13.9	105	1	4	13	21	28	32	38	3	10.3	50	3	5	11	15	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	6	9.3	56	1	1	9	17	18	18	18										
35-49	3	21.7	2	20	20	21	23	24	24	24										
50-64	4	11.0	65	4	4	9	17	21	21	21										
65 +	4	27.5	107	18	19	25	35	41	41	41										
ALL AGES	18	15.6	112	2	6	17	21	28	37	41										
SUBTOTAL	**40**	**14.7**	**105**	**1**	**5**	**14**	**21**	**28**	**34**	**41**	**3**	**10.3**	**50**	**3**	**5**	**11**	**15**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	15.5	145	7	7	15	24	24	24	24										
13-19	10	30.7	610	7	11	23	42	72	77	77										
20-34	14	8.1	20	3	4	7	12	14	15	15	2	13.5	313	1	1	13	26	26	26	26
35-49	5	13.6	33	9	9	13	16	23	23	23										
50-64	3	9.3	11	7	7	8	12	13	13	13	2	19.5	421	5	5	19	34	34	34	34
65 +																				
ALL AGES	34	16.1	280	4	7	11	17	32	63	77	4	16.5	256	1	3	15	30	34	34	34
B. FEMALE																				
0-12 YRS.	5	38.2	1170	12	19	28	48	98	98	98										
13-19	2	20.5	41	16	18	25	81	99 +	99 +	99 +										
20-34	12	14.9	250	1	5	11	18	34	56	60										
35-49	9	17.3	113	3	10	15	27	31	32	32										
50-64											2	8.5	41	4	4	8	13	13	13	13
65 +	3	22.3	33	16	18	25	26	26	26	26										
ALL AGES	31	20.5	347	4	10	16	26	40	94	99 +	2	8.5	41	4	4	8	13	13	13	13
SUBTOTAL	**65**	**18.2**	**312**	**4**	**8**	**13**	**24**	**32**	**70**	**99 +**	**6**	**13.8**	**180**	**1**	**4**	**9**	**26**	**33**	**34**	**34**
GRAND TOTAL	**105**	**16.8**	**236**	**3**	**7**	**14**	**23**	**31**	**46**	**99**	**9**	**12.7**	**126**	**2**	**4**	**11**	**19**	**31**	**34**	**34**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	22	22.1	279	4	10	20	29	40	60	73										
13-19	139	16.1	138	4	7	14	22	32	41	55	4	13.0	129	1	5	11	21	28	28	28
20-34	66	7.6	22	2	4	7	10	14	18	20	8	4.1	14	1	2	3	5	10	12	12
35-49	57	8.6	55	3	4	6	11	20	23	35	6	9.8	25	3	6	10	14	15	15	15
50-64	21	8.4	21	2	5	8	11	15	17	17	4	5.3	34	1	2	3	9	14	14	14
65 +	29	12.6	180	2	6	10	13	22	37	71	8	5.1	13	1	2	4	7	11	12	12
ALL AGES	334	12.8	123	3	5	9	17	26	35	55	30	6.9	37	1	3	4	12	14	15	28
B. FEMALE																				
0-12 YRS.	24	21.6	338	4	11	15	28	45	61	83										
13-19	216	16.9	163	4	8	14	23	33	39	67	4	22.0	409	3	8	17	36	50	50	50
20-34	176	7.2	39	1	3	6	10	15	17	32	17	4.9	22	1	2	4	6	13	16	17
35-49	151	7.9	32	2	4	7	10	15	19	29	12	6.2	38	1	2	3	9	15	20	21
50-64	50	8.2	32	2	4	7	10	16	21	28	12	8.0	71	2	3	5	9	21	30	31
65 +	68	12.2	95	3	5	10	19	24	33	50	20	7.8	60	2	3	6	7	15	27	37
ALL AGES	685	11.5	112	2	4	9	15	24	32	50	65	7.6	77	1	3	5	8	17	24	48
SUBTOTAL	**1019**	**11.9**	**117**	**2**	**5**	**9**	**16**	**25**	**33**	**52**	**95**	**7.4**	**64**	**1**	**3**	**5**	**9**	**15**	**22**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	78	21.7	214	7	12	18	28	43	52	72										
13-19	299	19.0	188	5	9	16	25	37	43	73	3	3.0	12	1	1	1	6	7	7	7
20-34	267	8.7	56	2	4	7	12	17	24	41	19	10.3	86	1	2	10	14	24	31	35
35-49	190	10.4	79	3	5	8	13	20	30	42	10	7.4	26	2	5	6	9	15	20	20
50-64	38	11.1	53	2	5	10	15	20	27	31	2	4.0	18	1	1	4	7	7	7	7
65 +	11	13.5	66	4	7	14	17	24	31	32	3	4.0	1	3	3	4	5	5	5	5
ALL AGES	883	13.9	143	3	5	11	18	30	38	56	37	8.1	57	1	3	6	11	18	25	35
B. FEMALE																				
0-12 YRS.	38	24.1	209	7	13	22	31	44	50	68	1	34.0		34	34	34	34	34	34	34
13-19	429	18.6	187	5	9	15	27	38	46	85	8	21.4	160	4	14	19	31	38	40	40
20-34	355	10.1	69	2	4	8	14	20	27	36	27	7.7	45	1	3	6	10	18	20	28
35-49	266	10.0	50	3	5	8	14	20	24	32	18	8.2	56	1	3	5	11	21	24	26
50-64	65	11.4	62	3	6	8	16	22	27	37	3	3.3	2	2	2	4	4	4	4	4
65 +	58	12.1	56	4	6	10	17	24	27	29	9	7.2	21	3	4	6	10	14	16	16
ALL AGES	1211	13.7	129	3	6	11	18	29	37	62	66	9.6	84	2	3	6	14	21	29	39
SUBTOTAL	**2094**	**13.8**	**134**	**3**	**6**	**11**	**18**	**29**	**37**	**62**	**103**	**9.1**	**74**	**1**	**3**	**6**	**13**	**20**	**28**	**37**
GRAND TOTAL	**3113**	**13.2**	**129**	**3**	**5**	**10**	**17**	**28**	**36**	**57**	**198**	**8.3**	**69**	**1**	**3**	**6**	**11**	**18**	**27**	**39**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6										
35-49											1	18.0		18	18	18	18	18	18	18
50-64																				
65 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	1	4.0		4	4	4	4	4	4	4	2	5.0		5	5	5	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	3	2.3	3	1	1	2	3	4	4	4	3	4.3	2	3	3	5	5	5	5	5
SUBTOTAL	**4**	**3.3**	**4**	**1**	**1**	**3**	**5**	**6**	**6**	**6**	**4**	**7.8**	**47**	**3**	**4**	**5**	**12**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-19																				
20-34	3	6.3	10	3	4	7	8	9	9	9										
35-49											2	2.5	1	2	2	2	3	3	3	3
50-64	1	17.0		17	17	17	17	17	17	17	1	8.0		8	8	8	8	8	8	8
65 +											3	6.7	22	3	3	5	10	12	12	12
ALL AGES	4	9.0	35	3	5	8	13	17	17	17	7	5.9	13	2	3	5	8	11	12	12
SUBTOTAL	**5**	**7.8**	**33**	**3**	**3**	**7**	**11**	**17**	**17**	**17**	**7**	**5.9**	**13**	**2**	**3**	**5**	**8**	**11**	**12**	**12**
GRAND TOTAL	**9**	**5.8**	**24**	**1**	**3**	**4**	**7**	**14**	**17**	**17**	**11**	**6.5**	**24**	**2**	**3**	**5**	**8**	**14**	**18**	**18**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	29.0		29	29	29	29	29	29	29										
35-49																				
50-64																				
65 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	13.0		13	13	13	13	13	13	13										
50-64																				
65 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
SUBTOTAL	**2**	**21.0**	**128**	**13**	**13**	**21**	**29**	**29**	**29**	**29**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	2	4.0	8	2	2	4	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	38.0		38	38	38	38	38	38	38										
35-49																				
50-64																				
65 +																				
ALL AGES	1	38.0		38	38	38	38	38	38	38										
SUBTOTAL	**3**	**15.3**	**391**	**2**	**3**	**6**	**30**	**38**	**38**	**38**										
GRAND TOTAL	**5**	**17.6**	**236**	**2**	**5**	**13**	**31**	**38**	**38**	**38**										

HYPOCHONDRIASIS (300.7)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	9.0		9	9	9	9	9	9	9										
50-64	1	7.0		7	7	7	7	7	7	7										
65 +	2	19.5	145	11	11	19	28	28	28	28										
ALL AGES	4	13.8	91	7	8	10	19	28	28	28										
SUBTOTAL	**4**	**13.8**	**91**	**7**	**8**	**10**	**19**	**28**	**28**	**28**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	7.5	85	1	1	7	14	14	14	14										
35-49																				
50-64																				
65 +																				
ALL AGES	2	7.5	85	1	1	7	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	34.0	648	16	16	34	52	52	52	52										
50-64	4	11.8	26	7	8	10	15	19	19	19										
65 +	2	12.0	50	7	7	12	17	17	17	17										
ALL AGES	8	17.4	216	7	8	14	18	42	52	52										
SUBTOTAL	**10**	**15.4**	**195**	**4**	**7**	**13**	**17**	**35**	**52**	**52**										
GRAND TOTAL	**14**	**14.9**	**158**	**6**	**7**	**11**	**17**	**30**	**47**	**52**										

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49											1	2.0		2	2	2	2	2	2	2
50-64	2	4.0	18	1	1	4	7	7	7	7										
65 +	1	50.0		50	50	50	50	50	50	50										
ALL AGES	4	16.3	512	1	4	7	29	50	50	50	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	1	24.0		24	24	24	24	24	24	24	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1	2	3.0	8	1	1	3	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1	2	7.5	5	6	6	7	9	9	9	9
50-64	3	6.3	11	4	4	5	9	10	10	10										
65 +	5	13.6	62	7	7	12	18	26	26	26										
ALL AGES	11	10.3	73	1	4	7	15	25	26	26	5	4.6	10	1	2	5	7	9	9	9
SUBTOTAL	**15**	**11.9**	**169**	**1**	**4**	**7**	**15**	**26**	**44**	**50**	**6**	**4.2**	**9**	**1**	**2**	**4**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	27.0	18	24	24	27	30	30	30	30										
35-49																				
50-64	2	6.0	8	4	4	6	8	8	8	8										
65 +	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
ALL AGES	5	14.6	135	4	6	8	25	30	30	30	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	3	20.3	83	11	13	21	27	29	29	29										
20-34	9	12.0	216	2	4	5	16	36	48	48	3	9.3	38	4	5	8	14	16	16	16
35-49	6	7.2	27	2	3	5	12	15	15	15	1	6.0		6	6	6	6	6	6	6
50-64	6	10.0	28	3	8	9	11	18	19	19	1	42.0		42	42	42	42	42	42	42
65 +	4	18.5	22	12	15	20	22	22	22	22	1	15.0		15	15	15	15	15	15	15
ALL AGES	28	12.4	102	3	4	11	18	22	31	48	7	13.1	193	2	4	8	16	37	42	42
SUBTOTAL	**33**	**12.7**	**104**	**3**	**5**	**11**	**18**	**25**	**30**	**48**	**8**	**11.8**	**179**	**1**	**3**	**7**	**15**	**34**	**42**	**42**
GRAND TOTAL	**48**	**12.4**	**123**	**2**	**5**	**8**	**18**	**25**	**32**	**50**	**14**	**8.5**	**116**	**1**	**2**	**5**	**9**	**19**	**37**	**42**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	2.3	1	1	1	2	3	4	4	4	1	1.0		1	1	1	1	1	1	1
13-19	14	5.1	28	1	2	3	5	13	18	20	4	2.5		2	2	2	3	3	3	3
20-34	6	5.3	31	1	1	4	5	15	16	16	1	1.0		1	1	1	1	1	1	1
35-49	5	8.8	120	1	3	4	12	28	28	28	3	3.0	7	1	1	2	5	6	6	6
50-64	6	9.3	53	2	4	7	14	20	21	21	2	3.5	13	1	1	3	6	6	6	6
65 +	11	9.6	60	4	5	7	11	22	29	30	11	4.5	7	1	3	4	6	8	10	10
ALL AGES	46	6.9	48	1	3	5	8	16	22	30	22	3.5	6	1	1	3	5	7	8	10
B. FEMALE																				
0-12 YRS.	8	6.0	90	1	1	2	5	22	29	29	2	3.0		3	3	3	3	3	3	3
13-19	18	6.8	31	1	3	5	10	17	19	19	2	4.5	13	2	2	4	7	7	7	7
20-34	15	1.4	1	1	1	1	2	3	3	3	6	2.0	1	1	1	2	3	3	3	3
35-49	9	10.8	334	1	2	7	7	38	59	59	5	4.0	6	1	2	3	6	7	7	7
50-64	5	7.8	33	1	2	9	12	15	15	15	5	2.0	1	1	1	2	3	3	3	3
65 +	24	7.1	22	2	3	5	10	13	16	20	15	5.3	4	3	4	5	7	8	8	8
ALL AGES	79	6.3	65	1	2	4	8	12	19	50	35	3.9	5	1	2	3	6	7	8	8
SUBTOTAL	**125**	**6.5**	**59**	**1**	**2**	**4**	**8**	**15**	**20**	**37**	**57**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	11.6	149	2	6	8	14	33	33	33										
13-19	20	5.0	14	1	2	4	7	11	13	13	1	10.0		10	10	10	10	10	10	10
20-34	36	7.9	75	1	3	5	9	21	31	35	5	4.6	28	1	2	3	6	14	14	14
35-49	21	4.4	15	1	2	3	5	12	13	13	5	7.2	91	1	1	4	10	24	24	24
50-64	5	7.4	98	1	2	4	9	25	25	25	4	2.0	2	1	1	1	3	4	4	4
65 +	3	10.7	29	5	6	11	15	16	16	16	5	7.8	129	1	2	4	10	28	28	28
ALL AGES	90	6.7	52	1	2	4	8	13	25	35	20	5.8	58	1	1	3	5	19	26	28
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	28	8.2	82	2	3	5	8	23	29	39	7	2.7	5	1	1	2	4	6	7	7
20-34	36	7.1	56	1	2	5	9	13	26	34	12	3.6	22	1	1	2	3	8	17	18
35-49	32	8.7	55	1	2	8	12	17	22	34	11	2.7	2	1	1	3	3	5	5	5
50-64	6	4.7	12	1	2	3	8	10	10	10	4	2.0	1	1	1	2	3	3	3	3
65 +	13	6.2	26	1	3	6	7	11	19	21	9	5.1	4	2	4	5	6	8	9	9
ALL AGES	116	7.5	56	1	3	5	10	15	24	36	43	3.4	9	1	2	3	4	6	8	18
SUBTOTAL	**206**	**7.1**	**55**	**1**	**2**	**5**	**9**	**15**	**24**	**35**	**63**	**4.2**	**25**	**1**	**2**	**3**	**4**	**8**	**15**	**27**
GRAND TOTAL	**331**	**6.9**	**56**	**1**	**2**	**5**	**9**	**15**	**22**	**34**	**120**	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**9**	**25**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	5	14.0	47	4	8	17	19	20	20	20										
35-49																				
50-64	1	7.0		7	7	7	7	7	7	7										
65 +																				
ALL AGES	6	12.8	46	4	7	13	19	20	20	20										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	2.0		2	2	2	2	2	2	2
35-49	2	13.5	41	9	9	13	18	18	18	18										
50-64	2	17.5	481	2	2	17	33	33	33	33										
65 +	2	18.0	8	16	16	18	20	20	20	20										
ALL AGES	6	16.3	112	3	9	17	20	32	33	33	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**12**	**14.6**	**74**	**3**	**8**	**16**	**19**	**24**	**32**	**33**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	19.0		19	19	19	19	19	19	19										
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64	2	7.5	1	7	7	7	8	8	8	8										
65 +	1	39.0		39	39	39	39	39	39	39										
ALL AGES	5	15.0	219	2	6	8	24	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	13.0		13	13	13	13	13	13	13
35-49																				
50-64																				
65 +	1	82.0		82	82	82	82	82	82	82										
ALL AGES	1	82.0		82	82	82	82	82	82	82	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**6**	**26.2**	**921**	**2**	**7**	**13**	**39**	**78**	**82**	**82**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
GRAND TOTAL	**18**	**18.4**	**353**	**3**	**7**	**16**	**20**	**37**	**65**	**82**	**2**	**7.5**	**61**	**2**	**2**	**7**	**13**	**13**	**13**	**13**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-19	4	13.3	60	2	8	15	18	20	20	20	1	11.0		11	11	11	11	11	11	11
20-34	8	6.0	8	3	4	5	9	10	10	10										
35-49	3	13.0	73	5	7	12	19	22	22	22										
50-64																				
65 +																				
ALL AGES	16	9.5	39	3	4	9	13	20	21	22	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	4	16.3	66	10	10	13	22	28	28	28	1	33.0		33	33	33	33	33	33	33
20-34	8	9.6	33	3	5	8	13	18	19	19										
35-49	3	9.3	21	5	6	9	13	14	14	14										
50-64	1	6.0		6	6	6	6	6	6	6										
65 +	3	7.7	37	1	3	9	12	13	13	13										
ALL AGES	19	10.5	40	3	6	9	14	18	24	28	1	33.0		33	33	33	33	33	33	33
SUBTOTAL	**35**	**10.0**	**40**	**3**	**5**	**9**	**14**	**19**	**21**	**28**	**2**	**22.0**	**242**	**11**	**11**	**22**	**33**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	8.0	13	4	5	9	10	11	11	11										
13-19	17	13.5	64	4	7	12	19	26	27	27										
20-34	9	7.8	32	2	5	7	9	17	21	21										
35-49	5	6.8	28	2	3	5	10	15	15	15										
50-64																				
65 +																				
ALL AGES	34	10.5	52	3	5	9	14	22	26	27										
B. FEMALE																				
0-12 YRS.	4	35.5	1131	3	6	36	64	66	66	66										
13-19	14	17.2	217	5	9	12	15	42	50	52										
20-34	31	8.8	56	1	3	7	11	20	27	29	1	7.0		7	7	7	7	7	7	7
35-49	6	16.5	77	7	9	15	21	30	31	31	1	7.0		7	7	7	7	7	7	7
50-64	3	11.0	21	7	8	10	14	16	16	16										
65 +																				
ALL AGES	58	13.6	196	2	6	10	15	30	48	66	2	7.0		7	7	7	7	7	7	7
SUBTOTAL	**92**	**12.5**	**143**	**2**	**5**	**9**	**15**	**27**	**35**	**65**	**2**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**127**	**11.8**	**115**	**3**	**5**	**9**	**14**	**24**	**29**	**64**	**4**	**14.5**	**156**	**7**	**7**	**9**	**22**	**33**	**33**	**33**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-19	3	19.3	67	12	13	18	25	28	28	28	1	45.0		45	45	45	45	45	45	45
20-34	5	11.0	122	1	1	7	21	26	26	26										
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	10	14.2	124	1	2	15	26	28	28	28	1	45.0		45	45	45	45	45	45	45
B. FEMALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-19	3	11.7	80	3	5	11	18	21	21	21										
20-34	5	18.4	21	11	16	19	21	23	23	23	1	7.0		7	7	7	7	7	7	7
35-49	2	7.5	1	7	7	7	8	8	8	8										
50-64																				
65 +																				
ALL AGES	11	15.5	66	5	9	18	21	25	29	29	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**21**	**14.9**	**88**	**2**	**7**	**18**	**22**	**28**	**29**	**29**	**2**	**26.0**	**722**	**7**	**7**	**26**	**45**	**45**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-19	4	13.5	70	6	6	12	20	23	23	23										
20-34	10	9.5	70	2	4	6	14	22	29	29										
35-49	4	11.0	5	8	9	11	12	13	13	13										
50-64																				
65 +																				
ALL AGES	19	12.4	105	3	5	11	15	27	37	43										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	10.0	32	6	6	10	14	14	14	14										
35-49	5	8.8	34	5	5	7	11	19	19	19										
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	8	8.6	27	5	5	6	11	17	19	19										
SUBTOTAL	**27**	**11.3**	**83**	**4**	**5**	**8**	**14**	**22**	**31**	**43**										
GRAND TOTAL	**48**	**12.9**	**86**	**3**	**6**	**11**	**19**	**27**	**29**	**43**	**2**	**26.0**	**722**	**7**	**7**	**26**	**45**	**45**	**45**	**45**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0	242	4	4	15	26	26	26	26										
13-19	5	15.4	75	6	8	15	21	28	28	28										
20-34	4	10.3	85	2	2	9	18	21	21	21										
35-49	4	5.0	2	3	4	5	6	6	6	6										
50-64	3	16.3	104	10	10	11	24	28	28	28										
65 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	19	12.1	75	3	5	10	18	27	28	28										
B. FEMALE																				
0-12 YRS.	1	82.0		82	82	82	82	82	82	82	1	4.0		4	4	4	4	4	4	4
13-19	1	31.0		31	31	31	31	31	31	31										
20-34	1	50.0		50	50	75	99 +	99 +	99 +	99 +										
35-49	2	18.0	50	13	13	18	23	23	23	23										
50-64	1	14.0		14	14	14	14	14	14	14										
65 +																				
ALL AGES	6	35.5	704	13	16	31	74	96	99 +	99 +	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**25**	**17.7**	**308**	**3**	**6**	**14**	**26**	**48**	**86**	**99 +**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	30.5	265	19	19	30	42	42	42	42										
13-19	7	15.6	247	1	4	12	21	42	47	47	1	13.0		13	13	13	13	13	13	13
20-34	7	5.4	33	1	1	3	7	15	17	17	2	9.0	72	3	3	9	15	15	15	15
35-49	3	5.7	52	1	1	2	11	14	14	14										
50-64	1	3.0		3	3	3	3	3	3	3										
65 +	2	11.0	18	8	8	11	14	14	14	14										
ALL AGES	22	11.4	158	1	2	8	14	29	44	47	3	10.3	42	3	5	13	14	15	15	15
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-19	3	11.0	27	8	8	8	15	17	17	17										
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	2	25.0		25	25	25	25	25	25	25										
50-64																				
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	8	14.4	61	7	7	13	21	25	25	25										
SUBTOTAL	**30**	**12.2**	**131**	**1**	**3**	**8**	**17**	**25**	**42**	**47**	**3**	**10.3**	**42**	**3**	**5**	**13**	**14**	**15**	**15**	**15**
GRAND TOTAL	**55**	**14.7**	**215**	**2**	**5**	**11**	**20**	**31**	**49**	**99**	**4**	**8.8**	**36**	**3**	**3**	**8**	**14**	**15**	**15**	**15**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34																				
35-49	1	16.0		16	16	16	16	16	16	16										
50-64	2	13.0	8	11	11	13	15	15	15	15										
65 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	5	15.6	106	4	9	15	20	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	9.0		9	9	9	9	9	9	9										
50-64	1	11.0		11	11	11	11	11	11	11										
65 +																				
ALL AGES	2	10.0	2	9	9	10	11	11	11	11										
SUBTOTAL	**7**	**14.0**	**79**	**5**	**9**	**11**	**16**	**29**	**32**	**32**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	13.0		13	13	13	13	13	13	13										
20-34	3	35.3	589	8	17	44	51	54	54	54										
35-49	4	14.0	229	2	4	9	23	36	36	36	1	8.0		8	8	8	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9										
65 +																				
ALL AGES	9	20.4	361	4	8	11	38	50	54	54	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-19																				
20-34	1	15.0		15	15	15	15	15	15	15	1	25.0		25	25	25	25	25	25	25
35-49																				
50-64	1	19.0		19	19	19	19	19	19	19										
65 +																				
ALL AGES	3	16.0	7	14	14	15	18	19	19	19	1	25.0		25	25	25	25	25	25	25
SUBTOTAL	**12**	**19.3**	**268**	**5**	**8**	**13**	**27**	**47**	**53**	**54**	**2**	**16.5**	**145**	**8**	**8**	**16**	**25**	**25**	**25**	**25**
GRAND TOTAL	**19**	**17.4**	**195**	**5**	**9**	**13**	**18**	**41**	**49**	**54**	**2**	**16.5**	**145**	**8**	**8**	**16**	**25**	**25**	**25**	**25**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18	4	7.5	30	1	3	8	12	13	13	13
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	1	2.0		2	2	2	2	2	2	2	1	7.0		7	7	7	7	7	7	7
50-64																				
65 +																				
ALL AGES	3	8.3	73	2	3	5	15	18	18	18	5	7.4	23	1	4	7	11	13	13	13
B. FEMALE																				
0-12 YRS.											3	8.3	15	4	5	10	11	11	11	11
13-19	1	9.0		9	9	9	9	9	9	9										
20-34	1	6.0		6	6	6	6	6	6	6	1	7.0		7	7	7	7	7	7	7
35-49	2	10 5	25	7	7	10	14	14	14	14										
50-64																				
65 +	1	38.0		38	38	38	38	38	38	38										
ALL AGES	5	14.8	178	6	7	9	20	38	38	38	4	8.0	10	4	5	8	10	11	11	11
SUBTOTAL	**8**	**12.4**	**133**	**3**	**5**	**8**	**16**	**32**	**38**	**38**	**9**	**7.7**	**15**	**2**	**5**	**7**	**11**	**12**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34																				
35-49																				
50-64											1	14.0		14	14	14	14	14	14	14
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	3	2.7	8	1	1	1	5	6	6	6										
35-49	1	11.0		11	11	11	11	11	11	11	1	15.0		15	15	15	15	15	15	15
50-64																				
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	6	4.3	15	1	1	3	6	10	11	11	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**7**	**4.3**	**12**	**1**	**1**	**4**	**6**	**10**	**11**	**11**	**2**	**14.5**	**1**	**14**	**14**	**14**	**15**	**15**	**15**	**15**
GRAND TOTAL	**15**	**8.6**	**90**	**1**	**3**	**6**	**10**	**18**	**33**	**38**	**11**	**8.9**	**20**	**3**	**5**	**10**	**13**	**14**	**15**	**15**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	2.0	2	1	1	2	3	3	3	3										
35-49	1	13.0		13	13	13	13	13	13	13										
50-64																				
65 +																				
ALL AGES	3	5.7	41	1	1	3	10	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	3	17.3	71	8	11	20	23	24	24	24										
35-49	1	1.0		1	1	1	1	1	1	1										
50-64	1	16.0		16	16	16	16	16	16	16										
65 +	2	7.0	50	2	2	7	12	12	12	12										
ALL AGES	8	11.1	71	1	4	10	18	23	24	24										
SUBTOTAL	**11**	**9.6**	**65**	**1**	**2**	**8**	**15**	**22**	**24**	**24**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	5	6.6	27	2	3	5	10	15	15	15										
35-49	2	8.0	8	6	6	8	10	10	10	10										
50-64	2	11.0	200	1	1	11	21	21	21	21										
65 +																				
ALL AGES	9	7.9	43	1	3	6	11	19	21	21										
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	3	19.3	167	10	11	14	29	34	34	34										
35-49	1	10.0		10	10	10	10	10	10	10										
50-64																				
65 +	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
ALL AGES	6	13.5	117	3	10	11	14	32	34	34	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**15**	**10.1**	**75**	**2**	**3**	**10**	**13**	**21**	**31**	**34**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**26**	**9.9**	**68**	**1**	**3**	**9**	**14**	**21**	**26**	**34**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	4	3.5	2	2	2	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
35-49	1	59.0		59	59	59	59	59	59	59										
50-64																				
65 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	7	12.3	429	2	3	4	8	49	59	59	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19	2	4.5	13	2	2	4	7	7	7	7										
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	3	3.3	11	1	1	2	6	7	7	7										
SUBTOTAL	**10**	**9.6**	**307**	**1**	**2**	**4**	**7**	**34**	**59**	**59**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	6	14.0	200	3	8	9	14	39	42	42										
20-34	17	9.2	110	1	2	7	12	20	35	43	1	3.0		3	3	3	3	3	3	3
35-49	3	11.3	147	2	3	7	20	25	25	25										
50-64																				
65 +																				
ALL AGES	26	10.6	125	2	3	8	14	25	42	43	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	5	2.2	2	1	1	2	3	4	4	4										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	6	2.2	1	1	1	2	3	4	4	4										
SUBTOTAL	**32**	**9.0**	**113**	**1**	**2**	**6**	**11**	**22**	**40**	**43**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**42**	**9.1**	**153**	**1**	**2**	**5**	**9**	**22**	**42**	**59**	**2**	**2.0**	**2**	**1**	**1**	**1**	**3**	**3**	**3**	**3**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	11	12.3	95	3	4	9	22	26	27	27										
20-34	25	8.1	114	1	2	4	9	22	32	49	1	1.0		1	1	1	1	1	1	1
35-49	5	11.2	131	1	2	9	18	29	29	29	1	15.0		15	15	15	15	15	15	15
50-64	1	2.0		2	2	2	2	2	2	2										
65 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	43	9.5	104	2	2	6	11	26	28	49	2	8.0	98	1	1	8	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19	9	19.8	195	4	6	20	33	38	40	40	1	15.0		15	15	15	15	15	15	15
20-34	72	10.8	107	1	4	7	13	25	33	47	2	13.0	8	11	11	13	15	15	15	15
35-49	57	9.6	73	2	4	7	11	24	28	38	4	9.3	52	2	3	9	15	16	16	16
50-64	5	13.6	73	4	5	18	19	23	23	23										
65 +	3	19.7	504	2	4	12	37	45	45	45										
ALL AGES	146	11.1	109	2	4	7	15	25	34	45	7	11.1	35	2	6	15	15	16	16	16
SUBTOTAL	**189**	**10.8**	**106**	**2**	**4**	**7**	**13**	**26**	**32**	**47**	**9**	**10.4**	**41**	**1**	**3**	**15**	**15**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	35.3	662	7	16	42	53	57	57	57										
13-19	17	13.5	122	2	6	12	18	24	38	46										
20-34	45	11.0	72	2	5	8	17	20	29	37	1	1.0		1	1	1	1	1	1	1
35-49	20	9.8	143	1	1	4	15	34	35	36	1	13.0		13	13	13	13	13	13	13
50-64	2	8.5	13	6	6	8	11	11	11	11										
65 +	2	10.5	85	4	4	10	17	17	17	17										
ALL AGES	89	12.0	125	1	4	7	17	26	36	53	2	7.0	72	1	1	7	13	13	13	13
B. FEMALE																				
0-12 YRS.	2	55.5	145	47	47	55	64	64	64	64										
13-19	28	22.3	352	3	7	18	28	52	65	72	2	10.0	8	8	8	10	12	12	12	12
20-34	110	13.1	175	2	4	10	18	31	48	99 +	4	7.8	14	4	5	7	10	13	13	13
35-49	57	10.6	70	2	4	10	15	23	32	95										
50-64	4	10.0	21	5	7	9	13	16	16	16										
65 +	3	25.0	196	9	14	31	34	35	35	35										
ALL AGES	204	14.2	195	2	4	11	19	33	50	99 +	6	8.5	12	4	6	8	12	13	13	13
SUBTOTAL	**293**	**13.5**	**175**	**2**	**4**	**10**	**18**	**32**	**45**	**92**	**8**	**8.1**	**20**	**2**	**5**	**8**	**12**	**13**	**13**	**13**
GRAND TOTAL	**482**	**12.4**	**151**	**2**	**4**	**8**	**17**	**29**	**38**	**69**	**17**	**9.4**	**29**	**1**	**4**	**11**	**15**	**15**	**16**	**16**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	5	12.4	184	2	4	9	16	36	36	36	1	3.0		3	3	3	3	3	3	3
35-49	6	7.2	64	2	2	3	13	20	21	21	1	13.0		13	13	13	13	13	13	13
50-64																				
65 +	2	9.0	50	4	4	9	14	14	14	14										
ALL AGES	14	9.1	93	2	2	5	13	22	33	36	2	8.0	50	3	3	8	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19	6	4.0	8	1	1	4	6	8	8	8										
20-34	8	9.3	49	3	4	7	14	20	22	22	1	23.0		23	23	23	23	23	23	23
35-49	2	8.0	50	3	3	8	13	13	13	13	2	28.5	1405	2	2	28	55	55	55	55
50-64	2	7.5	5	6	6	7	9	9	9	9										
65 +	2	20.0	2	19	19	20	21	21	21	21										
ALL AGES	20	8.5	43	1	3	6	12	20	21	22	3	26.7	710	2	7	23	47	55	55	55
SUBTOTAL	**34**	**8.7**	**63**	**2**	**3**	**6**	**13**	**21**	**22**	**36**	**5**	**19.2**	**473**	**2**	**3**	**13**	**31**	**55**	**55**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	13.0	32	9	9	13	17	17	17	17	1	14.0		14	14	14	14	14	14	14
20-34	12	10.2	382	1	1	2	11	32	65	70										
35-49	2	5.5	41	1	1	5	10	10	10	10										
50-64	1	23.0		23	23	23	23	23	23	23										
65 +																				
ALL AGES	17	10.7	281	1	1	6	13	22	54	70	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	5	10.4	68	2	3	11	16	22	22	22										
35-49	4	15.8	139	5	6	14	25	30	30	30	2	6.0	2	5	5	6	7	7	7	7
50-64																				
65 +	2	44.5	1741	15	15	44	74	74	74	74										
ALL AGES	11	18.5	417	3	5	14	22	48	72	74	2	6.0	2	5	5	6	7	7	7	7
SUBTOTAL	**28**	**13.8**	**335**	**1**	**2**	**9**	**16**	**28**	**70**	**74**	**3**	**8.7**	**21**	**5**	**5**	**7**	**12**	**14**	**14**	**14**
GRAND TOTAL	**62**	**11.0**	**189**	**1**	**2**	**7**	**14**	**22**	**32**	**74**	**8**	**15.3**	**305**	**2**	**4**	**10**	**18**	**45**	**55**	**55**

ZOOPHILIA (302.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	8.0		8	8	8	8	8	8	8										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	8.0		8	8	8	8	8	8	8										

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	86.0		86	86	86	86	86	86	86										
35-49	1	8.0		8	8	8	8	8	8	8										
50-64																				
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	32.7	2134	4	5	8	66	86	86	86										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**3**	**32.7**	**2134**	**4**	**5**	**8**	**66**	**86**	**86**	**86**										
GRAND TOTAL	**4**	**27.3**	**1539**	**4**	**6**	**9**	**46**	**86**	**86**	**86**										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	12.7	51	8	8	9	18	21	21	21	36	9.3	64	1	2	9	13	16	25	37
35-49	2	19.5	1	19	19	19	20	20	20	20	21	9.3	45	1	1	9	16	18	19	20
50-64											1	19.0		19	19	19	19	19	19	19
65 +																				
ALL AGES	5	15.4	40	8	9	19	20	21	21	21	58	9.5	67	1	2	9	14	18	20	36
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	11.0	4	9	9	11	12	13	13	13	2	14.5	5	13	13	14	16	16	16	16
35-49	10	10.8	47	3	5	9	18	19	20	20	7	15.1	201	5	6	11	18	40	45	45
50-64											1	7.0		7	7	7	7	7	7	7
65 +																				
ALL AGES	13	10.8	37	4	6	10	16	19	20	20	10	14.2	140	5	7	12	16	32	45	45
SUBTOTAL	**18**	**12.1**	**40**	**5**	**7**	**10**	**19**	**20**	**21**	**21**	**68**	**10.2**	**69**	**1**	**3**	**9**	**15**	**19**	**21**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	20.0		20	20	20	20	20	20	20
35-49																				
50-64																				
65 +																				
ALL AGES											1	20.0		20	20	20	20	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	7.0		7	7	7	7	7	7	7
35-49																				
50-64	1	14.0		14	14	14	14	14	14	14										
65 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**	**2**	**13.5**	**85**	**7**	**7**	**13**	**20**	**20**	**20**	**20**
GRAND TOTAL	**19**	**12.2**	**38**	**5**	**7**	**11**	**16**	**20**	**21**	**21**	**70**	**10.3**	**69**	**1**	**3**	**9**	**16**	**19**	**20**	**43**

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	15.0		15	15	15	15	15	15	15										
35-49											1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2	8	2.4	1	1	2	2	3	4	4	4
65 +											4	1.8	1	1	1	2	2	3	3	3
ALL AGES	2	8.5	85	2	2	8	15	15	15	15	13	2.2	1	1	2	2	3	3	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**8.5**	**85**	**2**	**2**	**8**	**15**	**15**	**15**	**15**	**13**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	24.0		24	24	24	24	24	24	24										
20-34	1	25.0		25	25	25	25	25	25	25										
35-49																				
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	2	24.5	1	24	24	24	25	25	25	25	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**24.5**	**1**	**24**	**24**	**24**	**25**	**25**	**25**	**25**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**4**	**16.5**	**114**	**2**	**8**	**19**	**24**	**25**	**25**	**25**	**14**	**2.1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**4**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	16.0		16	16	16	16	16	16	16
50-64																				
65 +																				
ALL AGES											1	16.0		16	16	16	16	16	16	16
SUBTOTAL											**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3										
35-49																				
50-64																				
65 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**										
GRAND TOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	16.5	481	1	1	16	32	32	32	32										
50-64																				
65 +																				
ALL AGES	2	16.5	481	1	1	16	32	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**16.5**	**481**	**1**	**1**	**16**	**32**	**32**	**32**	**32**										
GRAND TOTAL	**2**	**16.5**	**481**	**1**	**1**	**16**	**32**	**32**	**32**	**32**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-19	31	5.3	54	1	1	1	5	20	21	21	5	1.6	1	1	1	1	2	3	3	3
20-34	351	4.5	32	1	1	3	4	14	21	21	58	4.4	30	1	2	3	4	8	22	24
35-49	511	5.4	40	1	2	3	4	16	21	30	81	3.7	12	2	2	3	4	5	9	23
50-64	206	5.8	42	1	2	3	6	16	21	29	40	4.9	34	1	2	3	6	9	21	27
65 +	70	7.2	57	1	2	4	10	19	22	31	21	4.7	21	1	3	3	5	11	17	19
ALL AGES	1170	5.3	40	1	2	3	4	16	21	29	206	4.1	23	1	2	3	4	7	17	24
B. FEMALE																				
0-12 YRS.																				
13-19	11	4.5	37	1	1	3	4	14	20	21	2	1.0		1	1	1	1	1	1	1
20-34	113	5.2	37	1	2	3	4	15	21	25	29	4.3	37	1	1	2	4	15	21	22
35-49	118	6.4	68	1	2	3	6	21	27	34	18	6.2	64	1	2	3	6	21	26	28
50-64	44	5.6	33	2	3	3	5	13	21	27	17	6.7	43	2	3	4	7	19	23	24
65 +	17	11.2	98	2	3	14	17	18	32	40	9	2.3		2	2	2	3	3	3	3
ALL AGES	303	6.0	54	1	2	3	6	18	21	32	75	5.0	40	1	2	3	4	18	22	27
SUBTOTAL	**1473**	**5.5**	**42**	**1**	**2**	**3**	**5**	**17**	**21**	**31**	**281**	**4.4**	**27**	**1**	**2**	**3**	**4**	**8**	**21**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	43	7.1	62	1	1	4	12	21	24	31	9	12.9	149	1	1	9	22	31	36	36
20-34	580	7.3	54	1	2	3	12	21	21	28	192	6.7	56	2	2	3	7	21	23	30
35-49	554	8.0	63	2	3	4	13	21	25	32	255	4.9	31	2	2	3	4	11	20	26
50-64	229	8.1	58	2	3	4	14	21	23	28	113	6.5	54	2	3	3	6	18	25	34
65 +	56	8.0	63	2	3	5	10	15	27	44	36	5.8	28	1	3	4	9	11	13	28
ALL AGES	1462	7.7	59	1	2	4	13	21	22	30	605	6.0	45	2	2	3	6	18	23	31
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	23	6.6	70	1	1	2	9	21	25	29	8	6.5	65	1	2	4	6	20	26	26
20-34	199	8.3	68	1	2	4	13	21	25	33	54	4.9	34	1	2	3	4	15	21	25
35-49	180	7.6	57	2	3	4	10	21	24	30	59	7.0	58	2	3	4	9	19	27	32
50-64	60	6.7	33	2	2	4	9	15	20	24	40	5.5	37	1	2	3	5	15	21	24
65 +	20	9.7	69	2	3	6	15	22	28	30	9	4.6	30	1	2	3	4	13	19	19
ALL AGES	483	7.8	59	1	2	4	11	21	24	31	170	5.8	44	1	2	3	5	17	21	30
SUBTOTAL	**1945**	**7.7**	**59**	**1**	**2**	**4**	**12**	**21**	**23**	**30**	**775**	**5.9**	**46**	**2**	**2**	**3**	**5**	**18**	**23**	**31**
GRAND TOTAL	**3418**	**6.7**	**54**	**1**	**2**	**3**	**9**	**20**	**21**	**30**	**1056**	**5.5**	**41**	**1**	**2**	**3**	**5**	**14**	**22**	**29**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	153	24.9	178	7	16	23	35	42	45	62	51	20.9	132	2	14	23	29	35	38	40
20-34	905	15.3	80	3	7	15	21	28	28	32	450	14.6	89	2	4	14	21	28	30	32
35-49	1039	13.6	80	3	5	14	21	28	28	31	527	12.8	81	3	4	12	21	26	28	33
50-64	500	14.1	78	3	5	14	21	28	28	29	248	12.3	82	2	4	10	21	25	28	33
65 +	165	15.2	68	3	8	15	21	27	29	31	61	11.4	71	2	5	10	15	25	29	35
ALL AGES	2763	14.9	92	3	6	14	21	28	28	38	1337	13.6	87	2	4	14	21	28	30	34
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-19	96	25.0	199	6	14	27	36	42	43	59	30	21.0	142	3	10	22	31	36	37	42
20-34	336	14.6	83	3	6	14	21	28	28	31	176	11.7	60	2	4	11	16	21	27	29
35-49	333	14.3	76	3	6	14	21	28	28	30	150	11.7	78	2	4	10	17	25	28	32
50-64	156	15.5	86	3	7	14	24	28	29	31	52	14.7	101	3	5	14	22	29	30	37
65 +	61	15.7	83	3	9	15	23	28	29	36	22	12.1	60	3	5	13	15	23	28	30
ALL AGES	983	15.7	102	3	7	14	23	28	30	42	430	12.7	83	2	4	11	21	27	29	37
SUBTOTAL	**3746**	**15.1**	**95**	**3**	**6**	**14**	**21**	**28**	**29**	**41**	**1767**	**13.4**	**86**	**2**	**4**	**14**	**21**	**27**	**30**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	34.0		34	34	34	34	34	34	34	2	13.0	162	4	4	13	22	22	22	22
13-19	621	27.3	185	7	19	28	35	42	49	64	176	23.7	128	5	14	26	32	38	41	43
20-34	1922	16.0	86	3	8	15	22	28	28	32	739	15.1	80	3	6	15	22	27	28	31
35-49	1408	14.2	75	3	6	14	21	27	28	31	545	14.3	81	3	5	14	22	27	28	31
50-64	416	14.3	68	3	7	14	21	27	28	32	160	15.4	80	4	7	14	23	27	30	32
65 +	168	15.6	70	5	10	14	22	28	28	34	39	13.3	63	3	6	12	19	26	28	29
ALL AGES	4537	16.8	113	3	8	15	24	28	34	48	1661	15.7	94	3	6	15	23	28	30	38
B. FEMALE																				
0-12 YRS.	2	39.0	18	36	36	39	42	42	42	42	1	9.0		9	9	9	9	9	9	9
13-19	329	29.3	195	11	20	29	39	45	56	67	102	23.8	145	7	14	25	31	39	42	57
20-34	769	14.8	84	3	6	14	21	28	29	31	309	13.9	61	3	8	14	21	24	28	30
35-49	448	14.5	75	3	7	14	21	27	28	30	154	12.8	71	3	5	10	20	27	29	31
50-64	166	15.0	82	3	7	14	21	28	29	36	44	13.8	98	2	4	13	21	30	31	32
65 +	94	17.1	86	8	10	14	24	28	36	42	11	14.5	81	2	10	12	22	27	28	28
ALL AGES	1808	17.5	135	3	8	17	25	30	39	55	621	15.2	96	3	8	14	21	28	31	42
SUBTOTAL	**6345**	**17.0**	**119**	**3**	**8**	**16**	**24**	**29**	**35**	**50**	**2282**	**15.6**	**93**	**3**	**7**	**14**	**23**	**28**	**31**	**39**
GRAND TOTAL	**10091**	**16.3**	**111**	**3**	**7**	**15**	**23**	**28**	**32**	**45**	**4049**	**14.6**	**92**	**3**	**5**	**14**	**21**	**28**	**30**	**38**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	28	9.2	75	3	3	5	18	21	28	28	14	7.6	55	2	3	4	13	20	21	21
35-49	54	9.4	48	3	3	7	14	20	21	25	32	7.0	27	2	4	5	10	14	20	22
50-64	5	8.2	21	3	4	10	11	14	14	14	4	12.5	228	1	2	7	23	34	34	34
65 +	1	4.0		4	4	4	4	4	4	4	1	10.0		10	10	10	10	10	10	10
ALL AGES	89	9.1	54	3	3	6	14	21	22	28	51	7.7	47	2	3	5	10	20	21	34
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	35	9.9	65	3	4	7	13	23	28	31	22	6.5	14	2	4	5	10	12	14	14
35-49	21	10.3	51	4	5	6	20	21	22	22	22	7.4	54	2	3	5	10	16	25	33
50-64	7	19.0	60	7	16	19	25	26	28	28	2	4.5	1	4	4	4	5	5	5	5
65 +	3	13.7	1	13	13	14	14	14	14	14	1	28.0		28	28	28	28	28	28	28
ALL AGES	66	11.2	63	3	5	9	17	22	28	31	47	7.3	41	2	3	5	10	14	21	33
SUBTOTAL	**155**	**10.0**	**58**	**3**	**3**	**6**	**15**	**21**	**25**	**28**	**98**	**7.5**	**44**	**2**	**3**	**5**	**10**	**15**	**21**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	5.0	2	4	4	5	6	6	6	6	1	29.0		29	29	29	29	29	29	29
20-34	98	12.0	63	2	4	12	18	22	25	33	43	10.3	75	3	4	6	15	23	29	32
35-49	160	11.4	57	3	5	10	17	21	25	30	78	11.1	65	3	4	10	19	21	26	30
50-64	20	11.0	57	3	3	9	17	21	23	24	9	9.9	84	2	3	4	14	25	28	28
65 +	5	15.2	64	10	10	12	18	29	29	29										
ALL AGES	285	11.6	59	3	5	10	17	21	25	30	131	10.9	71	3	4	7	19	22	28	31
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	88	13.3	79	3	5	12	19	28	29	32	43	10.9	67	3	5	10	14	24	28	41
35-49	65	12.2	61	3	6	10	19	22	28	31	37	10.4	57	3	4	10	12	22	27	30
50-64	18	13.1	61	3	5	13	19	23	26	28	3	14.0	100	4	6	14	21	24	24	24
65 +	11	15.0	39	8	10	15	18	24	28	28	3	4.7	8	3	3	3	7	8	8	8
ALL AGES	182	13.0	68	3	6	12	19	27	28	32	87	10.5	61	3	4	10	14	23	27	37
SUBTOTAL	**467**	**12.2**	**61**	**3**	**5**	**11**	**18**	**23**	**28**	**31**	**218**	**10.7**	**67**	**3**	**4**	**9**	**15**	**22**	**28**	**31**
GRAND TOTAL	**622**	**11.6**	**63**	**3**	**5**	**10**	**18**	**22**	**27**	**30**	**316**	**9.7**	**62**	**3**	**4**	**7**	**13**	**21**	**27**	**32**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	14.3	134	3	6	14	23	26	26	26	2	21.0		21	21	21	21	21	21	21
35-49	6	14.5	115	1	6	15	18	31	32	32										
50-64	2	6.5	1	6	6	6	7	7	7	7	1	24.0		24	24	24	24	24	24	24
65 +	2	22.0	18	19	19	22	25	25	25	25										
ALL AGES	13	14.4	91	3	6	14	20	27	31	32	3	22.0	3	21	21	21	23	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	17	13.3	75	4	6	12	19	27	31	32	11	7.4	3	5	5	8	9	10	10	10
35-49	11	11.7	84	1	4	10	21	24	25	25	4	16.3	79	7	8	17	24	24	24	24
50-64	8	12.0	114	3	4	8	18	30	33	33	4	13.5	136	1	5	12	21	29	29	29
65 +	7	15.3	115	2	5	14	25	29	29	29										
ALL AGES	43	13.0	85	3	4	12	20	28	30	33	19	10.5	55	5	6	9	10	24	27	29
SUBTOTAL	**56**	**13.3**	**85**	**3**	**5**	**13**	**20**	**28**	**31**	**33**	**22**	**12.1**	**63**	**5**	**6**	**9**	**21**	**24**	**26**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	18.0	200	8	8	18	28	28	28	28	2	15.5	265	4	4	15	27	27	27	27
20-34	23	16.3	65	5	11	14	21	28	29	29	6	6.5	92	2	2	3	4	24	26	26
35-49	29	12.8	71	3	4	13	21	24	26	28	13	20.3	107	5	12	24	28	31	35	36
50-64	11	8.3	110	2	3	5	10	23	37	38	3	21.3	118	9	13	26	28	29	29	29
65 +	4	21.5	54	11	17	23	26	28	28	28	1	11.0		11	11	11	11	11	11	11
ALL AGES	69	13.9	83	3	6	13	21	28	28	36	25	16.4	129	2	4	14	27	29	31	36
B. FEMALE																				
0-12 YRS.																				
13-19	1	18.0		18	18	18	18	18	18	18										
20-34	38	13.9	77	3	7	14	21	27	29	32	13	11.8	84	3	5	8	19	26	28	28
35-49	38	11.5	46	4	6	11	14	22	23	25	13	17.2	104	3	6	21	26	29	30	30
50-64	19	14.1	60	4	7	14	20	26	27	28	5	19.6	73	7	14	21	26	29	29	29
65 +	24	14.0	31	10	10	12	17	23	25	26	2	10.0	2	9	9	10	11	11	11	11
ALL AGES	120	13.2	55	4	8	13	19	24	27	30	33	15.0	91	4	6	14	25	28	29	30
SUBTOTAL	**189**	**13.5**	**64**	**3**	**7**	**13**	**20**	**26**	**28**	**31**	**58**	**15.6**	**106**	**3**	**5**	**14**	**26**	**29**	**29**	**36**
GRAND TOTAL	**245**	**13.4**	**70**	**3**	**6**	**13**	**20**	**26**	**28**	**32**	**80**	**14.6**	**97**	**4**	**6**	**11**	**25**	**28**	**29**	**34**

NORTH CENTRAL REGION, JANUARY-DECEMBER 1990

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	14	8.1	111	2	3	3	10	17	36	42	4	21.5	458	2	3	21	40	41	41	41
20-34	293	10.0	73	3	3	6	15	24	28	30	88	12.6	91	2	5	9	20	28	30	35
35-49	139	10.4	70	2	3	10	17	21	27	28	43	12.7	106	2	3	10	21	28	29	32
50-64	5	14.4	41	4	11	15	19	21	21	21	3	23.3	355	3	9	27	37	40	40	40
65 +	3	15.7	13	13	13	14	18	20	20	20	1	12.0		12	12	12	12	12	12	12
ALL AGES	454	10.2	72	2	3	7	15	22	28	29	139	13.1	109	2	4	10	21	29	31	40
B. FEMALE																				
0-12 YRS.																				
13-19	12	10.8	89	1	2	9	18	23	27	28	2	1.5	1	1	1	1	2	2	2	2
20-34	268	8.9	65	3	3	4	13	22	27	31	180	9.2	50	2	4	8	11	21	27	31
35-49	46	9.4	61	3	3	7	14	22	26	28	37	8.4	56	2	4	5	10	20	28	30
50-64	2	6.5	25	3	3	6	10	10	10	10										
65 +																				
ALL AGES	328	9.0	65	3	3	5	13	22	27	29	219	9.0	51	2	4	7	10	21	28	30
SUBTOTAL	**782**	**9.7**	**69**	**2**	**3**	**6**	**14**	**22**	**28**	**29**	**358**	**10.6**	**77**	**2**	**4**	**8**	**14**	**27**	**29**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	77	18.1	140	3	7	20	27	31	36	56	13	22.5	135	3	18	26	29	33	41	43
20-34	836	12.7	83	3	3	13	19	25	28	31	313	14.6	98	3	6	14	21	28	31	40
35-49	447	11.7	57	3	4	13	17	21	25	29	164	15.0	97	3	8	14	21	28	31	41
50-64	26	13.7	59	3	6	15	18	25	26	27	14	13.0	107	2	4	12	21	29	30	30
65 +	12	13.8	38	3	11	14	19	20	21	21										
ALL AGES	1399	12.7	79	3	4	13	19	25	28	32	504	14.9	100	3	6	14	22	28	31	40
B. FEMALE																				
0-12 YRS.																				
13-19	32	20.4	219	3	7	20	28	41	54	60	2	3.0	2	2	2	3	4	4	4	4
20-34	478	10.5	63	3	3	8	16	21	27	29	247	10.9	50	4	5	10	14	21	26	32
35-49	140	10.5	64	3	3	10	15	21	27	32	58	12.6	56	4	10	10	15	22	28	39
50-64	2	6.0	50	1	1	6	11	11	11	11	2	21.5	85	15	15	21	28	28	28	28
65 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	653	11.0	75	3	3	9	17	23	28	31	309	11.2	53	4	5	10	14	21	28	33
SUBTOTAL	**2052**	**12.2**	**77**	**3**	**3**	**12**	**18**	**24**	**28**	**32**	**813**	**13.5**	**85**	**3**	**6**	**10**	**20**	**28**	**30**	**40**
GRAND TOTAL	**2834**	**11.5**	**76**	**3**	**3**	**11**	**17**	**24**	**28**	**31**	**1171**	**12.6**	**85**	**3**	**5**	**10**	**18**	**28**	**30**	**40**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	36	27.0	152	12	19	27	36	42	46	54	12	25.8	172	7	14	28	37	41	44	45
20-34	26	16.9	75	6	8	21	21	29	29	30	8	21.1	38	13	17	21	24	30	32	32
35-49	2	18.5	41	14	14	18	23	23	23	23	2	8.5	85	2	2	8	15	15	15	15
50-64																				
65 +																				
ALL AGES	64	22.6	141	7	14	22	29	40	43	53	22	22.5	133	7	14	21	30	39	42	45
B. FEMALE																				
0-12 YRS.																				
13-19	7	17.0	196	1	5	14	25	38	41	41	2	40.0	2	39	39	40	41	41	41	41
20-34	5	18.2	143	2	8	21	28	30	30	30	3	17.7	183	2	8	25	26	26	26	26
35-49	2	21.5	85	15	15	21	28	28	28	28	1	4.0		4	4	4	4	4	4	4
50-64																				
65 +																				
ALL AGES	14	18.1	142	2	10	18	28	31	39	41	6	22.8	281	2	4	25	39	41	41	41
SUBTOTAL	**78**	**21.8**	**142**	**6**	**14**	**21**	**29**	**40**	**42**	**52**	**28**	**22.6**	**154**	**4**	**14**	**22**	**31**	**40**	**41**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-19	174	28.1	216	9	19	28	36	43	49	73	55	25.7	110	10	21	28	33	38	41	44
20-34	106	15.9	89	3	9	15	21	28	29	43	47	20.8	67	8	17	21	28	30	30	32
35-49	19	13.1	50	3	7	14	17	21	26	30	7	22.0	54	11	18	21	28	31	32	32
50-64	3	9.0	84	1	2	7	16	19	19	19										
65 +	8	31.9	195	11	20	41	42	42	42	42										
ALL AGES	311	22.9	202	6	13	21	30	42	45	69	109	23.3	95	9	18	25	29	35	38	42
B. FEMALE																				
0-12 YRS.																				
13-19	88	27.3	207	10	20	26	34	43	52	80	17	28.5	160	12	19	29	35	46	53	55
20-34	38	17.6	171	3	7	17	24	29	34	72	9	17.4	81	4	9	21	23	27	28	28
35-49	8	16.5	65	7	10	15	24	27	27	27	2	15.0	200	5	5	15	25	25	25	25
50-64																				
65 +																				
ALL AGES	134	23.9	209	7	14	23	30	40	50	78	28	24.0	158	5	16	24	31	37	49	55
SUBTOTAL	**445**	**23.2**	**204**	**7**	**13**	**22**	**30**	**42**	**48**	**72**	**137**	**23.5**	**104**	**8**	**18**	**25**	**30**	**36**	**39**	**49**
GRAND TOTAL	**523**	**23.0**	**194**	**7**	**13**	**21**	**30**	**41**	**45**	**71**	**165**	**23.3**	**114**	**8**	**17**	**24**	**30**	**37**	**40**	**48**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	3.0	1	2	2	3	4	4	4	4	1	21.0		21	21	21	21	21	21	21
35-49	1	21.0		21	21	21	21	21	21	21										
50-64																				
65 +																				
ALL AGES	4	7.5	82	2	2	3	12	21	21	21	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	15.0	50	10	10	15	20	20	20	20										
35-49	1	20.0		20	20	20	20	20	20	20	1	30.0		30	30	30	30	30	30	30
50-64																				
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	4	13.0	76	2	6	15	20	20	20	20	1	30.0		30	30	30	30	30	30	30
SUBTOTAL	**8**	**10.3**	**75**	**2**	**3**	**7**	**20**	**21**	**21**	**21**	**2**	**25.5**	**41**	**21**	**21**	**25**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	15.0	49	8	10	15	20	22	22	22										
20-34	14	16.4	128	3	4	16	28	30	32	32										
35-49	3	8.3	37	2	4	9	13	14	14	14										
50-64																				
65 +																				
ALL AGES	20	15.0	104	2	6	13	23	29	31	32										
B. FEMALE																				
0-12 YRS.																				
13-19	1	69.0		69	69	69	69	69	69	69	1	41.0		41	41	41	41	41	41	41
20-34	5	15.2	71	1	11	17	21	22	22	22	6	23.0	30	16	20	21	29	30	30	30
35-49	2	23.5	13	21	21	23	26	26	26	26	1	28.0		28	28	28	28	28	28	28
50-64	1	18.0		18	18	18	18	18	18	18										
65 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	10	21.6	335	3	15	19	22	47	69	69	8	25.9	60	17	20	25	29	38	41	41
SUBTOTAL	**30**	**17.2**	**182**	**2**	**8**	**16**	**22**	**29**	**32**	**69**	**8**	**25.9**	**60**	**17**	**20**	**25**	**29**	**38**	**41**	**41**
GRAND TOTAL	**38**	**15.7**	**167**	**2**	**4**	**15**	**21**	**29**	**31**	**69**	**10**	**25.8**	**52**	**18**	**21**	**25**	**30**	**36**	**41**	**41**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	11	33.0	772	6	8	25	53	75	85	86	2	18.0	512	2	2	18	34	34	34	34
20-34	2	34.0	72	28	28	34	40	40	40	40	1	8.0		8	8	8	8	8	8	8
35-49																				
50-64																				
65 +																				
ALL AGES	13	33.2	646	6	10	28	46	71	83	86	3	14.7	288	2	3	8	27	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-19	4	28.5	206	7	21	35	36	37	37	37										
20-34	1	12.0		12	12	12	12	12	12	12										
35-49																				
50-64																				
65 +																				
ALL AGES	5	25.2	209	7	11	35	36	37	37	37										
SUBTOTAL	**18**	**30.9**	**524**	**7**	**11**	**31**	**41**	**64**	**78**	**86**	**3**	**14.7**	**288**	**2**	**3**	**8**	**27**	**34**	**34**	**34**
GRAND TOTAL	**19**	**29.4**	**537**	**5**	**8**	**28**	**41**	**63**	**77**	**86**	**3**	**14.7**	**288**	**2**	**3**	**8**	**27**	**34**	**34**	**34**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	62.0	512	46	46	62	78	78	78	78	2	19.0	392	5	5	19	33	33	33	33
20-34	1	17.0		17	17	17	17	17	17	17	4	13.0	55	2	8	16	17	18	18	18
35-49	3	13.0	156	3	4	9	22	27	27	27	2	4.5	1	4	4	4	5	5	5	5
50-64	1	21.0		21	21	21	21	21	21	21										
65 +																				
ALL AGES	7	28.7	664	4	11	21	41	72	78	78	8	12.4	110	3	4	10	17	28	33	33
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4	5	7.0	39	3	4	5	8	18	18	18
35-49	5	14.2	112	3	4	14	23	28	28	28	2	5.0	2	4	4	5	6	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
65 +	2	26.0	242	15	15	26	37	37	37	37										
ALL AGES	9	14.6	145	3	4	14	23	33	37	37	8	6.3	23	3	4	5	6	14	18	18
SUBTOTAL	**16**	**20.8**	**394**	**3**	**5**	**16**	**27**	**45**	**68**	**78**	**16**	**9.3**	**73**	**3**	**4**	**5**	**16**	**18**	**29**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-19	14	32.0	432	11	18	24	51	66	66	66	2	22.5	13	20	20	22	25	25	25	25
20-34	4	21.5	454	2	5	17	37	50	50	50	4	7.8	91	1	2	4	13	22	22	22
35-49	6	5.8	26	1	2	5	7	14	15	15	2	2.5	5	1	1	2	4	4	4	4
50-64	1	9.0		9	9	9	9	9	9	9	1	21.0		21	21	21	21	21	21	21
65 +	1	20.0		20	20	20	20	20	20	20	1	28.0		28	28	28	28	28	28	28
ALL AGES	27	22.4	403	3	8	18	29	61	66	66	10	13.0	122	1	4	12	22	26	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	3	62.3	840	29	41	79	79	79	79	79										
20-34	7	9.4	57	3	4	5	14	21	23	23	3	13.3	167	4	5	8	23	28	28	28
35-49	11	11.0	59	2	4	11	17	22	23	23	2	8.0	2	7	7	8	9	9	9	9
50-64	2	8.5	113	1	1	8	16	16	16	16	1	5.0		5	5	5	5	5	5	5
65 +	3	12.3	186	4	4	5	22	28	28	28										
ALL AGES	26	16.5	408	3	4	12	21	29	79	79	6	10.2	79	4	5	7	9	26	28	28
SUBTOTAL	**53**	**19.5**	**407**	**3**	**5**	**14**	**24**	**54**	**66**	**79**	**16**	**11.9**	**102**	**1**	**4**	**7**	**21**	**27**	**28**	**28**
GRAND TOTAL	**69**	**19.8**	**399**	**3**	**5**	**14**	**25**	**51**	**67**	**79**	**32**	**10.6**	**86**	**3**	**4**	**5**	**18**	**26**	**28**	**33**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	22.3	142	11	12	21	32	35	35	35	1	14.0		14	14	14	14	14	14	14
20-34	20	11.7	85	2	3	7	20	23	25	26	4	7.3	83	2	2	3	12	21	21	21
35-49	16	12.8	71	3	7	12	17	21	31	35	9	4.4	8	1	2	4	6	9	9	9
50-64	2	17.0		17	17	17	17	17	17	17										
65 +																				
ALL AGES	42	13.3	88	2	5	13	20	25	32	35	14	5.9	32	2	2	4	8	15	20	21
B. FEMALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21										
20-34	8	16.6	43	5	13	19	21	21	21	21	9	8.2	68	3	4	5	10	21	29	29
35-49	6	10.8	52	3	3	11	15	20	21	21	6	7.0	14	3	5	6	10	13	13	13
50-64																				
65 +	3	13.7	165	3	5	10	23	28	28	28										
ALL AGES	18	14.4	63	3	9	16	21	21	25	28	15	7.7	45	3	4	5	10	13	25	29
SUBTOTAL	**60**	**13.7**	**78**	**3**	**5**	**14**	**21**	**23**	**29**	**35**	**29**	**6.9**	**37**	**2**	**3**	**5**	**9**	**14**	**21**	**29**
2. PSYCh PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	35.0	301	15	22	44	45	46	46	46	1	23.0		23	23	23	23	23	23	23
20-34	30	12.4	77	3	4	12	18	25	28	31	12	9.4	79	2	3	5	15	23	27	28
35-49	40	12.3	59	3	5	13	18	22	25	28	22	11.4	52	4	5	10	14	21	25	31
50-64	4	15.3	3	13	13	15	17	18	18	18	2	29.0	2	28	28	29	30	30	30	30
65 +	2	16.0	8	14	14	16	18	18	18	18										
ALL AGES	79	13.5	84	3	5	14	18	25	28	45	37	12.0	77	3	5	10	20	27	29	31
B. FEMALE																				
0-12 YRS.																				
13-19	1	33.0		33	33	33	33	33	33	33										
20-34	14	11.9	110	1	3	9	21	25	34	36	18	9.4	34	3	5	10	10	17	22	26
35-49	14	11.1	51	3	4	10	18	21	21	21	15	9.9	43	4	5	10	10	21	26	28
50-64	2	9.5	41	5	5	9	14	14	14	14										
65 +	2	10.0	32	6	6	10	14	14	14	14										
ALL AGES	33	12.0	81	2	5	11	18	23	32	36	33	9.6	38	3	5	10	10	18	25	28
SUBTOTAL	**112**	**13.0**	**84**	**3**	**5**	**13**	**18**	**24**	**28**	**45**	**70**	**10.9**	**58**	**3**	**5**	**10**	**13**	**22**	**28**	**31**
GRAND TOTAL	**172**	**13.2**	**83**	**3**	**5**	**13**	**19**	**24**	**28**	**42**	**99**	**9.7**	**55**	**3**	**4**	**9**	**11**	**21**	**28**	**31**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	59.5	85	53	53	59	66	66	66	66										
13-19	74	37.5	268	16	28	36	45	59	69	81	3	13.7	153	6	6	7	23	28	28	28
20-34	16	11.4	94	2	3	6	19	25	28	29	17	13.2	122	2	4	8	27	28	29	30
35-49	3	20.0	229	3	8	25	30	32	32	32	9	22.0	113	4	18	27	29	30	31	31
50-64											1	26.0		26	26	26	26	26	26	26
65 +																				
ALL AGES	95	33.0	345	4	23	35	43	58	67	80	30	16.3	129	3	5	17	28	29	30	31
B. FEMALE																				
0-12 YRS.																				
13-19	47	41.9	347	18	33	38	51	74	79	99 +	2	3.0	2	2	2	3	4	4	4	4
20-34	17	15.2	72	5	9	13	22	27	28	28	23	9.8	88	1	2	8	10	27	29	30
35-49	4	16.5	110	6	8	15	25	29	29	29	8	12.0	96	2	5	9	20	27	27	27
50-64											3	4.0	3	3	3	3	5	6	6	6
65 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	69	33.6	406	9	20	34	44	71	75	96	36	9.4	82	1	3	6	10	27	28	30
SUBTOTAL	**164**	**33.3**	**366**	**6**	**20**	**35**	**43**	**59**	**73**	**82**	**66**	**12.6**	**112**	**2**	**3**	**8**	**26**	**28**	**29**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-19	131	37.1	377	11	28	36	48	66	79	99 +	8	16.1	152	3	4	16	27	30	31	31
20-34	45	17.4	72	5	10	19	25	28	28	30	16	12.9	91	3	5	10	20	28	30	31
35-49	25	16.7	62	5	12	17	22	26	28	30	8	17.4	54	7	12	17	24	26	26	26
50-64	2	18.5	41	14	14	18	23	23	23	23										
65 +																				
ALL AGES	204	30.2	355	8	16	28	39	56	69	95	32	14.8	95	3	6	13	24	28	30	31
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-19	83	45.6	445	13	35	46	58	78	86	98	1	28.0		28	28	28	28	28	28	28
20-34	25	13.7	149	3	5	9	21	25	35	56	7	4.3	5	1	2	5	6	7	7	7
35-49	13	12.8	106	3	3	6	23	27	28	28	4	7.5	19	5	5	6	10	14	14	14
50-64	2	6.5	1	6	6	6	7	7	7	7	3	19.0	63	10	13	22	24	25	25	25
65 +																				
ALL AGES	124	35.0	572	4	11	36	52	68	81	96	15	9.7	73	2	5	6	13	25	27	28
SUBTOTAL	**328**	**32.0**	**442**	**6**	**15**	**30**	**45**	**63**	**76**	**96**	**47**	**13.2**	**92**	**3**	**5**	**10**	**22**	**28**	**29**	**31**
GRAND TOTAL	**492**	**32.4**	**419**	**6**	**16**	**32**	**45**	**63**	**74**	**94**	**113**	**12.8**	**104**	**2**	**5**	**9**	**24**	**28**	**29**	**31**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	56.0		56	56	56	56	56	56	56										
13-19	29	32.1	299	12	19	34	37	51	58	91										
20-34	14	14.5	147	2	4	8	28	29	33	34	13	13.8	67	3	6	14	20	23	29	30
35-49	7	13.6	46	3	7	17	19	20	20	20	11	12.3	41	5	6	14	19	21	21	21
50-64											1	3.0		3	3	3	3	3	3	3
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	52	24.8	312	4	10	24	35	42	56	90	25	12.7	55	3	6	14	20	21	24	30
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	13	39.5	422	13	29	38	51	67	77	79										
20-34	5	14.8	146	1	2	20	23	28	28	28	13	13.1	64	3	6	14	19	23	29	30
35-49	2	2.5	5	1	1	2	4	4	4	4	2	16.5	265	5	5	16	28	28	28	28
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	21	28.3	511	1	4	28	42	60	71	79	16	12.8	79	3	5	13	19	27	29	30
SUBTOTAL	**73**	**25.8**	**366**	**3**	**9**	**28**	**36**	**50**	**57**	**88**	**41**	**12.7**	**64**	**3**	**5**	**14**	**20**	**21**	**29**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	22	36.6	301	11	29	35	55	63	77	99 +	2	14.5	221	4	4	14	25	25	25	25
20-34	20	10.0	67	2	3	7	15	23	28	28	3	3.7	2	2	2	4	5	5	5	5
35-49	14	9.6	92	2	3	5	17	24	31	33	2	18.0	32	14	14	18	22	22	22	22
50-64																				
65 +																				
ALL AGES	56	20.4	332	2	4	17	35	55	61	97	7	10.9	89	2	4	5	20	24	25	25
B. FEMALE																				
0-12 YRS.	1	64.0		64	64	64	64	64	64	64										
13-19	19	40.8	400	11	27	40	61	68	84	99 +										
20-34	8	15.0	85	3	5	18	21	26	28	28	2	4.5	1	4	4	4	5	5	5	5
35-49	10	11.1	100	1	2	8	21	24	27	27										
50-64																				
65 +																				
ALL AGES	38	28.2	466	3	9	24	43	66	68	99 +	2	4.5	1	4	4	4	5	5	5	5
SUBTOTAL	**94**	**23.5**	**399**	**3**	**5**	**19**	**35**	**58**	**66**	**99 +**	**9**	**9.4**	**76**	**3**	**4**	**5**	**16**	**24**	**25**	**25**
GRAND TOTAL	**167**	**24.5**	**384**	**3**	**7**	**21**	**36**	**56**	**64**	**98**	**50**	**12.1**	**66**	**3**	**5**	**13**	**20**	**22**	**28**	**30**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.3		1	1	1	2	2	2	2	4	1.3		1	1	1	2	2	2	2
13-19	105	5.7	133	1	1	1	2	23	36	52	59	2.4	13	1	1	1	2	7	12	18
20-34	160	2.0	13	1	1	1	1	3	5	25	48	3.0	20	1	1	1	2	9	13	21
35-49	79	4.1	35	1	1	2	3	14	18	27	28	3.4	13	1	1	2	4	7	13	17
50-64	29	5.2	50	1	2	2	5	18	24	26	7	4.1	27	1	1	1	8	12	13	13
65 +	20	4.9	38	2	2	3	5	10	21	28	3	7.3	18	4	4	6	10	12	12	12
ALL AGES	397	3.8	55	1	1	1	2	9	21	38	149	2.9	16	1	1	1	2	9	13	18
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	4	3.3	8	1	1	2	5	7	7	7
13-19	60	4.2	60	1	1	1	3	12	25	37	30	2.5	29	1	1	1	1	5	10	29
20-34	47	1.6	3	1	1	1	1	2	4	12	24	1.8	2	1	1	1	2	4	5	7
35-49	28	4.3	44	1	1	2	3	15	22	28	16	3.1	19	1	1	2	3	5	15	19
50-64	6	2.5	8	1	1	2	2	7	8	8	5	4.6	29	1	2	2	6	14	14	14
65 +	10	5.5	66	1	2	3	5	17	28	28	4	9.0	197	1	1	2	16	30	30	30
ALL AGES	153	3.4	38	1	1	1	2	7	20	29	83	2.9	26	1	1	1	3	5	11	30
SUBTOTAL	**550**	**3.7**	**50**	**1**	**1**	**1**	**2**	**8**	**21**	**37**	**232**	**2.9**	**19**	**1**	**1**	**1**	**2**	**7**	**13**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	21.3	168	7	11	25	30	32	32	32										
13-19	77	17.1	205	1	4	13	28	36	45	53	21	12.1	220	1	2	2	27	31	40	50
20-34	108	5.9	64	1	1	2	6	20	27	30	22	4.5	23	1	1	3	6	13	14	15
35-49	60	5.0	32	1	1	3	7	15	18	25	18	2.6	3	1	1	2	4	5	6	6
50-64	9	7.8	141	2	2	5	6	26	39	39	8	4.5	35	1	1	3	4	14	19	19
65 +	8	4.8	23	1	2	3	5	13	16	16	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	265	9.2	126	1	1	4	13	28	32	47	71	6.2	90	1	1	2	5	20	30	46
B. FEMALE																				
0-12 YRS.	2	29.0	200	19	19	29	39	39	39	39										
13-19	60	14.8	176	1	2	13	24	32	39	54	17	10.1	163	1	1	4	14	35	39	40
20-34	51	7.1	100	1	1	3	5	24	28	45	12	1.8	1	1	1	1	2	4	5	5
35-49	24	4.5	94	1	1	2	4	7	20	49	7	2.4	2	1	1	2	4	4	4	4
50-64	13	5.4	32	1	2	2	11	14	16	17	5	2.2	1	1	1	2	3	3	3	3
65 +	5	3.0	12	1	1	1	4	9	9	9	2	8.5	85	2	2	8	15	15	15	15
ALL AGES	155	9.7	142	1	1	3	15	28	35	49	43	5.5	81	1	1	2	4	15	30	40
SUBTOTAL	**420**	**9.4**	**132**	**1**	**1**	**3**	**14**	**28**	**33**	**49**	**114**	**6.0**	**85**	**1**	**1**	**2**	**5**	**16**	**30**	**44**
GRAND TOTAL	**970**	**6.1**	**94**	**1**	**1**	**2**	**5**	**21**	**28**	**44**	**346**	**3.9**	**43**	**1**	**1**	**1**	**3**	**10**	**17**	**31**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	2.5	5	1	1	2	4	4	4	4										
50-64	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
65 +																				
ALL AGES	3	6.0	39	1	2	4	11	13	13	13	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
20-34											1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	2	5.5	41	1	1	5	10	10	10	10	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**5.8**	**30**	**1**	**1**	**4**	**11**	**13**	**13**	**13**	**3**	**3.7**	**8**	**2**	**2**	**2**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	9.0		9	9	9	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64	1	3.0		3	3	3	3	3	3	3										
65 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	4.0		4	4	4	4	4	4	4
65 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**2**	**6.5**	**13**	**4**	**4**	**6**	**9**	**9**	**9**	**9**
GRAND TOTAL	**7**	**4.7**	**24**	**1**	**1**	**3**	**8**	**12**	**13**	**13**	**5**	**4.8**	**10**	**2**	**2**	**4**	**7**	**9**	**9**	**9**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	5	9.6	78	1	3	9	13	24	24	24										
20-34	2	16.5	221	6	6	16	27	27	27	27	7	15.3	194	2	2	12	29	31	32	32
35-49	1	28.0		28	28	28	28	28	28	28	2	1.0		1	1	1	1	1	1	1
50-64																				
65 +																				
ALL AGES	8	13.6	120	2	5	9	25	28	28	28	9	12.1	186	1	2	2	28	31	32	32
B. FEMALE																				
0-12 YRS.																				
13-19	1	58.0		58	58	58	58	58	58	58										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	58.0		58	58	58	58	58	58	58										
SUBTOTAL	**9**	**18.6**	**322**	**2**	**5**	**10**	**27**	**46**	**58**	**58**	**9**	**12.1**	**186**	**1**	**2**	**2**	**28**	**31**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-19	24	30.0	209	10	20	29	36	49	55	69	6	14.7	139	1	6	11	28	30	30	30
20-34	9	17.2	94	1	14	21	22	26	28	28	4	9.8	183	1	2	4	17	30	30	30
35-49	3	22.0	217	5	11	30	31	31	31	31	1	21.0		21	21	21	21	21	21	21
50-64	1	10.0		10	10	10	10	10	10	10										
65 +																				
ALL AGES	38	26.0	202	7	18	28	32	46	49	69	11	13.5	136	1	4	10	26	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-19	14	28.4	206	9	19	30	36	46	55	57	3	23.0	28	19	19	21	27	29	29	29
20-34	7	8.4	51	2	3	7	11	20	22	22	2	15.5	1	15	15	15	16	16	16	16
35-49																				
50-64																				
65 +																				
ALL AGES	21	21.7	244	3	9	20	33	42	50	57	5	20.0	31	15	16	19	23	29	29	29
SUBTOTAL	**59**	**24.5**	**216**	**4**	**12**	**24**	**32**	**44**	**49**	**68**	**16**	**15.5**	**110**	**1**	**5**	**15**	**25**	**30**	**30**	**30**
GRAND TOTAL	**68**	**23.7**	**230**	**4**	**10**	**24**	**31**	**44**	**50**	**67**	**25**	**14.3**	**133**	**1**	**2**	**13**	**28**	**30**	**31**	**32**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	4	4.8	38	1	1	2	8	14	14	14	1	2.0		2	2	2	2	2	2	2
20-34	3	15.3	51	8	10	16	20	22	22	22	1	6.0		6	6	6	6	6	6	6
35-49																				
50-64																				
65 +																				
ALL AGES	7	9.3	68	1	1	8	15	21	22	22	2	4.0	8	2	2	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19	2	7.0	50	2	2	7	12	12	12	12										
20-34	1	20.0		20	20	20	20	20	20	20										
35-49																				
50-64																				
65 +																				
ALL AGES	3	11.3	82	2	4	12	18	20	20	20										
SUBTOTAL	**10**	**9.9**	**64**	**1**	**2**	**10**	**16**	**21**	**22**	**22**	**2**	**4.0**	**8**	**2**	**2**	**4**	**6**	**6**	**6**	**6**
GRAND TOTAL	**11**	**9.2**	**63**	**1**	**2**	**8**	**15**	**21**	**22**	**22**	**3**	**3.0**	**7**	**1**	**1**	**2**	**5**	**6**	**6**	**6**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	14.0		14	14	14	14	14	14	14
50-64	2	5.0	32	1	1	5	9	9	9	9										
65 +																				
ALL AGES	2	5.0	32	1	1	5	9	9	9	9	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	30.0		30	30	30	30	30	30	30
35-49	2	6.5	25	3	3	6	10	10	10	10										
50-64	1	18.0		18	18	18	18	18	18	18										
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	4	9.8	38	3	5	9	14	18	18	18	1	30.0		30	30	30	30	30	30	30
SUBTOTAL	**6**	**8.2**	**35**	**1**	**3**	**8**	**10**	**17**	**18**	**18**	**2**	**22.0**	**128**	**14**	**14**	**22**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	6.0		6	6	6	6	6	6	6										
50-64	1	13.0		13	13	13	13	13	13	13										
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	3	6.7	36	1	2	6	11	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-49	5	7.6	17	3	5	6	10	14	14	14	1	10.0		10	10	10	10	10	10	10
50-64																				
65 +																				
ALL AGES	7	6.0	19	1	3	6	8	13	14	14	2	5.5	41	1	1	5	10	10	10	10
SUBTOTAL	**10**	**6.2**	**21**	**1**	**3**	**6**	**9**	**13**	**14**	**14**	**2**	**5.5**	**41**	**1**	**1**	**5**	**10**	**10**	**10**	**10**
GRAND TOTAL	**16**	**6.9**	**26**	**1**	**3**	**6**	**10**	**14**	**17**	**18**	**4**	**13.8**	**145**	**1**	**5**	**12**	**22**	**30**	**30**	**30**

OPIOID ABUSE (305.5)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF-PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34											1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5										
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	4.0	4	2	2	4	5	6	6	6										
35-49	4	7.5	84	1	1	4	13	21	21	21										
50-64	2	7.0	8	5	5	7	9	9	9	9										
65 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	10	7.9	60	1	3	5	9	22	23	23										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	9.0	98	2	2	9	16	16	16	16										
35-49	3	8.0	63	2	3	5	14	17	17	17										
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	6	7.2	54	1	2	4	16	17	17	17										
SUBTOTAL	**16**	**7.6**	**55**	**1**	**2**	**5**	**12**	**21**	**22**	**23**										
GRAND TOTAL	**18**	**7.2**	**50**	**1**	**2**	**5**	**9**	**20**	**22**	**23**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	9.0	128	1	1	8	17	17	17	17										
20-34	18	10.2	162	1	3	4	12	26	42	51	12	6.3	55	1	1	4	6	21	22	22
35-49	12	7.5	51	2	3	5	10	21	21	21	9	9.0	117	1	2	3	17	27	31	31
50-64																				
65 +																				
ALL AGES	32	9.1	113	1	3	4	13	21	28	51	21	7.4	79	1	1	3	9	21	26	31
B. FEMALE																				
0-12 YRS.																				
13-19	3	7.7	65	3	3	3	14	17	17	17	2	2.5	5	1	1	2	4	4	4	4
20-34	18	7.1	52	2	3	4	8	18	25	28	7	9.0	108	1	2	5	13	27	30	30
35-49	3	10.3	87	4	4	6	17	21	21	21	2	2.5	5	1	1	2	4	4	4	4
50-64																				
65 +																				
ALL AGES	24	7.5	54	2	3	4	11	20	23	28	11	6.6	77	1	1	4	6	21	29	30
SUBTOTAL	**56**	**8.4**	**87**	**2**	**3**	**4**	**12**	**21**	**26**	**50**	**32**	**7.2**	**75**	**1**	**1**	**4**	**7**	**21**	**29**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	29.0	724	7	10	21	49	59	59	59										
20-34	49	10.2	84	1	2	5	21	23	25	28	14	8.6	64	1	2	5	14	18	25	27
35-49	22	13.0	100	2	3	14	18	28	32	37	5	5.0	26	2	2	3	6	14	14	14
50-64	1	2.0		2	2	2	2	2	2	2										
65 +																				
ALL AGES	75	11.7	117	1	3	8	21	24	28	53	19	7.7	54	1	2	4	14	16	22	27
B. FEMALE																				
0-12 YRS.																				
13-19	4	20.5	263	7	7	17	33	41	41	41	1	1.0		1	1	1	1	1	1	1
20-34	24	14.5	226	2	5	10	21	26	53	66	10	13.9	69	1	10	14	16	26	27	27
35-49	11	7.6	38	2	3	7	11	17	21	21	8	8.5	37	2	2	9	14	15	15	15
50-64																				
65 +																				
ALL AGES	39	13.2	183	2	4	9	20	25	44	66	19	10.9	63	1	2	14	15	21	26	27
SUBTOTAL	**114**	**12.2**	**139**	**1**	**3**	**8**	**21**	**24**	**29**	**62**	**38**	**9.3**	**59**	**1**	**2**	**8**	**14**	**17**	**26**	**27**
GRAND TOTAL	**170**	**11.0**	**123**	**2**	**3**	**7**	**17**	**22**	**28**	**57**	**70**	**8.3**	**67**	**1**	**2**	**4**	**14**	**20**	**27**	**31**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	28.0		28	28	28	28	28	28	28										
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49											1	2.0		2	2	2	2	2	2	2
50-64																				
65 +																				
ALL AGES											2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	28.0	8	26	26	28	30	30	30	30										
20-34	2	13.0	128	5	5	13	21	21	21	21										
35-49	2	2.0	2	1	1	2	3	3	3	3										
50-64																				
65 +																				
ALL AGES	6	14.3	165	1	3	13	26	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	32.0		32	32	32	32	32	32	32
20-34	5	16.8	176	2	6	14	30	32	32	32	1	28.0		28	28	28	28	28	28	28
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	7	12.4	174	1	2	7	25	31	32	32	2	30.0	8	28	28	30	32	32	32	32
SUBTOTAL	**13**	**13.3**	**156**	**1**	**2**	**7**	**27**	**30**	**32**	**32**	**2**	**30.0**	**8**	**28**	**28**	**30**	**32**	**32**	**32**	**32**
GRAND TOTAL	**14**	**14.4**	**158**	**1**	**2**	**10**	**28**	**30**	**32**	**32**	**5**	**12.8**	**249**	**1**	**1**	**2**	**29**	**32**	**32**	**32**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	2	4.5	13	2	2	4	7	7	7	7	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	8.0	2	7	7	8	9	9	9	9										
50-64																				
65 +																				
ALL AGES	2	8.0	2	7	7	8	9	9	9	9										
SUBTOTAL	**4**	**6.3**	**8**	**2**	**4**	**7**	**8**	**9**	**9**	**9**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**4**	**6.3**	**8**	**2**	**4**	**7**	**8**	**9**	**9**	**9**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	18	26.8	524	1	5	28	45	50	66	76	3	4.0	1	3	3	4	5	5	5	5
20-34	18	11.4	84	1	3	10	21	22	23	23	16	7.9	58	2	3	5	10	20	26	28
35-49	3	2.7		2	2	3	3	3	3	3	5	2.6	3	1	1	2	4	5	5	5
50-64											1	27.0		27	27	27	27	27	27	27
65 +																				
ALL AGES	39	17.8	349	1	3	14	23	45	50	76	25	7.1	59	2	3	4	6	21	27	28
B. FEMALE																				
0-12 YRS.																				
13-19	7	23.7	570	1	2	15	46	56	58	58	1	1.0		1	1	1	1	1	1	1
20-34	7	7.7	43	1	2	7	13	17	18	18	9	12.3	68	5	7	7	21	24	25	25
35-49	4	9.0	42	2	3	9	14	15	15	15	4	8.5	187	1	1	2	16	29	29	29
50-64	1	10.0		10	10	10	10	10	10	10										
65 +											2	13.0	162	4	4	13	22	22	22	22
ALL AGES	19	14.0	270	1	2	8	15	44	54	58	16	10.8	93	1	3	7	21	25	28	29
SUBTOTAL	**58**	**16.6**	**320**	**1**	**3**	**9**	**22**	**45**	**51**	**75**	**41**	**8.5**	**75**	**2**	**3**	**5**	**11**	**24**	**27**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	27	24.8	237	3	10	28	39	45	47	49	8	22.4	57	12	17	22	29	32	32	32
20-34	30	9.6	80	1	2	6	20	22	26	28	17	11.9	92	2	5	7	21	27	28	28
35-49	11	11.0	100	1	2	7	20	25	29	29	2	17.0	450	2	2	17	32	32	32	32
50-64	3	12.7	179	3	4	7	23	28	28	28										
65 +																				
ALL AGES	71	15.7	193	2	3	14	25	39	44	48	27	15.4	112	2	6	17	25	31	32	32
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-19	15	26.1	488	2	5	23	44	56	64	67	1	60.0		60	60	60	60	60	60	60
20-34	14	4.9	27	1	2	3	7	9	18	21	4	10.5	116	1	4	7	17	26	26	26
35-49	6	6.2	15	2	3	6	7	12	13	13	3	8.3	45	4	4	5	13	16	16	16
50-64	4	5.3	24	1	1	5	9	10	10	10										
65 +	2	3.0	8	1	1	2	5	5	5	5	1	1.0		1	1	1	1	1	1	1
ALL AGES	42	13.4	296	1	2	6	15	41	55	67	9	14.2	359	1	3	7	18	46	60	60
SUBTOTAL	**113**	**14.8**	**232**	**1**	**3**	**8**	**23**	**39**	**46**	**60**	**36**	**15.1**	**166**	**2**	**5**	**9**	**25**	**31**	**32**	**60**
GRAND TOTAL	**171**	**15.4**	**261**	**1**	**3**	**8**	**23**	**41**	**49**	**65**	**77**	**11.6**	**126**	**2**	**4**	**7**	**21**	**28**	**31**	**53**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19																				
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES											3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	2	3.5	5	2	2	3	5	5	5	5										
50-64																				
65 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	5	4.8	3	2	4	5	6	6	6	6										
SUBTOTAL	**5**	**4.8**	**3**	**2**	**4**	**5**	**6**	**6**	**6**	**6**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34																				
35-49	2	2.0	2	1	1	1	3	3	3	3										
50-64																				
65 +																				
ALL AGES	3	3.7	9	1	1	3	6	7	7	7										
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**4.8**	**10**	**1**	**1**	**5**	**7**	**8**	**8**	**8**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**9**	**4.8**	**5**	**1**	**3**	**5**	**6**	**8**	**8**	**8**	**4**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
20-34	6	1.7		1	1	2	2	2	2	2										
35-49	2	2.5	1	2	2	2	3	3	3	3	2	1.0		1	1	1	1	1	1	1
50-64	2	3.0		3	3	3	3	3	3	3										
65 +	3	4.7	8	3	3	3	7	8	8	8										
ALL AGES	14	2.6	3	1	2	2	3	4	7	8	4	1.8	1	1	1	2	2	3	3	3
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-19	4	3.5	7	1	1	3	5	7	7	7										
20-34	2	3.5	5	2	2	3	5	5	5	5	3	4.7	4	3	3	4	6	7	7	7
35-49	9	2.9	13	1	1	2	3	9	12	12	1	1.0		1	1	1	1	1	1	1
50-64	9	1.8	1	1	1	1	2	4	4	4	4	2.3		2	2	2	3	3	3	3
65 +	11	3.5	9	1	2	2	5	8	11	11	5	2.4	1	1	1	2	3	4	4	4
ALL AGES	37	2.8	7	1	1	2	3	6	10	12	14	2.8	2	1	2	3	3	5	6	7
SUBTOTAL	**51**	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**8**	**12**	**18**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**6**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	3.0	1	2	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
50-64	3	1.7		1	1	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
65 +	6	5.0	26	1	2	4	4	14	15	15										
ALL AGES	14	3.4	13	1	2	2	4	5	13	15	4	2.3	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	1	4.0		4	4	4	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4	2	1.5	1	1	1	1	2	2	2	2
35-49	8	3.1	11	1	1	2	3	9	11	11	3	3.3	17	1	1	1	6	8	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2	3	2.3	2	1	1	3	3	3	3	3
65 +	13	4.7	10	1	3	4	6	9	12	13	2	6.5	25	3	3	6	10	10	10	10
ALL AGES	26	3.8	9	1	2	3	5	8	11	13	12	3.2	8	1	1	2	3	9	10	10
SUBTOTAL	**40**	**3.7**	**10**	**1**	**2**	**3**	**4**	**7**	**12**	**15**	**16**	**2.9**	**7**	**1**	**1**	**2**	**3**	**8**	**9**	**10**
GRAND TOTAL	**91**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**11**	**14**	**34**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**8**	**10**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	3	3.7	6	1	2	4	5	6	6	6	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
65 +	3	3.0	3	2	2	2	4	5	5	5	1	2.0		2	2	2	2	2	2	2
ALL AGES	8	2.9	3	1	1	2	4	6	6	6	3	2.7	4	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64	2	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2										
ALL AGES	5	2.0	1	1	1	2	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**13**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**	**5**	**2.2**	**3**	**1**	**1**	**2**	**3**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	2	4.0	18	1	1	4	7	7	7	7										
50-64	1	10.0		10	10	10	10	10	10	10	1	5.0		5	5	5	5	5	5	5
65 +																				
ALL AGES	4	4.8	20	1	1	4	8	10	10	10	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34																				
35-49	4	4.5	6	2	2	4	6	7	7	7										
50-64	2	4.5	13	2	2	4	7	7	7	7	1	2.0		2	2	2	2	2	2	2
65 +	3	4.3	7	2	2	4	6	7	7	7	1	1.0		1	1	1	1	1	1	1
ALL AGES	10	4.2	5	2	2	3	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**14**	**4.4**	**8**	**1**	**2**	**3**	**7**	**8**	**9**	**10**	**3**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
GRAND TOTAL	**27**	**3.5**	**6**	**1**	**2**	**2**	**6**	**7**	**8**	**10**	**8**	**2.4**	**3**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-19																				
20-34											3	5.3	35	1	1	3	10	12	12	12
35-49	1	1.0		1	1	1	1	1	1	1										
50-64											1	3.0		3	3	3	3	3	3	3
65 +	2	5.5	41	1	1	5	10	10	10	10										
ALL AGES	4	3.5	19	1	1	2	6	10	10	10	5	4.0	21	1	1	3	5	12	12	12
B. FEMALE																				
0-12 YRS.	3	4.3	10	1	2	5	6	7	7	7	2	6.5	13	4	4	6	9	9	9	9
13-19	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4										
35-49											1	2.0		2	2	2	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6										
65 +	1	4.0		4	4	4	4	4	4	4	2	9.5	61	4	4	9	15	15	15	15
ALL AGES	8	3.8	5	1	2	4	5	7	7	7	6	5.8	28	1	2	4	9	14	15	15
SUBTOTAL	**12**	**3.7**	**8**	**1**	**1**	**3**	**5**	**8**	**10**	**10**	**11**	**5.0**	**23**	**1**	**1**	**3**	**8**	**13**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-19	1	18.0		18	18	18	18	18	18	18										
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	11.5	85	5	5	11	18	18	18	18	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	3	5.0	19	2	2	3	8	10	10	10										
13-19											2	22.5	25	19	19	22	26	26	26	26
20-34	5	15.4	296	3	4	7	25	44	44	44	1	19.0		19	19	19	19	19	19	19
35-49	2	4.5	1	4	4	4	5	5	5	5	1	49.0		49	49	49	49	49	49	49
50-64	3	9.7	80	1	2	9	16	19	19	19	3	3.0	3	2	2	2	4	5	5	5
65 +	4	6.8	7	3	4	7	9	9	9	9	1	2.0		2	2	2	2	2	2	2
ALL AGES	17	9.2	109	2	3	6	9	19	35	44	8	15.5	273	2	2	12	23	42	49	49
SUBTOTAL	**19**	**9.5**	**101**	**2**	**3**	**6**	**10**	**19**	**33**	**44**	**10**	**13.1**	**238**	**2**	**2**	**4**	**19**	**37**	**49**	**49**
GRAND TOTAL	**31**	**7.2**	**72**	**1**	**2**	**5**	**9**	**18**	**19**	**44**	**21**	**8.9**	**135**	**1**	**2**	**4**	**13**	**22**	**36**	**49**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3										
35-49																				
50-64											1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6										
35-49																				
50-64																				
65 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**3**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**6**	**6**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	3.0		3	3	3	3	3	3	3
35-49																				
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	4.0		4	4	4	4	4	4	4										
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**4**	**3.8**	**2**	**2**	**2**	**3**	**5**	**6**	**6**	**6**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	12.0		12	12	12	12	12	12	12										
65 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**										
GRAND TOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**										

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**										
GRAND TOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**										

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	31.0		31	31	31	31	31	31	31										
50-64																				
65 +																				
ALL AGES	1	31.0		31	31	31	31	31	31	31										
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19																				
20-34	7	19.4	66	7	15	23	25	28	28	28	1	6.0		6	6	6	6	6	6	6
35-49	2	23.0	392	9	9	23	37	37	37	37										
50-64	2	2.5	1	2	2	2	3	3	3	3										
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	12	15.8	137	3	4	15	25	31	36	37	2	4.5	5	3	3	4	6	6	6	6
SUBTOTAL	**13**	**17.0**	**142**	**3**	**5**	**17**	**26**	**32**	**36**	**37**	**2**	**4.5**	**5**	**3**	**3**	**4**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34																				
35-49											1	2.0		2	2	2	2	2	2	2
50-64																				
65 +	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	2	5.0	18	2	2	5	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	1	15.0		15	15	15	15	15	15	15										
50-64																				
65 +																				
ALL AGES	3	6.3	57	2	2	2	12	15	15	15										
SUBTOTAL	**5**	**5.2**	**31**	**2**	**2**	**3**	**7**	**15**	**15**	**15**	**2**	**5.0**	**18**	**2**	**2**	**5**	**8**	**8**	**8**	**8**
GRAND TOTAL	**18**	**13.7**	**138**	**2**	**3**	**11**	**23**	**30**	**36**	**37**	**4**	**4.8**	**7**	**2**	**2**	**4**	**7**	**8**	**8**	**8**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	1	9.0		9	9	9	9	9	9	9										
20-34	1	7.0		7	7	7	7	7	7	7	1	12.0		12	12	12	12	12	12	12
35-49	1	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
50-64																				
65 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	3	6.0	13	2	3	7	8	9	9	9	3	11.0	3	9	10	12	12	12	12	12
SUBTOTAL	**4**	**4.8**	**14**	**1**	**1**	**4**	**8**	**9**	**9**	**9**	**4**	**10.5**	**3**	**9**	**9**	**10**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	16.0		16	16	16	16	16	16	16										
50-64																				
65 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-19											1	5.0		5	5	5	5	5	5	5
20-34																				
35-49	2	7.5	1	7	7	7	8	8	8	8										
50-64	3	14.3	160	1	5	16	23	26	26	26										
65 +	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
ALL AGES	6	11.7	74	2	7	10	16	25	26	26	2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	**7**	**12.3**	**64**	**2**	**7**	**12**	**16**	**24**	**26**	**26**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
GRAND TOTAL	**11**	**9.5**	**59**	**1**	**3**	**8**	**15**	**20**	**26**	**26**	**6**	**8.2**	**15**	**2**	**5**	**9**	**12**	**12**	**12**	**12**

STAMMERING & STUTTERING (307.0)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-19																						
20-34																						
35-49																						
50-64																						
65 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-19																						
20-34																						
35-49											1	3.0		3	3	3	3	3	3	3
50-64																						
65 +																						
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-19																						
20-34																						
35-49																						
50-64																						
65 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-19																						
20-34																						
35-49																						
50-64																						
65 +																						
ALL AGES																						
SUBTOTAL																						
GRAND TOTAL											1	3.0		3	3	3	3	3	3	3

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12	1	40.0		40	40	40	40	40	40	40
20-34																				
35-49																				
50-64																				
65 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	1	12.0		12	12	12	12	12	12	12	2	25.0	450	10	10	25	40	40	40	40
B. FEMALE																				
0-12 YRS.	4	4.3	11	1	2	3	6	9	9	9	4	32.0	1197	6	12	19	51	83	83	83
13-19	17	24.2	622	4	7	18	29	87	96	99 +	11	20.3	300	1	5	15	33	43	56	57
20-34	15	20.0	362	1	4	12	35	43	59	64	4	33.8	482	3	18	39	49	54	54	54
35-49	4	15.8	433	4	4	6	27	47	47	47	2	6.5	61	1	1	6	12	12	12	12
50-64																				
65 +	1	9.0		9	9	9	9	9	9	9	1	8.0		8	8	8	8	8	8	8
ALL AGES	41	19.5	447	2	5	12	28	52	83	99 +	22	23.0	467	2	6	17	34	55	67	83
SUBTOTAL	**42**	**19.3**	**438**	**3**	**5**	**12**	**28**	**50**	**82**	**99 +**	**24**	**23.2**	**445**	**2**	**7**	**17**	**34**	**54**	**65**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	38.0	722	19	28	57	89	99 +	99 +	99 +										
20-34	5	31.0	506	3	10	37	51	52	52	52										
35-49																				
50-64																				
65 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	8	32.4	403	7	17	37	53	83	99 +	99 +										
B. FEMALE																				
0-12 YRS.	3	51.7	736	21	31	61	70	73	73	73	1	33.0		33	33	33	33	33	33	33
13-19	24	33.8	693	4	5	38	59	94	99 +	99 +	9	36.0	745	1	24	34	46	78	90	90
20-34	31	25.5	538	2	6	18	43	69	79	99 +	7	22.6	109	5	20	22	30	33	34	34
35-49	9	23.8	300	7	9	17	40	49	51	51	6	17.0	40	9	14	16	24	24	24	24
50-64	1	21.0		21	21	21	21	21	21	21										
65 +	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
ALL AGES	69	28.9	581	3	7	22	51	68	95	99 +	24	26.0	379	2	14	24	33	43	69	90
SUBTOTAL	**77**	**29.2**	**561**	**3**	**9**	**24**	**51**	**69**	**98**	**99 +**	**24**	**26.0**	**379**	**2**	**14**	**24**	**33**	**43**	**69**	**90**
GRAND TOTAL	**119**	**25.7**	**537**	**3**	**7**	**20**	**44**	**66**	**93**	**99 +**	**48**	**24.6**	**405**	**2**	**9**	**22**	**34**	**51**	**62**	**90**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	43.3	2461	4	10	27	81	99	99	99 +	2	2.0		2	2	2	2	2	2	2
13-19	1	5.0		5	5	5	5	5	5	5										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	33.8	2000	4	4	16	63	99	99	99 +	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	3	12.0	103	3	5	10	20	23	23	23	2	1.5	1	1	1	1	2	2	2	2
13-19	1	11.0		11	11	11	11	11	11	11										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	11.8	67	3	6	10	17	23	23	23	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**8**	**22.8**	**1024**	**3**	**4**	**10**	**25**	**77**	**99**	**99 +**	**4**	**1.8**		**1**	**1**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	17	17.2	273	2	5	15	24	39	57	65	1	3.0		3	3	3	3	3	3	3
13-19	8	24.1	924	2	8	15	24	76	96	96										
20-34	4	17.0	54	8	11	18	23	23	23	23										
35-49	1	9.0		9	9	9	9	9	9	9										
50-64																				
65 +																				
ALL AGES	30	18.7	394	2	6	15	23	36	65	96	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19	1	16.0		16	16	16	16	16	16	16										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	9.0	98	2	2	9	16	16	16	16										
SUBTOTAL	**32**	**18.1**	**377**	**2**	**5**	**15**	**23**	**34**	**63**	**96**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**40**	**19.1**	**485**	**2**	**5**	**14**	**23**	**36**	**80**	**99**	**5**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**										

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.7	2	1	1	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-49																				
50-64																				
65 +																				
ALL AGES	4	2.5	2	1	1	2	3	4	4	4	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-19																				
20-34																				
35-49																				
50-64	1	1.0		1	1	1	1	1	1	1										
65 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34																				
35-49																				
50-64																				
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	2.0	2	1	1	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	2	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**4**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**										
GRAND TOTAL	**10**	**1.8**	**1**	**1**	**1**	**1**	**3**	**4**	**4**	**4**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.3	2	1	1	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
13-19	1	6.0		6	6	6	6	6	6	6										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	3.3	4	1	2	3	5	6	6	6	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	5	13.4	160	3	4	6	25	30	30	30										
13-19	13	11.8	133	2	3	11	19	46	88	99 +	2	5.0	2	4	4	5	6	6	6	6
20-34	11	16.5	259	1	3	8	27	43	45	45	2	4.5	13	2	2	4	7	7	7	7
35-49	2	3.5	5	2	2	3	5	5	5	5	2	4.0	8	2	2	4	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2										
65 +	1	6.0		6	6	6	6	6	6	6	1	14.0		14	14	14	14	14	14	14
ALL AGES	33	12.7	165	2	3	7	24	40	44	99 +	7	5.9	16	2	3	6	7	13	14	14
SUBTOTAL	**37**	**11.6**	**158**	**2**	**3**	**6**	**19**	**37**	**43**	**99 +**	**8**	**5.5**	**15**	**2**	**3**	**5**	**7**	**12**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34	2	19.5	85	13	13	19	26	26	26	26										
35-49	2	18.0	2	17	17	18	19	19	19	19										
50-64																				
65 +																				
ALL AGES	5	16.4	50	7	11	17	21	26	26	26										
B. FEMALE																				
0-12 YRS.	3	34.3	749	5	13	39	54	59	59	59	1	2.0		2	2	2	2	2	2	2
13-19	21	27.9	685	3	8	18	43	70	85	90	5	22.6	359	1	2	33	37	39	39	39
20-34	46	20.7	251	3	5	20	28	46	50	64	14	21.5	163	6	8	22	28	37	46	48
35-49	5	13.6	164	5	5	7	21	35	35	35	2	8.0	18	5	5	8	11	11	11	11
50-64																				
65 +	3	8.7	113	2	2	3	16	21	21	21	1	9.0		9	9	9	9	9	9	9
ALL AGES	78	22.3	381	3	5	18	30	49	61	87	23	19.2	197	3	6	20	31	37	42	48
SUBTOTAL	**83**	**21.9**	**364**	**3**	**6**	**18**	**29**	**48**	**60**	**87**	**23**	**19.2**	**197**	**3**	**6**	**20**	**31**	**37**	**42**	**48**
GRAND TOTAL	**120**	**18.7**	**322**	**3**	**4**	**14**	**28**	**46**	**56**	**93**	**31**	**15.6**	**187**	**2**	**4**	**9**	**27**	**36**	**39**	**48**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5										

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	5.0	18	2	2	5	8	8	8	8										
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**3**	**3.7**	**14**	**1**	**1**	**2**	**6**	**8**	**8**	**8**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	20.0	450	5	5	20	35	35	35	35										
13-19	1	42.0		42	42	42	42	42	42	42										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	27.3	389	5	12	35	40	42	42	42										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**3**	**27.3**	**389**	**5**	**12**	**35**	**40**	**42**	**42**	**42**										
GRAND TOTAL	**6**	**15.5**	**328**	**1**	**2**	**6**	**35**	**41**	**42**	**42**										

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											3	3.0	4	1	1	3	4	5	5	5
20-34	3	3.7	4	2	2	3	5	6	6	6	3	2.3	2	1	1	3	3	3	3	3
35-49	4	4.0	5	2	2	3	5	7	7	7	6	2.7	1	1	2	3	3	4	4	4
50-64	3	2.0	3	1	1	1	3	4	4	4	3	3.7	4	2	2	3	5	6	6	6
65 +	4	4.3	6	2	2	4	6	7	7	7										
ALL AGES	14	3.6	4	1	2	3	6	7	7	7	15	2.9	2	1	2	3	3	5	6	6
B. FEMALE																				
0-12 YRS.	4	4.3	4	2	2	4	6	7	7	7	1	1.0		1	1	1	1	1	1	1
13-19	8	3.6	3	1	2	3	5	6	6	6	2	4.0	18	1	1	4	7	7	7	7
20-34	31	3.4	4	2	2	3	4	6	7	9	14	4.1	10	1	2	3	5	8	12	13
35-49	12	3.0	4	1	2	2	3	7	8	8	17	3.6	4	1	2	3	5	6	7	7
50-64	8	3.9	6	1	2	3	5	8	8	8	9	3.7	3	2	3	3	4	7	7	7
65 +	8	4.3	17	1	2	3	5	11	14	14	5	4.2	11	1	2	3	7	9	9	9
ALL AGES	71	3.6	5	1	2	3	4	7	8	13	48	3.8	6	1	2	3	5	7	8	13
SUBTOTAL	**85**	**3.6**	**5**	**1**	**2**	**3**	**4**	**7**	**7**	**12**	**63**	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**8**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-19											1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4										
35-49	2	3.5	5	2	2	3	5	5	5	5	5	3.0	3	1	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2	2	3.0		3	3	3	3	3	3	3
65 +	2	5.5	13	3	3	5	8	8	8	8										
ALL AGES	7	4.3	5	2	2	4	6	8	8	8	8	2.8	2	1	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.	2	4.5	1	4	4	4	5	5	5	5										
13-19	4	9.0	161	2	2	3	16	28	28	28	1	3.0		3	3	3	3	3	3	3
20-34	10	6.9	43	2	3	4	6	18	23	23	8	4.4	8	1	2	4	6	9	10	10
35-49	8	4.8	7	2	2	4	7	9	9	9	6	3.2	4	1	2	3	4	7	7	7
50-64	4	6.5	15	2	3	6	9	11	11	11	4	2.8	1	2	2	3	3	4	4	4
65 +	8	5.5	23	1	2	4	7	13	16	16	3	8.3	43	2	3	8	13	15	15	15
ALL AGES	36	6.2	34	2	3	4	7	14	21	28	22	4.2	12	1	2	3	5	9	12	15
SUBTOTAL	**43**	**5.9**	**29**	**2**	**3**	**4**	**7**	**12**	**18**	**28**	**30**	**3.8**	**9**	**1**	**2**	**3**	**4**	**8**	**10**	**15**
GRAND TOTAL	**128**	**4.3**	**15**	**2**	**2**	**3**	**5**	**8**	**9**	**24**	**93**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.5	25	1	1	4	8	8	8	8	1	1.0		1	1	1	1	1	1	1
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	1	5.0		5	5	5	5	5	5	5										
50-64	1	10.0		10	10	10	10	10	10	10										
65 +	4	6.0	31	1	1	5	10	13	13	13										
ALL AGES	10	5.5	18	1	1	5	8	11	13	13	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
13-19																				
20-34																				
35-49	2	5.5	25	2	2	5	9	9	9	9	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
65 +	3	4.3	3	3	3	4	5	6	6	6										
ALL AGES	8	3.6	7	1	2	3	5	8	9	9	3	4.0	13	1	1	3	7	8	8	8
SUBTOTAL	**18**	**4.7**	**13**	**1**	**2**	**3**	**8**	**10**	**12**	**13**	**4**	**3.3**	**10**	**1**	**1**	**2**	**5**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	8.0	98	1	1	8	15	15	15	15	1	14.0		14	14	14	14	14	14	14
50-64	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
65 +	2	5.0	18	2	2	5	8	8	8	8										
ALL AGES	5	5.8	34	1	2	3	10	15	15	15	2	9.0	50	4	4	9	14	14	14	14
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-19	1	53.0		53	53	53	53	53	53	53										
20-34																				
35-49																				
50-64																				
65 +	3	9.3	21	5	6	9	13	14	14	14										
ALL AGES	5	17.6	403	5	6	9	24	53	53	53										
SUBTOTAL	**10**	**11.7**	**233**	**1**	**3**	**7**	**14**	**34**	**53**	**53**	**2**	**9.0**	**50**	**4**	**4**	**9**	**14**	**14**	**14**	**14**
GRAND TOTAL	**28**	**7.2**	**97**	**1**	**2**	**5**	**9**	**14**	**19**	**53**	**6**	**5.2**	**25**	**1**	**1**	**3**	**8**	**13**	**14**	**14**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	3.5	13	1	1	3	6	6	6	6										
35-49	2	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
50-64	2	22.0	288	10	10	22	34	34	34	34	1	1.0		1	1	1	1	1	1	1
65 +																				
ALL AGES	6	8.8	166	1	1	4	10	32	34	34	3	1.7	1	1	1	1	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19	4	2.3	3	1	1	2	3	5	5	5	1	1.0		1	1	1	1	1	1	1
20-34	4	7.5	35	3	3	5	11	16	16	16	3	1.0		1	1	1	1	1	1	1
35-49	4	2.0	4	1	1	1	3	5	5	5	2	5.0	8	3	3	5	7	7	7	7
50-64	2	1.0		1	1	1	1	1	1	1	4	3.0	8	1	1	2	5	7	7	7
65 +	3	3.3	3	2	2	3	4	5	5	5										
ALL AGES	17	3.5	14	1	1	2	5	7	13	16	10	2.6	6	1	1	1	3	7	7	7
SUBTOTAL	**23**	**4.9**	**53**	**1**	**1**	**2**	**5**	**11**	**22**	**34**	**13**	**2.4**	**5**	**1**	**1**	**1**	**3**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	2.7	8	1	1	1	5	6	6	6	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
50-64																				
65 +	2	9.0	98		2	9	16	16	16	16										
ALL AGES	6	4.8	34	1	1	2	6	15	16	16	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	2	2.5	1	2	2	2	3	3	3	3										
20-34	5	3.8	3	2	3	3	5	6	6	6	2	14.5	221	4	4	14	25	25	25	25
35-49	1	2.0		2	2	2	2	2	2	2	2	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1										
65 +											2	3.5	1	3	3	3	4	4	4	4
ALL AGES	9	3.0	3	1	2	3	4	6	6	6	6	6.7	81	2	2	3	4	23	25	25
SUBTOTAL	**15**	**3.7**	**14**	**1**	**2**	**3**	**5**	**6**	**14**	**16**	**8**	**5.4**	**64**	**1**	**2**	**3**	**4**	**19**	**25**	**25**
GRAND TOTAL	**38**	**4.4**	**38**	**1**	**1**	**2**	**5**	**9**	**16**	**34**	**21**	**3.5**	**28**	**1**	**1**	**2**	**3**	**7**	**15**	**25**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	8.0		8	8	8	8	8	8	8
65 +																				
ALL AGES											1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	4.0		4	4	4	4	4	4	4										
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	2.0		2	2	2	2	2	2	2
35-49																				
50-64																				
65 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
13-19	2	13.0	288	1	1	13	25	25	25	25										
20-34	6	6.7	50	1	2	4	9	19	20	20	3	8.3	105	1	2	4	16	20	20	20
35-49	7	8.1	184	1	1	1	8	32	38	38										
50-64	2	1.5	1	1	1	1	2	2	2	2										
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	19	7.1	100	1	1	2	8	23	32	38	4	6.5	83	1	1	2	12	20	20	20
B. FEMALE																				
0-12 YRS.	2	13.5	85	7	7	13	20	20	20	20										
13-19	6	8.6	41	1	6	7	11	19	20	20	2	11.5	181	2	2	11	21	21	21	21
20-34	15	10.8	118	1	2	9	14	18	37	44	1	4.0		4	4	4	4	4	4	4
35-49	6	11.8	204	1	2	4	27	32	33	33										
50-64	2	11.0	72	5	5	11	17	17	17	17	2	2.0	2	1	1	2	3	3	3	3
65 +	4	3.3	10	1	1	2	5	8	8	8										
ALL AGES	35	9.9	98	1	2	7	14	20	31	44	5	6.2	70	1	2	3	8	21	21	21
SUBTOTAL	**54**	**8.9**	**99**	**1**	**2**	**6**	**12**	**21**	**32**	**44**	**9**	**6.3**	**66**	**1**	**1**	**3**	**8**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.5	761	7	17	46	86	99+	99+	99+										
13-19	4	9.5	14	6	6	9	12	14	14	14	1	4.0		4	4	4	4	4	4	4
20-34	12	13.0	164	2	2	8	18	37	38	38	1	4.0		4	4	4	4	4	4	4
35-49	10	10.0	86	1	5	7	15	24	32	32										
50-64	2	16.5	145	8	8	16	25	25	25	25										
65 +																				
ALL AGES	30	12.7	139	2	5	8	17	37	46	99+	2	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	3	11.7	45	4	6	14	16	17	17	17										
13-19	16	17.3	162	5	7	15	27	38	41	42										
20-34	22	12.9	106	3	4	14	17	35	60	99+	1	5.0		5	5	5	5	5	5	5
35-49	16	9.3	77	2	3	6	16	20	28	32										
50-64	2	4.0	2	3	3	4	5	5	5	5										
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	59	12.7	115	2	4	9	17	32	38	94	2	4.5	1	4	4	4	5	5	5	5
SUBTOTAL	**89**	**12.7**	**122**	**2**	**5**	**9**	**17**	**33**	**38**	**99+**	**4**	**4.3**		**4**	**4**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**143**	**11.3**	**115**	**1**	**3**	**8**	**16**	**32**	**38**	**99+**	**13**	**5.7**	**45**	**1**	**2**	**4**	**5**	**20**	**21**	**21**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34																				
35-49	1	8.0		8	8	8	8	8	8	8										
50-64																				
65 +																				
ALL AGES	2	5.5	13	3	3	5	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**3**	**4.7**	**8**	**3**	**3**	**3**	**7**	**8**	**8**	**8**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	22.0		22	22	22	22	22	22	22										
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	2	11.5	221	1	1	11	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3										
35-49	1	9.0		9	9	9	9	9	9	9										
50-64																				
65 +																				
ALL AGES	2	6.0	18	3	3	6	9	9	9	9										
SUBTOTAL	**4**	**8.8**	**88**	**1**	**2**	**6**	**15**	**22**	**22**	**22**										
GRAND TOTAL	**7**	**7.0**	**52**	**1**	**3**	**3**	**9**	**19**	**22**	**22**										

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	12.3	46	8	8	9	17	20	20	20										
20-34																				
35-49	4	2.3	2	1	1	2	3	4	4	4	2	2.5	1	2	2	2	3	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2										
65 +	1	3.0		3	3	3	3	3	3	3	2	2.0		2	2	2	2	2	2	2
ALL AGES	11	4.8	33	1	1	3	7	13	19	20	4	2.3		2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19	1	8.0		8	8	8	8	8	8	8										
20-34	3	2.3	1	2	2	2	3	3	3	3										
35-49	4	3.5	6	2	2	3	5	7	7	7	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3										
65 +	2	2.0	2	1	1	2	3	3	3	3	2	4.5	13	2	2	4	7	7	7	7
ALL AGES	12	3.2	4	1	2	3	3	7	8	8	3	3.7	8	2	2	2	6	7	7	7
SUBTOTAL	**23**	**4.0**	**18**	**1**	**2**	**3**	**4**	**8**	**13**	**20**	**7**	**2.9**	**3**	**2**	**2**	**2**	**3**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2	2	3.5	1	3	3	3	4	4	4	4
35-49																				
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	3.0	1	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	9.5	113	2	2	9	17	17	17	17	1	3.0		3	3	3	3	3	3	3
35-49	1	25.0		25	25	25	25	25	25	25	1	5.0		5	5	5	5	5	5	5
50-64																				
65 +	2	6.5	41	2	2	6	11	11	11	11	1	6.0		6	6	6	6	6	6	6
ALL AGES	5	11.4	98	2	2	11	19	25	25	25	3	4.7	2	3	3	5	6	6	6	6
SUBTOTAL	**6**	**9.8**	**94**	**2**	**2**	**7**	**17**	**24**	**25**	**25**	**6**	**3.8**	**2**	**2**	**3**	**4**	**5**	**6**	**6**	**6**
GRAND TOTAL	**29**	**5.2**	**36**	**1**	**2**	**3**	**7**	**15**	**20**	**25**	**13**	**3.3**	**3**	**2**	**2**	**3**	**4**	**6**	**7**	**7**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	9.1	27	2	5	9	14	15	16	16	1	1.0		1	1	1	1	1	1	1
13-19	134	8.3	77	1	2	6	12	18	27	69	6	6.3	88	1	1	2	6	23	25	25
20-34	219	5.0	16	1	2	4	7	10	12	21	13	3.4	9	1	1	2	5	8	10	11
35-49	119	6.1	28	1	3	5	8	12	15	29	13	2.5	2	1	1	2	3	5	6	6
50-64	24	4.8	12	1	2	4	6	9	11	16	1	2.0		2	2	2	2	2	2	2
65 +	25	9.0	38	2	5	8	12	19	22	22	1	4.0		4	4	4	4	4	4	4
ALL AGES	531	6.3	38	1	2	5	8	13	17	30	35	3.5	19	1	1	2	4	6	10	25
B. FEMALE																				
0-12 YRS.	18	9.3	70	1	4	6	12	21	28	32										
13-19	314	9.1	71	1	3	7	12	20	27	40	12	3.8	13	1	1	3	4	11	12	12
20-34	331	5.6	22	1	2	4	8	12	15	21	23	3.3	4	1	1	3	5	6	7	8
35-49	162	6.0	22	1	2	5	9	13	16	22	12	3.3	3	1	2	3	5	6	6	6
50-64	45	6.7	22	2	3	5	8	14	15	21	2	2.5	5	1	1	2	4	4	4	4
65 +	45	11.6	62	3	5	10	16	22	27	35	6	6.8	82	1	3	4	5	23	25	25
ALL AGES	915	7.3	45	1	3	5	10	16	21	32	55	3.8	14	1	1	3	5	6	9	24
SUBTOTAL	**1446**	**6.9**	**43**	**1**	**2**	**5**	**9**	**15**	**19**	**32**	**90**	**3.6**	**16**	**1**	**1**	**3**	**5**	**6**	**10**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	15.4	96	1	9	16	23	26	29	29	1	29.0		29	29	29	29	29	29	29
13-19	163	10.3	100	2	4	7	14	25	30	44	2	8.5	13	6	6	8	11	11	11	11
20-34	412	7.1	39	2	3	5	10	15	20	27	9	6.2	42	1	2	3	7	17	21	21
35-49	209	6.8	38	1	3	5	9	16	20	29	5	5.6	39	1	1	2	10	15	15	15
50-64	44	10.4	59	2	5	9	14	20	23	43	4	4.8	2	4	4	4	6	7	7	7
65 +	24	15.1	287	3	5	12	16	27	62	76	1	2.0		2	2	2	2	2	2	2
ALL AGES	862	8.2	61	2	3	6	11	17	23	36	22	6.9	50	1	2	4	9	17	24	29
B. FEMALE																				
0-12 YRS.	13	19.1	95	9	11	18	26	34	37	38										
13-19	260	11.8	122	2	4	8	16	27	36	47	4	5.8	17	3	3	4	8	12	12	12
20-34	427	7.9	52	1	3	6	11	16	21	36	24	7.3	31	1	2	5	11	15	18	19
35-49	215	7.4	45	2	3	6	9	16	21	30	12	9.6	150	1	3	4	13	30	38	39
50-64	56	9.1	57	3	4	7	11	16	29	38	2	6.5	5	5	5	6	8	8	8	8
65 +	30	12.3	128	3	5	9	14	27	28	56										
ALL AGES	1001	9.2	75	2	3	7	12	20	27	42	42	7.7	62	1	3	5	11	18	23	39
SUBTOTAL	**1863**	**8.7**	**69**	**2**	**3**	**6**	**12**	**19**	**25**	**41**	**64**	**7.4**	**57**	**1**	**3**	**5**	**10**	**17**	**23**	**38**
GRAND TOTAL	**3309**	**7.9**	**59**	**1**	**3**	**6**	**10**	**17**	**23**	**38**	**154**	**5.2**	**36**	**1**	**2**	**3**	**5**	**12**	**19**	**29**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	7	7.7	52	1	3	3	14	18	19	19										
20-34	1	11.0		11	11	11	11	11	11	11										
35-49	5	4.4	6	2	3	3	6	8	8	8	1	2.0		2	2	2	2	2	2	2
50-64	3	13.7	257	2	3	7	26	32	32	32										
65 +	2	4.0	18	1	1	4	7	7	7	7										
ALL AGES	18	7.6	62	1	3	5	9	18	27	32	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-19	15	6.2	20	2	2	6	9	15	15	15										
20-34	9	8.4	21	4	4	7	13	14	14	14	2	3.0	2	2	2	3	4	4	4	4
35-49	5	4.6	10	2	2	3	8	8	8	8	2	14.0	72	8	8	14	20	20	20	20
50-64	6	4.8	15	1	3	4	5	11	12	12										
65 +	3	5.7	9	3	3	5	8	9	9	9										
ALL AGES	39	6.3	17	2	3	5	9	13	15	15	4	8.5	65	2	3	6	14	20	20	20
SUBTOTAL	**57**	**6.7**	**31**	**2**	**3**	**5**	**9**	**14**	**16**	**31**	**5**	**7.2**	**57**	**2**	**2**	**4**	**11**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-19	8	14.9	48	7	10	13	19	26	27	27										
20-34	12	6.1	13	2	3	6	7	12	14	14										
35-49	7	8.0	77	1	2	3	12	23	25	25	1	5.0		5	5	5	5	5	5	5
50-64																				
65 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	29	9.4	49	2	4	7	13	20	25	27	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-19	20	17.5	229	3	7	14	21	36	55	64										
20-34	21	8.9	53	2	3	7	11	21	26	27										
35-49	14	12.7	60	1	6	14	20	20	22	22	2	3.5	1	3	3	3	4	4	4	4
50-64	2	4.5	13	2	2	4	7	7	7	7										
65 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	59	12.8	122	2	5	11	19	22	27	62	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**88**	**11.7**	**100**	**2**	**5**	**9**	**17**	**22**	**26**	**58**	**3**	**4.0**	**1**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**145**	**9.7**	**79**	**2**	**3**	**7**	**14**	**20**	**25**	**48**	**8**	**6.0**	**36**	**2**	**3**	**4**	**6**	**16**	**20**	**20**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	10.0	72	2	5	6	18	63	99+	99+	2	2.5	1	2	2	2	3	3	3	3
13-19	56	12.4	241	1	3	6	17	29	34	88	4	15.3	53	5	10	17	20	22	22	22
20-34	82	6.6	36	1	3	6	9	12	15	37	6	3.2	6	1	1	2	5	7	7	7
35-49	47	5.1	17	1	2	3	8	11	13	21	1	12.0		12	12	12	12	12	12	12
50-64	14	7.4	35	2	3	5	9	16	21	22										
65 +	12	11.3	76	3	4	9	17	22	31	32	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	220	8.2	94	1	3	5	9	18	27	66	15	7.3	44	1	2	5	11	19	21	22
B. FEMALE																				
0-12 YRS.	9	16.6	89	8	10	13	21	32	36	36	1	4.0		4	4	4	4	4	4	4
13-19	95	10.2	100	1	3	7	15	22	28	49	6	11.7	124	1	2	9	24	25	25	25
20-34	108	5.6	19	1	2	4	8	12	14	18	3	8.0	37	4	4	5	12	15	15	15
35-49	70	5.1	17	1	2	4	7	11	14	17	1	5.0		5	5	5	5	5	5	5
50-64	23	5.8	18	2	2	4	9	13	13	13	3	3.7	14	1	1	2	6	8	8	8
65 +	23	10.4	55	1	5	10	14	22	25	27	4	11.0	113	3	3	7	18	26	26	26
ALL AGES	328	7.5	53	1	2	5	10	16	22	36	18	8.8	73	1	3	5	15	25	26	26
SUBTOTAL	**548**	**7.8**	**69**	**1**	**2**	**5**	**10**	**17**	**24**	**41**	**33**	**8.1**	**59**	**1**	**3**	**5**	**13**	**22**	**25**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	17.9	126	5	8	19	28	63	97	99+	1	14.0		14	14	14	14	14	14	14
13-19	65	11.5	96	2	4	8	16	26	30	43	1	31.0		31	31	31	31	31	31	31
20-34	158	7.5	35	1	3	6	11	15	19	31	7	6.0	13	2	3	5	9	11	11	11
35-49	78	6.6	20	2	3	6	9	12	16	22										
50-64	19	9.9	71	2	3	7	17	24	25	25										
65 +	12	9.4	32	3	4	10	11	18	21	22	2	5.5	13	3	3	5	8	8	8	8
ALL AGES	342	8.5	54	2	3	7	11	19	24	36	11	8.9	69	2	3	8	11	21	30	31
B. FEMALE																				
0-12 YRS.	6	19.2	237	1	6	18	31	40	41	41	1	27.0		27	27	27	27	27	27	27
13-19	89	10.2	77	2	4	7	13	22	32	41	4	10.5	82	5	5	6	15	24	24	24
20-34	200	7.8	40	2	4	7	10	15	21	30	6	7.2	24	2	2	7	11	14	14	14
35-49	95	7.3	29	2	3	6	10	15	19	22	3	5.0	4	3	3	5	6	7	7	7
50-64	24	10.3	36	3	5	10	14	17	21	27	3	16.0	127	9	9	10	24	29	29	29
65 +	15	9.4	47	2	3	8	14	19	23	25										
ALL AGES	429	8.6	49	2	4	7	11	18	22	35	17	10.3	72	2	5	7	12	26	28	29
SUBTOTAL	**771**	**8.6**	**50**	**2**	**3**	**7**	**11**	**18**	**23**	**36**	**28**	**9.8**	**68**	**2**	**4**	**8**	**11**	**26**	**29**	**31**
GRAND TOTAL	**1319**	**8.2**	**59**	**2**	**3**	**6**	**11**	**18**	**23**	**38**	**61**	**8.9**	**62**	**2**	**3**	**5**	**11**	**24**	**26**	**31**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	13.0	17	8	10	13	15	19	21	21										
13-19	27	13.9	226	2	4	9	18	32	52	61										
20-34	4	3.3	6	1	1	2	5	7	7	7										
35-49	3	7.7	36	2	3	7	12	14	14	14	1	10.0		10	10	10	10	10	10	10
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	44	12.0	157	2	3	9	14	28	38	61	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.	5	19.8	130	7	12	15	30	35	35	35										
13-19	24	18.2	238	4	10	14	21	35	59	67										
20-34	4	5.8	15	1	2	6	9	10	10	10										
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +																				
ALL AGES	34	16.5	207	3	8	13	21	33	51	67										
SUBTOTAL	**78**	**14.0**	**180**	**2**	**6**	**10**	**17**	**30**	**45**	**65**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	20.7	151	4	12	22	32	36	36	36										
13-19	14	17.1	431	1	4	8	25	45	69	76										
20-34	9	7.8	30	1	3	8	10	16	18	18										
35-49	4	3.5	7	1	1	3	5	7	7	7										
50-64																				
65 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	35	13.9	237	1	4	8	19	34	40	76										
B. FEMALE																				
0-12 YRS.	2	14.5	41	10	10	14	19	19	19	19										
13-19	21	18.5	445	3	5	10	29	67	88	99+										
20-34	3	17.0	516	1	2	7	34	43	43	43	1	5.0		5	5	5	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4										
50-64																				
65 +																				
ALL AGES	27	17.5	392	2	4	9	26	57	82	99+	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**62**	**15.5**	**301**	**2**	**4**	**8**	**21**	**42**	**67**	**97**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**140**	**14.7**	**231**	**2**	**4**	**10**	**18**	**34**	**53**	**82**	**2**	**7.5**	**13**	**5**	**5**	**7**	**10**	**10**	**10**	**10**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	13.4	40	5	8	14	18	21	22	22	1	16.0		16	16	16	16	16	16	16
13-19	79	12.1	154	1	3	8	16	29	46	87	2	18.0	98	11	11	18	25	25	25	25
20-34	40	5.7	18	1	2	4	8	11	14	17	1	2.0		2	2	2	2	2	2	2
35-49	19	5.4	12	1	2	5	8	11	12	12										
50-64	6	9.2	17	3	7	9	12	15	15	15										
65 +	3	7.3	34	4	4	4	12	14	14	14										
ALL AGES	155	9.5	97	1	3	7	12	22	30	56	4	13.5	92	2	6	13	20	25	25	25
B. FEMALE																				
0-12 YRS.	11	10.6	75	3	4	6	18	25	26	26										
13-19	133	12.1	134	3	5	8	15	26	36	60	9	19.7	107	3	15	21	27	30	32	32
20-34	44	7.3	115	1	3	4	7	15	18	70	6	4.8	8	1	3	4	8	8	8	8
35-49	23	5.5	19	1	3	4	6	15	16	16	4	4.5	14	1	1	4	7	9	9	9
50-64	5	7.6	57	1	2	7	11	20	20	20										
65 +	13	10.8	44	3	5	9	16	21	23	23										
ALL AGES	229	10.3	113	2	4	7	14	21	29	60	19	11.8	111	1	3	8	21	28	30	32
SUBTOTAL	**384**	**10.0**	**106**	**2**	**4**	**7**	**13**	**21**	**29**	**57**	**23**	**12.1**	**104**	**1**	**3**	**8**	**21**	**27**	**29**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	18.1	203	5	8	15	23	34	52	59										
13-19	106	12.8	134	2	5	8	18	33	36	54	1	8.0		8	8	8	8	8	8	8
20-34	119	7.1	38	1	3	6	8	14	20	32	3	10.0	36	4	5	10	14	16	16	16
35-49	53	8.2	50	2	3	7	11	15	19	44										
50-64	4	5.3	7	2	3	5	7	8	8	8										
65 +	5	12.6	68	4	6	11	18	25	25	25										
ALL AGES	303	9.9	92	2	4	7	12	24	32	47	4	9.5	25	4	6	9	13	16	16	16
B. FEMALE																				
0-12 YRS.	9	17.2	172	3	6	12	32	33	33	33										
13-19	126	11.8	98	3	5	8	15	26	36	43	4	17.8	144	7	7	16	28	31	31	31
20-34	90	8.5	56	1	3	6	12	20	21	35	5	6.6	4	5	5	6	8	10	10	10
35-49	46	8.8	31	2	5	8	11	17	21	25	1	4.0		4	4	4	4	4	4	4
50-64	11	8.7	31	3	4	7	12	18	19	19	1	1.0		1	1	1	1	1	1	1
65 +	4	13.0	90	6	7	9	18	27	27	27										
ALL AGES	286	10.4	75	2	4	8	13	23	30	40	11	9.9	87	3	5	7	9	27	31	31
SUBTOTAL	**589**	**10.1**	**85**	**2**	**4**	**7**	**13**	**23**	**31**	**42**	**15**	**9.8**	**68**	**4**	**5**	**7**	**10**	**25**	**29**	**31**
GRAND TOTAL	**973**	**10.1**	**92**	**2**	**4**	**7**	**13**	**22**	**30**	**49**	**38**	**11.2**	**89**	**1**	**4**	**8**	**19**	**26**	**30**	**32**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	17.5	637	3	4	7	55	94	99 +	99 +										
13-19	14	10.9	117	1	3	4	20	28	29	29										
20-34	8	6.1	75	1	1	3	5	21	27	27	1	12.0		12	12	12	12	12	12	12
35-49	5	3.4	10	1	1	2	4	9	9	9	1	12.0		12	12	12	12	12	12	12
50-64	1	1.0		1	1	1	1	1	1	1										
65 +	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
ALL AGES	35	9.3	179	1	2	4	14	28	56	99 +	3	9.7	15	5	7	12	12	12	12	12
B. FEMALE																				
0-12 YRS.	6	22.3	544	5	7	15	24	63	67	67	1	4.0		4	4	4	4	4	4	4
13-19	25	12.1	247	3	4	7	12	22	54	72	2	11.5	145	3	3	11	20	20	20	20
20-34	28	11.3	75	3	5	9	14	29	29	29										
35-49	15	14.9	210	1	5	9	23	26	49	57										
50-64	4	15.3	146	3	7	13	23	32	32	32	1	3.0		3	3	3	3	3	3	3
65 +	2	9.0		9	9	9	9	9	9	9	2	4.0		4	4	4	4	4	4	4
ALL AGES	80	13.2	187	3	5	9	16	29	40	70	6	6.3	46	3	3	4	4	18	20	20
SUBTOTAL	**115**	**12.0**	**187**	**2**	**4**	**7**	**16**	**29**	**43**	**81**	**9**	**7.4**	**36**	**3**	**4**	**4**	**12**	**17**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	15	22.6	265	4	11	23	29	39	61	68										
13-19	22	19.5	269	2	4	16	34	41	51	55	1	1.0		1	1	1	1	1	1	1
20-34	24	11.2	181	2	3	6	13	26	43	58	2	8.5	41	4	4	8	13	13	13	13
35-49	22	11.0	104	2	3	8	13	28	37	39	1	21.0		21	21	21	21	21	21	21
50-64	4	14.0	123	3	4	14	23	25	25	25										
65 +																				
ALL AGES	87	15.3	212	2	4	10	23	35	41	64	4	9.8	81	1	2	8	17	21	21	21
B. FEMALE																				
0-12 YRS.	11	35.1	627	8	17	34	59	88	98	99 +	1	1.0		1	1	1	1	1	1	1
13-19	57	16.1	281	4	7	11	19	37	69	99	1	2.0		2	2	2	2	2	2	2
20-34	72	18.0	361	4	6	12	23	35	58	98										
35-49	41	13.9	112	2	7	12	18	33	36	41										
50-64	6	16.8	126	3	4	20	25	29	29	29	1	4.0		4	4	4	4	4	4	4
65 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	188	17.4	306	3	7	12	22	38	59	99	3	2.3	3	1	1	2	3	4	4	4
SUBTOTAL	**275**	**16.8**	**274**	**3**	**6**	**12**	**23**	**37**	**52**	**97**	**7**	**6.6**	**57**	**1**	**1**	**4**	**11**	**19**	**21**	**21**
GRAND TOTAL	**390**	**15.4**	**252**	**2**	**5**	**10**	**22**	**34**	**50**	**97**	**16**	**7.1**	**41**	**1**	**3**	**4**	**12**	**19**	**21**	**21**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	14.6	254	1	2	14	21	41	41	41										
13-19	23	6.7	71	1	1	2	9	18	29	32	7	4.1	30	1	1	2	4	14	16	16
20-34	22	4.0	12	1	1	3	5	10	11	11	1	1.0		1	1	1	1	1	1	1
35-49	14	6.9	37	1	4	6	9	12	22	25										
50-64																				
65 +	3	5.3	7	3	3	5	7	8	8	8										
ALL AGES	67	6.4	57	1	1	4	9	13	25	39	8	3.8	26	1	1	2	4	13	16	16
B. FEMALE																				
0-12 YRS.	3	21.0	199	6	10	23	31	34	34	34										
13-19	33	7.4	48	1	1	4	12	18	22	24	3	1.7	1	1	1	1	2	3	3	3
20-34	14	3.4	12	1	1	2	4	11	11	11	12	5.3	40	1	1	5	6	12	22	24
35-49	13	4.6	9	2	2	4	7	9	11	11	4	7.0	22	1	3	7	10	12	12	12
50-64	5	4.6	3	3	3	5	6	7	7	7										
65 +	4	9.8	66	5	5	6	14	22	22	22	1	3.0		3	3	3	3	3	3	3
ALL AGES	72	6.6	47	1	2	4	9	16	22	32	20	5.0	30	1	1	4	6	10	18	24
SUBTOTAL	**139**	**6.5**	**51**	**1**	**2**	**4**	**9**	**14**	**23**	**35**	**28**	**4.6**	**28**	**1**	**1**	**3**	**6**	**11**	**17**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	21.3	372	1	6	19	36	45	45	45										
13-19	28	8.9	54	2	4	7	13	17	22	35	1	10.0		10	10	10	10	10	10	10
20-34	31	6.1	52	1	2	3	8	15	20	35	5	2.2	1	1	2	2	3	3	3	3
35-49	20	5.0	15	1	2	4	7	9	13	17	2	4.0		4	4	4	4	4	4	4
50-64	5	6.0	10	2	3	7	8	10	10	10										
65 +	4	7.5	19	5	5	6	10	14	14	14	1	20.0		20	20	20	20	20	20	20
ALL AGES	92	7.4	61	1	3	5	10	15	21	41	9	5.4	37	1	2	3	6	16	20	20
B. FEMALE																				
0-12 YRS.	3	7.0	21	3	4	6	10	12	12	12										
13-19	30	9.2	117	1	2	5	13	24	33	45	5	3.8	33	1	1	1	5	14	14	14
20-34	37	5.2	38	1	1	3	5	18	21	23	5	5.0	14	1	3	4	6	11	11	11
35-49	24	5.7	50	1	2	3	6	18	23	29	2	6.0	18	3	3	6	9	9	9	9
50-64	2	10.0	32	6	6	10	14	14	14	14	1	8.0		8	8	8	8	8	8	8
65 +	2	9.5	85	3	3	9	16	16	16	16	1	6.0		6	6	6	6	6	6	6
ALL AGES	98	6.8	66	1	2	4	7	19	22	39	14	5.0	17	1	1	4	8	11	13	14
SUBTOTAL	**190**	**7.1**	**63**	**1**	**2**	**4**	**9**	**18**	**21**	**41**	**23**	**5.2**	**23**	**1**	**2**	**4**	**7**	**12**	**16**	**20**
GRAND TOTAL	**329**	**6.8**	**59**	**1**	**2**	**4**	**9**	**17**	**22**	**36**	**51**	**4.9**	**25**	**1**	**1**	**3**	**6**	**11**	**16**	**24**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	53.0		53	53	53	53	53	53	53										
20-34																				
35-49																				
50-64	1	10.0		10	10	10	10	10	10	10										
65 +											2	12.0	72	6	6	12	18	18	18	18
ALL AGES	2	31.5	925	10	10	31	53	53	53	53	2	12.0	72	6	6	12	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	2	8.0	72	2	2	8	14	14	14	14										
SUBTOTAL	**4**	**19.8**	**514**	**2**	**6**	**12**	**33**	**53**	**53**	**53**	**2**	**12.0**	**72**	**6**	**6**	**12**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	17.0		17	17	17	17	17	17	17										
20-34																				
35-49	1	12.0		12	12	12	12	12	12	12										
50-64																				
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	3	13.0	13	10	10	12	16	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
ALL AGES	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**12.5**	**10**	**10**	**10**	**11**	**14**	**17**	**17**	**17**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**8**	**16.1**	**241**	**4**	**10**	**11**	**15**	**42**	**53**	**53**	**3**	**9.0**	**63**	**3**	**4**	**6**	**15**	**18**	**18**	**18**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	18.3	10	14	15	18	21	22	22	22	1	50.0		50	50	50	50	50	50	50
13-19	5	24.6	1069	1	2	13	40	80	80	80										
20-34	22	14.8	147	2	7	12	21	38	41	42										
35-49	8	12.1	52	5	6	9	17	23	25	25										
50-64	12	21.1	349	5	9	15	27	51	65	67										
65 +	23	11.9	42	3	7	13	17	20	21	22	1	9.0		9	9	9	9	9	9	9
ALL AGES	74	15.5	188	3	7	13	19	28	42	77	2	29.5	841	9	9	29	50	50	50	50
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-19	5	20.0	332	2	6	15	32	48	48	48										
20-34	9	12.1	67	3	7	12	15	25	29	29										
35-49	14	11.4	28	5	6	11	15	19	20	21										
50-64	3	10.3	22	5	7	13	13	13	13	13	1	6.0		6	6	6	6	6	6	6
65 +	29	14.4	86	4	8	14	19	26	30	44										
ALL AGES	61	13.7	82	4	8	13	17	25	29	48	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**135**	**14.7**	**139**	**4**	**7**	**13**	**19**	**27**	**39**	**69**	**3**	**21.7**	**602**	**6**	**7**	**9**	**40**	**50**	**50**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	15.8	26	9	14	15	20	23	23	23										
13-19	14	14.5	38	9	11	14	16	22	29	31										
20-34	34	14.6	39	8	10	14	18	23	24	32	1	23.0		23	23	23	23	23	23	23
35-49	18	18.3	117	8	10	15	22	37	42	44										
50-64	14	11.6	35	6	7	11	13	17	26	28	1	10.0		10	10	10	10	10	10	10
65 +	15	14.2	143	5	9	12	15	19	46	55										
ALL AGES	101	14.9	65	7	10	13	17	23	31	49	2	16.5	85	10	10	16	23	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-19	5	12.6	165	3	5	8	17	35	35	35										
20-34	12	18.2	61	10	12	16	23	30	34	35										
35-49	6	13.0	87	4	5	12	14	28	30	30										
50-64	4	10.0	31	2	6	11	13	15	15	15										
65 +	20	10.4	39	3	5	9	15	19	21	23	1	4.0		4	4	4	4	4	4	4
ALL AGES	47	12.9	68	3	7	12	17	25	31	35	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**148**	**14.2**	**69**	**5**	**9**	**13**	**17**	**23**	**31**	**44**	**3**	**12.3**	**96**	**4**	**5**	**10**	**20**	**23**	**23**	**23**
GRAND TOTAL	**283**	**14.4**	**103**	**4**	**8**	**13**	**18**	**25**	**33**	**53**	**6**	**17.0**	**306**	**4**	**6**	**9**	**23**	**47**	**50**	**50**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	21	1.6		1	1	1	2	3	3	3	13	2.9	27	1	1	1	2	6	17	20
13-19	12	2.1	1	1	1	2	2	4	4	4	11	2.0	3	1	1	2	2	4	7	7
20-34	23	4.8	22	1	1	3	7	13	15	16	20	2.6	3	1	1	2	4	5	7	8
35-49	13	4.5	19	1	2	3	6	9	16	17	7	2.3	1	1	1	2	3	4	4	4
50-64	6	2.5	2	1	1	2	4	4	4	4	8	4.1	10	2	2	3	5	9	11	11
65 +	8	10.0	45	3	4	8	14	20	22	22	3	3.0	1	2	2	3	4	4	4	4
ALL AGES	83	3.9	19	1	1	2	4	11	15	20	62	2.7	9	1	1	2	3	5	7	19
B. FEMALE																				
0-12 YRS.	12	2.0	5	1	1	1	2	5	8	9	6	2.3	2	1	1	2	4	4	4	4
13-19	9	3.1	8	1	1	3	3	8	10	10	6	2.3	2	1	1	2	3	4	4	4
20-34	21	5.6	79	1	2	3	5	9	25	43	12	3.7	8	1	2	3	5	9	10	10
35-49	12	11.3	80	3	4	7	18	26	26	26	11	2.9	3	1	2	3	4	5	7	7
50-64	8	3.6	5	1	2	3	5	7	8	8	9	2.6	2	1	2	2	3	5	5	5
65 +	13	3.9	4	2	2	4	5	7	8	8	11	3.7	6	1	1	4	6	7	7	7
ALL AGES	75	5.1	45	1	2	3	5	10	20	39	55	3.1	4	1	1	3	4	6	7	10
SUBTOTAL	**158**	**4.5**	**31**	**1**	**1**	**3**	**5**	**10**	**15**	**26**	**117**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	8	5.9	16	1	2	5	10	11	11	11	2	3.5	5	2	2	3	5	5	5	5
35-49	1	33.0		33	33	33	33	33	33	33	3	2.0	1	1	1	2	3	3	3	3
50-64	5	16.0	187	2	5	16	23	37	37	37	1	1.0		1	1	1	1	1	1	1
65 +	1	13.0		13	13	13	13	13	13	13	2	6.0		6	6	6	6	6	6	6
ALL AGES	15	11.5	121	2	3	9	15	33	36	37	8	3.3	4	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	2	5.5	5	4	4	5	7	7	7	7	1	3.0		3	3	3	3	3	3	3
35-49	5	6.8	75	1	2	4	9	22	22	22										
50-64	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
65 +	2	4.0	2	3	3	4	5	5	5	5	5	3.6	9	2	2	2	4	9	9	9
ALL AGES	11	5.1	35	1	2	4	5	13	21	22	7	3.9	7	2	2	3	5	8	9	9
SUBTOTAL	**26**	**8.8**	**92**	**1**	**2**	**5**	**11**	**22**	**34**	**37**	**15**	**3.5**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**9**
GRAND TOTAL	**184**	**5.1**	**42**	**1**	**2**	**3**	**5**	**12**	**18**	**36**	**132**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	19.0		19	19	19	19	19	19	19
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3										
35-49																				
50-64	1	20.0		20	20	20	20	20	20	20										
65 +	5	7.2	12	4	5	6	8	13	13	13	2	8.5	13	6	6	8	11	11	11	11
ALL AGES	7	8.4	37	3	4	6	11	19	20	20	3	12.0	43	6	7	11	17	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	10.0		10	10	10	10	10	10	10										
65 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**8**	**8.6**	**32**	**3**	**5**	**7**	**11**	**18**	**20**	**20**	**3**	**12.0**	**43**	**6**	**7**	**11**	**17**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	19.5	1	19	19	19	20	20	20	20										
20-34	1	83.0		83	83	83	83	83	83	83										
35-49	1	7.0		7	7	7	7	7	7	7										
50-64																				
65 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	4	32.3	1175	7	13	19	51	83	83	83	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	1	23.0		23	23	23	23	23	23	23										
20-34	1	21.0		21	21	21	21	21	21	21										
35-49	1	15.0		15	15	15	15	15	15	15										
50-64											1	5.0		5	5	5	5	5	5	5
65 +	3	9.3	21	5	6	9	13	14	14	14										
ALL AGES	6	14.5	47	5	9	14	21	23	23	23	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**10**	**21.6**	**503**	**6**	**9**	**17**	**21**	**53**	**83**	**83**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
GRAND TOTAL	**18**	**15.8**	**325**	**4**	**6**	**11**	**20**	**22**	**59**	**83**	**5**	**8.6**	**44**	**2**	**4**	**6**	**13**	**19**	**19**	**19**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	28.5	1201	4	4	28	53	53	53	53										
20-34	5	6.0	22	1	1	8	9	11	11	11										
35-49	7	10.4	70	1	3	7	17	22	23	23										
50-64	3	8.3	45	1	2	10	13	14	14	14	2	5.0	2	4	4	5	6	6	6	6
65 +	37	8.9	48	2	4	7	14	19	30	99 +	13	11.2	48	4	6	10	15	23	25	26
ALL AGES	54	9.5	82	2	4	7	14	20	33	98	15	10.3	48	4	5	9	13	22	25	26
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	2	7.5	85	1	1	7	14	14	14	14										
50-64	5	14.8	439	3	3	7	20	52	52	52	2	7.5	1	7	7	7	8	8	8	8
65 +	62	13.2	230	2	4	9	17	25	37	93	30	8.9	74	2	4	7	10	16	33	40
ALL AGES	71	12.9	230	2	4	9	16	25	38	90	33	8.6	68	2	4	7	10	15	31	40
SUBTOTAL	**125**	**11.4**	**169**	**2**	**4**	**7**	**15**	**23**	**37**	**98**	**48**	**9.1**	**62**	**3**	**4**	**7**	**11**	**18**	**27**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	9	11.1	131	2	6	8	12	30	40	40	1	29.0		29	29	29	29	29	29	29
35-49	10	9.8	67	2	4	6	18	22	26	26	1	3.0		3	3	3	3	3	3	3
50-64	15	14.3	146	3	5	12	22	32	40	43	4	4.3	8	2	2	4	6	8	8	8
65 +	32	11.2	98	3	5	9	13	19	32	53	8	7.5	21	2	4	7	11	14	14	14
ALL AGES	66	11.7	106	3	5	8	14	26	34	51	14	7.8	53	2	3	6	8	16	26	29
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	10.5	41	6	6	10	15	15	15	15	1	1.0		1	1	1	1	1	1	1
35-49	3	14.7	311	3	4	6	28	35	35	35										
50-64	7	17.4	111	2	8	19	25	28	28	28										
65 +	39	14.2	143	3	6	12	18	28	47	48	7	7.9	14	4	5	7	10	14	15	15
ALL AGES	51	14.5	138	3	6	14	19	28	44	48	8	7.0	19	2	4	6	9	13	15	15
SUBTOTAL	**117**	**12.9**	**121**	**3**	**5**	**9**	**17**	**28**	**38**	**50**	**22**	**7.5**	**39**	**2**	**3**	**6**	**9**	**14**	**21**	**29**
GRAND TOTAL	**242**	**12.1**	**146**	**2**	**5**	**8**	**15**	**26**	**37**	**63**	**70**	**8.6**	**55**	**2**	**4**	**7**	**10**	**16**	**26**	**39**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	28.2	1113	4	10	12	42	86	86	86										
13-19	48	12.3	200	1	3	9	14	30	43	74	3	20.0	243	2	9	29	29	29	29	29
20-34	35	7.1	44	1	2	4	9	17	24	25	6	9.2	72	1	1	7	16	21	22	22
35-49	43	7.0	39	1	3	5	10	17	21	25	4	3.8	9	1	1	3	6	8	8	8
50-64	16	7.3	59	1	2	4	9	22	22	22	5	3.6	7	1	1	4	5	7	7	7
65 +	23	9.6	63	1	3	7	17	20	24	30	3	3.3	11	1	1	2	6	7	7	7
ALL AGES	170	9.5	130	1	3	6	12	21	27	70	21	7.5	80	1	1	4	8	25	29	29
B. FEMALE																				
0-12 YRS.	6	15.0	147	4	7	11	19	35	37	37	3	2.3	3	1	1	2	3	4	4	4
13-19	50	9.0	70	1	2	6	15	22	25	29	5	14.8	152	1	3	18	23	31	31	31
20-34	86	10.0	75	1	4	8	14	25	28	33	18	4.3	31	1	1	2	5	11	19	23
35-49	65	8.7	79	1	3	6	11	22	25	48	14	3.4	6	1	2	3	6	7	8	8
50-64	38	10.1	56	2	4	9	16	23	25	25	6	2.5	1	1	2	2	3	4	4	4
65 +	62	12.6	150	3	6	9	17	24	46	59	18	6.6	34	3	4	5	6	11	22	28
ALL AGES	307	10.2	90	1	3	7	15	24	26	49	64	5.3	38	1	2	4	6	13	21	31
SUBTOTAL	**477**	**10.0**	**103**	**1**	**3**	**7**	**13**	**23**	**26**	**52**	**85**	**5.9**	**48**	**1**	**2**	**4**	**6**	**16**	**24**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	22.7	219	7	10	21	40	49	87	99 +	1	3.0		3	3	3	3	3	3	3
13-19	74	16.7	202	2	7	14	24	33	42	96										
20-34	117	10.6	121	2	3	8	14	24	26	51	3	5.3	57	1	1	1	11	14	14	14
35-49	92	11.0	78	2	4	8	16	24	25	39	3	2.7	1	2	2	2	4	4	4	4
50-64	23	13.3	71	5	7	11	19	26	29	30	1	4.0		4	4	4	4	4	4	4
65 +	14	12.3	46	5	6	11	17	24	25	25	5	12.4	44	7	7	11	16	23	23	23
ALL AGES	334	12.8	134	2	5	10	18	27	33	85	13	7.2	43	1	2	4	12	16	22	23
B. FEMALE																				
0-12 YRS.	10	13.5	164	2	3	9	25	33	39	39	1	35.0		35	35	35	35	35	35	35
13-19	93	16.6	176	2	7	12	24	34	40	63	3	3.0	4	1	1	3	4	5	5	5
20-34	137	11.4	90	1	4	8	16	25	30	40	10	4.1	12	1	1	3	5	9	12	12
35-49	139	12.5	79	2	5	11	18	24	25	39	7	3.7	9	1	1	2	6	8	8	8
50-64	32	13.9	124	3	5	8	23	28	39	41	4	4.5	4	2	3	4	6	7	7	7
65 +	34	13.5	131	3	6	10	19	26	28	58	7	7.3	29	3	4	5	12	16	16	16
ALL AGES	445	13.2	114	2	5	11	20	26	32	49	32	5.6	43	1	2	4	6	13	16	35
SUBTOTAL	**779**	**13.0**	**123**	**2**	**5**	**11**	**20**	**26**	**32**	**55**	**45**	**6.1**	**42**	**1**	**2**	**4**	**7**	**14**	**18**	**35**
GRAND TOTAL	**1256**	**11.9**	**117**	**1**	**4**	**9**	**17**	**25**	**31**	**53**	**130**	**5.9**	**46**	**1**	**2**	**4**	**7**	**14**	**23**	**32**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	28.6	614	12	14	17	35	80	84	85										
13-19	21	13.6	173	3	6	9	16	30	47	57	1	15.0		15	15	15	15	15	15	15
20-34	2	8.5	1	8	8	8	9	9	9	9										
35-49	1	4.0		4	4	4	4	4	4	4										
50-64																				
65 +																				
ALL AGES	38	18.6	373	4	7	14	20	41	70	85	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.	4	12.3	89	4	4	12	20	21	21	21										
13-19	5	14.0	53	5	7	16	20	22	22	22										
20-34	1	11.0		11	11	11	11	11	11	11										
35-49																				
50-64																				
65 +																				
ALL AGES	10	13.0	55	4	5	13	20	21	22	22										
SUBTOTAL	**48**	**17.4**	**310**	**4**	**6**	**14**	**20**	**37**	**59**	**85**	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	26	24.8	164	7	14	29	35	43	56	99 +										
13-19	43	27.0	570	3	9	26	43	84	99 +	99 +										
20-34																				
35-49											1	6.0		6	6	6	6	6	6	6
50-64																				
65 +																				
ALL AGES	69	26.2	412	5	11	27	36	75	99	99 +	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.	5	21.0	439	1	1	20	38	49	49	49										
13-19	8	24.8	400	5	12	16	41	55	56	56										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	13	23.3	385	1	7	17	38	54	56	56										
SUBTOTAL	**82**	**25.7**	**406**	**4**	**11**	**26**	**36**	**61**	**98**	**99 +**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**130**	**22.7**	**381**	**4**	**9**	**18**	**31**	**56**	**83**	**99 +**	**2**	**10.5**	**41**	**6**	**6**	**10**	**15**	**15**	**15**	**15**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	8.7	21	5	5	7	12	14	14	14										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	8.7	21	5	5	7	12	14	14	14										
B. FEMALE																				
0-12 YRS.	4	2.8	12	1	1	1	5	8	8	8										
13-19	2	11.5	25	8	8	11	15	15	15	15										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	6	5.7	32	1	1	5	8	14	15	15										
SUBTOTAL	**9**	**6.7**	**28**	**1**	**1**	**7**	**10**	**15**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	21.0	98	14	14	21	28	28	28	28	1	17.0		17	17	17	17	17	17	17
13-19	3	17.7	21	14	14	16	21	23	23	23										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	19.0	39	14	14	16	24	28	28	28	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-19	5	12.8	300	1	2	8	18	43	43	43										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	12.8	300	1	2	8	18	43	43	43										
SUBTOTAL	**10**	**15.9**	**161**	**1**	**8**	**14**	**23**	**35**	**43**	**43**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**19**	**11.5**	**116**	**1**	**3**	**8**	**15**	**26**	**36**	**43**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	19.7	88	7	15	20	21	34	35	35										
13-19	22	14.8	292	3	4	7	15	45	56	64										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	28	15.9	246	3	5	10	20	41	51	64										
B. FEMALE																				
0-12 YRS.																				
13-19	12	18.6	263	4	7	16	24	38	59	63										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	12	18.6	263	4	7	16	24	38	59	63										
SUBTOTAL	**40**	**16.7**	**246**	**3**	**5**	**12**	**21**	**39**	**56**	**64**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	20.3	450	3	6	21	62	99 +	99 +	99 +										
13-19	48	19.5	278	4	7	17	25	52	60	99 +										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	52	19.5	285	4	7	18	27	54	64	99 +										
B. FEMALE																				
0-12 YRS.	2	10.5	25	7	7	10	14	14	14	14										
13-19	30	22.7	417	4	5	20	34	51	60	84										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	32	22.0	398	4	5	18	33	49	60	84										
SUBTOTAL	**84**	**20.5**	**323**	**4**	**6**	**18**	**31**	**54**	**61**	**99 +**										
GRAND TOTAL	**124**	**19.2**	**302**	**4**	**6**	**15**	**27**	**50**	**61**	**99 +**										

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	21.0	519	2	7	17	27	48	80	87	2	9.5	85	3	3	9	16	16	16	16
13-19	38	23.2	219	4	13	23	35	56	99+	99+	1	11.0		11	11	11	11	11	11	11
20-34	15	12.1	96	1	5	10	15	21	35	40	2	7.0	18	4	4	7	10	10	10	10
35-49	5	10.2	84	3	3	6	17	24	24	24	1	6.0		6	6	6	6	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4										
65 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	73	19.4	250	2	9	17	28	44	80	99+	6	8.3	25	3	4	8	11	15	16	16
B. FEMALE																				
0-12 YRS.	3	17.0	219	7	8	10	28	34	34	34										
13-19	12	8.4	14	5	5	9	13	99+	99+	99+	1	15.0		15	15	15	15	15	15	15
20-34	10	16.3	266	2	10	13	16	39	60	60										
35-49	2	10.5	85	4	4	10	17	17	17	17										
50-64	5	20.8	338	7	8	10	35	49	49	49										
65 +																				
ALL AGES	32	13.8	164	4	7	10	16	50	92	99+	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**105**	**17.6**	**232**	**3**	**8**	**14**	**27**	**46**	**87**	**99+**	**7**	**9.3**	**26**	**3**	**4**	**10**	**14**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	26	21.7	168	7	11	21	28	45	47	48										
13-19	94	22.2	247	7	13	19	28	41	66	92	1	41.0		41	41	41	41	41	41	41
20-34	39	15.8	266	3	6	10	18	44	57	69	2	6.5	1	6	6	6	7	7	7	7
35-49	11	13.1	81	4	7	9	19	27	31	31										
50-64	1	18.0		18	18	18	18	18	18	18										
65 +	2	14.5	13	12	12	14	17	17	17	17										
ALL AGES	173	20.0	232	6	9	16	26	41	54	80	3	18.0	397	6	6	7	32	41	41	41
B. FEMALE																				
0-12 YRS.	4	21.3	183	5	10	23	32	33	33	33										
13-19	32	21.6	241	7	12	20	31	42	98	99+	1	36.0		36	36	36	36	36	36	36
20-34	4	8.5	27	3	4	8	12	15	15	15										
35-49	3	13.3	24	8	10	15	16	17	17	17										
50-64	1	10.0		10	10	10	10	10	10	10										
65 +																				
ALL AGES	44	19.6	207	6	10	17	30	34	91	99+	1	36.0		36	36	36	36	36	36	36
SUBTOTAL	**217**	**19.9**	**227**	**6**	**9**	**16**	**26**	**40**	**55**	**99+**	**4**	**22.5**	**346**	**6**	**6**	**21**	**38**	**41**	**41**	**41**
GRAND TOTAL	**322**	**19.2**	**227**	**5**	**9**	**16**	**26**	**41**	**60**	**99+**	**11**	**14.1**	**164**	**4**	**6**	**10**	**16**	**38**	**41**	**41**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	15.0	150	2	11	13	14	36	38	38										
13-19	3	8.7	48	2	3	8	14	16	16	16										
20-34	1	54.0		54	54	54	54	54	54	54										
35-49																				
50-64																				
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	11	16.1	254	2	7	12	16	44	53	54										
B. FEMALE																				
0-12 YRS.																				
13-19	5	16.2	124	1	8	18	24	30	30	30										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	16.2	124	1	8	18	24	30	30	30										
SUBTOTAL	**16**	**16.1**	**204**	**1**	**7**	**13**	**20**	**37**	**49**	**54**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	11.3	66	4	5	10	17	20	20	20										
13-19	7	8.1	20	3	5	7	10	15	16	16										
20-34	1	3.0		3	3	3	3	3	3	3										
35-49																				
50-64																				
65 +																				
ALL AGES	11	8.5	31	3	4	7	11	18	20	20										
B. FEMALE																				
0-12 YRS.																				
13-19	14	16.0	81	5	6	15	25	28	30	30										
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64																				
65 +																				
ALL AGES	15	15.3	82	5	6	14	23	28	30	30										
SUBTOTAL	**26**	**12.4**	**71**	**4**	**5**	**10**	**18**	**27**	**29**	**30**										
GRAND TOTAL	**42**	**13.8**	**121**	**3**	**6**	**11**	**18**	**29**	**33**	**54**										

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	12.7	132	6	6	6	21	26	26	26	2	10.0	162	1	1	9	19	19	19	19
13-19	11	19.9	217	3	10	18	27	42	52	53										
20-34																				
35-49																				
50-64																				
65 +	3	14.0	100	4	6	14	21	24	24	24										
ALL AGES	17	17.6	175	4	6	14	25	33	46	53	2	10.0	162	1	1	9	19	19	19	19
B. FEMALE																				
0-12 YRS.	3	7.7	82	1	2	4	14	18	18	18										
13-19	5	12.2	68	2	7	10	18	24	24	24										
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	1	8.0		8	8	8	8	8	8	8										
50-64																				
65 +																				
ALL AGES	10	9.7	56	1	4	8	16	21	24	24										
SUBTOTAL	**27**	**14.7**	**142**	**3**	**5**	**12**	**23**	**28**	**37**	**53**	**2**	**10.0**	**162**	**1**	**1**	**9**	**19**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
13-19	12	18.7	142	6	8	14	29	36	36	36										
20-34	4	9.0	35	3	4	9	14	15	15	15										
35-49																				
50-64																				
65 +																				
ALL AGES	17	15.4	135	3	7	13	27	35	36	36	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	12.5	13	10	10	12	15	15	15	15										
13-19	9	17.0	104	4	8	18	26	28	28	28										
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	1	11.0		11	11	11	11	11	11	11										
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	14	13.9	92	2	7	11	25	28	28	28										
SUBTOTAL	**31**	**14.7**	**113**	**3**	**7**	**11**	**26**	**29**	**35**	**36**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**58**	**14.7**	**124**	**3**	**6**	**12**	**24**	**29**	**35**	**52**	**3**	**7.3**	**103**	**1**	**1**	**2**	**15**	**19**	**19**	**19**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	28	16.3	236	1	2	12	28	40	50	52	2	1.0		1	1	1	1	1	1	1
13-19	37	15.3	166	2	4	14	22	31	35	63										
20-34	5	14.4	596	1	3	4	18	58	58	58										
35-49	3	6.7	26	1	3	8	10	11	11	11										
50-64	2	2.5	5	1	1	2	4	4	4	4										
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	76	14.7	209	1	4	10	21	33	47	62	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19	36	16.1	147	4	6	13	23	32	37	57	1	7.0		7	7	7	7	7	7	7
20-34																				
35-49	1	55.0		55	55	55	55	55	55	55										
50-64																				
65 +																				
ALL AGES	37	17.1	186	4	7	13	23	34	49	57	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**113**	**15.5**	**200**	**2**	**4**	**12**	**22**	**33**	**48**	**60**	**3**	**3.0**	**12**	**1**	**1**	**1**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	37	22.7	194	5	9	23	35	43	47	99 +										
13-19	71	21.1	339	3	7	16	31	45	59	98	3	4.7	30	1	1	2	9	11	11	11
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +	4	6.8	2	5	5	6	8	9	9	9										
ALL AGES	114	20.8	286	4	7	17	32	43	57	99 +	3	4.7	30	1	1	2	9	11	11	11
B. FEMALE																				
0-12 YRS.	11	25.4	234	4	14	29	34	46	52	53										
13-19	66	20.4	297	4	7	15	31	44	63	96										
20-34	4	6.8	25	2	3	5	10	14	14	14										
35-49																				
50-64																				
65 +																				
ALL AGES	81	20.4	284	4	7	15	32	44	58	93										
SUBTOTAL	**195**	**20.7**	**281**	**4**	**7**	**16**	**32**	**43**	**57**	**99 +**	**3**	**4.7**	**30**	**1**	**1**	**2**	**9**	**11**	**11**	**11**
GRAND TOTAL	**308**	**18.8**	**257**	**3**	**6**	**14**	**29**	**42**	**53**	**93**	**6**	**3.8**	**18**	**1**	**1**	**2**	**7**	**11**	**11**	**11**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	15.8	42	8	13	14	18	26	27	27										
13-19	3	18.7	322	1	5	18	32	37	37	37										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	9	16.8	108	4	12	15	20	33	37	37										
B. FEMALE																				
0-12 YRS.	2	32.5	421	18	18	32	47	47	47	47										
13-19	4	11.5	12	8	8	11	14	15	15	15	1	29.0		29	29	29	29	29	29	29
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	6	18.5	209	8	9	14	18	44	47	47	1	29.0		29	29	29	29	29	29	29
SUBTOTAL	**15**	**17.5**	**136**	**8**	**10**	**15**	**18**	**37**	**44**	**47**	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	15	22.8	130	14	14	16	29	41	47	49										
13-19	5	20.4	17	15	18	19	24	25	25	25										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	20	22.2	100	14	14	19	27	37	45	49										
B. FEMALE																				
0-12 YRS.	9	17.9	44	11	14	16	21	29	30	30										
13-19	4	19.5	108	7	11	21	28	29	29	29										
20-34	1	11.0		11	11	11	11	11	11	11										
35-49																				
50-64																				
65 +																				
ALL AGES	14	17.9	55	9	14	16	27	29	30	30										
SUBTOTAL	**34**	**20.4**	**85**	**13**	**14**	**17**	**27**	**31**	**40**	**49**										
GRAND TOTAL	**49**	**19.5**	**101**	**9**	**14**	**16**	**26**	**32**	**41**	**49**	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	2	17.5	113	10	10	17	25	25	25	25										
20-34																				
35-49	1	21.0		21	21	21	21	21	21	21										
50-64																				
65 +																				
ALL AGES	4	14.8	100	3	6	15	23	25	25	25										
SUBTOTAL	**5**	**16.0**	**84**	**3**	**8**	**21**	**22**	**25**	**25**	**25**										
GRAND TOTAL	**5**	**16.0**	**84**	**3**	**8**	**21**	**22**	**25**	**25**	**25**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	28	17.9	186	3	11	16	25	32	70	99+	2	2.5	5	1	1	2	4	4	4	4
13-19	47	18.2	190	4	9	16	24	34	44	72	1	27.0		27	27	27	27	27	27	27
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	75	18.1	186	3	10	16	25	33	50	93	3	10.7	201	1	2	4	21	27	27	27
B. FEMALE																				
0-12 YRS.	26	19.2	187	3	9	16	28	38	46	51	1	28.0		28	28	28	28	28	28	28
13-19	48	17.2	173	4	7	14	26	37	38	61										
20-34											1	16.0		16	16	16	16	16	16	16
35-49																				
50-64																				
65 +																				
ALL AGES	74	17.9	176	4	8	14	28	38	40	59	2	22.0	72	16	16	22	28	28	28	28
SUBTOTAL	**149**	**18.0**	**180**	**3**	**8**	**15**	**26**	**36**	**42**	**72**	**5**	**15.2**	**158**	**1**	**3**	**16**	**27**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	71	22.1	175	8	14	21	28	40	63	99+										
13-19	79	20.3	176	5	10	19	27	35	49	67	2	19.5	685	1	1	19	38	38	38	38
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	150	21.2	173	7	12	20	28	36	51	99	2	19.5	685	1	1	19	38	38	38	38
B. FEMALE																				
0-12 YRS.	26	19.8	158	10	13	17	23	34	50	63										
13-19	84	17.5	165	4	9	15	22	32	48	63										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	110	18.0	164	5	9	15	22	33	47	65										
SUBTOTAL	**260**	**19.8**	**173**	**6**	**11**	**17**	**27**	**35**	**50**	**71**	**2**	**19.5**	**685**	**1**	**1**	**19**	**38**	**38**	**38**	**38**
GRAND TOTAL	**409**	**19.2**	**174**	**5**	**10**	**16**	**27**	**35**	**49**	**71**	**7**	**16.4**	**225**	**1**	**2**	**16**	**28**	**36**	**38**	**38**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	1	32.0		32	32	32	32	32	32	32										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	32.0		32	32	32	32	32	32	32										
SUBTOTAL	**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-19	1	16.0		16	16	16	16	16	16	16										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
SUBTOTAL	**2**	**8.5**	**113**	**1**	**1**	**8**	**16**	**16**	**16**	**16**										
GRAND TOTAL	**3**	**16.3**	**242**	**1**	**5**	**16**	**28**	**32**	**32**	**32**										

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	57	20.9	254	7	10	16	29	42	55	73	2	4.5	25	1	1	4	8	8	8	8
13-19	15	28.3	373	3	16	30	39	54	65	69										
20-34																				
35-49	1	7.0		7	7	7	7	7	7	7										
50-64																				
65 +																				
ALL AGES	73	22.2	284	6	10	16	32	44	57	72	2	4.5	25	1	1	4	8	8	8	8
B. FEMALE																				
0-12 YRS.	5	28.6	519	10	11	14	53	54	54	54										
13-19	3	13.7	1	13	13	14	14	14	14	14										
20-34	1	27.0		27	27	27	27	27	27	27										
35-49																				
50-64																				
65 +																				
ALL AGES	9	23.4	316	11	13	14	33	54	54	54										
SUBTOTAL	**82**	**22.3**	**285**	**6**	**10**	**16**	**32**	**49**	**55**	**72**	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	150	24.9	268	8	15	23	31	44	62	92	4	3.0	1	2	2	3	4	4	4	4
13-19	50	22.9	272	5	12	21	32	42	56	83										
20-34	4	13.5	86	1	7	15	20	23	23	23										
35-49																				
50-64																				
65 +																				
ALL AGES	204	24.2	266	6	14	22	30	43	62	90	4	3.0	1	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	28	28.3	217	12	22	28	38	58	69	99 +										
13-19	15	23.6	233	9	10	26	30	45	57	61										
20-34	1	89.0		89	89	89	89	89	89	89										
35-49																				
50-64																				
65 +																				
ALL AGES	44	28.0	310	9	18	27	33	61	73	99 +										
SUBTOTAL	**248**	**24.9**	**273**	**7**	**14**	**23**	**31**	**44**	**64**	**92**	**4**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**330**	**24.2**	**279**	**7**	**13**	**22**	**31**	**45**	**62**	**90**	**6**	**3.5**	**6**	**1**	**2**	**3**	**4**	**8**	**8**	**8**

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0	8	13	13	15	17	17	17	17										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	15.0	8	13	13	15	17	17	17	17										
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	2	15.0	8	13	13	15	17	17	17	17	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	15.0	8	13	13	15	17	17	17	17	1	1.0		1	1	1	1	1	1	1

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-19	1	23.0		23	23	23	23	23	23	23										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
SUBTOTAL	**2**	**15.0**	**128**	**7**	**7**	**15**	**23**	**23**	**23**	**23**										
GRAND TOTAL	**2**	**15.0**	**128**	**7**	**7**	**15**	**23**	**23**	**23**	**23**										

Appendix

Appendix A: Table 1

HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[1]

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			TOTAL		
	U.S.[2] Total	LOS Sample	% of U.S.[3] Total	U.S. Total	LOS Sample	% of U.S. Total	U.S.	LOS Sample	% of U.S.
All Hospitals	1,423	346	24.3	3,986	588	14.8	5,409	934	17.3
Control									
Public	234	46	19.7	1,245	144	11.6	1,479	190	12.8
Private	1,183	294	24.9	2,737	440	16.1	3,920	734	18.7
Unavailable	6	6		4	4	100.0	10	10	
Bedsize									
<100 Beds	135	37	27.4	2,551	349	13.7	2,686	386	14.4
100-199	328	82	25.0	812	121	14.9	1,140	203	17.8
200-299	336	76	22.6	365	60	16.4	701	136	19.4
300-399	248	57	23.0	149	38	25.5	397	95	23.9
400-499	149	39	26.2	60	12	20.0	209	51	24.4
500+	227	55	24.2	48	7	14.6	275	62	22.5
Unavailable				1	1		1	1	
Teaching Intensity									
Low	785	184	23.4	3,614	502	13.9	4,399	686	15.6
Medium	408	113	27.7	307	66	21.5	715	179	25.0
High	230	49	21.3	63	18	28.6	293	67	22.9
Unavailable				2	2		2	2	
Location									
Rural	286	70	24.5	2,239	295	13.2	2,525	365	14.5
Urban	1,137	276	24.3	1,747	293	16.8	2,884	569	19.7

---

[1] Hospitals with average stay less than 30 days.

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 LOS sample is compared to the universe of hospitals in 1989.

Appendix A: Table 2

HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx [1]	% [2]
All Hospitals	346	100.0	187,461	100.0
Control				
Public	46	13.3	22,453	12.0
Private	294	85.0	162,877	86.9
Unavailable	6	1.7	2,131	1.1
Bedsize				
<100 Beds	37	10.7	6,031	3.2
100-199	82	23.7	31,930	17.0
200-299	76	22.0	34,823	18.6
300-399	57	16.5	39,541	21.1
400-499	39	11.3	28,821	15.4
500+	55	15.9	46,315	24.7
Teaching Intensity				
Low	184	53.2	78,560	41.9
Medium	113	32.7	75,030	40.0
High	49	14.2	33,871	18.1
Location				
Rural	70	20.2	23,686	12.6
Urban	276	79.8	163,775	87.4

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Appendix A: Table 3

HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx[1]	%[2]
All Hospitals	588	100.0	54,023	100.0
Control				
Public	144	24.5	8,552	15.8
Private	440	74.8	43,188	79.9
Unavailable	4	.7	2,283	4.2
Bedsize				
< 100 Beds	349	59.4	13,344	24.7
100-199	121	20.6	14,430	26.7
200-299	60	10.2	10,098	18.7
300-399	38	6.5	6,817	12.6
400-499	12	2.0	4,990	9.2
500+	7	1.2	2,647	4.9
Unavailable	1	.2	1,697	3.1
Teaching Intensity				
Low	502	85.4	36,544	67.6
Medium	66	11.2	11,333	21.0
High	18	3.1	4,445	8.2
Unavailable	2	0.3	1,701	3.1
Location				
Rural	295	50.2	11,831	21.9
Urban	293	49.8	42,192	78.1

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Hospitals With or Without a Psychiatric Unit or Beds

Nonfederal, short-term general hospitals that reported a psychiatric unit or beds are included in the hospitals with psychiatric unit/beds category.[1] Nonfederal, short-term general hospitals that did not indicate having a psychiatric unit or beds are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories can, however, offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, long-term psychiatric hospitalization, or partial hospitalization.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[2] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by Accreditation Council for Graduate Medical Education (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(\text{JCAHO}) + 14.0(\text{CANC}) + 28.0(\text{ACGME}) + 14.7(\text{MSA}) + 13.3(\text{NURS}) + 20.1(\text{COTH})$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

Control: Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment not-for-profit and investor-owned (for-profit) facilities.

---

[1] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[2] Phillip, P.J., and Hai, Abdul, An Index of Programs for Hospitals, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

APPENDIX D

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25
293.82	Organic hallucinosis syndrome	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50
296.90	Unspecified affective psychosis	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.4	Psychogenic paranoid psychosis	61
298.8	Other and unspecified reactive psychosis	62
298.9	Unspecified psychosis	63
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	64
299.8	Other specified early childhood psychoses	65
299.9	Unspecified childhood psychosis	66
300	**Neurotic disorders**	
300.0	Anxiety states	67
300.00	Anxiety state, unspecified	67
300.01	Panic disorder	67
300.02	Generalized anxiety disorder	67
300.09	Other anxiety states	67
300.1	Hysteria	68
300.10	Hysteria, unspecified	68
300.11	Conversion disorder	68
300.12	Psychogenic amnesia	68
300.13	Psychogenic fugue	68
300.14	Multiple personality	68
300.15	Dissociative disorder or reaction, unspecified	68
300.16	Factitious illness with psychological symptoms	68
300.19	Other and unspecified factitious illness	68
300.2	Phobic disorders	69
300.20	Phobia, unspecified	69
300.21	Agoraphobia with panic attacks	69
300.22	Agoraphobia without mention of panic attacks	69
300.23	Social phobia	69
300.29	Other isolated or simple phobias	69
300.3	Obsessive-compulsive disorders	70
300.4	Neurotic depression	71
300.5	Neurasthenia	72
300.6	Depersonalization syndrome	73
300.7	Hypochondriasis	74
300.8	Other neurotic disorders	75

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
300.81	Somatization disorder	75
300.89	Other neurotic disorders	75
300.9	Unspecified neurotic disorder	76
301	**Personality disorders**	
301.0	Paranoid personality disorder	77
301.1	Affective personality disorder	78
301.10	Affective personality disorder, unspecified	78
301.11	Chronic hypomanic personality disorder	78
301.12	Chronic depressive personality disorder	78
301.13	Cyclothymic disorder	78
301.2	Schizoid personality disorder	79
301.20	Schizoid personality disorder, unspecified	79
301.21	Introverted personality	79
301.22	Schizotypal personality	79
301.3	Explosive personality disorder	80
301.4	Compulsive personality disorder	81
301.5	Histrionic personality disorder	82
301.50	Histrionic personality disorder, unspecified	82
301.51	Chronic factitious illness with physical symptoms	82
301.59	Other histrionic personality disorder	82
301.6	Dependent personality disorder	83
301.7	Antisocial personality disorder	84
301.8	Other personality disorders	85
301.81	Narcissistic personality	85
301.82	Avoidant personality	85
301.83	Borderline personality	85
301.84	Passive-aggressive personality	85
301.89	Other personality disorders	85
301.9	Unspecified personality disorder	86
302	**Sexual deviations and disorders**	
302.1	Zoophilia	87
302.2	Pedophilia	88
302.5	Trans-sexualism	89
302.50	Trans-sexualism with unspecified sexual history	89
302.51	Trans-sexualism with asexual history	89
302.52	Trans-sexualism with homosexual history	89
302.53	Trans-sexualism with heterosexual history	89
302.7	Psychosexual dysfunction	90
302.70	Psychosexual dysfunction, unspecified	90
302.71	Psychosexual dysfunction with inhibited sexual desire	90
302.72	Psychosexual dysfunction with inhibited sexual excitement	90
302.73	Psychosexual dysfunction with inhibited female orgasm	90
302.74	Psychosexual dysfunction with inhibited male orgasm	90
302.75	Psychosexual dysfunction with premature ejaculation	90
302.76	Psychosexual dysfunction with functional dyspareunia	90
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	90
302.8	Other specified psychosexual disorders	91
302.81	Fetishism	91
302.82	Voyeurism	91
302.83	Sexual masochism	91
302.84	Sexual sadism	91
302.85	Gender identity disorder of adolescent or adult life	91

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
302.89	Other specified psychosexual disorders	91
302.9	Unspecified psychosexual disorder	92
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
303.0	Acute alcoholic intoxication	93
303.9	Other and unspecified alcohol dependence	94
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
304.0	Opioid type dependence	95
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	96
304.2	Cocaine dependence	97
304.3	Cannabis dependence	98
304.4	Amphetamine and other psychostimulant dependence	99
304.5	Hallucinogen dependence	100
304.6	Other specified drug dependence	101
304.7	Combinations of opioid type drug with any other drug dependence	102
304.8	Combinations of drug dependence excluding opioid type drug	103
304.9	Unspecified drug dependence	104
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
305.0	Alcohol abuse	105
305.1	Tobacco use disorder	106
305.2	Cannabis abuse	107
305.3	Hallucinogen abuse	108
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	109
305.5	Opioid abuse	110
305.6	Cocaine abuse	111
305.7	Amphetamine or related acting sympathomimetic abuse	112
305.8	Antidepressant type abuse	113
305.9	Other, mixed, or unspecified drug abuse	114
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	115
306.1	Respiratory malfunction arising from mental factors	116
306.2	Cardiovascular malfunction arising from mental factors	117
306.4	Gastrointestinal malfunction arising from mental factors	118
306.5	Genitourinary malfunction arising from mental factors	119
306.50	Psychogenic genitourinary malfunction, unspecified	119
306.51	Psychogenic vaginismus	119

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
306.52	Psychogenic dysmenorrhea	119
306.53	Psychogenic dysuria	119
306.59	Other genitourinary malfunction arising from mental factors	119
306.6	Endocrine disorder arising from mental factors	120
306.7	Disorder of organs of special sense arising from mental factors	121
306.8	Other specified psychophysiological malfunction	122
306.9	Unspecified psychophysiological malfunction	123
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	124
307.1	Anorexia nervosa	125
307.2	Tics	126
307.20	Tic disorder, unspecified	126
307.21	Transient tic disorder of childhood	126
307.22	Chronic motor tic disorder	126
307.23	Gilles de la Tourette's disorder	126
307.3	Stereotyped repetitive movements	127
307.4	Specific disorders of sleep of nonorganic origin	128
307.40	Nonorganic sleep disorder, unspecified	128
307.41	Transient disorder of initiating or maintaining sleep	128
307.42	Persistent disorder of initiating or maintaining sleep	128
307.43	Transient disorder of initiating or maintaining wakefulness	128
307.44	Persistent disorder of initiating or maintaining wakefulness	128
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	128
307.46	Somnambulism or night terrors	128
307.47	Other dysfunctions of sleep stages or arousal from sleep	128
307.48	Repetitive intrusions of sleep	128
307.49	Other specific disorders of sleep of nonorganic origin	128
307.5	Other and unspecified disorders of eating	129
307.50	Eating disorder, unspecified	129
307.51	Bulimia	129
307.52	Pica	129
307.53	Psychogenic rumination	129
307.54	Psychogenic vomiting	129
307.59	Other disorders of eating	129
307.6	Enuresis	130
307.7	Encopresis	131
307.8	Psychalgia	132
307.80	Psychogenic pain, site unspecified	132
307.81	Tension headache	132
307.89	Other psychalgia	132
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	133
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	134
308.1	Predominant disturbance of consciousness	135
308.2	Predominant psychomotor disturbance	136
308.3	Other acute reactions to stress	137
308.4	Mixed disorders as reaction to stress	138
308.9	Unspecified acute reaction to stress	139
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	140
309.1	Adjustment reaction with prolonged depressive reaction	141

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
309.2	Adjustment reaction with predominant disturbance of other emotions	142
309.21	Separation anxiety disorder	142
309.22	Emancipation disorder of adolescence and early adult life	142
309.23	Specific academic or work inhibition	142
309.24	Adjustment reaction with anxious mood	142
309.28	Adjustment reaction with mixed emotional features	142
309.29	Other adjustment reactions with predominant disturbance of other emotions	142
309.3	Adjustment reaction with predominant disturbance of conduct	143
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	144
309.8	Other specified adjustment reactions	145
309.81	Prolonged posttraumatic stress disorder	145
309.82	Adjustment reaction with physical symptoms	145
309.83	Adjustment reaction with withdrawal	145
309.89	Other specified adjustment reactions	145
309.9	Unspecified adjustment reaction	146
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	147
310.1	Organic personality syndrome	148
310.2	Postconcussion syndrome	149
310.8	Other specified nonpsychotic mental disorders following organic brain damage	150
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	151
311	**Depressive disorder, not elsewhere classified**	**152**
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	153
312.1	Undersocialized conduct disorder, unaggressive type	154
312.2	Socialized conduct disorder	155
312.3	Disorders of impulse control, not elsewhere classified	156
312.30	Impulse control disorder, unspecified	156
312.31	Pathological gambling	156
312.32	Kleptomania	156
312.33	Pyromania	156
312.34	Intermittent explosive disorder	156
312.35	Isolated explosive disorder	156
312.39	Other disorders of impulse control	156
312.4	Mixed disturbance of conduct and emotions	157
312.8	Other specified disturbances of conduct, not elsewhere classified	158
312.9	Unspecified disturbance of conduct	159
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	160
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	161
313.21	Shyness disorder of childhood	161
313.22	Introverted disorder of childhood	161
313.23	Elective mutism specific to childhood and adolescence	161
313.8	Other or mixed emotional disturbances of childhood or adolescence	162

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
313.81	Oppositional disorder of childhood or adolescence	162
313.82	Identity disorder of childhood or adolescence	162
313.83	Academic underachievement disorder of childhood or adolescence	162
313.89	Other emotional disturbances of childhood or adolescence	162
313.9	Unspecified emotional disturbance of childhood or adolescence	163
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	164
314.00	Attention deficit disorder of childhood without mention of hyperactivity	164
314.01	Attention deficit disorder of childhood with hyperactivity	164
314.2	Hyperkinetic conduct disorder of childhood	165
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	166

APPENDIX E

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	162
Acute alcoholic intoxication	303.0	93
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0 - 308.9	134-139
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0 - 309.9	140-146
Adjustment reaction with anxious mood	309.24	142
Adjustment reaction with brief depressive reaction	309.0	140
Adjustment reaction with mixed emotional features	309.28	142
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	144
Adjustment reaction with physical symptoms	309.82	145
Adjustment reaction with predominant disturbance of other emotions	309.2	142
Adjustment reaction with predominant disturbance of conduct	309.3	143
Adjustment reaction with prolonged depressive reaction	309.1	141
Adjustment reaction with withdrawal	309.83	145
Affective personality disorder	301.1	78
Affective personality disorder, unspecified	301.10	78
Affective psychoses	296.0 - 296.9	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	69
Agoraphobia without mention of panic attacks	300.22	69
Alcohol abuse	305.0	105
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0 - 303.9	93-94
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0 - 291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	99
Amphetamine or related acting sympathomimetic abuse	305.7	112
Anorexia nervosa	307.1	125
Antidepressant type abuse	305.8	113
Antisocial personality disorder	301.7	84
Anxiety state, unspecified	300.00	67
Anxiety states	300.0	67
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	164
Attention deficit disorder of childhood without mention of hyperactivity	314.00	164
Attention deficit disorder of childhood with hyperactivity	314.01	164
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	85
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	96
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	109
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	85
Bulimia	307.51	129
Cannabis abuse	305.2	107
Cannabis dependence	304.3	98
Cardiovascular malfunction arising from mental factors	306.2	117
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	78
Chronic factitious illness with physical symptoms	301.51	82
Chronic hypomanic personality disorder	301.11	78
Chronic motor tic disorder	307.22	126
Cocaine abuse	305.6	111
Cocaine dependence	304.2	97
Combinations of drug dependence excluding opioid type drug	304.8	103
Combinations of opioid type drug with any other drug dependence	304.7	102
Compulsive personality disorder	301.4	81
Conversion disorder	300.11	68
Cyclothymic disorder	301.13	78
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	83
Depersonalization syndrome	300.6	73
Depressive disorder, not elsewhere classified	311	152
Depressive type psychosis	298.0	57
Disorder of organs of special sense arising from mental factors	306.7	121
Disorders of impulse control, not elsewhere classified	312.3	156
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	68
Disturbance of conduct, not elsewhere classified Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	312.0 - 312.9	153-159
Disturbance of emotions specific to childhood and adolescence	313.0 - 313.9	160-163
Drug dependence Fifth-digit subclassification for use with 304: 0 Unspecified	304.0 - 304.9	95-104

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0 - 292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	129
Elective mutism specific to childhood and adolescence	313.23	161
Emancipation disorder of adolescence and early adult life	309.22	142
Encopresis	307.7	131
Endocrine disorder arising from mental factors	306.6	120
Enuresis	307.6	130
Excitative type psychosis	298.1	58
Explosive personality disorder	301.3	80
Factitious illness with psychological symptoms	300.16	68
Fetishism	302.81	91
Frontal lobe syndrome	310.0	147
Gastrointestinal malfunction arising from mental factors	306.4	118
Gender identity disorder of adolescent or adult life	302.85	91
Generalized anxiety disorder	300.02	67
Genitourinary malfunction arising from mental factors	306.5	119
Gilles de la Tourette's disorder	307.23	126
Hallucinogen abuse	305.3	108
Hallucinogen dependence	304.5	100
Histrionic personality disorder	301.5	82
Histrionic personality disorder, unspecified	301.50	82
Hyperkinetic conduct disorder of childhood	314.2	165
Hyperkinetic syndrome of childhood	314.0 - 314.8	164-166
Hypochondriasis	300.7	74
Hysteria	300.1	68
Hysteria, unspecified	300.10	68
Identity disorder of childhood or adolescence	313.82	162
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	156
Infantile autism	299.0	64
Intermittent explosive disorder	312.34	156
Introverted disorder of childhood	313.22	161
Introverted personality	301.21	79
Isolated explosive disorder	312.35	156
Kleptomania	312.32	156
Latent schizophrenia	295.5	36

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Mixed disorders as reaction to stress	308.4	138
Mixed distur bance of conduct and emotions	312.4	157
Multiple personality	300.14	68
Musculoskeletal malfunction arising from mental factors	306.0	115
Narcissistic personality	301.81	85
Neurasthenia	300.5	72
Neurotic depression	300.4	71
Neurotic disorders	300.0 - 300.9	67-76
Nondependent abuse of drugs	305.0 - 305.9	105-114
Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission		
Nonorganic sleep disorder, unspecified	307.40	128
Obsessive-compulsive disorders	300.3	70
Opioid abuse	305.5	110
Opioid type dependence	304.0	95
Oppositional disorder of childhood or adolescence	313.81	162
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	148
Other acute reactions to stress	308.3	137
Other adjustment reactions with predominant disturbance of other emotions	309.29	142
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	94
Other and unspecified disorders of eating	307.5	129
Other and unspecified factitious illness	300.19	68
Other and unspecified reactive psychosis	298.8	62
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	133
Other anxiety states	300.09	67
Other disorders of eating	307.59	129
Other disorders of impulse control	312.39	156
Other dysfunctions of sleep stages or arousal from sleep	307.47	128
Other emotional disturbances of childhood or adolescence	313.89	162
Other genitourinary malfunction arising from mental factors	306.59	119
Other histrionic personality disorder	301.59	82
Other isolated or simple phobias	300.29	69
Other manic-depressive psychosis	296.89	49
Other neurotic disorders	300.8	75
Other neurotic disorders	300.89	75
Other nonorganic psychoses	298.0 - 298.9	57-63
Other or mixed emotional disturbances of childhood or adolescence	313.8	162

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Other organic psychotic conditions (chronic)	294.0 - 294.9	27-30
Other personality disorders	301.8	85
Other personality disorders	301.89	85
Other psychalgia	307.89	132
Other specific disorders of sleep of nonorganic origin	307.49	128
Other specified adjustment reactions	309.8	145
Other specified adjustment reactions	309.89	145
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	158
Other specified drug dependence	304.6	101
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	65
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	166
Other specified nonpsychotic mental disorders following organic brain damage	310.8	150
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	122
Other specified psychosexual disorders	302.8	91
Other specified psychosexual disorders	302.89	91
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	114
Overanxious disorder specific to childhood and adolescence	313.0	160
Panic disorder	300.01	67
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	77
Paranoid state, simple	297.0	51
Paranoid states	297.0 - 297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	85
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	156
Pedophilia	302.2	88
Persistent disorder of initiating or maintaining sleep	307.42	128
Persistent disorder of initiating or maintaining wakefulness	307.44	128
Personality disorders	301.0 - 301.9	77-86
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	128
Phobia, unspecified	300.20	69
Phobic disorders	300.2	69
Physiological malfunction arising from mental factors	306.0 - 306.9	115-123
Pica	307.52	129
Postconcussion syndrome	310.2	149
Predominant disturbance of consciousness	308.1	135
Predominant disturbance of emotions	308.0	134
Predominant psychomotor disturbance	308.2	136
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	145
Psychalgia	307.8	132
Psychogenic amnesia	300.12	68
Psychogenic dysmenorrhea	306.52	119
Psychogenic dysuria	306.53	119
Psychogenic fugue	300.13	68
Psychogenic genitourinary malfunction, unspecified	306.50	119
Psychogenic pain, site unspecified	307.80	132
Psychogenic paranoid psychosis	298.4	61
Psychogenic rumination	307.53	129
Psychogenic vaginismus	306.51	119
Psychogenic vomiting	307.54	129
Psychoses with origin specific to childhood	299.0 - 299.9	64-66
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	90
Psychosexual dysfunction with inhibited sexual desire	302.71	90
Psychosexual dysfunction with inhibited sexual excitement	302.72	90
Psychosexual dysfunction with inhibited female orgasm	302.73	90
Psychosexual dysfunction with inhibited male orgasm	302.74	90
Psychosexual dysfunction with premature ejaculation	302.75	90
Psychosexual dysfunction with functional dyspareunia	302.76	90
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	90
Psychosexual dysfunction, unspecified	302.70	90
Pyromania	312.33	156
Reactive confusion	298.2	59
Repetitive intrusions of sleep	307.48	128
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	116
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	79
Schizoid personality disorder, unspecified	301.20	79
Schizophrenic disorders	295.0 - 295.9	31-40
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	79
Senile and presenile organic psychotic conditions	290.0 - 290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	161
Separation anxiety disorder	309.21	142
Sexual deviations and disorders	302.1 - 302.9	87-92
Sexual masochism	302.83	91
Sexual sadism	302.84	91
Shared paranoid disorder	297.3	54
Shyness disorder of childhood	313.21	161
Simple type schizophrenia	295.0	31
Social phobia	300.23	69
Socialized conduct disorder	312.2	155
Somatization disorder	300.81	75
Somnambulism or night terrors	307.46	128
Special symptoms or syndromes, not elsewhere classified	307.0 - 307.9	124-133
Specific academic or work inhibition	309.23	142
Specific disorders of sleep of nonorganic origin	307.4	128
Specific nonpsychotic mental disorders due to organic brain damage	310.0 - 310.9	147-151
Stammering and stuttering	307.0	124
Stereotyped repetitive movements	307.3	127
Subacute delirium	293.1	24
Tension headache	307.81	132
Tic disorder, unspecified	307.20	126
Tics	307.2	126
Tobacco use disorder	305.1	106
Trans-sexualism	302.5	89
Trans-sexualism with asexual history	302.51	89
Trans-sexualism with heterosexual history	302.53	89
Trans-sexualism with homosexual history	302.52	89
Trans-sexualism with unspecified sexual history	302.50	89
Transient disorder of initiating or maintaining sleep	307.41	128
Transient disorder of initiating or maintaining wakefulness	307.43	128
Transient organic psychotic conditions	293.0 - 293.9	23-26
Transient tic disorder of childhood	307.21	126
Undersocialized conduct disorder, aggressive type	312.0	153
Undersocialized conduct disorder, unaggressive type	312.1	154
Unspecified acute reaction to stress	308.9	139
Unspecified adjustment reaction	309.9	146
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	66
Unspecified disturbance of conduct	312.9	159
Unspecified drug dependence	304.9	104
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	163
Unspecified neurotic disorder	300.9	76
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	151
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	86
Unspecified psychophysiological malfunction	306.9	123
Unspecified psychosexual disorder	302.9	92
Unspecified psychosis	298.9	63

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26
Voyeurism	302.82	91
Zoophilia	302.1	87

APPENDIX F

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[1] It was developed in response to a need expressed by medical records administrators for a standardized means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal Agencies). This crosswalk has been specifically developed to facilitate such coding and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association and is available through the APA Office of Research.

INSTRUCTIONS FOR USING THE CROSSWALK

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances, discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content" and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*; *ICD-9-CM* is the more inclusive system. However, since one of its primary purposes is to serve as a complete list of medical terms to assist in the coding of medical records, there are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not in *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote One (following the Crosswalk) for general notes about the crosswalk.

---

[1] American Psychiatric Association: *Diagnostic and Statistical Manual of Mental Disorders, Third Edition, Revised*. Washington, D.C., 1987.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56
Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)			
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor **or** verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

BY465-23 K

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
Northeastern Region, 1990

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
Northeastern Region, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
November, 1991

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the Psychiatric Length of Stay by Diagnosis series:

Psychiatric Length of Stay by Diagnosis, United States, 1990
ISSN 0898-0543

Psychiatric Length of Stay by Diagnosis, Northeastern Region, 1990
ISSN 0898-0527

Psychiatric Length of Stay by Diagnosis, North Central Region, 1990
ISSN 0898-249X

Psychiatric Length of Stay by Diagnosis, Southern Region, 1990
ISSN 0898-0519

Psychiatric Length of Stay by Diagnosis, Western Region, 1990
ISSN 0898-0535

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither CPHA nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

CONTENTS

Introduction v

Description of the Database vi
  Source of the Data
  Data Quality
  Hospital Characteristics

Organization of the Tables viii
  Diagnosis Classification Categories
  Hospital Service Type
  Patient Data Stratification

Explanation of the Statistics x
  Total Number of Patients
  Average Length of Stay
  Variance
  Percentiles
  Subtotal and Grand Total

Using the Tables xi

Psychiatric Length of Stay Tables 1

Appendix A
  1990 Hospital Characteristics 161
    Table 1: Universe of Hospitals
    Table 2: Hospitals With Psychiatric Units
    Table 3: Hospitals Without Psychiatric Units

Appendix B
  Description of Hospital Characteristics 164

Appendix C
  State Inclusions By Region 165

Appendix D
  Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 166

Appendix E
  Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 174

Appendix F
  Crosswalk From *DSM-III-R* to *ICD-9-CM* 181

ACKNOWLEDGEMENTS

1990 PSYCHIATRIC LENGTH OF STAY BY DIAGNOSIS

PROJECT TEAM:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda E. Vanek, Manager, Normative Products
Helen Garcia, Programmer Analyst
Jan Sweet, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources.

We offer a special thank-you to the following individuals for their assistance:

Joyce Beach, Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, software, and magnetic media. The Psychiatric Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States during 1990. This book is one volume in a set of five books. The complete set is the latest in a series of publications on psychiatric length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Psychiatric Length of Stay by Diagnosis*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

SOURCE OF THE DATA

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.

2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.

5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

HOSPITAL CHARACTERISTICS

Data chosen for inclusion in the Psychiatric Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in the tables in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

DIAGNOSIS CLASSIFICATION CATEGORIES

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*[1], updated as of October 1, 1990. This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix D lists, in numerical order, the *ICD-9-CM* diagnosis codes in the tables, their accompanying description, and the page number of the table. Appendix E lists, in alphabetical order, the *ICD-9-CM* psychiatric diagnoses description and accompanying numerical codes along with the page number of the table. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included in Appendix F.)

HOSPITAL SERVICE TYPE

The tables are also categorized by hospital service unit.[2] The divisions are:

a. **Hospitals with a psychiatric unit/beds** – nonfederal, short-term general hospitals reporting a psychiatric unit or beds set-up.

b. **Hospitals without a psychiatric unit/beds** – nonfederal, short-term general hospitals that do not report a psychiatric unit or beds set-up.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, long-term psychiatric hospitalization, or partial hospitalization.

PATIENT DATA STRATIFICATION

The psychiatric length of stay data are stratified into two patient groups, by sex, and by six age ranges. The age categories have been collapsed from the seven groups previously presented to six. This provides a more accurate breakdown of adolescent, teen, young adult, middle and senior adult length of stay patterns.

Patient Groups

Patients in the tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that, after study, explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code only (*ICD-9-CM* 290-314.9) or patients having the specified psychiatric principal diagnosis code and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table as their only diagnosis. Alternatively, a patient with the same principal psychiatric diagnosis and a secondary diagnosis of diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9).

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

0-12 (includes newborns)
13-19
20-34
35-49
50-64
65+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF THE STATISTICS

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

TOTAL NUMBER OF PATIENTS

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

AVERAGE LENGTH OF STAY

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

VARIANCE

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

DISTRIBUTION PERCENTILES

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

SUBTOTAL AND GRAND TOTAL

The subtotal represents the total patients in each of the two patient groups. The Grand Total represents the total number of patients in the specified psychiatric diagnosis category within one of the two hospital service type categories.

USING THE TABLES

The Psychiatric Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Appendix at the back of the book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Length of Stay tables; the *ICD-9-CM* diagnosis code number follows the English title of each table.

Step 3: Find the appropriate portion of the table for review:

- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	101	22.6	671	1	3	17	51	99 +	99 +	99 +	71	10.2	264	1	1	3	13	26	30	81
13-19	251	12.3	203	1	3	7	16	33	48	91	105	9.3	199	1	1	3	11	28	31	73
20-34	1029	12.1	188	2	3	7	15	27	39	80	550	10.7	117	2	4	6	14	28	28	36
35-49	924	12.8	151	2	4	8	17	29	38	67	507	9.8	86	2	4	7	12	28	28	37
50-64	501	15.0	194	2	5	12	21	31	44	71	223	9.8	115	2	3	6	13	27	30	41
65 +	675	18.3	249	3	7	14	25	41	55	99 +	323	13.4	260	2	3	8	17	34	55	99 +
ALL AGES	3481	14.2	214	2	4	9	20	33	47	96	1779	10.7	146	1	3	6	14	28	30	66
B. FEMALE																				
0-12 YRS.	73	21.3	558	1	2	18	39	74	97	99 +	50	10.3	137	1	1	3	20	30	32	44
13-19	363	14.1	234	1	3	9	20	33	50	97	159	11.5	199	1	1	4	17	32	43	53
20-34	1197	13.8	196	2	4	10	19	31	45	83	417	10.2	110	1	3	6	14	28	30	47
35-49	1238	15.0	181	3	6	12	21	30	43	74	375	9.5	112	2	3	6	12	24	33	60
50-64	766	16.7	193	3	7	14	22	34	46	99	214	12.1	158	2	3	7	18	28	36	60
65 +	1516	20.9	256	4	9	18	28	44	59	99 +	541	14.5	264	3	4	9	19	44	67	99 +
ALL AGES	5153	16.7	227	3	6	13	23	36	49	98	1756	11.7	177	2	3	7	16	29	42	94
SUBTOTAL	**8634**	**15.7**	**223**	**2**	**5**	**12**	**22**	**35**	**48**	**97**	**3535**	**11.2**	**161**	**1**	**3**	**7**	**14**	**28**	**36**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	93	35.9	585	9	20	31	61	96	99 +	99 +	106	39.7	556	6	21	38	60	72	90	99 +
13-19	268	15.3	274	2	5	10	21	34	58	98	139	12.3	166	1	4	7	19	30	37	63
20-34	1801	10.9	108	2	4	6	14	26	30	45	1704	8.4	58	3	5	5	8	19	28	34
35-49	1565	10.2	103	3	5	6	14	24	28	61	2044	6.9	27	4	5	5	7	12	18	28
50-64	535	11.3	117	3	5	6	14	27	35	55	569	7.2	55	3	5	5	7	14	18	39
65 +	384	17.4	226	3	6	14	24	37	48	97	175	10.7	108	3	5	7	12	20	35	63
ALL AGES	4646	12.0	152	2	5	7	16	28	35	75	4737	8.5	84	3	5	5	8	18	28	56
B. FEMALE																				
0-12 YRS.	26	26.9	393	7	17	23	47	99 +	99 +	99 +	60	29.9	489	5	13	24	44	61	78	99 +
13-19	371	15.3	230	2	4	11	22	36	50	99 +	203	19.7	361	2	4	14	31	51	59	98
20-34	1632	13.4	173	2	5	9	18	29	38	76	860	11.7	125	3	5	7	15	28	31	63
35-49	1308	13.7	149	3	5	10	19	29	36	61	637	9.5	89	3	5	6	11	21	29	45
50-64	503	15.6	174	3	6	12	21	32	44	84	211	12.8	170	2	5	8	17	30	38	74
65 +	631	20.5	233	5	10	18	28	41	63	99 +	258	12.7	171	3	5	8	16	33	46	99 +
ALL AGES	4471	15.0	186	3	5	11	21	32	42	91	2229	12.5	171	3	5	7	16	29	41	76
SUBTOTAL	**9117**	**13.5**	**170**	**3**	**5**	**9**	**19**	**30**	**40**	**86**	**6966**	**9.8**	**115**	**3**	**5**	**6**	**10**	**23**	**29**	**62**
GRAND TOTAL	**17751**	**14.6**	**196**	**2**	**5**	**10**	**21**	**32**	**44**	**91**	**10501**	**10.3**	**130**	**2**	**5**	**6**	**12**	**27**	**32**	**66**

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	18.0		18	18	18	18	18	18	18										
65 +	16	11.7	85	3	4	9	18	27	29	30	4	3.5	4	1	2	4	5	5	5	5
ALL AGES	17	12.1	82	3	4	9	19	27	29	30	4	3.5	4	1	2	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	13.0		13	13	13	13	13	13	13										
65 +	38	21.4	366	5	8	17	43	99 +	99 +	99 +	29	18.9	547	4	6	8	26	84	99 +	99 +
ALL AGES	39	21.2	358	5	9	16	42	99 +	99 +	99 +	29	18.9	547	4	6	8	26	84	99 +	99 +
SUBTOTAL	**56**	**18.4**	**290**	**4**	**7**	**15**	**30**	**97**	**99 +**	**99 +**	**33**	**17.0**	**507**	**3**	**5**	**8**	**23**	**78**	**98**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	5	22.4	426	5	11	16	29	58	58	58	3	4.0	3	2	3	5	5	5	5	5
ALL AGES	5	22.4	426	5	11	16	29	58	58	58	3	4.0	3	2	3	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	8	13.5	23	7	9	14	17	19	20	20	1	14.0		14	14	14	14	14	14	14
ALL AGES	8	13.5	23	7	9	14	17	19	20	20	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**13**	**16.9**	**177**	**7**	**9**	**15**	**18**	**28**	**52**	**58**	**4**	**6.5**	**27**	**2**	**3**	**5**	**10**	**14**	**14**	**14**
GRAND TOTAL	**69**	**18.2**	**263**	**4**	**7**	**15**	**29**	**58**	**99 +**	**99 +**	**37**	**15.9**	**462**	**2**	**5**	**7**	**19**	**68**	**97**	**99 +**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	11.0		11	11	11	11	11	11	11										
50-64	5	10.0	25	5	6	9	14	17	17	17	1	6.0		6	6	6	6	6	6	6
65 +	37	18.9	318	4	8	14	26	60	93	99+	31	26.8	668	5	7	17	42	75	87	99+
ALL AGES	43	17.7	284	4	8	13	23	47	88	99+	32	26.2	657	5	7	15	38	73	87	99+
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	90.0		90	90	90	90	90	90	90										
35-49																				
50-64	9	20.7	221	4	13	22	43	99+	99+	99+	2	16.0	288	4	4	16	28	28	28	28
65 +	79	16.9	360	3	5	11	21	53	73	99+	54	23.7	558	3	8	16	46	96	99+	99+
ALL AGES	89	18.1	400	3	5	13	23	62	93	99+	56	23.4	547	3	8	16	41	94	99+	99+
SUBTOTAL	**132**	**18.0**	**359**	**3**	**6**	**13**	**23**	**61**	**92**	**99+**	**88**	**24.4**	**582**	**4**	**7**	**15**	**40**	**87**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	21.0		21	21	21	21	21	21	21										
65 +	11	17.6	248	4	7	14	25	44	52	53	7	11.3	83	2	3	11	15	25	28	28
ALL AGES	12	17.9	226	4	7	14	24	42	51	53	7	11.3	83	2	3	11	15	25	28	28
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	67.0		67	67	67	67	67	67	67	1	34.0		34	34	34	34	34	34	34
65 +	18	17.7	159	5	7	13	29	71	99+	99+	11	16.5	313	4	6	11	27	73	96	99+
ALL AGES	19	20.3	278	5	7	14	33	80	99+	99+	12	18.0	309	4	7	12	35	69	94	99+
SUBTOTAL	**31**	**19.4**	**250**	**5**	**7**	**14**	**29**	**56**	**95**	**99+**	**19**	**15.5**	**228**	**3**	**5**	**11**	**22**	**49**	**80**	**99+**
GRAND TOTAL	**163**	**18.3**	**335**	**4**	**6**	**13**	**27**	**61**	**94**	**99+**	**107**	**22.8**	**529**	**3**	**7**	**15**	**36**	**86**	**99+**	**99+**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	11	24.5	287	12	15	19	38	75	96	99 +	7	9.7	46	2	5	10	17	77	99 +	99 +
ALL AGES	11	24.5	287	12	15	19	38	75	96	99 +	7	9.7	46	2	5	10	17	77	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	6.0		6	6	6	6	6	6	6										
65 +	55	23.7	300	7	10	19	31	50	59	75	7	20.3	249	5	8	14	36	43	43	43
ALL AGES	56	23.4	299	6	10	19	30	50	59	75	7	20.3	249	5	8	14	36	43	43	43
SUBTOTAL	**67**	**23.6**	**292**	**7**	**11**	**19**	**30**	**51**	**65**	**95**	**14**	**15.0**	**166**	**3**	**7**	**12**	**22**	**43**	**86**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	3	31.3	680	6	12	30	51	58	58	58	1	7.0		7	7	7	7	7	7	7
ALL AGES	3	31.3	680	6	12	30	51	58	58	58	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	11	15.5	107	5	8	13	25	31	33	33	1	28.0		28	28	28	28	28	28	28
ALL AGES	11	15.5	107	5	8	13	25	31	33	33	1	28.0		28	28	28	28	28	28	28
SUBTOTAL	**14**	**18.9**	**232**	**5**	**8**	**14**	**30**	**35**	**53**	**58**	**2**	**17.5**	**221**	**7**	**7**	**17**	**28**	**28**	**28**	**28**
GRAND TOTAL	**81**	**22.8**	**281**	**6**	**10**	**19**	**30**	**50**	**63**	**92**	**16**	**15.3**	**160**	**3**	**7**	**12**	**23**	**43**	**80**	**99 +**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	13	17.9	384	3	5	14	39	99 +	99 +	99 +	13	11.7	83	2	7	9	16	23	34	36
ALL AGES	13	17.9	384	3	5	14	39	99 +	99 +	99 +	13	11.7	83	2	7	9	16	23	34	36
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	24	18.7	249	4	5	16	35	55	99 +	99 +	29	18.2	286	5	8	11	23	39	46	84
ALL AGES	24	18.7	249	4	5	16	35	55	99 +	99 +	29	18.2	286	5	8	11	23	39	46	84
SUBTOTAL	**37**	**18.4**	**288**	**3**	**5**	**15**	**37**	**81**	**99 +**	**99 +**	**42**	**16.2**	**229**	**5**	**8**	**10**	**22**	**36**	**42**	**84**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	4	22.8	82	13	15	22	30	34	34	34	2	13.0	18	10	11	16	79	99 +	99 +	99 +
ALL AGES	4	22.8	82	13	15	22	30	34	34	34	2	13.0	18	10	11	16	79	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	9.5	41	5	5	9	14	14	14	14	5	19.2	388	3	4	8	39	44	44	44
ALL AGES	2	9.5	41	5	5	9	14	14	14	14	5	19.2	388	3	4	8	39	44	44	44
SUBTOTAL	**6**	**18.3**	**107**	**6**	**13**	**16**	**26**	**33**	**34**	**34**	**7**	**17.4**	**272**	**3**	**6**	**13**	**40**	**83**	**99 +**	**99 +**
GRAND TOTAL	**43**	**18.4**	**259**	**4**	**6**	**15**	**35**	**66**	**99 +**	**99 +**	**49**	**16.4**	**228**	**4**	**8**	**10**	**22**	**39**	**44**	**99 +**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	48.3	987	22	26	40	72	83	83	83										
65 +	31	15.4	303	3	6	12	22	91	99+	99+	22	17.2	210	2	5	16	23	43	47	48
ALL AGES	34	18.3	425	3	6	13	22	89	99+	99+	22	17.2	210	2	5	16	23	43	47	48
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	15.0		15	15	15	15	15	15	15
35-49																				
50-64											1	30.0		30	30	30	30	30	30	30
65 +	58	22.0	288	8	10	16	30	53	62	98	26	21.8	353	4	9	15	39	56	77	99+
ALL AGES	58	22.0	288	8	10	16	30	53	62	98	28	21.9	329	4	9	15	38	55	74	99+
SUBTOTAL	**92**	**20.6**	**339**	**6**	**9**	**16**	**24**	**56**	**88**	**99+**	**50**	**19.8**	**278**	**4**	**7**	**15**	**30**	**47**	**57**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	39.0		39	39	39	39	39	39	39
65 +	15	31.9	692	5	14	27	57	82	95	99+	4	21.3	456	2	4	17	38	49	49	49
ALL AGES	15	31.9	692	5	14	27	57	82	95	99+	5	24.8	407	2	6	27	41	49	49	49
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	27	25.8	301	8	11	22	36	42	68	71	1	2.0		2	2	2	2	2	2	2
ALL AGES	27	25.8	301	8	11	22	36	42	68	71	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**42**	**28.0**	**434**	**6**	**12**	**26**	**38**	**72**	**78**	**99+**	**6**	**21.0**	**412**	**2**	**2**	**17**	**39**	**48**	**49**	**49**
GRAND TOTAL	**134**	**22.9**	**379**	**6**	**10**	**17**	**35**	**62**	**83**	**99+**	**56**	**19.9**	**287**	**3**	**6**	**15**	**30**	**48**	**55**	**98**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	2.0		2	2	2	2	2	2	2
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	17.5	181	8	8	17	27	27	27	27										
ALL AGES	2	17.5	181	8	8	17	27	27	27	27										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	6	25.3	301	5	10	34	45	90	99 +	99 +										
ALL AGES	6	25.3	301	5	10	34	45	90	99 +	99 +										
SUBTOTAL	**8**	**23.4**	**251**	**5**	**7**	**27**	**39**	**79**	**99 +**	**99 +**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	4	19.0	6	16	17	19	21	21	21	21										
ALL AGES	4	19.0	6	16	17	19	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	7	17.7	181	5	11	15	19	41	46	46										
ALL AGES	7	17.7	181	5	11	15	19	41	46	46										
SUBTOTAL	**11**	**18.2**	**110**	**8**	**13**	**16**	**21**	**31**	**45**	**46**										
GRAND TOTAL	**19**	**20.4**	**165**	**5**	**11**	**19**	**30**	**47**	**74**	**99 +**										

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	4.7		4	4	5	5	5	5	5	2	3.0		3	3	3	3	3	3	3
35-49	4	9.8	72	2	4	7	15	22	22	22	4	5.3	4	3	3	5	7	8	8	8
50-64	4	5.0	5	2	3	5	6	7	7	7	6	10.8	194	2	5	6	7	36	39	39
65 +	2	8.0	2	7	7	8	9	9	9	9	1	8.0		8	8	8	8	8	8	8
ALL AGES	13	6.8	26	2	4	6	7	12	20	22	13	7.7	92	3	3	6	7	14	34	39
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
35-49											1	6.0		6	6	6	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3	2	13.5	61	8	8	13	19	19	19	19
65 +	1	5.0		5	5	5	5	5	5	5	2	16.0	2	15	15	16	17	17	17	17
ALL AGES	3	4.0	1	3	3	4	5	5	5	5	6	11.5	40	4	6	11	17	19	19	19
SUBTOTAL	**16**	**6.3**	**22**	**2**	**4**	**5**	**7**	**9**	**18**	**22**	**19**	**8.9**	**76**	**3**	**4**	**6**	**8**	**18**	**30**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	12	5.4	23	1	2	3	7	14	16	16	18	5.2	10	1	3	5	6	9	12	14
35-49	38	7.0	34	2	3	6	8	14	27	99 +	29	5.9	16	2	3	5	8	11	16	17
50-64	17	10.9	88	1	3	9	15	28	31	31	24	6.5	21	1	3	6	9	13	15	19
65 +	8	12.9	108	4	7	11	13	30	37	37	6	8.5	7	5	7	8	11	12	12	12
ALL AGES	75	8.2	57	2	3	6	11	17	31	84	77	6.1	16	1	3	6	8	11	14	18
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	5.7	12	2	3	6	8	9	9	9	3	8.0	13	4	5	9	10	11	11	11
35-49	9	4.1	5	1	3	4	5	8	8	8	18	4.9	18	1	3	4	6	8	15	20
50-64	9	11.2	48	4	6	10	17	21	22	22	6	5.5	8	1	4	6	8	8	8	8
65 +	5	5.6	24	1	2	3	9	13	13	13	4	12.8	49	5	7	12	18	21	21	21
ALL AGES	26	7.0	32	2	3	5	9	17	20	22	31	6.3	25	2	3	5	8	13	20	21
SUBTOTAL	**101**	**7.9**	**50**	**2**	**3**	**6**	**10**	**17**	**26**	**67**	**108**	**6.2**	**18**	**1**	**3**	**5**	**8**	**11**	**16**	**20**
GRAND TOTAL	**117**	**7.7**	**46**	**2**	**3**	**6**	**9**	**17**	**23**	**57**	**127**	**6.6**	**27**	**2**	**3**	**6**	**8**	**13**	**17**	**25**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	47.0	3362	6	6	47	88	88	88	88										
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	2	47.0	3362	6	6	47	88	88	88	88	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**47.0**	**3362**	**6**	**6**	**47**	**88**	**88**	**88**	**88**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	30.7	2377	2	2	3	66	87	87	87										
50-64											1	4.0		4	4	4	4	4	4	4
65 +	2	14.0	2	13	13	14	15	15	15	15	3	14.7	33	8	10	17	18	19	19	19
ALL AGES	5	24.0	1274	2	3	13	33	87	87	87	4	12.0	51	4	6	12	18	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	69.0		69	69	84	99 +	99 +	99 +	99 +	1	80.0		80	80	90	99 +	99 +	99 +	99 +
65 +																				
ALL AGES	1	69.0		69	69	84	99 +	99 +	99 +	99 +	1	80.0		80	80	90	99 +	99 +	99 +	99 +
SUBTOTAL	**6**	**31.5**	**1357**	**2**	**5**	**15**	**82**	**97**	**99 +**	**99 +**	**5**	**25.6**	**963**	**4**	**8**	**18**	**60**	**98**	**99 +**	**99 +**
GRAND TOTAL	**8**	**35.4**	**1499**	**2**	**5**	**15**	**87**	**95**	**99 +**	**99 +**	**6**	**22.0**	**848**	**4**	**5**	**17**	**65**	**96**	**99 +**	**99 +**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4										
50-64	1	7.0		7	7	7	7	7	7	7										
65 +	4	13.3	68	6	7	11	19	25	25	25	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	6	10.7	58	4	6	8	13	24	25	25	2	5.5	5	4	4	5	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	11.0		11	11	11	11	11	11	11
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES											2	7.0	32	3	3	7	11	11	11	11
SUBTOTAL	**6**	**10.7**	**58**	**4**	**6**	**8**	**13**	**24**	**25**	**25**	**4**	**6.3**	**12**	**3**	**3**	**5**	**9**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49	2	21.5	85	15	15	21	28	28	28	28										
50-64	3	15.3	459	2	2	4	31	40	40	40	1	8.0		8	8	8	8	8	8	8
65 +	8	10.3	142	1	2	4	16	30	35	35	5	13.6	265	2	4	7	19	42	42	42
ALL AGES	14	12.5	177	2	3	4	20	35	39	40	6	12.7	216	2	5	7	12	39	42	42
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	14.0		14	14	14	14	14	14	14	4	19.5	443	5	5	11	33	50	50	50
65 +	4	16.8	157	6	9	13	24	35	35	35	3	19.3	388	7	7	9	34	42	42	42
ALL AGES	5	16.2	121	6	11	13	19	35	35	35	7	19.4	352	5	6	9	36	48	50	50
SUBTOTAL	**19**	**13.5**	**157**	**2**	**4**	**13**	**19**	**35**	**38**	**40**	**13**	**16.3**	**278**	**4**	**6**	**8**	**23**	**44**	**49**	**50**
GRAND TOTAL	**25**	**12.8**	**132**	**2**	**4**	**9**	**16**	**35**	**36**	**40**	**17**	**13.9**	**232**	**3**	**5**	**7**	**13**	**42**	**47**	**50**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-49											2	5.5	13	3	3	5	8	8	8	8
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	4.0		4	4	4	4	4	4	4										
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**	**3**	**4.3**	**11**	**2**	**2**	**3**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	6	8.0	49	1	5	6	10	20	21	21	3	10.3	103	4	4	5	18	22	22	22
35-49	7	12.9	26	5	8	14	17	18	18	18	8	5.6	9	2	3	5	8	10	10	10
50-64	6	7.7	6	3	7	8	9	10	10	10	5	6.2	20	1	3	6	8	13	13	13
65 +	1	34.0		34	34	34	34	34	34	34										
ALL AGES	20	10.9	59	4	6	9	15	19	27	34	16	6.7	26	2	4	5	8	13	19	22
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	8.0	50	3	3	8	13	13	13	13
35-49	1	7.0		7	7	7	7	7	7	7	3	4.0	1	3	3	4	5	5	5	5
50-64																				
65 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	5	5.6	18	3	3	4	7	13	13	13
SUBTOTAL	**21**	**10.7**	**57**	**4**	**6**	**9**	**15**	**19**	**27**	**34**	**21**	**6.4**	**24**	**2**	**4**	**5**	**8**	**13**	**17**	**22**
GRAND TOTAL	**23**	**10.2**	**54**	**4**	**5**	**8**	**14**	**19**	**26**	**34**	**24**	**6.2**	**21**	**2**	**3**	**5**	**8**	**13**	**16**	**22**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	12	6.4	40	2	2	4	7	16	23	24	7	2.6	2	1	1	2	4	5	5	5
35-49	11	4.7	12	1	2	3	7	10	11	11	9	3.2	5	1	1	3	5	6	7	7
50-64	8	8.8	40	3	4	7	12	19	21	21	6	6.7	9	4	4	6	8	12	12	12
65 +	3	12.0	124	2	4	10	20	24	24	24	6	4.0	12	1	2	3	6	10	10	10
ALL AGES	34	6.9	38	2	2	5	9	16	23	24	28	4.0	8	1	2	3	5	8	10	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
35-49	5	7.6	107	2	2	3	10	26	26	26	3	3.0	3	2	2	2	4	5	5	5
50-64											2	6.0	8	4	4	6	8	8	8	8
65 +	3	7.0	16	3	4	7	10	11	11	11	2	10.0	72	4	4	10	16	16	16	16
ALL AGES	9	7.0	59	2	3	4	8	20	26	26	8	5.4	22	2	2	4	6	14	16	16
SUBTOTAL	**43**	**6.9**	**41**	**2**	**2**	**5**	**9**	**16**	**24**	**26**	**36**	**4.3**	**11**	**1**	**2**	**4**	**5**	**8**	**11**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	5.0		5	5	5	5	5	5	5
13-19											1	7.0		7	7	7	7	7	7	7
20-34	56	7.9	26	2	3	6	14	14	14	15	500	5.0	1	4	5	5	5	6	7	9
35-49	84	6.0	20	2	3	4	8	14	14	18	920	5.2	2	5	5	5	5	6	7	11
50-64	48	7.2	37	2	3	6	10	14	14	35	293	5.5	15	4	5	5	5	6	7	17
65 +	13	13.1	120	3	5	13	14	30	40	42	27	6.2	5	4	5	5	7	10	11	12
ALL AGES	201	7.3	34	2	3	5	13	14	14	31	1744	5.2	4	5	5	5	5	6	7	11
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19																				
20-34	21	11.0	29	2	5	14	14	15	16	17	63	5.5	5	4	5	5	5	7	9	15
35-49	33	8.2	28	3	4	6	13	15	17	24	120	5.0	1	3	5	5	5	6	7	9
50-64	9	8.6	17	3	5	8	13	14	14	14	23	5.5	3	4	5	5	5	8	10	10
65 +	8	7.8	20	2	3	8	12	14	14	14	11	14.5	245	3	5	5	20	42	49	50
ALL AGES	71	9.0	27	3	4	9	14	14	16	23	218	5.7	18	4	5	5	5	7	9	26
SUBTOTAL	**272**	**7.7**	**33**	**2**	**3**	**6**	**14**	**14**	**14**	**26**	**1962**	**5.3**	**5**	**5**	**5**	**5**	**5**	**6**	**7**	**12**
GRAND TOTAL	**315**	**7.6**	**34**	**2**	**3**	**6**	**13**	**14**	**15**	**26**	**1998**	**5.2**	**6**	**4**	**5**	**5**	**5**	**6**	**7**	**12**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	3.0		3	3	3	3	3	3	3
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	34.0		34	34	34	34	34	34	34	1	1.0		1	1	1	1	1	1	1
35-49	1	14.0		14	14	14	14	14	14	14										
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	4	13.5	216	1	2	9	24	34	34	34	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**5**	**12.2**	**171**	**1**	**4**	**7**	**19**	**34**	**34**	**34**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**5**	**12.2**	**171**	**1**	**4**	**7**	**19**	**34**	**34**	**34**	**3**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	2	4.0	8	2	2	4	6	6	6	6	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34											1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
50-64	2	13.5	113	6	6	13	21	21	21	21										
65 +	1	10.0		10	10	10	10	10	10	10	1	4.0		4	4	4	4	4	4	4
ALL AGES	4	9.5	72	1	3	8	15	21	21	21	4	2.3	1	1	1	2	3	4	4	4
SUBTOTAL	**6**	**7.7**	**52**	**1**	**2**	**6**	**10**	**20**	**21**	**21**	**5**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											6	6.8	9	3	5	6	9	11	11	11
20-34	6	8.2	36	1	2	8	14	15	15	15	152	7.1	5	5	6	7	7	10	11	14
35-49	12	7.8	44	1	2	5	14	16	19	19	222	7.1	5	5	5	7	7	10	11	14
50-64	1	6.0		6	6	6	6	6	6	6	22	7.0	8	4	6	7	7	11	14	14
65 +	2	9.5	61	4	4	9	15	15	15	15	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	21	8.0	37	1	3	6	14	15	17	19	404	7.1	5	5	6	7	7	10	11	14
B. FEMALE																				
0-12 YRS.																				
13-19											3	7.3	3	6	6	7	8	9	9	9
20-34	14	8.5	44	2	3	5	14	18	20	20	44	7.2	9	3	6	7	9	11	13	14
35-49	5	13.8	146	1	3	14	22	31	31	31	26	6.3	5	4	5	6	7	9	10	13
50-64	1	1.0		1	1	1	1	1	1	1	3	5.3	3	4	4	5	6	7	7	7
65 +	2	6.0	50	1	1	6	11	11	11	11	4	14.8	20	8	12	16	18	19	19	19
ALL AGES	22	9.1	68	1	2	5	14	19	24	31	80	7.3	9	4	5	7	8	11	14	18
SUBTOTAL	**43**	**8.6**	**51**	**1**	**2**	**6**	**14**	**18**	**20**	**31**	**484**	**7.1**	**6**	**5**	**6**	**7**	**7**	**10**	**12**	**14**
GRAND TOTAL	**49**	**8.5**	**50**	**1**	**2**	**6**	**14**	**18**	**20**	**31**	**489**	**7.1**	**6**	**5**	**5**	**7**	**7**	**10**	**12**	**14**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	3	5.3	17	1	2	6	8	9	9	9	2	5.0	8	3	3	5	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4										
50-64	3	9.3	71	4	4	5	15	19	19	19	4	4.0	3	2	2	4	5	6	6	6
65 +	2	4.5	5	3	3	4	6	6	6	6	1	6.0		6	6	6	6	6	6	6
ALL AGES	10	6.1	25	2	4	5	6	14	19	19	7	4.6	3	2	3	5	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	5.0		5	5	5	5	5	5	5										
50-64																				
65 +	2	11.5	85	5	5	11	18	18	18	18	3	2.7	1	2	2	2	4	4	4	4
ALL AGES	3	9.3	57	5	5	5	15	18	18	18	3	2.7	1	2	2	2	4	4	4	4
SUBTOTAL	**13**	**6.8**	**31**	**3**	**4**	**5**	**7**	**18**	**19**	**19**	**10**	**4.0**	**4**	**2**	**2**	**4**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	7.7	37	1	2	9	12	13	13	13	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3	3	20.7	567	4	5	10	38	48	48	48
35-49	2	8.5	13	6	6	8	11	11	11	11	2	7.5	13	5	5	7	10	10	10	10
50-64											1	9.0		9	9	9	9	9	9	9
65 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	7	6.3	23	1	1	6	10	13	13	13	8	11.4	228	2	3	7	10	37	48	48
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	15.5	25	12	12	15	19	19	19	19	2	6.5	41	2	2	6	11	11	11	11
35-49	1	3.0		3	3	3	3	3	3	3										
50-64	1	10.0		10	10	10	10	10	10	10										
65 +											5	13.6	137	5	6	11	17	34	34	34
ALL AGES	4	11.0	43	3	6	11	15	19	19	19	7	11.6	109	3	5	11	11	29	34	34
SUBTOTAL	**11**	**8.0**	**33**	**1**	**3**	**9**	**12**	**15**	**19**	**19**	**15**	**11.5**	**161**	**2**	**4**	**9**	**11**	**34**	**44**	**48**
GRAND TOTAL	**24**	**7.4**	**30**	**1**	**3**	**5**	**10**	**18**	**19**	**19**	**25**	**8.5**	**109**	**2**	**3**	**5**	**10**	**11**	**37**	**48**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	5.0		5	5	5	5	5	5	5										
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	4.0	27	1	1	1	8	10	10	10										
20-34											2	3.0		3	3	3	3	3	3	3
35-49	2	6.0	18	3	3	6	9	9	9	9	2	2.5	1	2	2	2	3	3	3	3
50-64	1	11.0		11	11	11	11	11	11	11	4	10.0	178	3	3	4	17	30	30	30
65 +	15	7.4	31	2	2	5	12	16	17	18	13	10.9	180	2	3	8	13	24	47	52
ALL AGES	21	7.0	27	1	2	5	10	14	17	18	21	9.2	144	2	3	4	10	22	40	52
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	11.7	99	2	4	11	19	22	22	22	4	14.0	273	1	2	9	26	37	37	37
65 +	18	8.6	45	1	3	7	14	19	22	24	20	4.7	7	2	2	4	7	9	9	9
ALL AGES	21	9.0	50	1	3	8	14	20	23	24	24	6.3	54	2	2	4	8	10	22	37
SUBTOTAL	**42**	**8.0**	**39**	**1**	**3**	**7**	**11**	**18**	**20**	**24**	**45**	**7.6**	**97**	**2**	**3**	**4**	**9**	**16**	**32**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	5	11.6	357	1	1	3	17	45	45	45	3	7.0	31	2	3	6	11	13	13	13
35-49	3	13.0	97	5	6	10	20	24	24	24										
50-64	2	14.0	98	7	7	14	21	21	21	21	2	15.5	85	9	9	15	22	22	22	22
65 +	7	14.6	354	2	4	5	25	46	50	50	3	9.7	29	6	6	7	14	16	16	16
ALL AGES	18	12.8	234	1	4	6	21	41	48	50	8	10.1	43	3	6	8	14	20	22	22
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	7	12.1	177	1	4	7	15	35	40	40										
35-49	4	8.5	63	2	3	6	13	20	20	20										
50-64	4	6.3	14	2	3	6	9	10	10	10	2	26.0	800	6	6	26	46	46	46	46
65 +	6	9.7	32	4	5	9	11	19	20	20	9	7.6	4	6	6	7	8	56	99 +	99 +
ALL AGES	22	9.3	76	2	4	7	11	20	28	40	11	10.9	140	6	6	7	11	62	95	99 +
SUBTOTAL	**40**	**10.9**	**145**	**2**	**4**	**7**	**11**	**28**	**42**	**50**	**19**	**10.6**	**94**	**6**	**6**	**7**	**13**	**34**	**73**	**99 +**
GRAND TOTAL	**82**	**9.4**	**92**	**1**	**3**	**7**	**11**	**20**	**27**	**48**	**64**	**8.5**	**96**	**2**	**3**	**6**	**9**	**17**	**39**	**93**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34																				
35-49	1	17.0		17	17	17	17	17	17	17										
50-64																				
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	9.0	128	1	1	9	17	17	17	17	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	4.0		4	4	4	4	4	4	4										
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	3.5	1	3	3	3	4	4	4	4										
SUBTOTAL	**4**	**6.3**	**52**	**1**	**2**	**3**	**10**	**17**	**17**	**17**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**5**	**5.8**	**41**	**1**	**2**	**4**	**7**	**17**	**17**	**17**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	6.0		6	6	6	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3										
35-49	3	3.0	7	1	1	2	5	6	6	6	2	5.0	18	2	2	5	8	8	8	8
50-64	3	3.7	1	3	3	3	5	5	5	5	5	5.2	25	2	3	3	6	14	14	14
65 +	13	11.0	153	1	2	5	19	30	39	41	24	7.0	56	2	3	4	9	15	22	36
ALL AGES	20	8.3	112	1	2	4	8	24	34	41	32	6.6	45	2	3	4	8	14	16	36
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
13-19																				
20-34	5	4.2	8	1	2	4	6	8	8	8										
35-49	5	9.0	34	2	6	8	12	18	18	18	3	3.0	4	1	1	3	4	5	5	5
50-64	8	3.5	4	1	2	3	5	6	7	7	3	4.3	10	1	2	5	6	7	7	7
65 +	37	7.6	29	2	4	6	12	15	20	99 +	45	10.1	207	2	3	6	10	24	60	99 +
ALL AGES	56	6.8	25	1	3	5	10	15	19	94	52	9.2	185	2	3	5	9	15	55	99
SUBTOTAL	**76**	**7.2**	**47**	**1**	**3**	**5**	**9**	**17**	**21**	**84**	**84**	**8.2**	**132**	**2**	**3**	**5**	**9**	**14**	**39**	**91**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6										
35-49	1	5.0		5	5	5	5	5	5	5	2	1.0		1	1	1	1	1	1	1
50-64	1	28.0		28	28	28	28	28	28	28	2	1.5	1	1	1	1	2	2	2	2
65 +	10	8.2	37	3	5	7	10	17	24	24	8	12.3	193	3	4	6	16	36	44	44
ALL AGES	13	9.3	61	3	5	7	10	25	27	28	12	8.6	153	1	2	4	10	26	41	44
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	22.0	200	12	12	22	32	32	32	32										
35-49	2	1.5	1	1	1	1	2	2	2	2	3	2.3	2	1	1	3	3	3	3	3
50-64	4	13.3	165	3	5	9	21	32	32	32	1	3.0		3	3	3	3	3	3	3
65 +	18	15.6	317	4	6	8	23	34	59	75	19	8.4	85	2	4	5	10	16	30	42
ALL AGES	26	14.7	261	3	5	8	23	32	44	75	23	7.4	74	2	3	5	9	16	25	42
SUBTOTAL	**39**	**12.9**	**197**	**3**	**5**	**8**	**13**	**31**	**34**	**75**	**35**	**7.8**	**98**	**1**	**3**	**4**	**9**	**16**	**36**	**44**
GRAND TOTAL	**115**	**9.1**	**105**	**2**	**3**	**6**	**11**	**23**	**32**	**83**	**119**	**8.1**	**121**	**2**	**3**	**5**	**9**	**15**	**39**	**82**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	15.0		15	15	15	15	15	15	15	1	22.0		22	22	22	22	22	22	22
ALL AGES	1	15.0		15	15	15	15	15	15	15	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3	2	13.0	162	4	4	13	22	22	22	22
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	3	9.7	113	3	3	4	17	22	22	22
SUBTOTAL	**3**	**6.3**	**58**	**1**	**1**	**3**	**12**	**15**	**15**	**15**	**4**	**12.8**	**113**	**3**	**3**	**13**	**22**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64	1	9.0		9	9	9	9	9	9	9										
65 +																				
ALL AGES	2	5.5	25	2	2	5	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**4**	**5.3**	**8**	**2**	**3**	**5**	**7**	**9**	**9**	**9**										
GRAND TOTAL	**7**	**5.7**	**24**	**1**	**2**	**5**	**8**	**14**	**15**	**15**	**4**	**12.8**	**113**	**3**	**3**	**13**	**22**	**22**	**22**	**22**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	44.3	1527	6	15	43	74	84	84	84	1	36.0		36	36	36	36	36	36	36
35-49	4	6.5	30	1	2	6	11	13	13	13	2	3.0	2	2	2	3	4	4	4	4
50-64	3	9.0	79	2	3	6	16	19	19	19	1	2.0		2	2	2	2	2	2	2
65 +	13	24.5	256	6	12	19	36	47	50	51	3	12.7	8	10	10	12	15	16	16	16
ALL AGES	23	21.9	430	2	6	17	34	47	63	84	7	11.7	144	2	3	10	15	32	36	36
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	24.0	217	7	13	32	33	33	33	33	1	14.0		14	14	14	14	14	14	14
35-49	6	18.0	562	5	6	9	13	61	66	66	3	3.3	3	2	2	3	4	5	5	5
50-64	4	18.5	20	12	18	20	41	99 +	99 +	99 +	5	17.6	173	4	5	20	27	35	35	35
65 +	24	22.9	248	7	12	20	29	50	60	64	1	9.0		9	9	9	9	9	9	9
ALL AGES	37	21.7	256	6	11	20	31	55	65	99 +	10	12.1	121	2	4	7	20	29	35	35
SUBTOTAL	**60**	**21.8**	**315**	**5**	**8**	**19**	**32**	**50**	**65**	**98**	**17**	**11.9**	**123**	**2**	**4**	**9**	**17**	**33**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	10	19.1	141	5	10	15	27	37	41	41	4	11.0	164	2	4	6	18	30	30	30
35-49	7	15.3	193	3	4	9	23	37	40	40	1	4.0		4	4	4	4	4	4	4
50-64	6	11.7	30	4	6	13	16	18	18	18	2	7.5	5	6	6	7	9	9	9	9
65 +	11	19.3	90	8	11	17	27	32	37	37										
ALL AGES	34	17.1	113	5	9	15	24	33	39	41	7	9.0	90	2	4	6	8	26	30	30
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-19	1	34.0		34	34	34	34	34	34	34										
20-34	7	11.7	137	2	2	4	24	27	27	27	1	6.0		6	6	6	6	6	6	6
35-49	6	18.0	106	6	10	17	23	34	35	35	1	2.0		2	2	2	2	2	2	2
50-64	4	16.8	142	4	6	18	27	27	27	27										
65 +	12	27.8	80	17	21	27	34	39	44	45	3	27.0	79	20	21	24	34	37	37	37
ALL AGES	31	20.7	139	3	11	22	28	35	37	45	5	17.8	200	2	5	20	27	37	37	37
SUBTOTAL	**65**	**18.8**	**127**	**4**	**9**	**18**	**27**	**35**	**38**	**44**	**12**	**12.7**	**142**	**2**	**5**	**6**	**22**	**32**	**36**	**37**
GRAND TOTAL	**125**	**20.2**	**220**	**4**	**9**	**18**	**28**	**40**	**49**	**88**	**29**	**12.2**	**127**	**2**	**4**	**6**	**20**	**33**	**36**	**37**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	2.0		2	2	2	2	2	2	2
50-64											1	1.0		1	1	1	1	1	1	1
65 +	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
ALL AGES	1	12.0		12	12	12	12	12	12	12	3	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	1	20.0		20	20	20	20	20	20	20										
20-34																				
35-49																				
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	4	14.5	147	5	6	10	22	32	32	32	1	4.0		4	4	4	4	4	4	4
ALL AGES	6	13.8	113	5	5	10	20	31	32	32	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**7**	**13.6**	**93**	**5**	**6**	**12**	**18**	**30**	**32**	**32**	**4**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	22.0		22	22	22	22	22	22	22	1	16.0		16	16	16	16	16	16	16
ALL AGES	1	22.0		22	22	22	22	22	22	22	1	16.0		16	16	16	16	16	16	16
SUBTOTAL	**2**	**12.5**	**181**	**3**	**3**	**12**	**22**	**22**	**22**	**22**	**2**	**10.0**	**72**	**4**	**4**	**10**	**16**	**16**	**16**	**16**
GRAND TOTAL	**9**	**13.3**	**94**	**4**	**5**	**12**	**20**	**28**	**32**	**32**	**6**	**4.7**	**32**	**1**	**1**	**3**	**4**	**15**	**16**	**16**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	4.0		4	4	4	4	4	4	4
65 +											2	8.5	85	2	2	8	15	15	15	15
ALL AGES											3	7.0	49	2	2	4	12	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											**4**	**6.3**	**34**	**2**	**3**	**4**	**10**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4										
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	23.0		23	23	23	23	23	23	23										
65 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	2	26.5	25	23	23	26	30	30	30	30										
SUBTOTAL	**3**	**19.0**	**181**	**4**	**9**	**23**	**28**	**30**	**30**	**30**										
GRAND TOTAL	**3**	**19.0**	**181**	**4**	**9**	**23**	**28**	**30**	**30**	**30**	**4**	**6.3**	**34**	**2**	**3**	**4**	**10**	**15**	**15**	**15**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	5	13.6	130	4	5	8	23	30	30	30	2	9.5	5	8	8	9	11	11	11	11
ALL AGES	5	13.6	130	4	5	8	23	30	30	30	2	9.5	5	8	8	9	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	42.0		42	42	42	42	42	42	42	2	33.0	968	11	11	33	55	55	55	55
50-64											2	5.5	25	2	2	5	9	9	9	9
65 +	17	14.1	83	3	7	14	18	28	32	33	1	10.0		10	10	10	10	10	10	10
ALL AGES	18	15.6	123	3	7	14	24	32	38	42	5	17.4	454	2	7	10	22	55	55	55
SUBTOTAL	**23**	**15.2**	**119**	**3**	**6**	**14**	**23**	**31**	**36**	**42**	**7**	**15.1**	**320**	**3**	**8**	**10**	**11**	**46**	**55**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	19.0		19	19	19	19	19	19	19										
35-49	1	36.0		36	36	36	36	36	36	36										
50-64	1	21.0		21	21	21	21	21	21	21										
65 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	3	25.3	89	19	19	21	32	36	36	36	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	52	99 +	99 +	99 +	99 +										
35-49																				
50-64	1	13.0		13	13	13	13	13	13	13										
65 +	3	21.3	74	15	16	18	28	31	31	31	1	8.0		8	8	8	8	8	8	8
ALL AGES	5	16.2	96	5	13	16	31	93	99 +	99 +	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**8**	**19.6**	**103**	**8**	**14**	**19**	**32**	**74**	**99 +**	**99 +**	**2**	**10.0**	**8**	**8**	**8**	**10**	**12**	**12**	**12**	**12**
GRAND TOTAL	**31**	**16.3**	**116**	**4**	**7**	**15**	**24**	**34**	**41**	**99 +**	**9**	**14.0**	**245**	**4**	**8**	**10**	**11**	**38**	**55**	**55**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34																				
35-49											1	6.0		6	6	6	6	6	6	6
50-64	5	6.6	56	1	1	4	11	19	19	19										
65 +	6	12.8	57	4	7	12	20	22	22	22										
ALL AGES	11	10.0	61	1	4	8	18	21	22	22	2	4.0	8	2	2	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	35.5	113	28	28	35	43	43	43	43										
35-49	1	69.0		69	69	69	69	69	69	69										
50-64	4	17.0	65	6	11	19	23	24	24	24	1	28.0		28	28	28	28	28	28	28
65 +	12	26.4	635	1	10	21	29	75	78	79	3	7.7	30	2	3	8	12	13	13	13
ALL AGES	19	27.6	535	3	14	23	32	71	76	79	4	12.8	122	2	5	10	20	28	28	28
SUBTOTAL	**30**	**21.2**	**425**	**1**	**7**	**18**	**24**	**56**	**73**	**79**	**6**	**9.8**	**97**	**2**	**2**	**7**	**13**	**26**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	10.7	57	4	5	9	16	19	19	19										
35-49	2	9.5	25	6	6	9	13	13	13	13										
50-64	1	10.0		10	10	10	10	10	10	10										
65 +	2	60.0	2178	27	27	60	93	93	93	93										
ALL AGES	8	22.6	865	5	7	11	23	73	93	93										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	7.0	2	6	6	7	8	8	8	8										
35-49											1	6.0		6	6	6	6	6	6	6
50-64	3	19.7	34	14	15	19	24	26	26	26										
65 +	4	23.8	602	7	8	14	39	60	60	60	2	50.0	4232	4	4	50	96	96	96	96
ALL AGES	9	18.7	282	6	8	14	21	46	60	60	3	35.3	2765	4	4	6	73	96	96	96
SUBTOTAL	**17**	**20.5**	**525**	**6**	**8**	**13**	**21**	**53**	**81**	**93**	**3**	**35.3**	**2765**	**4**	**4**	**6**	**73**	**96**	**96**	**96**
GRAND TOTAL	**47**	**20.9**	**453**	**4**	**7**	**16**	**24**	**57**	**74**	**93**	**9**	**18.3**	**914**	**2**	**4**	**6**	**17**	**69**	**96**	**96**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49	1	36.0		36	36	36	36	36	36	36										
50-64	1	40.0		40	40	40	40	40	40	40										
65 +	8	16.8	57	9	10	15	22	28	29	29										
ALL AGES	10	21.0	127	9	11	17	29	38	40	40	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	35.0		35	35	35	35	35	35	35										
35-49	1	3.0		3	3	3	3	3	3	3										
50-64	2	8.5	25	5	5	8	12	12	12	12										
65 +	10	24.3	478	3	4	15	45	56	62	62										
ALL AGES	14	21.3	404	3	4	12	35	52	60	62										
SUBTOTAL	**24**	**21.2**	**277**	**4**	**9**	**15**	**34**	**46**	**54**	**62**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	28.0		28	28	28	28	28	28	28										
50-64																				
65 +	9	18.4	79	8	13	17	22	32	35	35										
ALL AGES	10	19.4	78	8	13	18	27	31	35	35										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	8.0		8	8	8	8	8	8	8
65 +	8	30.8	881	3	11	24	39	80	96	96	1	8.0		8	8	8	8	8	8	8
ALL AGES	8	30.8	881	3	11	24	39	80	96	96	2	8.0		8	8	8	8	8	8	8
SUBTOTAL	**18**	**24.4**	**441**	**5**	**13**	**20**	**28**	**40**	**74**	**96**	**2**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**42**	**22.6**	**340**	**4**	**11**	**18**	**33**	**43**	**55**	**96**	**3**	**5.7**	**16**	**1**	**2**	**8**	**8**	**8**	**8**	**8**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	18.0		18	18	18	18	18	18	18										
50-64																				
65 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	2	23.0	50	18	18	23	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6										
35-49																				
50-64											1	45.0		45	45	45	45	45	45	45
65 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	2	16.0	200	6	6	16	26	26	26	26	1	45.0		45	45	45	45	45	45	45
SUBTOTAL	**4**	**19.5**	**100**	**6**	**12**	**22**	**27**	**28**	**28**	**28**	**1**	**45.0**		**45**	**45**	**45**	**45**	**45**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	17.5	41	13	13	17	22	22	22	22	1	10.0		10	10	10	10	10	10	10
ALL AGES	2	17.5	41	13	13	17	22	22	22	22	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**3**	**12.3**	**102**	**2**	**5**	**13**	**20**	**22**	**22**	**22**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**7**	**16.4**	**99**	**3**	**8**	**18**	**25**	**28**	**28**	**28**	**2**	**27.5**	**613**	**10**	**10**	**27**	**45**	**45**	**45**	**45**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	24.0		24	24	24	24	24	24	24	1	36.0		36	36	36	36	36	36	36
35-49	1	1.0		1	1	1	1	1	1	1										
50-64	3	4.0	7	2	2	3	6	7	7	7										
65 +	1	38.0		38	38	38	38	38	38	38										
ALL AGES	6	12.5	229	1	2	5	24	37	38	38	1	36.0		36	36	36	36	36	36	36
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	24.0		24	24	24	24	24	24	24										
35-49	2	49.0	882	28	28	49	70	70	70	70	1	24.0		24	24	24	24	24	24	24
50-64	1	14.0		14	14	14	14	14	14	14	1	11.0		11	11	11	11	11	11	11
65 +	1	53.0		53	53	53	53	53	53	53										
ALL AGES	5	37.8	530	14	21	28	57	70	70	70	2	17.5	85	11	11	17	24	24	24	24
SUBTOTAL	**11**	**24.0**	**501**	**2**	**4**	**24**	**35**	**60**	**69**	**70**	**3**	**23.7**	**154**	**11**	**14**	**24**	**33**	**36**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	12.0		12	12	12	12	12	12	12										
65 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**										
GRAND TOTAL	**12**	**23.0**	**468**	**2**	**5**	**19**	**33**	**58**	**68**	**70**	**3**	**23.7**	**154**	**11**	**14**	**24**	**33**	**36**	**36**	**36**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	23.0		23	23	23	23	23	23	23
20-34	3	21.0	556	1	4	15	39	47	47	47										
35-49																				
50-64	1	51.0		51	51	51	51	51	51	51										
65 +																				
ALL AGES	4	28.5	596	1	8	31	49	51	51	51	1	23.0		23	23	23	23	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	15.0		15	15	57	99 +	99 +	99 +	99 +	1	37.0		37	37	37	37	37	37	37
35-49	1	6.0		6	6	53	99 +	99 +	99 +	99 +										
50-64	1	3.0		3	3	51	99 +	99 +	99 +	99 +	1	17.0		17	17	17	17	17	17	17
65 +	1	35.0		35	35	35	35	35	35	35	2	12.5	85	6	6	12	19	19	19	19
ALL AGES	4	14.8	206	4	8	35	99 +	99 +	99 +	99 +	4	19.8	162	6	11	18	28	37	37	37
SUBTOTAL	**8**	**21.6**	**400**	**2**	**8**	**35**	**87**	**99 +**	**99 +**	**99 +**	**5**	**20.4**	**126**	**6**	**14**	**19**	**26**	**37**	**37**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	63.0		63	63	63	63	63	63	63										
35-49																				
50-64																				
65 +																				
ALL AGES	1	63.0		63	63	63	63	63	63	63										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	57.0		57	57	57	57	57	57	57										
50-64	1	56.0		56	56	56	56	56	56	56										
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	56.5	1	56	56	56	57	57	57	57	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**3**	**58.7**	**8**	**56**	**56**	**57**	**61**	**63**	**63**	**63**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**11**	**31.7**	**583**	**3**	**15**	**49**	**63**	**99 +**	**99 +**	**99 +**	**6**	**17.5**	**151**	**3**	**6**	**18**	**23**	**36**	**37**	**37**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	8	24.1	356	3	7	23	37	51	56	56	1	17.0		17	17	17	17	17	17	17
20-34	130	16.2	223	3	6	13	22	36	51	99 +	14	18.8	307	2	4	12	30	43	56	60
35-49	106	20.5	259	4	9	17	29	43	54	95	13	21.2	259	4	13	16	28	46	57	60
50-64	20	23.1	209	5	12	22	33	46	48	50	3	25.7	98	16	18	25	33	36	36	36
65 +	9	15.0	62	4	9	16	18	26	30	30	1	52.0		52	52	52	52	52	52	52
ALL AGES	273	18.6	237	3	7	15	26	39	52	99	32	21.4	271	3	9	16	30	45	59	60
B. FEMALE																				
0-12 YRS.																				
13-19	1	34.0		34	34	34	34	34	34	34										
20-34	85	18.7	203	4	7	16	26	39	51	88	5	28.2	173	7	23	31	35	43	43	43
35-49	121	20.4	181	6	11	19	27	39	51	78	8	13.4	166	3	5	10	16	35	42	42
50-64	48	21.1	262	7	11	17	27	41	78	99 +	11	18.1	264	3	5	12	34	41	48	49
65 +	44	20.0	163	6	14	19	24	42	54	99 +	13	16.0	145	3	7	12	31	43	87	99 +
ALL AGES	299	20.0	197	6	10	17	27	40	53	99 +	37	17.7	194	3	6	12	31	40	47	99 +
SUBTOTAL	**572**	**19.3**	**218**	**4**	**9**	**16**	**26**	**39**	**53**	**99 +**	**69**	**19.4**	**230**	**3**	**7**	**15**	**31**	**42**	**52**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	5	25.6	1167	5	7	10	36	86	86	86										
20-34	54	16.4	160	2	6	13	25	39	45	97	11	21.7	335	3	6	20	35	50	54	54
35-49	57	15.9	147	5	8	13	20	32	50	97	7	15.0	78	4	10	16	25	78	99 +	99 +
50-64	5	8.6	16	3	7	9	14	91	99 +	99 +										
65 +	4	15.0	99	5	6	15	23	25	25	25	1	8.0		8	8	8	8	8	8	8
ALL AGES	125	16.2	181	3	7	13	21	37	49	99 +	19	18.5	230	3	8	16	28	51	77	99 +
B. FEMALE																				
0-12 YRS.																				
13-19	1	13.0		13	13	13	13	13	13	13										
20-34	24	13.5	168	3	5	11	15	29	44	58	1	10.0		10	10	10	10	10	10	10
35-49	26	17.9	106	8	11	17	22	26	34	55	6	19.0	61	7	14	21	25	27	27	27
50-64	16	23.2	371	6	9	17	30	45	67	76	3	26.0	147	13	17	28	35	37	37	37
65 +	11	30.9	781	10	14	18	33	85	86	86	2	15.5	25	12	12	15	19	19	19	19
ALL AGES	78	19.4	292	4	8	15	23	37	57	86	12	19.4	80	9	12	19	26	31	36	37
SUBTOTAL	**203**	**17.4**	**226**	**4**	**8**	**14**	**22**	**37**	**53**	**99 +**	**31**	**18.9**	**165**	**5**	**9**	**19**	**27**	**40**	**53**	**99 +**
GRAND TOTAL	**775**	**18.8**	**220**	**4**	**8**	**16**	**26**	**39**	**53**	**99 +**	**100**	**19.3**	**206**	**3**	**8**	**15**	**28**	**42**	**53**	**99 +**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	5	19.2	159	2	9	20	30	33	33	33	1	2.0		2	2	2	2	2	2	2
35-49	2	34.0	722	15	15	34	53	53	53	53										
50-64																				
65 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	9	19.4	276	2	7	15	30	45	53	53	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	2	7.5	5	6	7	9	77	99 +	99 +	99 +										
20-34	6	15.2	204	2	3	13	22	36	38	38										
35-49	3	26.7	2	26	26	27	27	27	27	27	1	10.0		10	10	10	10	10	10	10
50-64																				
65 +																				
ALL AGES	11	16.9	152	3	5	21	27	57	94	99 +	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**20**	**18.1**	**195**	**2**	**6**	**20**	**28**	**44**	**74**	**99 +**	**2**	**6.0**	**32**	**2**	**2**	**6**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	24.5	313	12	12	24	37	37	37	37										
35-49	1	16.0		16	16	16	16	16	16	16	1	10.0		10	10	10	10	10	10	10
50-64											1	11.0		11	11	11	11	11	11	11
65 +																				
ALL AGES	3	21.7	178	12	13	16	32	37	37	37	2	10.5	1	10	10	10	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	18.0	469	5	5	6	34	43	43	43	1	10.0		10	10	10	10	10	10	10
35-49											1	12.0		12	12	12	12	12	12	12
50-64											1	8.0		8	8	8	8	8	8	8
65 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	4	17.5	314	5	5	11	29	43	43	43	3	10.0	4	8	8	10	11	12	12	12
SUBTOTAL	**7**	**19.3**	**221**	**5**	**7**	**16**	**32**	**42**	**43**	**43**	**5**	**10.2**	**2**	**8**	**9**	**10**	**11**	**12**	**12**	**12**
GRAND TOTAL	**27**	**18.4**	**194**	**3**	**6**	**16**	**28**	**41**	**58**	**99 +**	**7**	**9.0**	**11**	**3**	**8**	**10**	**11**	**12**	**12**	**12**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	9.0		9	9	9	9	9	9	9										
65 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	5.0		5	5	5	5	5	5	5										
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	2	7.0	8	5	5	7	9	9	9	9										
GRAND TOTAL	2	7.0	8	5	5	7	9	9	9	9										

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	5	18.6	631	1	7	9	24	63	63	63										
20-34	31	16.9	294	4	5	12	24	37	46	83	7	11.6	86	3	4	7	20	25	26	26
35-49	37	21.2	164	5	10	22	30	38	41	52	7	7.7	29	1	4	7	11	16	17	17
50-64	12	13.1	176	2	3	10	18	32	46	48	1	40.0		40	40	40	40	40	40	40
65 +	2	3.5	5	2	2	3	5	5	5	5										
ALL AGES	87	18.0	236	3	6	13	26	38	46	76	15	11.7	114	3	4	7	16	26	36	40
B. FEMALE																				
0-12 YRS.																				
13-19	3	35.7	699	6	15	44	54	57	57	57										
20-34	27	22.2	343	4	8	17	38	52	60	65	7	18.6	229	5	9	16	21	44	50	50
35-49	32	26.7	546	7	11	18	32	71	83	91	4	10.8	27	4	7	11	14	17	17	17
50-64	19	17.3	321	2	5	11	22	42	63	72	8	15.6	86	4	6	19	21	26	28	28
65 +	12	32.0	671	6	15	24	45	75	84	86	3	14.3	76	5	8	16	20	22	22	22
ALL AGES	93	24.4	467	4	9	17	30	59	72	89	22	15.5	113	4	7	16	21	24	37	50
SUBTOTAL	**180**	**21.3**	**364**	**4**	**7**	**16**	**28**	**47**	**64**	**85**	**37**	**13.9**	**115**	**4**	**5**	**12**	**20**	**25**	**36**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	55.0		55	55	55	55	55	55	55										
20-34	24	14.0	72	3	7	13	21	24	28	34	5	7.8	53	1	3	6	11	20	20	20
35-49	11	8.8	38	2	3	8	14	18	20	20	1	4.0		4	4	4	4	4	4	4
50-64	7	14.1	159	2	5	11	19	35	39	39										
65 +	2	21.0	392	7	7	21	35	35	35	35	1	20.0		20	20	20	20	20	20	20
ALL AGES	45	14.0	123	3	5	12	20	25	36	55	7	9.0	61	2	4	6	17	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	13	18.6	290	5	6	11	27	46	53	55	2	6.5	61	1	1	6	12	12	12	12
35-49	9	11.6	66	4	5	12	16	64	99 +	99 +	4	10.5	130	1	2	7	19	26	26	26
50-64	7	10.1	71	3	4	7	16	24	25	25	3	37.3	669	16	19	30	57	66	66	66
65 +	3	15.0	171	6	7	9	25	30	30	30										
ALL AGES	32	14.4	169	4	6	10	19	42	53	99 +	9	18.6	422	1	3	12	27	52	66	66
SUBTOTAL	**77**	**14.2**	**139**	**3**	**5**	**11**	**20**	**33**	**43**	**87**	**16**	**14.4**	**273**	**1**	**3**	**10**	**20**	**30**	**55**	**66**
GRAND TOTAL	**257**	**19.2**	**305**	**4**	**6**	**14**	**25**	**44**	**58**	**86**	**53**	**14.1**	**157**	**3**	**4**	**12**	**20**	**27**	**38**	**66**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	18.5	481	3	11	34	83	99 +	99 +	99 +	2	9.0	32	5	5	9	13	13	13	13
20-34	96	21.4	401	4	7	14	28	54	62	89	5	33.8	1157	2	3	26	65	77	77	77
35-49	51	18.0	234	4	7	15	23	38	57	70	5	16.2	89	7	8	14	23	30	30	30
50-64	12	18.8	245	7	10	13	18	44	59	62	4	20.8	73	10	14	21	27	30	30	30
65 +	1	26.0		26	26	26	26	26	26	26	3	12.7	1	12	12	13	13	13	13	13
ALL AGES	162	20.1	333	4	7	15	26	52	62	95	19	20.5	369	4	9	13	26	49	70	77
B. FEMALE																				
0-12 YRS.																				
13-19	4	21.0	414	5	7	14	35	50	50	50	1	20.0		20	20	20	20	20	20	20
20-34	77	20.8	213	3	10	19	30	45	56	99 +	7	22.3	168	7	13	17	33	39	41	41
35-49	113	22.0	304	6	11	19	27	47	69	99 +	12	20.1	428	4	7	13	27	53	69	72
50-64	55	21.0	296	6	10	18	24	36	48	97	9	18.4	166	4	6	22	29	36	36	36
65 +	25	21.8	236	7	12	17	24	51	56	57	2	5.5	25	2	2	5	9	9	9	9
ALL AGES	274	21.4	269	6	10	18	27	46	57	99 +	31	19.2	249	5	7	14	31	38	45	72
SUBTOTAL	**436**	**20.9**	**293**	**5**	**9**	**16**	**27**	**47**	**61**	**99 +**	**50**	**19.7**	**288**	**4**	**7**	**14**	**27**	**38**	**61**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	4	16.8	126	9	9	13	24	33	33	33										
20-34	64	14.3	156	2	5	10	20	31	36	62	1	54.0		54	54	54	54	54	54	54
35-49	39	16.7	154	4	7	14	23	31	43	56	3	14.3	83	5	7	15	21	23	23	23
50-64	8	18.4	152	5	7	17	26	36	40	40										
65 +	3	18.0	21	14	15	17	21	23	23	23	1	9.0		9	9	9	9	9	9	9
ALL AGES	118	15.5	150	3	6	13	23	32	39	59	5	21.2	382	5	8	15	31	54	54	54
B. FEMALE																				
0-12 YRS.																				
13-19	3	28.0	147	15	22	34	69	99 +	99 +	99 +										
20-34	61	18.3	259	6	8	14	22	41	56	82	14	20.9	246	5	7	14	33	45	49	50
35-49	74	16.4	117	5	8	14	23	31	40	47	5	21.4	71	11	14	23	27	32	32	32
50-64	23	19.0	175	5	10	15	25	35	52	52	4	25.3	28	20	20	25	30	31	31	31
65 +	7	25.0	104	15	17	23	28	42	45	45	1	5.0		5	5	5	5	5	5	5
ALL AGES	168	18.0	179	5	8	15	24	36	47	80	24	21.0	173	5	11	20	30	43	46	50
SUBTOTAL	**286**	**17.0**	**167**	**4**	**7**	**14**	**23**	**34**	**45**	**63**	**29**	**21.1**	**194**	**5**	**10**	**20**	**29**	**44**	**50**	**54**
GRAND TOTAL	**722**	**19.4**	**245**	**5**	**8**	**15**	**25**	**42**	**56**	**97**	**79**	**20.2**	**252**	**5**	**8**	**15**	**28**	**42**	**52**	**76**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	4	9.8	105	3	3	5	16	25	25	25										
35-49	9	10.3	59	3	4	8	14	22	26	26	1	11.0		11	11	11	11	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3										
65 +																				
ALL AGES	15	9.3	62	3	3	6	14	25	26	26	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	6	25.5	576	5	8	14	48	61	63	63	1	7.0		7	7	7	7	7	7	7
35-49	3	15.7	119	7	8	12	24	28	28	28	2	10.0	8	8	8	10	12	12	12	12
50-64	3	19.3	331	6	7	12	33	40	40	40										
65 +	2	17.0	98	10	10	17	24	24	24	24	2	13.5	1	13	13	13	14	14	14	14
ALL AGES	14	20.9	315	6	8	13	28	49	60	63	5	10.8	10	7	8	12	13	14	14	14
SUBTOTAL	**29**	**14.9**	**212**	**3**	**5**	**10**	**17**	**35**	**49**	**63**	**6**	**10.8**	**9**	**7**	**8**	**11**	**13**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	14	11										
13-19	1	15.0		15	15	15	15	15	15	15										
20-34	4	25.5	452	9	10	19	41	55	56	55	2	15.0	98	8	8	15	22	22	22	22
35-49	2	21.0	2	20	20	22	80	99 +	99 +	99 +										
50-64	4	29.5	74	23	24	26	35	42	42	42										
65 +																				
ALL AGES	12	24.0	180	10	14	23	31	64	93	99 +	2	15.0	98	8	8	15	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	14.0	75	9	9	9	20	24	24	24										
35-49	2	11.0	32	7	7	11	15	15	15	15										
50-64											1	30.0		30	30	30	30	30	30	30
65 +																				
ALL AGES	5	12.8	48	7	8	9	17	24	24	24	1	30.0		30	30	30	30	30	30	30
SUBTOTAL	**17**	**20.7**	**163**	**9**	**11**	**21**	**27**	**51**	**82**	**99 +**	**3**	**20.0**	**124**	**8**	**11**	**22**	**28**	**30**	**30**	**30**
GRAND TOTAL	**46**	**17.0**	**200**	**4**	**7**	**14**	**25**	**42**	**56**	**99 +**	**9**	**13.9**	**57**	**7**	**8**	**12**	**16**	**27**	**30**	**30**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	9	21.9	219	4	13	18	33	43	49	49	2	12.0	162	3	3	12	21	21	21	21
20-34	22	22.8	438	5	9	15	29	65	73	73	2	18.0	200	8	8	18	28	28	28	28
35-49	15	13.7	140	4	6	10	21	42	83	99 +	5	13.8	275	1	2	9	21	42	42	42
50-64	4	18.5	38	13	13	17	23	26	26	26										
65 +	2	21.0	32	17	17	21	25	25	25	25										
ALL AGES	52	19.6	272	5	8	15	26	44	71	99	9	14.3	189	2	3	9	23	36	42	42
B. FEMALE																				
0-12 YRS.																				
13-19	4	35.0	1271	7	9	24	60	85	85	85	1	6.0		6	6	6	6	6	6	6
20-34	31	22.6	423	5	8	17	29	45	67	96	1	14.0		14	14	14	14	14	14	14
35-49	21	18.7	308	1	6	15	26	38	56	74	2	27.0	578	10	10	27	44	44	44	44
50-64	11	23.6	256	5	13	18	37	47	52	53	1	4.0		4	4	4	4	4	4	4
65 +	5	18.0	42	12	14	17	20	29	29	29	1	16.0		16	16	16	16	16	16	16
ALL AGES	72	22.0	371	4	8	17	29	42	66	94	6	15.7	212	4	6	12	16	41	44	44
SUBTOTAL	**124**	**21.0**	**328**	**4**	**8**	**16**	**28**	**43**	**69**	**97**	**15**	**14.9**	**183**	**3**	**4**	**10**	**20**	**42**	**43**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	5	27.8	164	12	19	27	36	46	46	46	1	1.0		1	1	1	1	1	1	1
20-34	24	13.7	106	2	5	12	17	28	39	40	1	16.0		16	16	16	16	16	16	16
35-49	13	12.4	87	4	5	7	17	27	32	33	1	8.0		8	8	8	8	8	8	8
50-64											1	1.0		1	1	1	1	1	1	1
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	43	14.8	122	3	6	12	20	33	39	46	4	6.5	51	1	1	5	12	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-19	1	14.0		14	14	14	14	14	14	14	1	20.0		20	20	20	20	20	20	20
20-34	10	19.0	456	4	6	11	20	54	74	74	2	6.5	13	4	4	6	9	9	9	9
35-49	11	22.6	278	8	12	17	27	51	60	61	1	8.0		8	8	8	8	8	8	8
50-64	6	31.0	1095	6	9	15	52	85	89	89										
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	28	22.8	481	6	9	15	25	58	75	89	5	8.8	46	3	4	8	12	20	20	20
SUBTOTAL	**71**	**18.0**	**273**	**4**	**7**	**14**	**21**	**39**	**52**	**86**	**9**	**7.8**	**43**	**1**	**3**	**8**	**11**	**18**	**20**	**20**
GRAND TOTAL	**195**	**19.9**	**309**	**4**	**8**	**15**	**26**	**42**	**62**	**93**	**24**	**12.2**	**140**	**1**	**4**	**9**	**16**	**29**	**43**	**44**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-49	1	11.0		11	11	11	11	11	11	11										
50-64	1	2.0		2	2	2	2	2	2	2										
65 +	2	27.5	61	22	22	27	33	33	33	33										
ALL AGES	6	12.8	154	2	2	9	22	32	33	33	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	13.5	13	11	11	13	16	16	16	16										
35-49	1	26.0		26	26	26	26	26	26	26	1	10.0		10	10	10	10	10	10	10
50-64	6	16.8	159	6	8	13	21	38	40	40										
65 +	1	35.0		35	35	35	35	35	35	35	1	5.0		5	5	5	5	5	5	5
ALL AGES	10	18.9	133	7	11	15	26	37	40	40	2	7.5	13	5	5	7	10	10	10	10
SUBTOTAL	**16**	**16.6**	**140**	**3**	**7**	**13**	**24**	**35**	**38**	**40**	**3**	**5.3**	**21**	**1**	**2**	**5**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	18.3	236	1	6	24	28	30	30	30										
50-64	1	10.0		10	10	10	10	10	10	10										
65 +																				
ALL AGES	4	16.3	171	1	5	17	27	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	2	16.0	242	5	5	16	27	27	27	27										
50-64																				
65 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	4	10.5	132	1	3	7	18	27	27	27										
SUBTOTAL	**8**	**13.4**	**140**	**1**	**3**	**9**	**25**	**29**	**30**	**30**										
GRAND TOTAL	**24**	**15.5**	**138**	**2**	**6**	**11**	**25**	**33**	**36**	**40**	3	5.3	21	1	2	5	9	10	10	10

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	58.0		58	58	58	58	58	58	58										
35-49																				
50-64											1	4.0		4	4	4	4	4	4	4
65 +																				
ALL AGES	1	58.0		58	58	58	58	58	58	58	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	24.0		24	24	24	24	24	24	24										
35-49	2	13.0	72	7	7	13	19	19	19	19	4	7.0	25	1	3	7	10	13	13	13
50-64											1	6.0		6	6	6	6	6	6	6
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	3	16.7	75	7	10	19	23	24	24	24	6	6.5	16	1	5	6	8	12	13	13
SUBTOTAL	**4**	**27.0**	**478**	**7**	**13**	**21**	**41**	**58**	**58**	**58**	**7**	**6.1**	**14**	**2**	**4**	**6**	**8**	**12**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	22.0		22	22	22	22	22	22	22										
35-49																				
50-64																				
65 +	1	34.0		34	34	34	34	34	34	34										
ALL AGES	2	28.0	72	22	22	28	34	34	34	34										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	3.0		3	3	3	3	3	3	3
35-49	2	10.5	41	6	6	10	15	15	15	15	1	22.0		22	22	22	22	22	22	22
50-64																				
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	2	10.5	41	6	6	10	15	15	15	15	3	9.7	113	3	3	4	17	22	22	22
SUBTOTAL	**4**	**19.3**	**137**	**6**	**10**	**18**	**28**	**34**	**34**	**34**	**3**	**9.7**	**113**	**3**	**3**	**4**	**17**	**22**	**22**	**22**
GRAND TOTAL	**8**	**23.1**	**283**	**6**	**11**	**20**	**29**	**51**	**58**	**58**	**10**	**7.2**	**36**	**2**	**4**	**5**	**8**	**17**	**22**	**22**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	30.0	1171	5	8	16	56	69	69	69	1	18.0		18	18	18	18	18	18	18
13-19	21	16.6	129	5	8	14	24	28	38	51	5	7.6	23	3	3	7	12	13	13	13
20-34	70	14.3	208	3	7	10	18	26	35	83	10	7.5	57	2	3	5	7	20	26	26
35-49	75	15.6	214	3	7	10	20	35	49	70	9	11.7	228	1	2	7	15	37	49	49
50-64	51	20.0	187	6	13	19	27	31	68	99 +	7	4.7	9	1	3	4	6	9	10	10
65 +	93	20.3	132	8	12	20	25	36	44	84	16	18.9	708	2	4	6	22	69	86	92
ALL AGES	313	17.6	191	5	8	15	22	34	44	81	48	11.9	310	2	3	6	13	25	51	92
B. FEMALE																				
0-12 YRS.											2	21.5	113	14	14	21	29	29	29	29
13-19	44	17.3	301	3	6	13	22	43	74	99 +	7	21.0	437	1	5	14	41	51	52	52
20-34	121	14.8	152	3	6	12	19	30	36	69	24	8.5	68	1	2	7	12	15	24	39
35-49	137	16.2	133	5	8	14	22	31	43	52	22	10.3	105	2	4	7	11	31	36	37
50-64	94	17.8	135	5	8	15	23	34	44	48	16	12.1	60	2	4	13	17	23	25	26
65 +	192	21.6	182	7	12	19	28	42	49	66	41	15.8	160	4	5	13	24	29	44	54
ALL AGES	588	18.0	172	4	9	15	23	36	46	69	112	13.0	140	2	4	10	16	28	39	53
SUBTOTAL	**901**	**17.9**	**177**	**4**	**9**	**15**	**23**	**35**	**45**	**72**	**160**	**12.7**	**189**	**2**	**4**	**8**	**16**	**28**	**39**	**71**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	26.9	238	5	20	28	40	72	98	99 +	25	29.9	156	20	21	28	37	46	55	57
13-19	10	14.1	95	6	8	12	31	99 +	99 +	99 +	16	19.9	259	2	6	14	33	41	48	50
20-34	106	14.4	80	4	7	13	21	24	29	44	18	14.6	284	2	3	8	20	43	55	60
35-49	87	13.6	143	3	6	11	18	28	40	89	18	13.9	82	3	7	14	20	32	72	99 +
50-64	30	18.1	139	4	9	16	23	37	42	48	9	32.2	860	6	11	24	42	82	92	92
65 +	48	21.0	154	6	12	20	28	39	45	56	8	11.6	93	5	6	7	15	28	33	33
ALL AGES	291	16.0	134	4	8	14	21	32	42	99 +	94	20.9	287	3	7	19	31	44	56	96
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8	13	29.4	448	7	9	26	47	72	94	99 +
13-19	46	19.3	378	3	8	16	23	58	93	99 +	20	18.3	297	2	4	14	27	55	80	99 +
20-34	166	14.8	118	3	7	12	21	29	37	53	30	12.8	89	3	6	10	17	30	32	35
35-49	126	15.8	117	4	8	15	22	30	35	45	24	14.5	218	2	3	10	19	34	45	62
50-64	60	18.4	122	7	9	17	27	34	40	46	11	20.8	425	1	3	18	30	47	69	71
65 +	81	23.4	278	7	13	21	29	53	71	99 +	14	10.0	47	2	4	9	14	20	22	23
ALL AGES	480	17.4	177	4	8	15	24	34	40	93	112	16.5	244	2	5	12	23	41	62	99 +
SUBTOTAL	**771**	**16.9**	**160**	**4**	**8**	**14**	**23**	**33**	**41**	**98**	**206**	**18.5**	**267**	**3**	**6**	**14**	**28**	**43**	**60**	**99 +**
GRAND TOTAL	**1672**	**17.4**	**171**	**4**	**8**	**15**	**23**	**34**	**43**	**82**	**366**	**16.0**	**240**	**2**	**5**	**11**	**23**	**37**	**50**	**92**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-19	7	18.9	564	2	5	9	22	61	70	70	1	9.0		9	9	9	9	9	9	9
20-34	24	16.5	206	6	8	12	18	31	51	71	9	16.6	98	5	8	15	26	30	32	32
35-49	67	17.9	114	5	10	16	23	34	36	46	14	13.6	120	2	6	10	21	32	34	34
50-64	73	20.3	221	4	10	18	29	37	45	75	14	12.6	76	1	5	11	19	25	27	27
65 +	126	28.5	294	12	17	24	37	50	70	98	20	25.1	543	6	9	21	25	83	93	99 +
ALL AGES	298	22.8	258	7	12	19	30	44	53	80	58	17.7	271	3	7	16	24	32	70	99
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-19	13	18.9	188	5	8	16	28	42	44	44	4	19.5	476	6	7	10	32	52	52	52
20-34	98	16.9	201	4	7	14	23	35	50	86	22	10.7	95	1	3	7	16	25	31	37
35-49	152	15.3	109	4	8	14	21	27	34	58	41	11.7	107	2	4	8	19	26	34	41
50-64	153	19.3	115	7	12	18	23	35	43	58	23	22.2	287	9	14	18	26	40	59	84
65 +	402	25.4	210	9	16	23	32	44	51	93	51	17.3	280	4	7	11	21	40	53	79
ALL AGES	819	21.3	187	6	12	19	28	40	48	84	141	15.5	217	3	6	11	20	32	45	79
SUBTOTAL	**1117**	**21.7**	**206**	**6**	**12**	**19**	**29**	**41**	**49**	**83**	**199**	**16.2**	**230**	**3**	**6**	**11**	**21**	**32**	**46**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	30.0	21	25	27	29	33	36	36	36	1	1.0		1	1	1	1	1	1	1
13-19	10	12.2	98	2	8	9	15	28	35	35	4	16.0	147	4	6	15	26	30	30	30
20-34	72	16.5	218	4	7	13	21	32	40	89	22	18.4	177	6	8	14	26	38	48	55
35-49	88	14.3	148	3	6	10	18	30	45	86	15	11.8	41	3	8	11	19	21	76	99 +
50-64	38	20.6	266	3	10	16	30	45	51	71	11	22.2	185	9	10	16	38	41	41	41
65 +	53	21.7	197	7	12	19	27	43	55	65	4	29.3	685	6	11	22	47	66	66	66
ALL AGES	265	17.4	201	4	8	14	24	36	46	70	57	17.7	182	5	9	14	22	40	51	97
B. FEMALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43	1	7.0		7	7	7	7	7	7	7
13-19	26	18.8	119	6	9	18	30	36	46	99 +	12	20.2	585	1	2	11	30	61	74	76
20-34	184	18.9	274	5	8	14	24	41	53	86	30	16.9	269	3	5	14	28	39	76	99 +
35-49	191	17.0	185	4	7	14	23	31	48	93	52	15.3	189	3	5	12	20	33	42	71
50-64	101	18.0	160	5	9	15	21	40	43	61	17	23.4	333	1	8	27	36	42	59	67
65 +	143	26.7	226	11	17	25	34	46	64	99 +	28	24.8	319	8	11	19	37	69	99 +	99 +
ALL AGES	646	20.0	224	5	9	17	28	41	53	99 +	140	18.9	288	3	6	14	28	42	68	99 +
SUBTOTAL	**911**	**19.2**	**220**	**5**	**9**	**16**	**27**	**40**	**51**	**97**	**197**	**18.5**	**258**	**3**	**7**	**14**	**28**	**41**	**63**	**99 +**
GRAND TOTAL	**2028**	**20.6**	**213**	**5**	**10**	**18**	**28**	**41**	**50**	**85**	**396**	**17.3**	**247**	**3**	**7**	**13**	**24**	**38**	**54**	**99 +**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	10.5	108	4	5	6	16	26	26	26	1	1.0		1	1	1	1	1	1	1
20-34	60	16.9	142	4	8	16	22	28	41	61	12	11.7	104	1	4	8	19	29	31	31
35-49	47	16.4	171	5	8	14	21	33	41	71	8	11.3	41	4	7	9	14	22	24	24
50-64	30	22.8	258	8	12	17	29	51	56	68	4	19.0	270	3	9	15	29	42	42	42
65 +	19	22.3	332	5	12	17	26	55	67	67	1	66.0		66	66	66	66	66	66	66
ALL AGES	160	18.4	196	5	9	16	22	35	49	68	26	14.3	216	1	5	9	17	31	47	66
B. FEMALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-19	6	15.8	4	14	15	15	18	84	99 +	99 +	2	11.5	25	8	8	11	15	15	15	15
20-34	60	17.5	120	4	10	16	25	32	39	95	7	19.1	393	2	3	13	29	51	56	56
35-49	112	18.6	214	6	10	15	22	33	50	78	20	13.9	102	7	8	11	17	26	40	46
50-64	72	19.6	268	6	9	16	24	42	66	98	7	13.1	132	2	8	10	15	33	37	37
65 +	61	23.3	287	5	14	20	26	46	64	82	3	13.0	75	8	8	8	19	23	23	23
ALL AGES	312	19.6	222	6	10	17	24	36	55	94	39	14.5	143	3	8	10	17	32	42	56
SUBTOTAL	**472**	**19.2**	**213**	**5**	**10**	**16**	**24**	**36**	**52**	**83**	**65**	**14.4**	**170**	**3**	**8**	**9**	**17**	**31**	**43**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	17.0		17	17	17	17	17	17	17
20-34	30	16.2	262	3	6	12	21	33	62	68	8	14.3	164	3	4	7	29	31	31	31
35-49	18	18.1	141	6	10	14	21	39	43	45	7	16.9	310	5	8	10	15	48	56	56
50-64	13	12.8	117	4	6	7	18	32	34	35	1	5.0		5	5	5	5	5	5	5
65 +	8	27.4	543	5	13	17	41	64	74	74	1	20.0		20	20	20	20	20	20	20
ALL AGES	69	17.4	238	4	7	13	22	39	46	73	18	15.2	188	4	5	10	20	31	46	56
B. FEMALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12										
20-34	24	17.2	262	4	7	13	19	42	59	67	4	23.0	34	17	18	28	46	99 +	99 +	99 +
35-49	20	18.2	339	4	8	17	21	56	92	99 +	4	22.5	25	17	19	22	26	29	29	29
50-64	16	16.3	174	2	7	16	21	32	46	51	1	12.0		12	12	12	12	12	12	12
65 +	19	21.4	114	9	13	20	28	34	42	48	1	4.0		4	4	4	4	4	4	4
ALL AGES	80	18.2	221	4	9	15	23	35	53	96	10	19.8	62	9	17	21	28	57	96	99 +
SUBTOTAL	**149**	**17.8**	**229**	**4**	**7**	**14**	**23**	**36**	**51**	**86**	**28**	**16.9**	**142**	**4**	**7**	**17**	**28**	**31**	**58**	**99 +**
GRAND TOTAL	**621**	**18.8**	**219**	**4**	**9**	**16**	**24**	**36**	**52**	**84**	**93**	**15.2**	**160**	**3**	**7**	**11**	**20**	**31**	**45**	**85**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	21.5	88	12	13	21	29	31	31	31	1	85.0		85	85	85	85	85	85	85
20-34	16	14.1	92	3	7	12	19	30	33	34	3	4.3	18	1	1	3	7	9	9	9
35-49	16	11.6	70	2	4	10	18	25	25	25	5	12.6	55	3	7	11	19	21	21	21
50-64	19	20.4	181	5	8	17	29	40	48	51	3	13.7	179	4	5	8	24	29	29	29
65 +	13	24.2	659	1	5	23	28	57	89	96	4	26.3	85	15	20	26	32	38	38	38
ALL AGES	68	17.6	231	3	7	15	26	32	45	88	16	19.2	425	3	6	13	26	37	71	85
B. FEMALE																				
0-12 YRS.																				
13-19	1	18.0		18	18	18	18	18	18	18										
20-34	34	16.5	149	4	7	12	25	33	44	46	7	9.0	57	2	3	9	11	21	24	24
35-49	31	18.9	94	6	13	19	26	33	34	38	13	18.0	220	3	6	14	25	42	44	44
50-64	24	18.7	160	5	11	15	26	36	48	54	5	30.8	905	11	12	13	48	81	81	81
65 +	50	27.4	312	9	15	23	35	49	59	86	5	18.0	274	5	6	8	31	43	43	43
ALL AGES	140	21.3	214	5	12	19	28	40	46	81	30	18.0	315	3	7	11	24	42	44	81
SUBTOTAL	**208**	**20.1**	**221**	**5**	**9**	**17**	**27**	**38**	**46**	**83**	**46**	**18.4**	**345**	**3**	**7**	**12**	**25**	**42**	**51**	**85**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	10	16.1	107	4	10	15	20	30	40	40	3	12.7	184	2	3	8	23	28	28	28
35-49	21	17.6	77	7	9	21	23	28	31	34	2	12.5	41	8	8	12	17	17	17	17
50-64	11	20.8	288	6	8	15	33	48	55	56	1	16.0		16	16	16	16	16	16	16
65 +	3	17.3	442	1	3	10	33	41	41	41										
ALL AGES	45	18.0	146	6	9	16	23	39	41	56	6	13.2	83	3	8	12	17	27	28	28
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-19																				
20-34	20	20.9	301	8	10	16	24	38	60	82	3	9.7	199	1	1	2	20	26	26	26
35-49	37	16.8	215	4	7	14	23	42	54	59	12	21.3	435	5	8	15	28	47	74	79
50-64	13	18.5	127	8	10	18	25	50	89	99 +	5	15.2	173	7	7	9	21	38	38	38
65 +	5	21.2	105	9	18	23	35	93	99 +	99 +										
ALL AGES	76	18.5	207	6	9	15	24	42	58	99 +	20	18.1	327	3	7	9	25	35	58	79
SUBTOTAL	**121**	**18.3**	**184**	**6**	**9**	**15**	**24**	**39**	**51**	**99 +**	**26**	**16.9**	**272**	**2**	**7**	**9**	**24**	**33**	**46**	**79**
GRAND TOTAL	**329**	**19.4**	**209**	**5**	**9**	**16**	**26**	**39**	**46**	**88**	**72**	**17.9**	**314**	**3**	**7**	**11**	**25**	**39**	**44**	**84**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	10	11.5	92	2	3	9	20	26	28	28	2	3.0	8	1	1	2	5	5	5	5
35-49	15	23.5	300	6	11	19	31	43	62	69	2	6.0	18	3	3	6	9	9	9	9
50-64	9	23.2	139	11	15	21	27	42	48	48	3	22.3	369	2	8	25	36	40	40	40
65 +	4	15.5	16	12	13	16	41	99+	99+	99+	3	29.3	299	10	16	35	41	43	43	43
ALL AGES	38	19.4	197	4	10	16	26	42	60	99+	10	17.3	281	1	3	9	35	41	43	43
B. FEMALE																				
0-12 YRS.																				
13-19	9	22.4	619	2	3	20	30	61	80	80										
20-34	35	18.9	263	4	7	13	25	50	54	64	4	20.0	281	10	10	12	29	45	45	45
35-49	29	17.3	90	7	9	18	25	31	33	35	7	19.3	441	5	8	11	45	89	99+	99+
50-64	19	24.4	342	5	11	18	38	58	61	61	2	16.0	18	13	13	16	19	19	19	19
65 +	22	20.7	216	7	9	20	27	45	80	99+	4	15.8	380	5	5	7	26	45	45	45
ALL AGES	114	20.0	247	4	9	16	27	42	59	87	17	18.2	296	5	8	12	27	58	86	99+
SUBTOTAL	**152**	**19.9**	**232**	**4**	**9**	**16**	**27**	**42**	**59**	**99**	**27**	**17.9**	**278**	**3**	**6**	**11**	**31**	**45**	**68**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	5	17.2	108	11	11	11	22	35	35	35	1	7.0		7	7	7	7	7	7	7
20-34	17	17.5	65	10	12	16	21	32	36	36	4	32.8	334	14	18	31	47	55	55	55
35-49	11	18.5	264	6	13	14	19	38	63	65	1	15.0		15	15	15	15	15	15	15
50-64	4	14.5	7	12	12	14	16	18	18	18	1	22.0		22	22	22	22	22	22	22
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	38	17.2	114	10	11	14	19	31	36	65	7	25.0	281	8	14	22	36	52	55	55
B. FEMALE																				
0-12 YRS.																				
13-19	3	8.3	31	3	4	8	12	14	14	14										
20-34	9	19.2	67	11	13	16	24	33	35	35	5	21.2	345	3	10	14	32	51	51	51
35-49	19	24.9	229	6	12	25	36	44	52	56	6	16.5	57	7	10	16	24	25	25	25
50-64	10	24.0	179	8	15	23	32	42	43	43	2	14.0	50	9	9	14	19	19	19	19
65 +	4	13.5	30	8	9	13	18	20	20	20	1	8.0		8	8	8	8	8	8	8
ALL AGES	45	21.4	173	8	12	16	32	38	44	56	14	17.2	147	7	9	13	24	28	46	51
SUBTOTAL	**83**	**19.5**	**148**	**8**	**12**	**16**	**24**	**36**	**42**	**62**	**21**	**19.8**	**194**	**7**	**10**	**15**	**24**	**44**	**53**	**55**
GRAND TOTAL	**235**	**19.7**	**204**	**5**	**11**	**16**	**26**	**39**	**54**	**83**	**48**	**18.7**	**239**	**4**	**8**	**13**	**25**	**45**	**55**	**99+**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	8.7	5	6	7	10	55	99+	99+	99+	2	52.0	242	41	41	52	63	63	63	63
20-34	15	14.5	180	2	5	13	17	41	44	45	3	4.7	4	3	3	4	6	7	7	7
35-49	11	16.5	140	2	10	16	21	33	44	45	3	5.7	6	3	4	6	7	8	8	8
50-64	9	23.2	526	4	8	15	28	63	71	71	2	14.5	113	7	7	14	22	22	22	22
65 +	5	14.6	63	5	8	15	19	29	29	29										
ALL AGES	43	16.4	219	3	7	14	19	45	58	99+	10	16.4	408	3	4	7	22	52	63	63
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	21	15.2	125	1	5	14	27	30	34	36	1	3.0		3	3	3	3	3	3	3
35-49	26	14.9	71	5	9	13	22	28	29	29										
50-64	16	17.6	95	5	10	15	24	30	36	39	4	16.3	173	4	8	13	24	35	35	35
65 +	5	15.6	93	5	7	14	25	27	27	27	4	14.8	406	3	4	5	25	45	45	45
ALL AGES	69	15.5	92	4	8	14	24	28	30	38	9	14.1	237	3	4	6	19	41	45	45
SUBTOTAL	**112**	**15.8**	**141**	**4**	**7**	**14**	**23**	**29**	**41**	**82**	**19**	**15.3**	**311**	**3**	**4**	**7**	**20**	**43**	**55**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35	1	4.0		4	4	4	4	4	4	4
13-19	3	16.7	63	9	11	16	23	25	25	25	1	34.0		34	34	34	34	34	34	34
20-34	14	10.9	31	4	7	10	13	21	21	21	3	7.3	18	4	4	6	10	12	12	12
35-49	8	12.9	77	5	7	10	15	28	32	32										
50-64	5	18.8	147	5	10	14	31	33	33	33										
65 +	3	20.7	270	7	9	16	33	39	39	39										
ALL AGES	34	14.6	93	5	7	12	18	32	35	39	5	12.0	162	4	4	6	17	34	34	34
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-19	5	18.0	47	12	13	15	22	29	29	29										
20-34	23	19.8	490	4	8	13	23	41	83	91	3	11.3	102	2	4	10	19	22	22	22
35-49	18	18.3	311	1	5	12	25	50	56	58	3	13.0	333	1	2	4	26	34	34	34
50-64	7	23.9	110	13	15	21	32	40	41	41	1	6.0		6	6	6	6	6	6	6
65 +	4	20.5	46	14	18	19	47	99+	99+	99+	1	4.0		4	4	4	4	4	4	4
ALL AGES	58	19.7	303	4	10	15	25	43	70	99	8	10.4	135	1	3	5	16	30	34	34
SUBTOTAL	**92**	**17.8**	**230**	**4**	**8**	**14**	**23**	**35**	**51**	**96**	**13**	**11.0**	**134**	**2**	**4**	**6**	**14**	**34**	**34**	**34**
GRAND TOTAL	**204**	**16.7**	**181**	**4**	**8**	**14**	**23**	**32**	**44**	**95**	**32**	**13.6**	**236**	**3**	**4**	**6**	**18**	**37**	**45**	**63**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	43.5	1	43	43	43	44	44	44	44										
13-19	2	15.5	1	15	15	15	16	16	16	16										
20-34	5	9.0	70	1	2	6	16	21	21	21	1	21.0		21	21	21	21	21	21	21
35-49	3	21.3	338	7	9	15	35	42	42	42										
50-64	2	9.5	25	6	6	9	13	13	13	13	1	2.0		2	2	2	2	2	2	2
65 +	4	8.3	28	1	5	9	12	14	14	14										
ALL AGES	18	15.5	190	2	6	13	16	43	44	44	2	11.5	181	2	2	11	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	9	15.4	64	7	11	14	18	29	31	31	4	6.5	18	2	3	6	10	11	11	11
35-49	13	15.3	337	2	5	11	19	34	64	71	5	10.4	73	2	5	7	16	24	24	24
50-64	10	14.7	230	2	4	10	21	37	53	53	3	5.3	13	2	3	5	8	9	9	9
65 +	10	14.6	130	3	8	15	17	30	43	43	4	21.8	70	10	15	24	28	29	29	29
ALL AGES	42	15.0	191	3	7	12	17	27	47	71	16	11.3	82	2	4	9	17	27	28	29
SUBTOTAL	**60**	**15.2**	**186**	**2**	**7**	**13**	**17**	**36**	**44**	**69**	**18**	**11.3**	**84**	**2**	**4**	**9**	**21**	**26**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	6	6.2	2	4	5	6	8	8	8	8	2	8.0	2	7	7	8	9	9	9	9
35-49	6	10.0	16	3	8	11	13	14	14	14										
50-64	4	14.5	75	6	7	13	21	25	25	25										
65 +	3	12.7	103	1	5	17	19	20	20	20										
ALL AGES	19	10.2	39	3	5	8	14	19	23	25	2	8.0	2	7	7	8	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	2	13.0	162	4	4	13	22	22	22	22										
20-34	18	17.4	444	4	6	7	16	60	68	70	4	11.0	41	5	7	9	15	20	20	20
35-49	17	17.3	177	5	8	13	26	32	46	54	4	9.3	3	7	8	9	11	12	12	12
50-64	5	24.8	1092	3	3	9	41	81	81	81	1	4.0		4	4	4	4	4	4	4
65 +	4	46.3	385	19	38	57	73	99 +	99 +	99 +	2	30.0	1352	4	4	30	56	56	56	56
ALL AGES	46	20.5	428	3	6	13	28	63	72	99 +	11	13.2	221	4	5	9	11	34	54	56
SUBTOTAL	**65**	**17.5**	**334**	**3**	**6**	**10**	**22**	**53**	**67**	**97**	**13**	**12.4**	**188**	**4**	**6**	**9**	**10**	**27**	**51**	**56**
GRAND TOTAL	**125**	**16.4**	**262**	**3**	**6**	**12**	**20**	**43**	**58**	**86**	**31**	**11.8**	**122**	**2**	**5**	**9**	**13**	**25**	**29**	**56**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	23.0		23	23	23	23	23	23	23										
20-34	1	16.0		16	16	16	16	16	16	16										
35-49	3	16.3	54	8	11	20	21	21	21	21	1	1.0		1	1	1	1	1	1	1
50-64	1	18.0		18	18	18	18	18	18	18	2	46.5	3281	6	6	46	87	87	87	87
65 +	2	11.5	85	5	5	11	18	18	18	18										
ALL AGES	8	16.1	41	6	12	18	20	22	23	23	3	31.3	2333	1	2	6	67	87	87	87
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	20.0		20	20	20	20	20	20	20										
35-49	1	21.0		21	21	21	21	21	21	21	1	11.0		11	11	11	11	11	11	11
50-64	1	20.0		20	20	20	20	20	20	20	1	7.0		7	7	7	7	7	7	7
65 +	7	12.3	40	4	7	12	18	19	19	19	1	13.0		13	13	13	13	13	13	13
ALL AGES	10	14.7	42	4	10	18	20	21	21	21	3	10.3	10	7	8	11	12	13	13	13
SUBTOTAL	**18**	**15.3**	**40**	**5**	**10**	**18**	**20**	**21**	**22**	**23**	**6**	**20.8**	**1070**	**1**	**6**	**9**	**13**	**80**	**87**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	14.0		14	14	14	14	14	14	14	1	8.0		8	8	8	8	8	8	8
50-64	1	11.0		11	11	11	11	11	11	11										
65 +	4	20.5	9	19	19	19	22	25	25	25										
ALL AGES	6	17.8	25	11	14	19	19	24	25	25	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-19	1	41.0		41	41	41	41	41	41	41										
20-34	2	9.0	18	6	6	9	12	12	12	12										
35-49	2	17.0	32	13	13	17	21	21	21	21	1	58.0		58	58	58	58	58	58	58
50-64																				
65 +	9	22.3	59	15	19	21	24	34	40	40	3	16.3	92	7	9	16	23	26	26	26
ALL AGES	14	21.0	96	11	13	20	24	40	41	41	4	26.8	491	7	11	21	42	58	58	58
SUBTOTAL	**20**	**20.1**	**72**	**11**	**13**	**19**	**23**	**33**	**40**	**41**	**5**	**23.0**	**441**	**7**	**8**	**16**	**34**	**58**	**58**	**58**
GRAND TOTAL	**38**	**17.8**	**62**	**7**	**12**	**19**	**21**	**25**	**34**	**41**	**11**	**21.8**	**713**	**4**	**7**	**11**	**23**	**70**	**86**	**87**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	10.5	85	4	4	10	17	17	17	17										
ALL AGES	2	10.5	85	4	4	10	17	17	17	17										
SUBTOTAL	**2**	**10.5**	**85**	**4**	**4**	**10**	**17**	**17**	**17**	**17**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	1	22.0		22	22	22	22	22	22	22										
SUBTOTAL	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**										
GRAND TOTAL	**3**	**14.3**	**88**	**4**	**7**	**17**	**21**	**22**	**22**	**22**										

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	1	28.0		28	28	28	28	28	28	28	1	11.0		11	11	11	11	11	11	11
35-49	3	15.7	55	8	10	16	21	23	23	23										
50-64	1	64.0		64	64	64	64	64	64	64										
65 +	1	19.0		19	19	19	19	19	19	19	1	55.0		55	55	55	55	55	55	55
ALL AGES	7	23.3	386	6	10	19	27	57	64	64	2	33.0	968	11	11	33	55	55	55	55
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	4	9.0	133	1	2	4	16	26	26	26										
35-49	1	15.0		15	15	15	15	15	15	15	1	5.0		5	5	5	5	5	5	5
50-64	2	17.5	85	11	11	17	24	24	24	24	1	9.0		9	9	9	9	9	9	9
65 +	14	15.6	204	5	6	13	17	29	53	60	4	21.8	168	12	15	18	56	99 +	99 +	99 +
ALL AGES	21	14.5	164	3	6	12	18	26	41	60	6	16.8	164	6	10	16	35	88	99 +	99 +
SUBTOTAL	**28**	**16.7**	**223**	**4**	**6**	**14**	**21**	**27**	**60**	**64**	**8**	**20.9**	**309**	**7**	**10**	**16**	**44**	**82**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	20.0		20	20	20	20	20	20	20	1	8.0		8	8	8	8	8	8	8
20-34											1	7.0		7	7	7	7	7	7	7
35-49	5	14.8	30	7	11	14	20	20	20	20										
50-64	2	17.0	72	11	11	17	23	23	23	23										
65 +	2	36.5	925	15	15	36	58	58	58	58	1	9.0		9	9	9	9	9	9	9
ALL AGES	10	20.1	201	9	13	17	20	40	58	58	3	8.0	1	7	7	8	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	10.0		10	10	10	10	10	10	10										
35-49	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
50-64	2	13.5	113	6	6	13	21	21	21	21	1	6.0		6	6	6	6	6	6	6
65 +	5	16.0	84	6	9	16	21	30	30	30	1	3.0		3	3	3	3	3	3	3
ALL AGES	9	14.1	63	6	9	10	19	26	30	30	3	3.3	7	1	1	3	5	6	6	6
SUBTOTAL	**19**	**17.3**	**137**	**7**	**10**	**15**	**20**	**27**	**45**	**58**	**6**	**5.7**	**9**	**1**	**3**	**6**	**8**	**9**	**9**	**9**
GRAND TOTAL	**47**	**16.9**	**186**	**5**	**8**	**15**	**20**	**28**	**58**	**64**	**14**	**14.4**	**230**	**3**	**6**	**9**	**17**	**55**	**89**	**99 +**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	3.0		3	3	3	3	3	3	3
65 +	1	34.0		34	34	34	34	34	34	34										
ALL AGES	1	34.0		34	34	34	34	34	34	34	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**1**	**34.0**		**34**	**34**	**34**	**34**	**34**	**34**	**34**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**34.0**		**34**	**34**	**34**	**34**	**34**	**34**	**34**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	22.0		22	22	22	22	22	22	22										
35-49	2	5.0	8	3	3	5	7	7	7	7										
50-64	1	3.0		3	3	3	3	3	3	3										
65 +																				
ALL AGES	4	8.8	80	3	3	5	14	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	19.0		19	19	19	19	19	19	19
65 +	2	17.0	2	16	16	17	18	18	18	18										
ALL AGES	2	17.0	2	16	16	17	18	18	18	18	1	19.0		19	19	19	19	19	19	19
SUBTOTAL	**6**	**11.5**	**68**	**3**	**3**	**11**	**18**	**22**	**22**	**22**	**1**	**19.0**		**19**	**19**	**19**	**19**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	16.0		16	16	16	16	16	16	16										
35-49	1	11.0		11	11	11	11	11	11	11										
50-64																				
65 +																				
ALL AGES	2	13.5	13	11	11	13	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	2	11.0	200	1	1	11	21	21	21	21										
SUBTOTAL	**4**	**12.3**	**71**	**1**	**6**	**13**	**18**	**21**	**21**	**21**										
GRAND TOTAL	**10**	**11.8**	**62**	**2**	**3**	**13**	**18**	**21**	**22**	**22**	**1**	**19.0**		**19**	**19**	**19**	**19**	**19**	**19**	**19**

PARANOID STATE NOS (297.9)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	6	14.0	118	2	7	13	17	31	33	33										
35-49	6	14.8	280	1	4	6	32	39	40	40	3	12.7	16	8	9	14	15	16	16	16
50-64	3	20.7	4	18	19	21	22	23	23	23	1	9.0		9	9	9	9	9	9	9
65 +	3	10.0	28	4	6	12	13	14	14	14	1	8.0		8	8	8	8	8	8	8
ALL AGES	18	14.7	132	2	5	13	21	33	37	40	5	11.0	14	8	8	9	14	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-19	1	34.0		34	34	34	34	34	34	34										
20-34	5	9.0	29	4	5	6	13	17	17	17	1	1.0		1	1	1	1	1	1	1
35-49	6	6.2	4	4	5	6	7	10	10	10										
50-64	4	31.3	322	7	17	36	45	46	46	46										
65 +	17	21.8	134	6	14	21	30	35	45	50	5	6.6	21	3	3	5	9	14	14	14
ALL AGES	33	18.5	179	5	6	17	28	38	46	50	6	5.7	22	1	3	4	8	13	14	14
SUBTOTAL	**51**	**17.2**	**162**	**4**	**6**	**14**	**25**	**35**	**44**	**50**	**11**	**8.1**	**24**	**2**	**4**	**8**	**13**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34	5	20.4	397	3	6	15	31	53	53	53										
35-49	3	10.3	95	2	3	8	18	21	21	21	1	1.0		1	1	1	1	1	1	1
50-64																				
65 +	4	24.0	71	16	17	22	30	35	35	35	1	14.0		14	14	14	14	14	14	14
ALL AGES	12	19.1	211	3	7	17	25	40	51	53	3	5.7	52	1	1	2	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	4	21.3	97	8	13	24	29	29	29	29										
35-49	3	7.7	36	2	3	7	12	14	14	14	1	12.0		12	12	12	12	12	12	12
50-64	5	13.8	96	6	7	7	24	25	25	25	1	4.0		4	4	4	4	4	4	4
65 +	15	21.7	110	9	14	21	28	38	39	40	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	27	18.6	113	7	8	19	27	31	38	40	4	7.3	12	4	4	6	10	12	12	12
SUBTOTAL	**39**	**18.8**	**137**	**6**	**8**	**19**	**26**	**34**	**39**	**53**	**7**	**6.6**	**24**	**1**	**2**	**5**	**11**	**14**	**14**	**14**
GRAND TOTAL	**90**	**17.9**	**150**	**4**	**7**	**16**	**26**	**34**	**40**	**52**	**18**	**7.5**	**24**	**1**	**3**	**8**	**12**	**14**	**15**	**16**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	26.0		26	26	26	26	26	26	26										
20-34	2	3.0	2	2	2	3	4	4	4	4										
35-49	7	13.7	48	4	9	14	19	22	22	22										
50-64	2	2.5	5	1	1	2	4	4	4	4										
65 +	1	17.0		17	17	17	17	17	17	17	1	10.0		10	10	10	10	10	10	10
ALL AGES	13	11.5	74	2	4	14	18	23	25	26	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	4	25.8	506	8	8	19	43	56	56	56	1	3.0		3	3	3	3	3	3	3
35-49	2	10.5	145	2	2	10	19	19	19	19										
50-64	3	12.3	67	3	6	17	17	17	17	17										
65 +																				
ALL AGES	10	16.3	276	2	3	13	19	43	56	56	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**23**	**13.6**	**158**	**2**	**3**	**14**	**19**	**27**	**39**	**56**	**2**	**6.5**	**25**	**3**	**3**	**6**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	16.0	211	2	6	13	26	36	36	36										
35-49	5	7.0	10	3	4	7	9	11	11	11										
50-64																				
65 +	1	13.0		13	13	13	13	13	13	13	1	6.0		6	6	6	6	6	6	6
ALL AGES	10	11.2	95	2	5	9	13	26	36	36	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	6	10.0	58	5	5	7	10	23	25	25	1	3.0		3	3	3	3	3	3	3
35-49	5	12.4	292	1	2	5	19	42	42	42	1	31.0		31	31	31	31	31	31	31
50-64																				
65 +	5	11.4	105	3	4	8	17	28	28	28	1	3.0		3	3	3	3	3	3	3
ALL AGES	16	11.2	126	2	4	7	13	28	38	42	3	12.3	263	3	3	3	24	31	31	31
SUBTOTAL	**26**	**11.2**	**110**	**2**	**5**	**8**	**13**	**28**	**37**	**42**	**4**	**10.8**	**183**	**3**	**3**	**5**	**18**	**31**	**31**	**31**
GRAND TOTAL	**49**	**12.3**	**132**	**2**	**4**	**9**	**17**	**27**	**36**	**56**	**6**	**9.3**	**121**	**3**	**3**	**5**	**10**	**29**	**31**	**31**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34																				
35-49	1	5.0		5	5	5	5	5	5	5										
50-64																				
65 +																				
ALL AGES	2	4.0	2	3	3	4	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	26.0		26	26	26	26	26	26	26
35-49																				
50-64	1	18.0		18	18	18	18	18	18	18	1	4.0		4	4	4	4	4	4	4
65 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18	2	15.0	242	4	4	15	26	26	26	26
SUBTOTAL	**3**	**8.7**	**65**	**3**	**3**	**5**	**15**	**18**	**18**	**18**	**2**	**15.0**	**242**	**4**	**4**	**15**	**26**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6	1	34.0		34	34	34	34	34	34	34
50-64																				
65 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	2	18.0	512	2	2	18	34	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	3.5	5	2	2	3	5	5	5	5
35-49																				
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**	**4**	**10.8**	**241**	**2**	**2**	**4**	**19**	**34**	**34**	**34**
GRAND TOTAL	**5**	**7.4**	**36**	**3**	**4**	**5**	**9**	**18**	**18**	**18**	**6**	**12.2**	**198**	**2**	**2**	**4**	**26**	**33**	**34**	**34**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49																				
50-64																				
65 +											1	11.0		11	11	11	11	11	11	11
ALL AGES											2	6.0	50	1	1	6	11	11	11	11
SUBTOTAL											**3**	**5.3**	**27**	**1**	**2**	**4**	**9**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**3**	**5.3**	**27**	**1**	**2**	**4**	**9**	**11**	**11**	**11**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	1	14.0		14	14	14	14	14	14	14	1	15.0		15	15	15	15	15	15	15
35-49	1	12.0		12	12	12	12	12	12	12										
50-64	1	10.0		10	10	10	10	10	10	10										
65 +																				
ALL AGES	4	10.5	12	6	8	11	13	14	14	14	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	13.0		13	13	13	13	13	13	13										
35-49											2	2.5	1	2	2	2	3	3	3	3
50-64											1	2.0		2	2	2	2	2	2	2
65 +	1	10.0		10	10	10	10	10	10	10	1	3.0		3	3	3	3	3	3	3
ALL AGES	2	11.5	5	10	10	11	13	13	13	13	4	2.5		2	2	2	3	3	3	3
SUBTOTAL	**6**	**10.8**	**9**	**6**	**10**	**11**	**13**	**14**	**14**	**14**	**5**	**5.0**	**32**	**2**	**2**	**3**	**6**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	28.0		28	28	28	28	28	28	28										
50-64																				
65 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	6.0		6	6	6	6	6	6	6
35-49																				
50-64											1	5.0		5	5	5	5	5	5	5
65 +	2	14.5	25	11	11	14	18	18	18	18										
ALL AGES	2	14.5	25	11	11	14	18	18	18	18	2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	**3**	**19.0**	**73**	**11**	**13**	**18**	**25**	**28**	**28**	**28**	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**9**	**13.6**	**39**	**7**	**10**	**12**	**15**	**24**	**28**	**28**	**7**	**5.1**	**22**	**2**	**2**	**3**	**6**	**13**	**15**	**15**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	49.0		49	49	49	49	49	49	49										
35-49																				
50-64																				
65 +																				
ALL AGES	1	49.0		49	49	49	49	49	49	49										
SUBTOTAL	**1**	**49.0**		**49**	**49**	**49**	**49**	**49**	**49**	**49**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	21.0		21	21	21	21	21	21	21										
50-64																				
65 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	1	30.0		30	30	30	30	30	30	30										
SUBTOTAL	**2**	**25.5**	**41**	**21**	**21**	**25**	**30**	**30**	**30**	**30**										
GRAND TOTAL	**3**	**33.3**	**208**	**21**	**23**	**30**	**44**	**49**	**49**	**49**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	2	14.0	2	13	13	14	15	15	15	15										
20-34	7	8.3	38	1	3	8	14	16	16	16	1	16.0		16	16	16	16	16	16	16
35-49	4	8.8	68	3	3	5	14	21	21	21	2	9.0		9	9	9	9	9	9	9
50-64	1	14.0		14	14	14	14	14	14	14										
65 +	3	5.0	19	2	2	3	8	10	10	10										
ALL AGES	18	8.5	37	2	3	7	14	16	19	21	3	11.3	17	9	9	9	14	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-19	2	32.5	481	17	17	32	48	48	48	48										
20-34	11	8.2	18	2	4	9	12	13	14	14	2	37.0	882	16	16	37	58	58	58	58
35-49	12	8.8	27	3	5	8	11	16	21	22	2	4.5	1	4	4	4	5	5	5	5
50-64	8	6.9	46	1	2	5	9	18	22	22	2	10.5	145	2	2	10	19	19	19	19
65 +	4	16.8	156	2	7	16	26	32	32	32	1	21.0		21	21	21	21	21	21	21
ALL AGES	37	10.3	87	2	4	8	13	21	29	48	7	17.9	371	2	4	16	20	51	58	58
SUBTOTAL	**55**	**9.7**	**70**	**2**	**3**	**8**	**13**	**20**	**22**	**47**	**10**	**15.9**	**262**	**3**	**5**	**12**	**19**	**39**	**58**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	25.0	128	17	17	25	33	33	33	33										
20-34	6	15.3	141	8	9	10	15	37	39	39										
35-49	5	11.0	162	1	3	4	18	32	32	32	1	6.0		6	6	6	6	6	6	6
50-64	2	23.5	5	22	22	23	25	25	25	25										
65 +																				
ALL AGES	15	16.3	133	4	8	14	24	33	37	39	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-19	2	40.0	1458	13	13	40	67	67	67	67	1	7.0		7	7	7	7	7	7	7
20-34	6	13.5	114	3	8	11	16	31	33	33	3	18.0	12	16	16	16	21	22	22	22
35-49	13	8.0	104	2	2	4	9	25	34	36	2	5.0	8	3	3	5	7	7	7	7
50-64	1	21.0		21	21	21	21	21	21	21	2	13.5	113	6	6	13	21	21	21	21
65 +	2	9.5	61	4	4	9	15	15	15	15										
ALL AGES	25	13.0	221	2	3	8	17	33	44	67	8	12.3	53	4	6	11	19	22	22	22
SUBTOTAL	**40**	**14.3**	**184**	**2**	**4**	**10**	**21**	**33**	**37**	**67**	**9**	**11.6**	**51**	**4**	**6**	**7**	**17**	**22**	**22**	**22**
GRAND TOTAL	**95**	**11.6**	**123**	**2**	**3**	**9**	**15**	**22**	**33**	**58**	**19**	**13.8**	**160**	**3**	**6**	**9**	**18**	**22**	**42**	**58**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	50	99 +	99 +	99 +	99 +	2	1.5	1	1	1	1	2	2	2	2
13-19	3	19.0	279	1	6	22	31	34	34	34	2	3.0	8	1	1	2	5	5	5	5
20-34	19	9.6	86	1	3	6	15	21	31	37	5	4.0	7	1	2	4	6	7	7	7
35-49	10	8.8	22	4	6	8	11	16	20	20	3	19.0	316	5	7	13	32	39	39	39
50-64	12	16.3	123	6	8	13	21	31	42	44	2	6.5	5	5	5	6	8	8	8	8
65 +	42	15.7	243	2	7	11	20	31	45	85	20	7.8	45	2	2	7	10	22	60	99 +
ALL AGES	87	13.6	171	2	5	10	19	29	38	94	34	7.5	64	1	2	6	9	19	36	99 +
B. FEMALE																				
0-12 YRS.	2	2.0	2	1	1	3	76	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
13-19	3	12.7	205	2	3	7	23	29	29	29										
20-34	25	18.5	390	2	5	11	21	49	59	82	3	9.7	9	6	7	11	12	12	12	12
35-49	26	12.2	43	5	7	11	15	20	24	34	4	12.0	111	3	5	9	19	27	27	27
50-64	20	13.1	179	3	4	8	16	34	45	52	4	4.5	8	1	2	4	6	8	8	8
65 +	71	18.5	253	3	7	15	26	45	63	99 +	31	10.4	120	3	4	6	14	32	45	99 +
ALL AGES	147	16.3	230	3	6	12	21	42	58	99 +	43	9.7	100	2	4	6	12	27	44	99 +
SUBTOTAL	**234**	**15.3**	**209**	**3**	**6**	**11**	**20**	**37**	**52**	**99 +**	**77**	**8.8**	**83**	**2**	**3**	**6**	**11**	**24**	**42**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	61.0		61	61	61	61	61	61	61										
13-19	3	32.0	724	10	13	24	52	62	62	62	4	28.5	980	1	2	25	55	63	63	63
20-34	13	13.2	66	4	6	13	19	25	28	29	3	11.0	9	8	9	11	13	14	14	14
35-49	11	13.4	64	5	7	12	19	26	28	28	4	7.0	19	2	3	7	10	12	12	12
50-64	3	24.0	268	10	12	20	36	42	42	42	1	17.0		17	17	17	17	17	17	17
65 +	12	12.9	113	3	4	9	20	29	33	34	5	15.4	367	2	4	9	21	49	49	49
ALL AGES	43	16.3	190	4	6	12	21	30	49	62	17	15.8	345	2	4	9	15	49	58	63
B. FEMALE																				
0-12 YRS.																				
13-19	2	10.0	72	4	4	10	16	16	16	16										
20-34	12	20.0	452	3	6	11	38	73	95	99 +	2	11.0	8	9	9	11	13	13	13	13
35-49	14	16.4	166	2	5	14	23	36	42	44	3	12.3	58	5	7	12	18	20	20	20
50-64	13	16.1	233	4	6	10	21	45	50	51	6	12.3	130	2	3	8	21	30	31	31
65 +	24	20.6	130	5	11	20	26	39	42	44	5	7.4	16	2	6	8	13	91	99 +	99 +
ALL AGES	65	18.4	208	4	6	16	25	43	52	95	16	10.6	61	2	6	9	20	79	99 +	99 +
SUBTOTAL	**108**	**17.6**	**199**	**4**	**6**	**14**	**24**	**40**	**51**	**80**	**33**	**13.3**	**208**	**2**	**5**	**9**	**16**	**49**	**91**	**99 +**
GRAND TOTAL	**342**	**16.0**	**207**	**3**	**6**	**12**	**21**	**38**	**52**	**99 +**	**110**	**10.1**	**124**	**2**	**4**	**7**	**13**	**28**	**49**	**99 +**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3	2	3.0	2	2	2	3	4	4	4	4
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	3.0		3	3	3	3	3	3	3	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19																				
20-34											1	4.0		4	4	4	4	4	4	4
35-49																				
50-64																				
65 +																				
ALL AGES											2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**4**	**2.8**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	27.0		27	27	27	27	27	27	27										
35-49																				
50-64																				
65 +																				
ALL AGES	1	27.0		27	27	27	27	27	27	27										
SUBTOTAL	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**										
GRAND TOTAL	**3**	**11.0**	**192**	**3**	**3**	**3**	**21**	**27**	**27**	**27**	**4**	**2.8**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	25.7	447	3	16	37	72	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
13-19																				
20-34	2	8.5	1	8	8	8	9	9	9	9										
35-49																				
50-64																				
65 +																				
ALL AGES	5	18.8	313	3	8	19	45	94	99 +	99 +	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	3	31.3	673	2	12	41	48	51	51	51										
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	31.3	673	2	12	41	48	51	51	51	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**8**	**23.5**	**413**	**2**	**7**	**29**	**46**	**80**	**99 +**	**99 +**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	33.5	5	32	32	33	35	35	35	35										
13-19											1	20.0		20	20	20	20	20	20	20
20-34	2	10.0	98	3	3	10	17	17	17	17										
35-49																				
50-64																				
65 +																				
ALL AGES	4	21.8	215	3	10	24	33	35	35	35	1	20.0		20	20	20	20	20	20	20
B. FEMALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	42.0		42	42	42	42	42	42	42										
SUBTOTAL	**5**	**25.8**	**246**	**3**	**13**	**32**	**37**	**42**	**42**	**42**	**1**	**20.0**		**20**	**20**	**20**	**20**	**20**	**20**	**20**
GRAND TOTAL	**13**	**24.4**	**323**	**3**	**8**	**30**	**42**	**56**	**90**	**99 +**	**3**	**7.3**	**121**	**1**	**1**	**1**	**15**	**20**	**20**	**20**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	14.0		14	14	14	14	14	14	14										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	91.0		91	91	91	91	91	91	91										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	91.0		91	91	91	91	91	91	91										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**91.0**		**91**	**91**	**91**	**91**	**91**	**91**	**91**										
GRAND TOTAL	**2**	**52.5**	**2965**	**14**	**14**	**52**	**91**	**91**	**91**	**91**										

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	16.0		16	16	16	16	16	16	16
13-19	3	8.0	21	3	4	9	11	12	12	12										
20-34	8	9.4	78	1	3	6	14	24	26	26	5	2.0	2	1	1	1	3	4	4	4
35-49	17	3.1	2	1	2	3	4	6	7	7	11	2.3	1	1	1	2	3	4	5	5
50-64	12	4.1	6	1	2	4	6	8	9	9	7	2.0	2	1	1	1	3	4	4	4
65 +	12	14.5	199	2	4	10	19	42	43	43	10	2.3	1	1	2	2	3	4	5	5
ALL AGES	52	7.2	78	1	2	4	9	18	25	43	34	2.6	7	1	1	2	3	4	5	16
B. FEMALE																				
0-12 YRS.	4	29.5	475	5	15	27	43	58	58	58	1	3.0		3	3	3	3	3	3	3
13-19	2	8.5	5	7	7	8	10	10	10	10	4	7.8	164	1	1	2	14	27	27	27
20-34	16	5.6	24	1	2	4	8	12	17	19	12	5.4	46	1	1	3	6	16	23	24
35-49	25	6.4	72	1	2	3	9	14	22	40	20	4.3	11	1	2	3	6	10	11	12
50-64	18	4.4	13	1	2	4	5	9	13	15	11	3.2	4	1	1	2	5	6	7	7
65 +	29	9.5	254	1	2	4	11	20	34	83	18	4.8	51	1	2	3	6	7	22	32
ALL AGES	94	7.9	141	1	2	4	10	18	28	72	66	4.6	34	1	2	3	6	9	15	31
SUBTOTAL	**146**	**7.6**	**119**	**1**	**2**	**4**	**10**	**18**	**27**	**59**	**100**	**3.9**	**26**	**1**	**1**	**2**	**4**	**7**	**12**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-19	5	9.2	81	1	4	5	14	24	24	24	1	1.0		1	1	1	1	1	1	1
20-34	7	10.6	80	2	2	9	19	23	23	23	5	5.8	17	2	2	5	9	11	11	11
35-49	7	6.1	31	1	1	5	11	14	14	14	5	3.8	14	1	1	3	5	10	10	10
50-64	11	13.5	240	3	5	9	14	33	56	58	2	12.0	98	5	5	12	19	19	19	19
65 +	7	9.6	72	2	2	6	15	22	24	24	2	4.5	13	2	2	4	7	7	7	7
ALL AGES	38	10.7	120	2	3	8	14	24	27	58	15	5.5	25	1	2	4	8	11	17	19
B. FEMALE																				
0-12 YRS.											1	33.0		33	33	33	33	33	33	33
13-19	2	14.5	85	8	8	14	21	21	21	21	5	7.0	34	1	3	4	12	15	15	15
20-34	34	10.8	59	1	6	9	16	22	25	27	8	17.8	154	4	10	15	24	38	42	42
35-49	20	13.5	162	3	4	9	16	36	44	48	5	4.2	16	1	2	3	6	11	11	11
50-64	16	12.6	141	1	3	8	21	31	36	38	6	12.5	14	8	9	12	15	18	18	18
65 +	12	14.2	67	5	7	13	18	29	30	30	11	4.9	9	2	3	4	7	9	11	11
ALL AGES	84	12.3	99	3	5	9	18	27	31	46	36	10.0	85	2	3	8	13	20	31	42
SUBTOTAL	**122**	**11.8**	**105**	**2**	**4**	**9**	**16**	**25**	**30**	**51**	**51**	**8.7**	**71**	**1**	**3**	**6**	**12**	**18**	**28**	**42**
GRAND TOTAL	**268**	**9.6**	**115**	**1**	**3**	**5**	**13**	**21**	**29**	**56**	**151**	**5.5**	**46**	**1**	**2**	**3**	**7**	**13**	**19**	**33**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	4	4.3	6	2	2	4	6	7	7	7
13-19											2	2.5	5	1	1	2	4	4	4	4
20-34											4	6.3	28	1	2	5	10	13	13	13
35-49											3	3.0	4	1	1	3	4	5	5	5
50-64	4	1.8		1	1	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
65 +	5	21.6	1121	2	3	10	29	81	81	81	1	6.0		6	6	6	6	6	6	6
ALL AGES	10	11.7	607	1	2	2	10	46	81	81	15	4.3	11	1	2	3	6	8	12	13
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	16.5	481	1	1	16	32	32	32	32
13-19	8	3.6	3	2	2	3	5	6	6	6	3	2.0	1	1	1	2	3	3	3	3
20-34	20	9.4	89	1	3	6	15	20	31	40	16	2.8	2	1	2	3	3	5	6	6
35-49	13	8.5	200	1	2	3	5	28	47	52	13	8.0	267	1	2	4	5	18	54	62
50-64	4	5.0	7	3	3	4	7	9	9	9	2	5.5	25	2	2	5	9	9	9	9
65 +	2	10.5	113	3	3	10	18	18	18	18	6	4.7	1	3	4	5	6	6	6	6
ALL AGES	48	7.7	96	1	3	4	8	17	25	52	42	5.4	103	1	2	3	5	7	18	62
SUBTOTAL	**58**	**8.4**	**178**	**1**	**2**	**4**	**8**	**17**	**33**	**79**	**57**	**5.1**	**79**	**1**	**2**	**3**	**5**	**7**	**12**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	70.0		70	70	70	70	70	70	70
13-19																				
20-34	2	3.0	2	2	2	3	4	4	4	4	1	4.0		4	4	4	4	4	4	4
35-49	2	36.0	882	15	15	36	57	57	57	57	2	2.0	2	1	1	2	3	3	3	3
50-64											1	5.0		5	5	5	5	5	5	5
65 +											1	20.0		20	20	20	20	20	20	20
ALL AGES	4	19.5	658	2	3	9	36	57	57	57	6	17.2	715	1	3	4	20	65	70	70
B. FEMALE																				
0-12 YRS.	2	21.0	32	17	17	21	25	25	25	25	1	1.0		1	1	1	1	1	1	1
13-19	1	36.0		36	36	36	36	36	36	36	4	2.0		2	2	2	2	2	2	2
20-34	30	11.2	201	2	3	6	13	25	33	72	2	20.0	338	7	20	66	99 +	99 +	99 +	99 +
35-49	22	10.8	75	2	4	10	15	21	31	32	5	6.0	12	4	4	4	7	12	12	12
50-64	3	5.3	25	2	2	7	55	99 +	99 +	99 +	6	3.2	5	1	2	2	5	7	7	7
65 +	1	2.0		2	2	2	2	2	2	2	2	5.0		5	5	5	5	5	5	5
ALL AGES	59	11.3	147	2	3	7	16	28	34	97	20	5.4	49	1	2	4	7	53	99 +	99 +
SUBTOTAL	**63**	**11.8**	**174**	**2**	**3**	**7**	**16**	**31**	**42**	**96**	**26**	**8.1**	**207**	**1**	**2**	**4**	**7**	**59**	**99 +**	**99 +**
GRAND TOTAL	**121**	**10.2**	**177**	**2**	**3**	**5**	**13**	**25**	**38**	**86**	**83**	**6.0**	**119**	**1**	**2**	**3**	**6**	**12**	**40**	**99 +**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21										
20-34											1	64.0		64	64	64	64	64	64	64
35-49											1	2.0		2	2	2	2	2	2	2
50-64	2	16.0	338	3	3	16	29	29	29	29										
65 +																				
ALL AGES	3	17.7	176	3	7	21	27	29	29	29	2	33.0	1922	2	2	33	64	64	64	64
B. FEMALE																				
0-12 YRS.																				
13-19	2	11.5	221	1	1	11	22	22	22	22										
20-34	5	12.8	350	2	3	5	17	46	46	46										
35-49	5	15.4	85	1	11	15	23	24	24	24	1	5.0		5	5	5	5	5	5	5
50-64																				
65 +	3	11.3	123	1	2	10	20	23	23	23	1	21.0		21	21	21	21	21	21	21
ALL AGES	15	13.2	160	1	2	10	23	24	40	46	2	13.0	128	5	5	13	21	21	21	21
SUBTOTAL	**18**	**13.9**	**157**	**1**	**3**	**12**	**23**	**27**	**39**	**46**	**4**	**23.0**	**817**	**2**	**3**	**13**	**42**	**64**	**64**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	88.0		88	88	88	88	88	88	88										
35-49	1	31.0		31	31	31	31	31	31	31	1	29.0		29	29	29	29	29	29	29
50-64																				
65 +																				
ALL AGES	2	59.5	1625	31	31	59	88	88	88	88	1	29.0		29	29	29	29	29	29	29
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	4	17.5	100	3	11	20	23	26	26	26	3	13.0	13	10	10	12	16	17	17	17
35-49	5	11.4	65	1	5	11	17	22	22	22	2	10.0	2	9	9	10	11	11	11	11
50-64	1	36.0		36	36	36	36	36	36	36	1	24.0		24	24	24	24	24	24	24
65 +																				
ALL AGES	12	15.9	121	2	5	18	23	29	35	36	6	13.8	34	9	10	11	17	23	24	24
SUBTOTAL	**14**	**22.1**	**480**	**3**	**7**	**20**	**26**	**41**	**78**	**88**	**7**	**16.0**	**60**	**9**	**10**	**12**	**22**	**28**	**29**	**29**
GRAND TOTAL	**32**	**17.5**	**304**	**1**	**3**	**15**	**24**	**32**	**45**	**88**	**11**	**18.5**	**295**	**4**	**9**	**12**	**23**	**43**	**62**	**64**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	51.0		51	51	51	51	51	51	51										
20-34	6	46.2	422	28	33	38	55	81	84	84	1	26.0		26	26	26	26	26	26	26
35-49	5	18.6	511	1	2	10	31	56	56	56										
50-64	1	22.0		22	22	22	22	22	22	22										
65 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	14	33.6	516	3	22	30	51	59	78	84	1	26.0		26	26	26	26	26	26	26
B. FEMALE																				
0-12 YRS.											1	24.0		24	24	24	24	24	24	24
13-19																				
20-34	8	17.1	207	4	5	13	28	38	39	39										
35-49	2	15.5	265	4	4	15	27	27	27	27	1	5.0		5	5	5	5	5	5	5
50-64	3	19.0	192	3	9	27	27	27	27	27										
65 +	3	51.3	510	32	35	46	68	76	76	76	1	12.0		12	12	12	12	12	12	12
ALL AGES	16	23.7	395	3	5	23	34	45	67	76	3	13.7	91	5	7	12	21	24	24	24
SUBTOTAL	**30**	**28.3**	**462**	**3**	**8**	**27**	**39**	**55**	**76**	**84**	**4**	**16.8**	**97**	**5**	**8**	**18**	**25**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	77.0		77	77	77	77	77	77	77	2	30.0	392	16	16	30	44	44	44	44
20-34	5	18.6	272	5	7	8	33	42	42	42	3	13.7	123	1	9	20	61	99 +	99 +	99 +
35-49	4	16.0	295	3	5	10	27	41	41	41										
50-64																				
65 +																				
ALL AGES	10	23.4	575	4	7	11	41	59	77	77	5	20.2	240	2	16	20	44	94	99 +	99 +
B. FEMALE																				
0-12 YRS.											1	26.0		26	26	26	26	26	26	26
13-19																				
20-34	7	17.9	293	1	3	9	34	40	41	41	1	26.0		26	26	26	26	26	26	26
35-49	5	26.8	49	17	21	30	32	33	33	33	1	9.0		9	9	9	9	9	9	9
50-64	1	31.0		31	31	31	31	31	31	31	2	11.0		11	11	11	11	11	11	11
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	14	21.6	181	1	9	26	32	36	40	41	5	16.6	74	9	10	11	26	26	26	26
SUBTOTAL	**24**	**22.3**	**331**	**3**	**7**	**19**	**32**	**41**	**52**	**77**	**10**	**18.4**	**143**	**6**	**11**	**18**	**26**	**66**	**97**	**99 +**
GRAND TOTAL	**54**	**25.6**	**407**	**3**	**8**	**27**	**37**	**51**	**72**	**84**	**14**	**17.9**	**124**	**5**	**11**	**18**	**26**	**44**	**86**	**99 +**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	47.3	494	24	30	50	63	68	68	68	2	17.0	72	11	11	17	23	23	23	23
13-19	6	22.7	1190	4	5	7	21	85	92	92										
20-34	10	6.0	19	1	3	5	9	13	13	13	1	1.0		1	1	1	1	1	1	1
35-49	9	11.3	82	3	6	8	18	26	28	28	5	3.6	1	2	3	4	4	4	4	4
50-64	7	9.7	49	1	3	9	16	18	18	18	1	15.0		15	15	15	15	15	15	15
65 +	14	14.9	155	3	6	9	21	37	38	38	4	11.3	295	1	2	3	20	37	37	37
ALL AGES	49	14.6	307	2	5	8	18	34	51	92	13	8.7	113	1	3	4	12	26	35	37
B. FEMALE																				
0-12 YRS.	2	43.5	5	42	42	43	45	45	45	45										
13-19	15	22.3	670	1	3	11	36	72	79	82	2	14.0	18	11	11	14	17	17	17	17
20-34	38	8.6	70	1	3	7	11	18	28	39	10	6.7	37	1	2	4	11	16	20	20
35-49	36	12.0	100	2	4	10	17	22	34	45	11	5.8	46	1	2	2	10	18	19	19
50-64	8	7.4	13	1	5	8	10	11	11	11	6	2.7	2	1	2	2	4	5	5	5
65 +	17	15.1	254	1	3	12	20	36	52	60	11	10.8	107	2	3	7	16	25	35	36
ALL AGES	116	12.9	207	1	3	9	15	35	42	75	40	7.4	57	1	2	4	12	18	19	36
SUBTOTAL	**165**	**13.4**	**236**	**1**	**4**	**9**	**16**	**35**	**43**	**80**	**53**	**7.7**	**70**	**1**	**2**	**4**	**12**	**18**	**23**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	24.0	18	21	21	24	27	27	27	27	12	47.1	340	24	42	49	62	81	96	99 +
13-19	17	23.9	845	5	6	13	23	85	92	93	6	13.2	104	3	4	12	24	24	24	24
20-34	77	13.8	109	2	5	11	21	26	30	52	13	5.5	34	1	2	2	9	14	19	20
35-49	56	15.2	229	3	6	11	21	24	32	91	5	8.6	14	5	5	8	12	13	13	13
50-64	11	16.0	238	2	8	14	17	37	56	58	3	5.3	7	3	3	5	7	8	8	8
65 +	7	12.7	65	4	8	21	41	99 +	99 +	99 +										
ALL AGES	170	15.5	229	3	6	12	21	27	55	98	39	19.9	469	2	3	9	42	58	70	99 +
B. FEMALE																				
0-12 YRS.											3	68.0	304	56	57	60	81	88	88	88
13-19	19	20.5	239	3	8	17	34	44	48	51	9	7.3	86	1	1	2	12	23	27	27
20-34	94	16.1	194	2	7	14	21	34	43	73	17	6.2	20	1	3	5	8	14	15	15
35-49	95	15.5	172	3	6	13	21	30	37	73	10	11.5	78	3	5	9	15	24	33	33
50-64	26	14.2	80	6	8	12	21	22	30	44	6	13.0	91	2	3	13	21	25	26	26
65 +	14	14.4	56	5	9	13	19	26	28	28	4	5.8	14	2	3	5	8	11	11	11
ALL AGES	248	15.9	169	3	7	14	21	33	41	64	49	12.1	273	1	3	6	14	27	56	88
SUBTOTAL	**418**	**15.7**	**194**	**3**	**6**	**13**	**21**	**29**	**41**	**92**	**88**	**15.5**	**372**	**2**	**3**	**7**	**19**	**50**	**62**	**95**
GRAND TOTAL	**583**	**15.1**	**205**	**2**	**6**	**11**	**21**	**30**	**42**	**90**	**141**	**12.6**	**271**	**1**	**2**	**5**	**15**	**38**	**55**	**89**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	1.0		1	1	1	1	1	1	1
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19											1	6.0		6	6	6	6	6	6	6
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4	2	1.5	1	1	1	1	2	2	2	2
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	3	3.0	7	1	1	2	5	6	6	6
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2.5**	**6**	**1**	**1**	**2**	**4**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	1	11.0		11	11	11	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	16.0		16	16	16	16	16	16	16										
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	2	9.5	85	3	3	9	16	16	16	16										
SUBTOTAL	**3**	**10.0**	**43**	**3**	**5**	**11**	**15**	**16**	**16**	**16**										
GRAND TOTAL	**4**	**8.5**	**38**	**3**	**3**	**7**	**13**	**16**	**16**	**16**	**4**	**2.5**	**6**	**1**	**1**	**2**	**4**	**6**	**6**	**6**

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	8.0		8	8	8	8	8	8	8
50-64																				
65 +																				
ALL AGES											1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +											1	19.0		19	19	19	19	19	19	19
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	19.0		19	19	19	19	19	19	19
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**13.5**	**61**	**8**	**8**	**13**	**19**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19											1	29.0		29	29	29	29	29	29	29
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	29.0		29	29	29	29	29	29	29
SUBTOTAL											**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**
GRAND TOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**3**	**18.7**	**108**	**8**	**11**	**19**	**26**	**29**	**29**	**29**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3										
35-49																				
50-64																				
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	3	5.3	7	3	3	5	7	8	8	8										
B. FEMALE																				
0-12 YRS.											1	7.0		7	7	7	7	7	7	7
13-19	3	9.3	31	4	5	9	13	15	15	15										
20-34	1	20.0		20	20	20	20	20	20	20										
35-49	2	11.5	181	2	2	11	21	21	21	21										
50-64	1	71.0		71	71	71	71	71	71	71										
65 +																				
ALL AGES	7	20.3	554	2	5	15	21	61	71	71	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**10**	**15.8**	**423**	**2**	**4**	**8**	**20**	**46**	**71**	**71**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	9.0		9	9	9	9	9	9	9
13-19																				
20-34																				
35-49											1	6.0		6	6	6	6	6	6	6
50-64																				
65 +	1	47.0		47	47	47	47	47	47	47										
ALL AGES	1	47.0		47	47	47	47	47	47	47	2	7.5	5	6	6	7	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	2	6.0	8	4	4	6	8	8	8	8										
35-49	1	15.0		15	15	15	15	15	15	15	1	11.0		11	11	11	11	11	11	11
50-64	2	10.0		10	10	10	10	10	10	10										
65 +	1	16.0		16	16	16	16	16	16	16	3	6.0	39	1	2	4	11	13	13	13
ALL AGES	7	9.3	27	2	5	10	14	16	16	16	4	7.3	31	1	2	7	12	13	13	13
SUBTOTAL	**8**	**14.0**	**201**	**3**	**6**	**10**	**15**	**38**	**47**	**47**	**6**	**7.3**	**21**	**1**	**4**	**7**	**11**	**13**	**13**	**13**
GRAND TOTAL	**18**	**15.0**	**308**	**2**	**4**	**9**	**16**	**39**	**61**	**71**	**7**	**7.3**	**17**	**2**	**4**	**7**	**10**	**13**	**13**	**13**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											4	4.5	9	1	1	5	7	7	7	7
13-19											1	1.0		1	1	1	1	1	1	1
20-34	4	2.0	1	1	1	2	3	3	3	3										
35-49											1	11.0		11	11	11	11	11	11	11
50-64																				
65 +	6	10.7	58	5	6	6	19	22	22	22	11	9.6	75	2	3	9	11	22	31	32
ALL AGES	10	7.2	53	1	2	5	6	20	22	22	17	8.0	57	1	3	7	10	15	26	32
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	2	3.0		3	3	3	3	3	3	3
13-19	1	1.0		1	1	1	1	1	1	1	6	4.5	9	1	2	4	7	9	9	9
20-34	4	4.3	10	1	1	4	7	8	8	8	1	1.0		1	1	1	1	1	1	1
35-49											1	3.0		3	3	3	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4	4	4.3	8	1	1	4	6	8	8	8
65 +	6	8.2	16	5	6	7	9	15	16	16	10	14.0	155	4	6	10	17	33	46	46
ALL AGES	14	5.6	15	1	2	5	7	10	15	16	24	8.1	90	1	3	5	9	17	28	46
SUBTOTAL	**24**	**6.3**	**29**	**1**	**2**	**5**	**7**	**16**	**20**	**22**	**41**	**8.0**	**75**	**1**	**3**	**6**	**10**	**16**	**25**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-19	2	7.5	41	3	3	7	12	12	12	12										
20-34	7	7.7	67	1	1	5	12	21	23	23	3	2.0	1	1	1	2	3	3	3	3
35-49	6	3.7	3	1	2	4	5	5	5	5	5	4.2	11	2	2	3	5	10	10	10
50-64																				
65 +	8	21.6	128	7	12	21	30	37	39	39	6	7.8	9	3	6	8	10	11	11	11
ALL AGES	24	11.5	115	1	3	7	18	29	34	39	14	5.3	13	2	2	4	9	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
20-34	8	9.5	41	2	4	9	14	18	19	19	6	1.3		1	1	1	2	2	2	2
35-49	4	12.5	322	1	1	5	23	39	39	39	6	3.2	5	1	1	2	6	6	6	6
50-64	2	20.5	365	7	7	20	34	34	34	34	3	5.3	13	2	3	5	8	9	9	9
65 +	13	22.8	318	7	13	18	26	45	69	74	13	8.5	26	4	5	6	10	18	20	20
ALL AGES	28	16.6	247	1	6	14	22	37	42	74	29	5.3	23	1	2	5	7	12	17	20
SUBTOTAL	**52**	**14.2**	**191**	**1**	**4**	**10**	**20**	**33**	**39**	**73**	**43**	**5.3**	**19**	**1**	**2**	**5**	**7**	**10**	**15**	**20**
GRAND TOTAL	**76**	**11.7**	**152**	**1**	**4**	**7**	**17**	**27**	**37**	**65**	**84**	**6.6**	**48**	**1**	**2**	**5**	**9**	**14**	**18**	**41**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	20.0		20	20	20	20	20	20	20										
35-49	1	18.0		18	18	18	18	18	18	18										
50-64	2	6.0	18	3	3	6	9	9	9	9										
65 +																				
ALL AGES	4	12.5	63	3	6	13	19	20	20	20										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	12.0		12	12	12	12	12	12	12	1	15.0		15	15	15	15	15	15	15
50-64																				
65 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	2	18.5	85	12	12	18	25	25	25	25	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**6**	**14.5**	**64**	**4**	**9**	**15**	**20**	**24**	**25**	**25**	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	1	21.0		21	21	21	21	21	21	21										
SUBTOTAL	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**7**	**15.4**	**61**	**4**	**10**	**18**	**21**	**24**	**25**	**25**	**2**	**9.0**	**72**	**3**	**3**	**9**	**15**	**15**	**15**	**15**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49																				
50-64																				
65 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	13.0		13	13	13	13	13	13	13	1	35.0		35	35	35	35	35	35	35
35-49																				
50-64																				
65 +											1	34.0		34	34	34	34	34	34	34
ALL AGES	1	13.0		13	13	13	13	13	13	13	2	34.5	1	34	34	34	35	35	35	35
SUBTOTAL	**2**	**10.0**	**18**	**7**	**7**	**10**	**13**	**13**	**13**	**13**	**2**	**34.5**	**1**	**34**	**34**	**34**	**35**	**35**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	2.0		2	2	2	2	2	2	2
50-64																				
65 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	1	23.0		23	23	23	23	23	23	23										
20-34	1	29.0		29	29	29	29	29	29	29	1	3.0		3	3	3	3	3	3	3
35-49	1	9.0		9	9	9	9	9	9	9	2	16.0	200	6	6	16	26	26	26	26
50-64	1	2.0		2	2	2	2	2	2	2										
65 +											2	8.0	32	4	4	8	12	12	12	12
ALL AGES	4	15.8	152	2	5	16	26	29	29	29	5	10.2	90	3	4	6	15	26	26	26
SUBTOTAL	**4**	**15.8**	**152**	**2**	**5**	**16**	**26**	**29**	**29**	**29**	**6**	**8.8**	**84**	**2**	**3**	**5**	**12**	**25**	**26**	**26**
GRAND TOTAL	**6**	**13.8**	**106**	**2**	**7**	**11**	**23**	**28**	**29**	**29**	**8**	**15.3**	**199**	**2**	**3**	**9**	**30**	**35**	**35**	**35**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	8.0		8	8	8	8	8	8	8	1	28.0		28	28	28	28	28	28	28
20-34	2	14.5	61	9	9	14	20	20	20	20										
35-49	1	36.0		36	36	36	36	36	36	36										
50-64																				
65 +																				
ALL AGES	4	18.3	167	8	8	14	28	36	36	36	1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	2	26.5	85	20	23	33	83	99 +	99 +	99 +										
20-34	3	7.7	2	6	6	8	9	9	9	9										
35-49																				
50-64																				
65 +																				
ALL AGES	5	15.2	129	6	8	14	33	93	99 +	99 +										
SUBTOTAL	**9**	**16.6**	**129**	**7**	**8**	**14**	**33**	**68**	**99 +**	**99 +**	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	17.0	2	16	16	17	18	18	18	18										
35-49	3	15.3	39	10	11	14	20	22	22	22										
50-64																				
65 +																				
ALL AGES	5	16.0	20	10	13	16	19	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	3	31.0	1267	8	9	13	57	72	72	72										
50-64																				
65 +																				
ALL AGES	4	24.5	1014	5	6	10	42	72	72	72										
SUBTOTAL	**9**	**19.8**	**409**	**6**	**9**	**14**	**19**	**52**	**72**	**72**										
GRAND TOTAL	**18**	**18.2**	**256**	**7**	**8**	**14**	**22**	**58**	**87**	**99 +**	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**

NORTHEASTERN REGION, JANUARY-DECEMBER 1990

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	17.0		17	17	17	17	17	17	17										
20-34																				
35-49																				
50-64	1	8.0		8	8	8	8	8	8	8										
65 +																				
ALL AGES	2	12.5	41	8	8	12	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**3**	**10.0**	**39**	**5**	**6**	**8**	**15**	**17**	**17**	**17**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	22.0	546	9	9	11	34	57	57	57										
35-49	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	34.0		34	34	34	34	34	34	34										
ALL AGES	6	21.5	401	7	9	11	34	55	57	57	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**7**	**19.0**	**378**	**5**	**7**	**10**	**28**	**52**	**57**	**57**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**10**	**16.3**	**280**	**4**	**7**	**9**	**17**	**45**	**57**	**57**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7	1	35.0		35	35	35	35	35	35	35
35-49																				
50-64																				
65 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	35.0		35	35	35	35	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	16.0		16	16	16	16	16	16	16										
35-49	2	24.0	32	20	20	24	28	28	28	28										
50-64																				
65 +																				
ALL AGES	3	21.3	39	16	17	20	26	28	28	28										
SUBTOTAL	**4**	**17.8**	**74**	**7**	**11**	**18**	**24**	**28**	**28**	**28**	**1**	**35.0**		**35**	**35**	**35**	**35**	**35**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	11.0		11	11	11	11	11	11	11
20-34	2	17.5	545	1	1	17	34	34	34	34	1	41.0		41	41	41	41	41	41	41
35-49																				
50-64																				
65 +																				
ALL AGES	2	17.5	545	1	1	17	34	34	34	34	2	26.0	450	11	11	26	41	41	41	41
B. FEMALE																				
0-12 YRS.																				
13-19											1	8.0		8	8	8	8	8	8	8
20-34																				
35-49																				
50-64	2	10.5	41	6	6	10	15	15	15	15										
65 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	2	10.5	41	6	6	10	15	15	15	15	2	11.0	18	8	8	11	14	14	14	14
SUBTOTAL	**4**	**14.0**	**211**	**1**	**3**	**10**	**24**	**34**	**34**	**34**	**4**	**18.5**	**231**	**8**	**9**	**12**	**27**	**41**	**41**	**41**
GRAND TOTAL	**8**	**15.9**	**126**	**2**	**6**	**15**	**24**	**32**	**34**	**34**	**5**	**21.8**	**228**	**8**	**10**	**14**	**36**	**41**	**41**	**41**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19											1	31.0		31	31	31	31	31	31	31
20-34	2	7.5	85	1	1	7	14	14	14	14										
35-49																				
50-64	1	20.0		20	20	20	20	20	20	20										
65 +																				
ALL AGES	3	11.7	93	1	4	14	18	20	20	20	2	16.5	421	2	2	16	31	31	31	31
SUBTOTAL	**3**	**11.7**	**93**	**1**	**4**	**14**	**18**	**20**	**20**	**20**	**3**	**12.0**	**271**	**2**	**2**	**3**	**24**	**31**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	3	5.3	7	3	3	5	7	8	8	8										
35-49	1	9.0		9	9	9	9	9	9	9	2	5.5	25	2	2	5	9	9	9	9
50-64																				
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	5.4	9	2	3	5	8	9	9	9	3	5.0	13	2	2	4	8	9	9	9
SUBTOTAL	**5**	**5.4**	**9**	**2**	**3**	**5**	**8**	**9**	**9**	**9**	**3**	**5.0**	**13**	**2**	**2**	**4**	**8**	**9**	**9**	**9**
GRAND TOTAL	**8**	**7.8**	**42**	**1**	**2**	**6**	**11**	**18**	**20**	**20**	**6**	**8.5**	**128**	**2**	**2**	**3**	**9**	**29**	**31**	**31**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6										
35-49																				
50-64	1	34.0		34	34	34	34	34	34	34										
65 +																				
ALL AGES	2	20.0	392	6	6	20	34	34	34	34										
SUBTOTAL	**2**	**20.0**	**392**	**6**	**6**	**20**	**34**	**34**	**34**	**34**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	5.0	18	2	2	5	8	8	8	8										
35-49	2	7.0	50	2	2	7	12	12	12	12										
50-64	1	7.0		7	7	7	7	7	7	7										
65 +																				
ALL AGES	5	6.2	18	2	2	7	9	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	6.0	8	4	4	6	8	8	8	8										
35-49	1	14.0		14	14	14	14	14	14	14										
50-64	2	9.0	72	3	3	9	15	15	15	15										
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	6	8.5	25	3	4	7	14	15	15	15										
SUBTOTAL	**11**	**7.5**	**21**	**2**	**3**	**7**	**11**	**14**	**15**	**15**										
GRAND TOTAL	**13**	**9.4**	**72**	**2**	**4**	**7**	**12**	**19**	**31**	**34**										

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-49																				
50-64	1	4.0		4	4	4	4	4	4	4										
65 +																				
ALL AGES	2	3.0	2	2	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	8.0		8	8	8	8	8	8	8										
20-34	8	6.9	42	1	2	4	11	17	19	19	3	8.7	153	1	1	2	18	23	23	23
35-49																				
50-64																				
65 +																				
ALL AGES	9	7.0	37	1	2	6	10	17	19	19	3	8.7	153	1	1	2	18	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	3.7	8	2	2	2	6	7	7	7										
35-49																				
50-64																				
65 +																				
ALL AGES	3	3.7	8	2	2	2	6	7	7	7										
SUBTOTAL	**12**	**6.2**	**30**	**1**	**2**	**4**	**8**	**15**	**18**	**19**	**3**	**8.7**	**153**	**1**	**1**	**2**	**18**	**23**	**23**	**23**
GRAND TOTAL	**14**	**5.7**	**28**	**2**	**2**	**3**	**8**	**14**	**18**	**19**	**4**	**6.8**	**117**	**1**	**1**	**2**	**12**	**23**	**23**	**23**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	28.0		28	28	28	28	28	28	28
13-19	3	28.3	829	2	7	24	50	59	59	59	1	3.0		3	3	3	3	3	3	3
20-34	7	6.6	39	2	3	4	7	18	20	20	5	9.6	146	3	3	4	13	31	31	31
35-49	1	7.0		7	7	7	7	7	7	7										
50-64	2	9.5	1	9	9	9	10	10	10	10										
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	14	11.9	227	2	4	7	10	27	52	59	7	11.3	157	3	3	4	23	30	31	31
B. FEMALE																				
0-12 YRS.																				
13-19	2	4.5	1	4	4	4	5	5	5	5										
20-34	41	12.0	190	1	3	8	14	32	48	60	4	5.8	13	2	2	6	9	9	9	9
35-49	16	8.1	127	2	3	5	8	14	38	48	3	4.7	40	1	1	1	9	12	12	12
50-64	3	12.0	49	5	7	12	17	19	19	19										
65 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	63	10.8	160	1	3	7	13	23	46	59	7	5.3	21	1	1	3	9	11	12	12
SUBTOTAL	**77**	**11.0**	**169**	**1**	**4**	**7**	**13**	**23**	**47**	**60**	**14**	**8.3**	**92**	**1**	**3**	**4**	**9**	**28**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	4	14.5	284	2	3	8	25	39	39	39	3	6.0	7	3	4	7	8	8	8	8
20-34	15	12.7	161	1	2	7	21	36	38	39	5	19.6	744	2	6	10	25	68	68	68
35-49	4	7.8	31	2	3	7	12	14	14	14	1	5.0		5	5	5	5	5	5	5
50-64																				
65 +																				
ALL AGES	23	12.2	149	1	2	7	17	37	39	39	9	13.4	429	2	4	7	10	45	68	68
B. FEMALE																				
0-12 YRS.											4	27.3	71	18	20	27	34	36	36	36
13-19	9	10.1	113	2	4	5	13	29	30	30	8	13.9	73	4	5	15	21	24	25	25
20-34	60	12.9	142	3	5	9	18	25	33	68	6	24.7	565	2	12	17	33	64	68	68
35-49	23	9.1	59	2	4	5	15	23	24	24	1	44.0		44	44	44	44	44	44	44
50-64																				
65 +																				
ALL AGES	92	11.7	119	3	4	8	18	24	30	59	19	21.7	263	4	12	20	31	41	57	68
SUBTOTAL	**115**	**11.8**	**124**	**2**	**4**	**8**	**17**	**25**	**34**	**53**	**28**	**19.0**	**319**	**3**	**6**	**13**	**24**	**42**	**68**	**68**
GRAND TOTAL	**192**	**11.5**	**141**	**2**	**4**	**7**	**16**	**24**	**36**	**60**	**42**	**16.5**	**263**	**2**	**4**	**10**	**22**	**34**	**53**	**68**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	5	5.2	8	2	3	6	7	9	9	9										
35-49	2	9.5	25	6	6	9	13	13	13	13										
50-64																				
65 +											1	43.0		43	43	43	43	43	43	43
ALL AGES	7	6.4	14	2	4	6	8	12	13	13	1	43.0		43	43	43	43	43	43	43
B. FEMALE																				
0-12 YRS.																				
13-19	1	14.0		14	14	14	14	14	14	14										
20-34	10	8.7	121	1	3	4	7	28	35	35										
35-49	5	3.8	3	1	3	4	5	5	5	5										
50-64																				
65 +																				
ALL AGES	16	7.5	82	1	3	4	6	21	31	35										
SUBTOTAL	**23**	**7.2**	**59**	**2**	**3**	**5**	**7**	**16**	**27**	**35**	**1**	**43.0**		**43**	**43**	**43**	**43**	**43**	**43**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	60.5	5	59	59	60	62	62	62	62										
13-19	1	22.0		22	22	22	22	22	22	22										
20-34	7	4.3	4	2	3	4	5	7	8	8	3	9.3	77	2	3	7	16	19	19	19
35-49	3	4.7	9	2	2	4	7	8	8	8										
50-64																				
65 +																				
ALL AGES	13	14.4	446	2	3	5	12	60	62	62	3	9.3	77	2	3	7	16	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2	3	12.7	29	9	9	10	17	19	19	19
20-34	8	16.6	58	6	11	17	20	27	29	29	3	25.3	600	4	8	20	44	52	52	52
35-49	5	11.8	235	2	4	6	15	39	39	39										
50-64	2	11.0	32	7	7	11	15	15	15	15										
65 +	1	21.0		21	21	21	21	21	21	21	1	13.0		13	13	13	13	13	13	13
ALL AGES	17	13.9	105	3	6	15	20	27	35	39	7	18.1	256	5	9	13	20	46	52	52
SUBTOTAL	**30**	**14.1**	**243**	**2**	**4**	**7**	**20**	**34**	**59**	**62**	**10**	**15.5**	**205**	**3**	**7**	**11**	**19**	**36**	**52**	**52**
GRAND TOTAL	**53**	**11.1**	**173**	**2**	**4**	**6**	**15**	**24**	**38**	**62**	**11**	**18.0**	**253**	**3**	**7**	**13**	**20**	**47**	**52**	**52**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
~~50-64~~																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	10.0		10	10	10	10	10	10	10										
35-49																				
50-64																				
65 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	10.0		10	10	10	10	10	10	10										
GRAND TOTAL	1	10.0		10	10	10	10	10	10	10										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	17.0		17	17	17	17	17	17	17										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**										
GRAND TOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	2.3	1	2	2	2	3	3	3	3	2	2.0	2	1	1	2	3	3	3	3
50-64	5	3.0	2	1	2	3	4	4	4	4	2	3.5	13	1	1	3	6	6	6	6
65 +	3	3.3	2	2	2	4	4	4	4	4										
ALL AGES	11	2.9	1	1	2	3	4	4	4	4	4	2.8	5	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	11	2.9	1	1	2	3	4	4	4	4	4	2.8	5	1	1	2	4	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	11	2.9	1	1	2	3	4	4	4	4	4	2.8	5	1	1	2	4	6	6	6

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49																				
50-64	1	16.0		16	16	16	16	16	16	16										
65 +																				
ALL AGES	2	10.0	72	4	4	10	16	16	16	16										
SUBTOTAL	**2**	**10.0**	**72**	**4**	**4**	**10**	**16**	**16**	**16**	**16**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	25.0		25	25	25	25	25	25	25										
50-64																				
65 +																				
ALL AGES	1	25.0		25	25	25	25	25	25	25										
SUBTOTAL	**1**	**25.0**		**25**	**25**	**25**	**25**	**25**	**25**	**25**										
GRAND TOTAL	**3**	**15.0**	**111**	**4**	**7**	**16**	**23**	**25**	**25**	**25**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL	AVG.	VARI-	PERCENTILES							TOTAL	AVG.	VARI-	PERCENTILES						
	PATIENTS	STAY	ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	PATIENTS	STAY	ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	1.5	1	1	1	1	2	3	3	3	3	2.3	3	1	1	2	3	4	4	4
20-34	21	3.7	11	1	1	3	6	7	11	14	26	2.5	2	1	1	2	3	5	5	6
35-49	28	4.5	10	1	2	4	6	9	13	13	43	3.7	8	1	2	3	5	8	9	14
50-64	20	4.7	11	1	2	4	6	10	11	12	22	4.0	11	1	2	2	5	9	11	13
65 +	5	6.6	14	4	4	6	8	13	13	13	16	6.0	74	1	2	3	5	18	29	34
ALL AGES	78	4.3	11	1	2	4	6	9	12	14	110	3.8	17	1	2	3	5	8	9	25
B. FEMALE																				
0-12 YRS.																				
13-19											3	1.3		1	1	1	2	2	2	2
20-34	14	4.6	19	1	1	3	6	13	14	14	9	1.6	1	1	1	1	2	4	4	4
35-49	14	4.2	6	2	3	4	5	6	10	11	9	2.7	2	1	2	3	3	5	6	6
50-64	10	6.1	15	2	3	5	10	12	13	13	7	2.3	4	1	1	1	3	6	6	6
65 +	5	4.0	5	1	3	4	5	7	7	7	4	3.0	5	1	1	2	4	6	6	6
ALL AGES	43	4.8	11	1	3	4	5	11	13	14	32	2.2	2	1	1	2	3	5	6	6
SUBTOTAL	**121**	**4.5**	**11**	**1**	**2**	**4**	**6**	**10**	**13**	**14**	**142**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**9**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	3.0	4	1	1	3	4	5	5	5	6	4.5	6	1	2	5	6	7	7	7
20-34	83	4.6	9	1	3	5	6	6	7	20	90	6.9	30	2	3	5	9	16	19	26
35-49	117	6.1	30	2	3	5	6	10	18	30	129	6.7	27	2	3	5	8	14	18	24
50-64	44	7.5	61	2	3	6	7	13	32	35	56	6.3	23	2	3	5	8	13	15	27
65 +	9	4.2	6	1	3	4	6	8	8	8	25	10.7	102	3	5	7	13	20	33	48
ALL AGES	256	5.8	28	2	3	5	6	9	15	33	306	7.0	33	2	3	5	9	15	19	28
B. FEMALE																				
0-12 YRS.																				
13-19	3	3.7	6	1	1	4	5	6	6	6	3	1.3		1	1	1	2	2	2	2
20-34	32	6.9	45	2	3	6	6	16	20	33	42	7.5	39	1	3	6	11	17	19	28
35-49	41	7.5	78	2	3	5	7	22	33	35	40	6.9	26	1	3	6	10	16	17	20
50-64	15	4.0	11	1	2	3	5	6	12	14	18	8.2	50	2	3	6	11	20	22	24
65 +	13	8.1	29	1	4	7	12	17	17	17	15	8.5	68	2	2	6	12	16	29	33
ALL AGES	104	6.8	51	1	3	5	7	14	23	34	118	7.3	40	1	2	6	10	17	19	30
SUBTOTAL	**360**	**6.1**	**34**	**2**	**3**	**5**	**6**	**10**	**18**	**33**	**424**	**7.1**	**35**	**2**	**3**	**5**	**9**	**16**	**19**	**28**
GRAND TOTAL	**481**	**5.7**	**29**	**1**	**3**	**5**	**6**	**10**	**14**	**33**	**566**	**6.2**	**32**	**1**	**2**	**5**	**8**	**14**	**18**	**28**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	7	6.4	25	2	3	5	11	14	14	14	12	23.0	85	5	22	28	28	28	28	28
20-34	189	7.5	54	2	3	4	8	20	27	28	197	14.2	118	3	5	8	28	28	29	35
35-49	230	7.6	46	3	3	5	8	14	27	30	207	12.1	94	3	5	7	21	28	28	31
50-64	105	10.5	96	3	4	6	14	27	29	41	88	11.0	78	3	5	7	14	28	29	33
65 +	31	8.3	52	2	3	5	13	14	27	31	30	12.6	61	3	7	12	17	26	28	29
ALL AGES	563	8.1	59	3	3	5	9	21	27	32	534	13.0	100	3	5	8	26	28	28	33
B. FEMALE																				
0-12 YRS.																				
13-19	4	2.8	5	1	1	2	4	6	6	6	4	15.8	75	7	10	14	21	28	28	28
20-34	62	10.4	84	2	3	6	14	27	27	28	61	13.8	106	3	5	8	27	28	29	32
35-49	76	7.9	50	3	3	6	7	17	28	30	62	9.6	56	3	4	7	14	23	27	28
50-64	42	10.0	75	2	3	6	14	23	27	32	27	10.7	92	2	3	7	19	28	28	29
65 +	14	8.4	44	3	4	5	11	16	24	27	12	9.3	52	3	4	6	15	20	23	24
ALL AGES	198	9.0	67	2	3	6	14	26	27	30	166	11.4	84	3	4	7	19	28	28	31
SUBTOTAL	**761**	**8.4**	**60**	**2**	**3**	**5**	**12**	**22**	**27**	**32**	**700**	**12.6**	**97**	**3**	**5**	**7**	**22**	**28**	**28**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19	30	15.6	158	2	3	12	28	30	34	34	22	12.7	83	4	6	10	19	27	28	28
20-34	543	9.4	77	3	4	5	13	27	28	33	357	10.8	65	3	5	7	15	26	28	28
35-49	565	8.5	64	4	5	5	7	25	27	30	320	9.0	48	3	4	6	12	19	27	29
50-64	193	7.8	56	4	5	5	6	17	27	34	95	9.1	40	3	5	7	13	18	21	32
65 +	36	8.3	58	4	5	5	7	25	30	99 +	28	9.4	24	3	6	8	12	17	19	21
ALL AGES	1367	8.9	71	3	5	5	9	26	28	33	823	9.9	55	3	5	7	14	22	28	29
B. FEMALE																				
0-12 YRS.																				
13-19	18	17.2	163	3	5	17	29	33	35	36	3	15.3	7	14	14	14	17	18	18	18
20-34	213	10.2	85	3	4	5	15	27	28	36	157	11.2	66	2	5	8	17	25	28	29
35-49	160	8.8	61	3	5	5	9	25	28	31	110	8.5	35	3	5	6	10	16	21	29
50-64	58	8.9	81	3	5	5	7	28	31	94	38	11.5	61	3	5	11	14	25	28	28
65 +	22	7.4	35	3	5	5	8	15	24	26	21	14.6	119	5	8	11	19	26	39	51
ALL AGES	471	9.7	79	3	5	5	13	27	29	35	329	10.6	60	3	5	7	14	22	28	29
SUBTOTAL	**1838**	**9.1**	**73**	**3**	**5**	**5**	**11**	**27**	**28**	**34**	**1152**	**10.1**	**57**	**3**	**5**	**7**	**14**	**22**	**28**	**29**
GRAND TOTAL	**2599**	**8.9**	**69**	**3**	**4**	**5**	**11**	**26**	**28**	**33**	**1852**	**11.0**	**74**	**3**	**5**	**7**	**14**	**28**	**28**	**30**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
20-34	22	5.4	23	2	3	4	5	11	17	22	4	20.3	110	5	13	24	27	28	28	28
35-49	12	6.7	26	2	3	4	9	16	18	18	10	9.9	92	4	5	6	7	28	28	28
50-64	1	6.0		6	6	6	6	6	6	6										
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	36	5.8	22	2	3	4	7	14	17	22	16	11.9	106	4	5	6	24	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
20-34	15	3.7	9	2	2	3	4	5	12	14	5	5.6	7	3	3	6	7	9	9	9
35-49	11	5.9	19	1	3	4	10	12	14	14	3	10.7	225	1	1	3	22	28	28	28
50-64	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
65 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	29	5.5	22	1	3	4	8	13	15	21	10	6.6	62	2	3	3	7	18	28	28
SUBTOTAL	**65**	**5.7**	**22**	**2**	**3**	**4**	**7**	**14**	**16**	**22**	**26**	**9.9**	**92**	**3**	**4**	**6**	**9**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	32.0		32	32	32	32	32	32	32
20-34	19	8.6	81	1	3	6	12	23	29	34	52	9.6	56	4	6	7	9	25	28	28
35-49	14	10.9	61	1	4	9	20	21	22	22	65	8.1	37	4	5	7	8	14	27	31
50-64											2	11.0	18	8	8	11	14	14	14	14
65 +																				
ALL AGES	34	9.3	72	1	3	6	14	21	24	34	120	9.0	49	4	6	7	8	21	28	32
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	18.0		18	18	18	18	18	18	18
20-34	21	7.8	48	2	3	5	11	17	24	28	38	15.2	100	4	6	12	28	28	29	30
35-49	10	15.4	63	5	10	14	21	26	30	30	16	11.1	65	6	6	7	12	28	29	29
50-64											4	10.0	7	7	8	10	12	13	13	13
65 +																				
ALL AGES	32	10.0	64	2	4	7	14	21	27	30	59	13.8	85	5	6	10	22	28	29	30
SUBTOTAL	**66**	**9.6**	**68**	**1**	**3**	**7**	**14**	**21**	**25**	**33**	**179**	**10.6**	**65**	**4**	**6**	**7**	**12**	**28**	**28**	**31**
GRAND TOTAL	**131**	**7.7**	**48**	**2**	**3**	**4**	**11**	**21**	**21**	**31**	**205**	**10.5**	**68**	**4**	**6**	**7**	**11**	**28**	**28**	**31**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	4.0	2	3	3	4	5	5	5	5										
35-49											1	10.0		10	10	10	10	10	10	10
50-64																				
65 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	2	4.0	2	3	3	4	5	5	5	5	2	8.0	8	6	6	8	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	5.3	27	1	2	4	9	11	11	11	6	10.8	27	3	7	12	15	16	16	16
35-49	2	9.5	41	5	5	9	14	14	14	14	3	8.3	6	7	7	7	10	11	11	11
50-64	1	14.0		14	14	14	14	14	14	14	2	14.5	1	14	14	14	15	15	15	15
65 +																				
ALL AGES	6	8.2	30	1	4	8	14	14	14	14	11	10.8	19	5	7	11	15	16	16	16
SUBTOTAL	**8**	**7.1**	**27**	**2**	**3**	**5**	**12**	**14**	**14**	**14**	**13**	**10.4**	**17**	**5**	**7**	**10**	**14**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	11.8	79	1	6	11	17	23	23	23	7	8.7	36	2	4	8	13	17	18	18
35-49	4	23.8	454	4	10	18	37	54	54	54	10	8.2	11	4	4	9	11	12	13	13
50-64	1	4.0		4	4	4	4	4	4	4	2	9.0	50	4	4	9	14	14	14	14
65 +	1	19.0		19	19	19	19	19	19	19	1	14.0		14	14	14	14	14	14	14
ALL AGES	10	16.5	231	2	4	14	21	38	54	54	20	8.8	20	4	4	9	12	15	16	18
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	6	15.5	109	4	6	13	28	28	28	28	15	10.4	39	5	6	8	14	23	23	23
35-49	8	17.1	57	8	14	17	20	28	31	31	4	10.3	37	5	6	8	14	19	19	19
50-64	2	17.0	2	16	16	17	18	18	18	18	4	10.0	10	7	7	9	12	14	14	14
65 +	1	14.0		14	14	14	14	14	14	14	4	15.5	34	8	11	16	20	21	21	21
ALL AGES	17	16.4	58	5	13	14	20	28	30	31	27	11.1	34	5	6	10	15	21	23	23
SUBTOTAL	**27**	**16.4**	**117**	**4**	**11**	**14**	**20**	**28**	**34**	**54**	**47**	**10.1**	**29**	**4**	**6**	**9**	**14**	**19**	**21**	**23**
GRAND TOTAL	**35**	**14.3**	**110**	**4**	**5**	**14**	**19**	**28**	**30**	**54**	**60**	**10.2**	**25**	**4**	**6**	**9**	**14**	**17**	**20**	**23**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19	2	15.0	72	9	9	15	21	21	21	21	1	6.0		6	6	6	6	6	6	6
20-34	16	8.9	30	2	3	10	13	14	18	19	119	7.3	31	5	5	5	7	12	25	28
35-49	1	3.0		3	3	3	3	3	3	3	62	6.6	19	5	5	5	7	8	13	28
50-64	1	27.0		27	27	27	27	27	27	27	7	5.3	1	4	5	5	6	7	7	7
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	20	10.1	49	2	3	10	14	20	24	27	191	7.0	25	5	5	5	7	10	21	28
B. FEMALE																				
0-12 YRS.																				
13-19	2	13.0		13	13	13	13	13	13	13	3	6.3	25	3	3	4	10	12	12	12
20-34	15	11.1	39	6	6	11	14	18	25	28	84	9.0	58	5	5	5	8	22	28	28
35-49	6	12.7	14	6	13	14	14	16	16	16	14	8.9	74	5	5	5	7	27	31	32
50-64	1	14.0		14	14	14	14	14	14	14										
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	24	11.8	27	6	7	13	14	16	21	28	102	8.9	58	5	5	5	7	23	28	30
SUBTOTAL	**44**	**11.0**	**37**	**3**	**6**	**12**	**14**	**18**	**23**	**28**	**293**	**7.6**	**38**	**5**	**5**	**5**	**7**	**14**	**27**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	17.3	18	13	14	18	20	21	21	21	4	6.0	1	5	5	6	7	7	7	7
20-34	61	13.0	114	3	5	7	21	28	30	46	258	7.7	37	5	5	5	7	15	28	28
35-49	18	12.9	79	2	4	13	21	25	26	26	165	7.8	39	5	5	5	7	14	28	30
50-64	2	14.5	145	6	6	14	23	23	23	23	10	4.7		4	4	5	5	5	5	5
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	84	13.1	103	3	5	9	21	27	29	43	438	7.7	36	5	5	5	7	14	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21	4	10.5	8	7	8	10	12	14	14	14
20-34	51	12.4	106	2	4	7	20	28	32	37	160	9.4	55	4	5	7	8	23	28	30
35-49	6	17.7	107	3	6	22	25	27	27	27	40	7.7	60	4	5	5	7	18	29	35
50-64																				
65 +																				
ALL AGES	58	13.1	106	2	5	9	21	28	32	37	204	9.1	55	4	5	6	8	23	28	30
SUBTOTAL	**142**	**13.1**	**103**	**3**	**5**	**9**	**21**	**27**	**30**	**38**	**642**	**8.1**	**43**	**5**	**5**	**6**	**7**	**17**	**28**	**29**
GRAND TOTAL	**186**	**12.6**	**86**	**3**	**5**	**11**	**21**	**27**	**29**	**37**	**935**	**8.0**	**41**	**5**	**5**	**5**	**7**	**17**	**28**	**29**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	3.5	13	1	1	3	6	6	6	6										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	3.5	13	1	1	3	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-19											1	26.0		26	26	26	26	26	26	26
20-34	2	14.0		14	14	14	14	14	14	14										
35-49																				
50-64																				
65 +																				
ALL AGES	2	14.0		14	14	14	14	14	14	14	1	26.0		26	26	26	26	26	26	26
SUBTOTAL	**4**	**8.8**	**40**	**1**	**3**	**10**	**14**	**14**	**14**	**14**	**1**	**26.0**		**26**	**26**	**26**	**26**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	13	25.2	148	5	15	28	33	38	43	44	2	11.5	85	5	5	11	18	18	18	18
20-34	7	11.0	119	1	4	6	14	29	33	33	8	6.1	12	3	4	6	6	12	14	14
35-49											1	2.0		2	2	2	2	2	2	2
50-64	1	29.0		29	29	29	29	29	29	29										
65 +																				
ALL AGES	21	20.6	176	3	6	27	32	35	40	44	11	6.7	24	2	4	6	6	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-19	7	26.0	83	10	27	28	31	33	33	33										
20-34	4	4.8	8	2	3	4	7	9	9	9	1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES	11	18.3	166	3	5	27	28	32	33	33	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**32**	**19.8**	**169**	**3**	**6**	**27**	**30**	**33**	**37**	**44**	**12**	**6.3**	**24**	**2**	**3**	**5**	**6**	**15**	**18**	**18**
GRAND TOTAL	**36**	**18.6**	**164**	**2**	**6**	**15**	**29**	**33**	**36**	**44**	**13**	**7.8**	**52**	**2**	**3**	**6**	**8**	**20**	**25**	**26**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	7.0		7	7	7	7	7	7	7
35-49																				
50-64																				
65 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	5.0		5	5	5	5	5	5	5
50-64																				
65 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL											**2**	**6.0**	**2**	**5**	**5**	**6**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											2	9.0	32	5	5	9	13	13	13	13
50-64																				
65 +																				
ALL AGES											2	9.0	32	5	5	9	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	7.0		7	7	7	7	7	7	7
35-49											2	8.5	5	7	7	8	10	10	10	10
50-64																				
65 +																				
ALL AGES											3	8.0	3	7	7	7	9	10	10	10
SUBTOTAL											**5**	**8.4**	**10**	**5**	**6**	**7**	**11**	**13**	**13**	**13**
GRAND TOTAL											**7**	**7.7**	**8**	**5**	**6**	**7**	**9**	**12**	**13**	**13**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	27.0		27	27	27	27	27	27	27	1	4.0		4	4	4	4	4	4	4
35-49																				
50-64																				
65 +																				
ALL AGES	1	27.0		27	27	27	27	27	27	27	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
GRAND TOTAL	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49	2	4.0	2	3	3	4	5	5	5	5										
50-64																				
65 +																				
ALL AGES	3	4.0	1	3	3	4	5	5	5	5										
SUBTOTAL	**3**	**4.0**	**1**	**3**	**3**	**4**	**5**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49											2	5.5	1	5	5	5	6	6	6	6
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	5.5	1	5	5	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	7.3	31	2	3	7	11	13	13	13	1	14.0		14	14	14	14	14	14	14
35-49	5	10.8	67	3	4	8	19	20	20	20	1	15.0		15	15	15	15	15	15	15
50-64																				
65 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	8	9.5	50	2	3	7	16	20	20	20	3	12.3	16	8	9	14	15	15	15	15
SUBTOTAL	**9**	**8.6**	**51**	**1**	**3**	**7**	**14**	**20**	**20**	**20**	**5**	**9.6**	**21**	**5**	**6**	**8**	**14**	**15**	**15**	**15**
GRAND TOTAL	**12**	**7.4**	**42**	**2**	**3**	**5**	**10**	**19**	**20**	**20**	**5**	**9.6**	**21**	**5**	**6**	**8**	**14**	**15**	**15**	**15**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
20-34	6	3.0		2	3	3	3	4	4	4	28	12.7	91	4	5	9	21	28	28	28
35-49	4	3.5		3	3	3	4	4	4	4	19	13.8	83	5	7	11	24	28	28	28
50-64											2	15.0	2	14	14	15	16	16	16	16
65 +																				
ALL AGES	11	3.2		2	3	3	4	4	4	4	50	13.1	82	4	6	10	16	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	13	5.3	30	2	3	4	5	10	21	23	8	18.3	99	4	10	19	28	28	28	28
35-49	4	6.3	20	3	3	4	9	13	13	13	4	12.5	86	6	6	9	18	26	26	26
50-64																				
65 +																				
ALL AGES	17	5.5	27	3	3	4	5	12	19	23	12	16.3	97	5	7	13	27	28	28	28
SUBTOTAL	**28**	**4.6**	**17**	**3**	**3**	**3**	**4**	**6**	**14**	**23**	**62**	**13.7**	**85**	**4**	**6**	**11**	**26**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											3	13.3	164	5	5	7	23	28	28	28
20-34	8	5.4	51	2	2	3	4	17	23	23	36	20.2	96	6	9	25	28	29	30	33
35-49	4	5.0	1	4	4	5	6	6	6	6	27	16.8	127	5	7	10	28	28	29	31
50-64																				
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	12	5.3	32	2	3	4	5	11	21	23	67	18.3	112	5	7	25	28	28	30	33
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	4	4.0	5	1	2	4	5	6	6	6	34	18.5	82	7	10	16	28	28	30	32
35-49	6	4.5	18	1	3	3	4	12	13	13	14	17.6	119	3	7	18	28	29	31	32
50-64																				
65 +	1	25.0		25	25	25	25	25	25	25	1	11.0		11	11	11	11	11	11	11
ALL AGES	11	6.2	49	1	3	4	6	18	24	25	49	18.1	90	7	9	17	28	28	30	32
SUBTOTAL	**23**	**5.7**	**39**	**2**	**3**	**4**	**5**	**15**	**24**	**25**	**116**	**18.2**	**103**	**6**	**7**	**20**	**28**	**28**	**30**	**33**
GRAND TOTAL	**51**	**5.1**	**27**	**2**	**3**	**3**	**5**	**9**	**22**	**25**	**178**	**16.7**	**98**	**5**	**7**	**14**	**28**	**28**	**29**	**32**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											3	14.0	49	7	9	14	19	21	21	21
20-34	1	7.0		7	7	7	7	7	7	7	10	14.4	100	4	8	10	28	29	29	29
35-49	2	9.0	72	3	3	9	15	15	15	15	2	20.5	113	13	13	20	28	28	28	28
50-64																				
65 +																				
ALL AGES	3	8.3	38	3	4	7	13	15	15	15	15	15.1	85	5	8	13	26	28	29	29
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	3.7	21	1	1	1	7	9	9	9	9	15.4	125	3	5	10	28	28	28	28
35-49																				
50-64																				
65 +																				
ALL AGES	3	3.7	21	1	1	1	7	9	9	9	9	15.4	125	3	5	10	28	28	28	28
SUBTOTAL	**6**	**6.0**	**30**	**1**	**1**	**5**	**9**	**14**	**15**	**15**	**24**	**15.3**	**93**	**5**	**7**	**12**	**28**	**28**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	11.0		11	11	11	11	11	11	11	4	10.3	34	6	6	8	14	19	19	19
20-34	4	13.8	79	5	6	14	21	22	22	22	25	19.2	103	6	7	21	28	28	33	35
35-49											6	18.8	187	3	4	21	31	33	33	33
50-64																				
65 +																				
ALL AGES	5	13.2	62	5	6	11	21	22	22	22	35	18.1	112	6	6	19	28	31	33	35
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	9.0	109	2	2	4	17	21	21	21	17	17.0	97	6	6	18	28	29	29	29
35-49	2	21.5	181	12	12	21	31	31	31	31	3	22.7	100	11	15	28	29	29	29	29
50-64																				
65 +																				
ALL AGES	5	14.0	147	2	3	12	23	31	31	31	20	17.9	95	6	7	19	28	29	29	29
SUBTOTAL	**10**	**13.6**	**93**	**3**	**5**	**11**	**21**	**26**	**31**	**31**	**55**	**18.0**	**105**	**6**	**7**	**19**	**28**	**29**	**32**	**35**
GRAND TOTAL	**16**	**10.8**	**79**	**1**	**3**	**8**	**18**	**22**	**28**	**31**	**79**	**17.2**	**101**	**5**	**7**	**16**	**28**	**29**	**30**	**34**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	9.0	91	3	3	4	16	20	20	20	1	14.0		14	14	14	14	14	14	14
35-49																				
50-64																				
65 +																				
ALL AGES	3	9.0	91	3	3	4	16	20	20	20	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4										
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**4**	**7.8**	**66**	**3**	**3**	**4**	**12**	**20**	**20**	**20**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4	3	7.3	33	1	3	9	11	12	12	12
35-49											2	9.5	25	6	6	9	13	13	13	13
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	5	8.2	24	1	5	9	12	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	6.0	32	2	2	6	10	10	10	10
35-49	2	3.0	2	2	2	3	4	4	4	4	4	7.8	23	3	4	7	11	14	14	14
50-64																				
65 +																				
ALL AGES	2	3.0	2	2	2	3	4	4	4	4	6	7.2	21	2	3	7	10	14	14	14
SUBTOTAL	**3**	**3.3**	**2**	**2**	**2**	**4**	**4**	**4**	**4**	**4**	**11**	**7.6**	**21**	**2**	**3**	**9**	**11**	**13**	**14**	**14**
GRAND TOTAL	**7**	**5.9**	**39**	**2**	**3**	**4**	**4**	**17**	**20**	**20**	**12**	**8.2**	**21**	**2**	**4**	**9**	**12**	**14**	**14**	**14**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-19	16	1.0		1	1	1	1	1	1	1	24	1.2		1	1	1	1	2	3	4
20-34	20	3.5	16	1	1	2	4	12	13	13	14	1.3		1	1	1	1	2	3	3
35-49	4	6.3	25	1	2	5	10	13	13	13	8	1.9	1	1	1	2	3	4	4	4
50-64	4	11.5	338	1	1	3	21	39	39	39	5	3.4	11	1	1	1	6	8	8	8
65 +	7	7.7	135	2	3	3	5	28	34	34	5	2.8	4	1	1	3	4	6	6	6
ALL AGES	52	4.1	53	1	1	1	4	11	13	39	57	1.6	2	1	1	1	2	3	5	8
B. FEMALE																				
0-12 YRS.																				
13-19	16	1.4	2	1	1	1	1	2	5	6	16	1.3	1	1	1	1	1	3	3	3
20-34	8	2.6	18	1	1	1	2	10	13	13	8	1.4		1	1	1	2	2	2	2
35-49	5	2.8	6	1	1	1	5	6	6	6	9	1.6	1	1	1	1	2	3	3	3
50-64	2	3.5	5	2	2	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
65 +	5	6.8	13	3	4	5	10	12	12	12	5	2.0	2	1	1	1	3	4	4	4
ALL AGES	36	2.7	10	1	1	1	4	6	11	13	39	1.5	1	1	1	1	2	3	3	4
SUBTOTAL	**88**	**3.5**	**36**	**1**	**1**	**1**	**4**	**8**	**13**	**37**	**96**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	12	4.3	18	1	1	2	6	12	13	13	5	1.2		1	1	1	2	2	2	2
20-34	35	6.8	37	1	3	4	10	13	15	32	6	3.2	8	1	1	2	5	8	8	8
35-49	17	10.0	121	3	4	5	13	14	37	49	5	2.0	3	1	1	1	3	5	5	5
50-64	5	9.4	9	6	7	8	12	13	13	13	4	2.5	9	1	1	1	4	7	7	7
65 +	5	5.4	20	1	3	4	7	13	13	13	2	2.5	5	1	1	2	4	4	4	4
ALL AGES	74	7.2	52	1	3	5	10	13	14	45	22	2.3	4	1	1	1	2	6	7	8
B. FEMALE																				
0-12 YRS.																				
13-19	9	1.2		1	1	1	1	2	2	2	5	1.4		1	1	1	2	2	2	2
20-34	19	5.6	28	1	1	5	7	13	17	21	7	4.9	10	1	2	4	8	9	9	9
35-49	8	5.9	22	1	1	6	9	12	13	13	5	2.6	4	1	1	2	4	6	6	6
50-64	1	13.0		13	13	13	13	13	13	13	2	2.5	5	1	1	2	4	4	4	4
65 +	2	5.5	1	5	5	5	6	6	6	6	2	8.5	41	4	4	8	13	13	13	13
ALL AGES	39	4.8	23	1	1	2	7	12	13	21	21	3.6	11	1	1	2	5	8	11	13
SUBTOTAL	**113**	**6.4**	**43**	**1**	**2**	**5**	**9**	**13**	**14**	**38**	**43**	**2.9**	**8**	**1**	**1**	**2**	**4**	**7**	**9**	**13**
GRAND TOTAL	**201**	**5.1**	**42**	**1**	**1**	**3**	**7**	**13**	**13**	**36**	**139**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**7**	**9**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-19																						
20-34																						
35-49																						
50-64																						
65 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-19																						
20-34																						
35-49	1	5.0		5	5	5	5	5	5	5												
50-64																						
65 +																						
ALL AGES	1	5.0		5	5	5	5	5	5	5												
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**												
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-19																						
20-34																						
35-49																						
50-64																						
65 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-19																						
20-34																						
35-49																						
50-64																						
65 +																						
ALL AGES																						
SUBTOTAL																						
GRAND TOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**												

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	14.0		14	14	14	14	14	14	14										
35-49																				
50-64																				
65 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	17.0	84	9	10	15	24	27	27	27										
35-49																				
50-64																				
65 +																				
ALL AGES	3	17.0	84	9	10	15	24	27	27	27										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	21.0		21	21	21	21	21	21	21	1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**18.0**	**60**	**9**	**12**	**18**	**24**	**27**	**27**	**27**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**5**	**17.2**	**48**	**9**	**13**	**15**	**22**	**27**	**27**	**27**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	10.0		10	10	10	10	10	10	10
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**2**	**7.5**	**1**	**7**	**7**	**7**	**8**	**8**	**8**	**8**	**2**	**5.5**	**41**	**1**	**1**	**5**	**10**	**10**	**10**	**10**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34											1	13.0		13	13	13	13	13	13	13
35-49											1	7.0		7	7	7	7	7	7	7
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	10.0	18	7	7	10	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	15.0		15	15	15	15	15	15	15	1	11.0		11	11	11	11	11	11	11
35-49																				
50-64																				
65 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**2**	**8.0**	**98**	**1**	**1**	**7**	**15**	**15**	**15**	**15**	**3**	**10.3**	**10**	**7**	**8**	**11**	**12**	**13**	**13**	**13**
GRAND TOTAL	**2**	**8.0**	**98**	**1**	**1**	**7**	**15**	**15**	**15**	**15**	**3**	**10.3**	**10**	**7**	**8**	**11**	**12**	**13**	**13**	**13**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49																				
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4										
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	4	11.0	166	1	1	7	21	28	28	28	1	2.0		2	2	2	2	2	2	2
35-49	3	9.0	16	5	6	9	12	13	13	13	2	1.0		1	1	1	1	1	1	1
50-64																				
65 +																				
ALL AGES	8	9.0	87	1	1	7	13	24	28	28	3	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	6.5	5	5	5	6	8	8	8	8										
35-49																				
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	2	6.5	5	5	5	6	8	8	8	8	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**10**	**8.5**	**69**	**1**	**1**	**7**	**13**	**21**	**28**	**28**	**4**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**12**	**7.8**	**59**	**1**	**2**	**5**	**11**	**18**	**27**	**28**	**4**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**	**2**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	2.7		2	2	3	3	3	3	3	5	3.0	2	1	2	3	4	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5										
50-64																				
65 +																				
ALL AGES	4	3.3	1	2	2	3	4	5	5	5	5	3.0	2	1	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	6	10.8	41	1	5	14	14	17	17	17	2	4.5	13	2	2	4	7	7	7	7
35-49																				
50-64																				
65 +																				
ALL AGES	6	10.8	41	1	5	14	14	17	17	17	2	4.5	13	2	2	4	7	7	7	7
SUBTOTAL	**10**	**7.8**	**38**	**1**	**3**	**5**	**14**	**16**	**17**	**17**	**7**	**3.4**	**4**	**1**	**2**	**3**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	7.5	85	1	1	7	14	14	14	14	2	2.5	5	1	1	2	4	4	4	4
20-34	15	12.3	81	3	6	11	14	30	33	34	5	4.2	5	2	2	5	6	7	7	7
35-49	8	9.9	48	1	4	9	13	20	23	23	1	8.0		8	8	8	8	8	8	8
50-64											1	5.0		5	5	5	5	5	5	5
65 +																				
ALL AGES	25	11.1	68	2	5	11	14	23	31	34	9	4.3	6	1	2	5	6	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	16	11.0	66	3	6	8	14	31	76	99 +	8	5.8	13	1	3	6	8	11	11	11
35-49	5	9.6	51	3	4	6	15	20	20	20	1	6.0		6	6	6	6	6	6	6
50-64																				
65 +																				
ALL AGES	21	10.7	59	3	5	8	14	27	60	99 +	9	5.8	11	1	4	6	8	11	11	11
SUBTOTAL	**46**	**10.9**	**63**	**3**	**5**	**10**	**14**	**24**	**33**	**99 +**	**18**	**5.1**	**8**	**1**	**2**	**5**	**7**	**9**	**11**	**11**
GRAND TOTAL	**56**	**10.4**	**58**	**3**	**4**	**10**	**14**	**22**	**32**	**95**	**25**	**4.6**	**8**	**1**	**2**	**5**	**6**	**8**	**10**	**11**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	5.0		5	5	5	5	5	5	5
50-64																				
65 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											1	5.0		5	5	5	5	5	5	5
GRAND TOTAL											1	5.0		5	5	5	5	5	5	5

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	12.0		12	12	12	12	12	12	12
50-64																				
65 +																				
ALL AGES											1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
GRAND TOTAL											**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	12.3	111	6	6	8	18	28	28	28	1	3.0		3	3	3	3	3	3	3
35-49	2	11.0	200	1	1	11	21	21	21	21	1	14.0		14	14	14	14	14	14	14
50-64																				
65 +																				
ALL AGES	6	11.8	109	1	6	8	21	27	28	28	2	8.5	61	3	3	8	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19											3	2.0	3	1	1	1	3	4	4	4
20-34											2	3.0	2	2	2	3	4	4	4	4
35-49	2	12.0	242	1	1	12	23	23	23	23										
50-64	1	23.0		23	23	23	23	23	23	23	1	5.0		5	5	5	5	5	5	5
65 +	1	22.0		22	22	22	22	22	22	22	1	6.0		6	6	6	6	6	6	6
ALL AGES	4	17.3	115	1	11	22	23	23	23	23	7	3.3	4	1	1	4	5	6	6	6
SUBTOTAL	**10**	**14.0**	**107**	**1**	**6**	**15**	**23**	**26**	**28**	**28**	**9**	**4.4**	**16**	**1**	**2**	**4**	**5**	**11**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	8.5	41	4	4	8	13	13	13	13	3	3.0	12	1	1	1	5	7	7	7
20-34	9	12.9	85	1	5	13	21	25	27	27	3	3.7	5	1	2	5	5	5	5	5
35-49	5	14.4	87	1	7	17	22	23	23	23	2	10.0	32	6	6	10	14	14	14	14
50-64	1	22.0		22	22	22	22	22	22	22										
65 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	18	13.3	71	2	6	13	22	23	25	27	8	5.0	19	1	1	5	6	12	14	14
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	7	7.3	88	1	2	4	7	24	28	28	3	15.3	68	6	9	19	20	21	21	21
35-49	2	2.5	5	1	1	2	4	4	4	4	1	5.0		5	5	5	5	5	5	5
50-64																				
65 +	1	18.0		18	18	18	18	18	18	18	1	16.0		16	16	16	16	16	16	16
ALL AGES	11	6.8	73	1	1	4	7	22	27	28	5	13.4	55	5	6	16	19	21	21	21
SUBTOTAL	**29**	**10.9**	**78**	**1**	**3**	**7**	**19**	**23**	**27**	**28**	**13**	**8.2**	**48**	**1**	**4**	**6**	**14**	**19**	**21**	**21**
GRAND TOTAL	**39**	**11.7**	**85**	**1**	**3**	**9**	**22**	**23**	**27**	**28**	**22**	**6.7**	**37**	**1**	**2**	**5**	**7**	**17**	**20**	**21**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											2	3.5	13	1	1	3	6	6	6	6
ALL AGES											2	3.5	13	1	1	3	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	5.0		5	5	5	5	5	5	5
65 +	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
ALL AGES	1	3.0		3	3	3	3	3	3	3	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**4**	**3.8**	**4**	**1**	**2**	**4**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-19											2	3.0		3	3	3	3	3	3	3
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											2	3.0		3	3	3	3	3	3	3
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**6**	**3.5**	**3**	**1**	**3**	**3**	**5**	**6**	**6**	**6**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19											2	1.0		1	1	1	1	1	1	1
20-34											2	2.0	2	1	1	2	3	3	3	3
35-49	2	4.0	2	3	3	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
50-64											1	6.0		6	6	6	6	6	6	6
65 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	2	4.0	2	3	3	4	5	5	5	5	8	3.0	7	1	1	2	5	7	8	8
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19											1	7.0		7	7	7	7	7	7	7
20-34											3	2.0	1	1	1	2	3	3	3	3
35-49	4	5.3	10	2	2	5	8	8	8	8	3	1.7		1	1	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2	1	14.0		14	14	14	14	14	14	14
65 +	4	3.8	2	2	2	3	5	6	6	6	3	2.3	1	2	2	2	3	3	3	3
ALL AGES	9	4.2	6	2	2	3	6	8	8	8	12	3.3	14	1	1	2	3	9	13	14
SUBTOTAL	**11**	**4.2**	**5**	**2**	**2**	**3**	**6**	**8**	**8**	**8**	**20**	**3.2**	**11**	**1**	**1**	**2**	**3**	**7**	**11**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19	3	1.0		1	1	1	1	1	1	1										
20-34																				
35-49																				
50-64	2	11.0	2	10	10	11	12	12	12	12										
65 +											2	2.0	2	1	1	2	3	3	3	3
ALL AGES	5	5.0	31	1	1	1	10	12	12	12	3	3.0	4	1	1	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
35-49	2	4.5	13	2	2	4	7	7	7	7	3	3.3	3	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
65 +	2	3.0	2	2	2	3	4	4	4	4	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	7	3.1	4	1	2	2	4	6	7	7	8	2.9	1	1	2	3	4	5	5	5
SUBTOTAL	**12**	**3.9**	**14**	**1**	**1**	**2**	**6**	**11**	**12**	**12**	**11**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**5**
GRAND TOTAL	**23**	**4.0**	**10**	**1**	**2**	**3**	**6**	**9**	**11**	**12**	**31**	**3.1**	**7**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1										
65 +	2	6.0	18	3	3	6	9	9	9	9	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	3	4.3	18	1	1	3	7	9	9	9	3	4.3	3	3	3	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	13.0		13	13	13	13	13	13	13
ALL AGES											1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**3**	**4.3**	**18**	**1**	**1**	**3**	**7**	**9**	**9**	**9**	**4**	**6.5**	**20**	**3**	**3**	**5**	**9**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**4**	**4.5**	**12**	**1**	**2**	**4**	**7**	**9**	**9**	**9**	**4**	**6.5**	**20**	**3**	**3**	**5**	**9**	**13**	**13**	**13**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	1.0		1	1	1	1	1	1	1
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	14.0		14	14	14	14	14	14	14	1	20.0		20	20	20	20	20	20	20
20-34	1	5.0		5	5	5	5	5	5	5										
35-49											1	2.0		2	2	2	2	2	2	2
50-64											1	2.0		2	2	2	2	2	2	2
65 +	3	5.3	5	3	4	6	7	7	7	7	1	15.0		15	15	15	15	15	15	15
ALL AGES	5	7.0	18	3	4	6	9	14	14	14	4	9.8	83	2	2	9	17	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	1	22.0		22	22	22	22	22	22	22										
35-49											2	2.0		2	2	2	2	2	2	2
50-64																				
65 +	1	10.0		10	10	10	10	10	10	10	1	3.0		3	3	3	3	3	3	3
ALL AGES	2	16.0	72	10	10	16	22	22	22	22	4	2.5		2	2	2	3	3	3	3
SUBTOTAL	**7**	**9.6**	**42**	**3**	**5**	**7**	**13**	**20**	**22**	**22**	**8**	**6.1**	**52**	**2**	**2**	**3**	**9**	**18**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	3	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.											2	7.0	2	6	6	7	8	8	8	8
13-19																				
20-34																				
35-49	2	1.5	1	1	1	1	2	2	2	2										
50-64																				
65 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	2	7.0	2	6	6	7	8	8	8	8
SUBTOTAL	**5**	**1.8**		**1**	**1**	**2**	**2**	**2**	**2**	**2**	**3**	**5.7**	**6**	**3**	**4**	**6**	**7**	**8**	**8**	**8**
GRAND TOTAL	**12**	**6.3**	**40**	**1**	**2**	**4**	**8**	**16**	**21**	**22**	**11**	**6.0**	**37**	**2**	**2**	**3**	**7**	**17**	**20**	**20**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49																				
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4										

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											2	5.0	2	4	4	5	6	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64											1	5.0		5	5	5	5	5	5	5
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	5.0	1	4	4	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34											1	9.0		9	9	9	9	9	9	9
35-49																				
50-64																				
65 +																				
ALL AGES											2	5.5	25	2	2	5	9	9	9	9
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**5**	**5.2**	**7**	**2**	**3**	**5**	**7**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	3.0		3	3	3	3	3	3	3
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	1	12.0		12	12	12	12	12	12	12	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	3.0		3	3	3	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**2**	**7.0**	**50**	**2**	**2**	**7**	**12**	**12**	**12**	**12**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**3**	**5.3**	**34**	**2**	**2**	**2**	**10**	**12**	**12**	**12**	**7**	**4.6**	**5**	**2**	**3**	**4**	**6**	**8**	**9**	**9**

PSYCHOGENIC DISORDER NOS (306.9)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36	1	26.0		26	26	26	26	26	26	26
13-19	2	26.5	925	5	5	26	48	48	48	48	2	43.5	265	32	32	43	55	55	55	55
20-34	1	4.0		4	4	4	4	4	4	4										
35-49																				
50-64																				
65 +																				
ALL AGES	4	23.3	490	4	4	20	42	48	48	48	3	37.7	231	26	27	32	49	55	55	55
B. FEMALE																				
0-12 YRS.	5	35.4	1187	5	14	23	52	93	93	93	2	7.0	50	2	2	7	12	12	12	12
13-19	21	27.9	357	5	14	24	40	53	64	74	25	23.7	239	4	11	23	35	41	54	57
20-34	10	42.1	1613	4	7	46	93	99	99 +	99 +	12	20.9	307	2	4	20	35	44	49	50
35-49	1	14.0		14	14	57	99 +	99 +	99 +	99 +	1	38.0		38	38	38	38	38	38	38
50-64	1	37.0		37	37	37	37	37	37	37										
65 +	2	7.5	13	5	5	7	10	10	10	10										
ALL AGES	40	31.3	750	5	9	24	48	94	99	99 +	40	22.4	254	2	7	22	35	41	51	57
SUBTOTAL	**44**	**30.5**	**724**	**5**	**9**	**24**	**48**	**92**	**98**	**99 +**	**43**	**23.5**	**261**	**3**	**8**	**26**	**36**	**44**	**54**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3	2	25.0	578	8	8	25	42	42	42	42
35-49																				
50-64																				
65 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	2	25.0	578	8	8	25	42	42	42	42
B. FEMALE																				
0-12 YRS.											3	24.7	7	22	22	24	27	28	28	28
13-19	24	26.7	452	4	6	27	43	69	80	99 +	44	35.9	441	4	20	35	51	59	63	96
20-34	16	32.5	745	6	13	30	59	88	97	99 +	14	42.7	642	5	21	51	59	65	82	87
35-49	7	28.7	1241	2	3	12	48	88	96	96	4	10.3	30	5	6	9	14	18	18	18
50-64	1	12.0		12	12	12	12	12	12	12										
65 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	49	28.7	617	4	7	27	44	74	96	99 +	65	35.2	490	5	17	34	52	59	65	95
SUBTOTAL	**50**	**28.2**	**616**	**4**	**7**	**24**	**43**	**74**	**95**	**99 +**	**67**	**34.9**	**487**	**5**	**16**	**34**	**52**	**59**	**64**	**94**
GRAND TOTAL	**94**	**29.3**	**660**	**4**	**8**	**24**	**46**	**81**	**97**	**99 +**	**110**	**30.5**	**423**	**4**	**12**	**30**	**48**	**57**	**59**	**91**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	11.5	181	2	2	11	21	21	21	21	2	1.5	1	1	1	1	2	2	2	2
13-19	3	14.3	496	1	1	2	30	40	40	40										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	13.2	295	1	2	2	26	40	40	40	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**13.2**	**295**	**1**	**2**	**2**	**26**	**40**	**40**	**40**	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	36.0	800	16	16	36	56	56	56	56										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	36.0	800	16	16	36	56	56	56	56										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	6.0		6	6	6	6	6	6	6										
50-64																				
65 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**3**	**26.0**	**700**	**6**	**8**	**16**	**46**	**56**	**56**	**56**										
GRAND TOTAL	**8**	**18.0**	**412**	**1**	**2**	**11**	**30**	**51**	**56**	**56**	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	2	5.0	8	3	3	5	7	7	7	7										
20-34											2	2.5	1	2	2	2	3	3	3	3
35-49																				
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	3	3.7	9	1	1	3	6	7	7	7	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**3**	**3.7**	**9**	**1**	**1**	**3**	**6**	**7**	**7**	**7**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**6**	**2.8**	**5**	**1**	**1**	**2**	**3**	**7**	**7**	**7**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	5	5.4	15	2	3	3	9	11	11	11										
20-34											1	30.0		30	30	30	30	30	30	30
35-49																				
50-64	1	15.0		15	15	15	15	15	15	15										
65 +																				
ALL AGES	6	7.0	28	2	3	6	11	15	15	15	1	30.0		30	30	30	30	30	30	30
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	4	10.5	78	3	3	10	18	20	20	20
13-19	5	14.2	97	2	6	16	20	28	28	28	15	28.2	271	4	13	30	41	52	52	52
20-34	5	9.0	38	1	4	9	15	15	15	15	7	14.3	97	2	4	18	22	25	26	26
35-49	1	3.0		3	3	3	3	3	3	3	1	14.0		14	14	14	14	14	14	14
50-64																				
65 +											1	27.0		27	27	27	27	27	27	27
ALL AGES	12	10.0	69	1	2	8	16	20	27	28	28	21.6	232	3	7	21	30	43	52	52
SUBTOTAL	**18**	**9.0**	**55**	**1**	**3**	**8**	**15**	**17**	**24**	**28**	**29**	**21.9**	**226**	**3**	**8**	**22**	**30**	**43**	**52**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	56.0		56	56	56	56	56	56	56
13-19	2	39.5	1105	16	16	39	63	63	63	63	1	22.0		22	22	22	22	22	22	22
20-34	2	6.0	2	5	5	6	7	7	7	7										
35-49	1	63.0		63	63	63	63	63	63	63										
50-64																				
65 +																				
ALL AGES	5	30.8	881	5	6	16	63	63	63	63	2	39.0	578	22	22	39	56	56	56	56
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	1	19.0		19	19	19	19	19	19	19
13-19	7	14.7	172	5	5	10	20	37	41	41	28	31.8	338	6	16	31	50	56	59	64
20-34	13	16.5	277	2	5	11	25	45	54	56	15	25.1	297	2	9	28	37	42	55	59
35-49	5	10.8	105	2	2	11	16	27	27	27	3	13.7	200	1	3	11	24	29	29	29
50-64											1	17.0		17	17	17	17	17	17	17
65 +											1	24.0		24	24	24	24	24	24	24
ALL AGES	26	14.5	200	2	5	10	22	40	45	56	49	27.9	314	5	11	28	38	55	59	64
SUBTOTAL	**31**	**17.2**	**319**	**2**	**5**	**11**	**24**	**48**	**62**	**63**	**51**	**28.4**	**314**	**5**	**12**	**28**	**39**	**56**	**59**	**64**
GRAND TOTAL	**49**	**14.2**	**234**	**2**	**5**	**9**	**16**	**36**	**56**	**63**	**80**	**26.0**	**291**	**3**	**11**	**27**	**37**	**52**	**56**	**63**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.7	1	2	2	2	4	4	4	4	2	4.0	8	2	2	4	6	6	6	6
13-19											1	3.0		3	3	3	3	3	3	3
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	2.7	1	2	2	2	4	4	4	4	3	3.7	4	2	2	3	5	6	6	6
B. FEMALE																				
0-12 YRS.	2	12.5	181	3	3	12	22	22	22	22										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	12.5	181	3	3	12	22	22	22	22										
SUBTOTAL	**5**	**6.6**	**75**	**2**	**2**	**3**	**8**	**22**	**22**	**22**	**3**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	9.5	113	2	2	9	17	17	17	17	1	14.0		14	14	14	14	14	14	14
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	9.5	113	2	2	9	17	17	17	17	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.	1	59.0		59	59	59	59	59	59	59	1	21.0		21	21	21	21	21	21	21
13-19											1	23.0		23	23	23	23	23	23	23
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	59.0		59	59	59	59	59	59	59	2	22.0	2	21	21	22	23	23	23	23
SUBTOTAL	**3**	**26.0**	**873**	**2**	**6**	**17**	**48**	**59**	**59**	**59**	**3**	**19.3**	**24**	**14**	**16**	**21**	**22**	**23**	**23**	**23**
GRAND TOTAL	**8**	**13.9**	**392**	**2**	**2**	**3**	**19**	**48**	**59**	**59**	**6**	**11.5**	**84**	**2**	**3**	**10**	**21**	**23**	**23**	**23**

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-19																				
20-34											1	5.0		5	5	5	5	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
65 +																				
ALL AGES	4	3.8	18	1	1	2	6	10	10	10	3	4.0	1	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	3	1.7	1	1	1	1	3	3	3	3
13-19	1	22.0		22	22	22	22	22	22	22	4	1.8	2	1	1	1	3	4	4	4
20-34	6	4.3	18	1	1	3	6	11	12	12	5	4.0	2	2	3	4	5	6	6	6
35-49	2	2.0		2	2	2	2	2	2	2	6	3.8	8	1	2	3	5	9	9	9
50-64	2	2.5	1	2	2	2	3	3	3	3	4	6.8	32	2	3	5	10	15	15	15
65 +	2	4.0	2	3	3	4	5	5	5	5										
ALL AGES	15	4.5	31	1	2	3	5	12	19	22	22	3.7	11	1	1	3	4	7	11	15
SUBTOTAL	**19**	**4.4**	**27**	**1**	**1**	**3**	**5**	**11**	**17**	**22**	**25**	**3.8**	**9**	**1**	**2**	**3**	**4**	**6**	**10**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
13-19																				
20-34	1	31.0		31	31	31	31	31	31	31	2	14.5	313	2	2	14	27	27	27	27
35-49																				
50-64	2	4.0	18	1	1	4	7	7	7	7										
65 +	1	8.0		8	8	8	8	8	8	8	1	10.0		10	10	10	10	10	10	10
ALL AGES	5	10.0	146	1	2	7	14	31	31	31	4	11.3	119	2	4	8	18	27	27	27
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-19	1	2.0		2	2	2	2	2	2	2	1	16.0		16	16	16	16	16	16	16
20-34											2	8.0	2	7	7	8	9	9	9	9
35-49	2	13.0	242	2	2	13	24	24	24	24	1	12.0		12	12	12	12	12	12	12
50-64											3	3.3	2	2	2	4	4	4	4	4
65 +	5	4.2	12	1	2	2	8	8	8	8	3	3.3	6	2	2	2	5	6	6	6
ALL AGES	8	6.1	60	1	2	2	8	19	24	24	11	6.4	20	2	3	6	8	14	16	16
SUBTOTAL	**13**	**7.6**	**88**	**1**	**2**	**3**	**8**	**25**	**30**	**31**	**15**	**7.7**	**45**	**2**	**3**	**6**	**10**	**16**	**24**	**27**
GRAND TOTAL	**32**	**5.7**	**52**	**1**	**2**	**3**	**7**	**15**	**24**	**31**	**40**	**5.2**	**26**	**1**	**2**	**4**	**6**	**11**	**15**	**27**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	16.0		16	16	16	16	16	16	16
13-19																				
20-34																				
35-49											1	4.0		4	4	4	4	4	4	4
50-64																				
65 +											2	6.0		6	6	6	6	6	6	6
ALL AGES											4	8.0	29	4	5	6	11	16	16	16
B. FEMALE																				
0-12 YRS.	2	3.0	8	1	1	2	5	5	5	5	2	3.0	2	2	2	3	4	4	4	4
13-19											1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1	2	5.5	1	5	5	5	6	6	6	6
ALL AGES	4	2.0	4	1	1	1	3	5	5	5	5	3.6	4	1	2	4	5	6	6	6
SUBTOTAL	**4**	**2.0**	**4**	**1**	**1**	**1**	**3**	**5**	**5**	**5**	**9**	**5.6**	**18**	**1**	**3**	**5**	**6**	**12**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	8.5	1	8	8	8	9	9	9	9										
ALL AGES	2	8.5	1	8	8	8	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5										
65 +											2	8.0	2	7	7	8	9	9	9	9
ALL AGES	1	5.0		5	5	5	5	5	5	5	3	6.3	10	3	4	7	8	9	9	9
SUBTOTAL	**3**	**7.3**	**5**	**5**	**6**	**8**	**9**	**9**	**9**	**9**	**3**	**6.3**	**10**	**3**	**4**	**7**	**8**	**9**	**9**	**9**
GRAND TOTAL	**7**	**4.3**	**11**	**1**	**1**	**5**	**7**	**9**	**9**	**9**	**12**	**5.8**	**15**	**2**	**3**	**5**	**7**	**11**	**15**	**16**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	2.0	2	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1										
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	4	1.5	1	1	1	1	2	3	3	3	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
50-64											1	3.0		3	3	3	3	3	3	3
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	1	8.0		8	8	8	8	8	8	8	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**5**	**2.8**	**9**	**1**	**1**	**1**	**4**	**8**	**8**	**8**	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	15.0		15	15	15	15	15	15	15
13-19																				
20-34	2	2.5	1	2	2	2	3	3	3	3										
35-49																				
50-64																				
65 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64											3	4.0	7	2	2	3	6	7	7	7
65 +	1	57.0		57	57	57	57	57	57	57	1	8.0		8	8	8	8	8	8	8
ALL AGES	1	57.0		57	57	57	57	57	57	57	5	4.6	7	2	3	3	7	8	8	8
SUBTOTAL	**3**	**20.7**	**988**	**2**	**2**	**3**	**43**	**57**	**57**	**57**	**6**	**6.3**	**24**	**2**	**3**	**5**	**8**	**14**	**15**	**15**
GRAND TOTAL	**8**	**9.5**	**374**	**1**	**1**	**2**	**6**	**42**	**57**	**57**	**10**	**4.6**	**18**	**1**	**2**	**3**	**7**	**11**	**15**	**15**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	26.0		26	26	26	26	26	26	26										
50-64																				
65 +																				
ALL AGES	1	26.0		26	26	26	26	26	26	26										
SUBTOTAL	**1**	**26.0**		**26**	**26**	**26**	**26**	**26**	**26**	**26**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49																				
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**2**	**15.0**	**242**	**4**	**4**	**15**	**26**	**26**	**26**	**26**										

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	23.0		23	23	23	23	23	23	23
13-19											1	31.0		31	31	31	31	31	31	31
20-34	2	2.5	1	2	2	2	3	3	3	3										
35-49											1	5.0		5	5	5	5	5	5	5
50-64																				
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	4	15.0	205	1	3	14	27	31	31	31
B. FEMALE																				
0-12 YRS.	2	13.5	113	6	6	13	21	21	21	21	3	24.0	93	17	18	20	31	35	35	35
13-19	6	8.0	102	1	2	3	12	25	27	27										
20-34	6	15.3	266	6	7	9	14	45	48	48	1	10.0		10	10	10	10	10	10	10
35-49	5	9.0	16	6	6	7	12	15	15	15	1	3.0		3	3	3	3	3	3	3
50-64	3	13.7	183	1	4	12	24	28	28	28	1	2.0		2	2	2	2	2	2	2
65 +											2	3.5	1	3	3	3	4	4	4	4
ALL AGES	22	11.5	124	2	6	7	14	27	36	48	8	11.8	134	2	3	7	18	30	35	35
SUBTOTAL	**24**	**10.8**	**118**	**2**	**3**	**7**	**13**	**27**	**34**	**48**	**12**	**12.8**	**146**	**2**	**3**	**7**	**21**	**32**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31	1	33.0		33	33	33	33	33	33	33
13-19																				
20-34	6	5.8	17	1	2	5	10	11	11	11										
35-49	3	4.0	12	2	2	2	7	8	8	8	2	3.5	13	1	1	3	6	6	6	6
50-64																				
65 +																				
ALL AGES	10	7.8	79	1	2	5	10	21	31	31	3	13.3	298	1	2	6	26	33	33	33
B. FEMALE																				
0-12 YRS.											2	15.0	288	3	3	15	27	27	27	27
13-19	6	13.0	106	2	5	10	22	27	28	28	2	11.0	32	7	7	11	15	15	15	15
20-34	23	14.5	253	3	6	9	20	27	45	78	3	6.3	11	4	4	5	9	10	10	10
35-49	13	18.2	131	3	10	20	25	36	38	38										
50-64	2	5.0	2	4	4	5	6	6	6	6										
65 +																				
ALL AGES	44	15.0	185	3	6	12	21	28	37	78	7	10.1	73	3	4	7	14	25	27	27
SUBTOTAL	**54**	**13.6**	**174**	**2**	**5**	**9**	**20**	**28**	**35**	**76**	**10**	**11.1**	**116**	**2**	**4**	**6**	**15**	**30**	**33**	**33**
GRAND TOTAL	**78**	**12.7**	**157**	**2**	**5**	**9**	**20**	**28**	**34**	**70**	**22**	**12.0**	**128**	**2**	**3**	**6**	**20**	**32**	**34**	**35**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	2	19.5	5	18	18	19	21	21	21	21										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	19.5	5	18	18	19	21	21	21	21										
SUBTOTAL	**2**	**19.5**	**5**	**18**	**18**	**19**	**21**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**19.5**	**5**	**18**	**18**	**19**	**21**	**21**	**21**	**21**										

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19	1	1.0		1	1	1	1	1	1	1										
20-34																				
35-49											1	2.0		2	2	2	2	2	2	2
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**3**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	9.0		9	9	9	9	9	9	9	1	25.0		25	25	25	25	25	25	25
20-34	1	7.0		7	7	7	7	7	7	7										
35-49																				
50-64																				
65 +																				
ALL AGES	2	8.0	2	7	7	8	9	9	9	9	1	25.0		25	25	25	25	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	34.0		34	34	34	34	34	34	34										
50-64																				
65 +																				
ALL AGES	1	34.0		34	34	34	34	34	34	34										
SUBTOTAL	**3**	**16.7**	**225**	**7**	**7**	**9**	**28**	**34**	**34**	**34**	**1**	**25.0**		**25**	**25**	**25**	**25**	**25**	**25**	**25**
GRAND TOTAL	**4**	**12.8**	**211**	**1**	**4**	**8**	**21**	**34**	**34**	**34**	**4**	**7.8**	**131**	**2**	**2**	**2**	**14**	**25**	**25**	**25**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	4	21.3	551	5	7	12	35	56	56	56										
13-19	32	7.5	62	2	3	5	9	22	23	36	3	4.0	19	1	1	2	7	9	9	9
20-34	45	5.3	16	2	2	4	8	11	13	16	11	3.5	9	1	1	2	6	8	9	9
35-49	31	7.6	43	1	3	6	12	15	18	31	5	12.0	94	2	7	9	16	28	28	28
50-64	6	8.8	20	3	6	8	13	15	15	15										
65 +	14	11.3	79	3	4	8	15	26	28	29	2	7.5	1	7	7	7	8	8	8	8
ALL AGES	132	7.7	60	2	3	5	10	15	23	40	21	6.0	38	1	1	4	9	10	19	28
B. FEMALE																						
0-12 YRS.	4	11.5	414	1	1	2	56	99 +	99 +	99 +	3	11.7	100	1	4	13	19	21	21	21
13-19	88	9.1	85	1	3	7	12	20	25	51	20	5.8	33	1	2	3	11	15	17	18
20-34	87	5.1	20	1	2	4	6	10	13	24	17	4.1	30	1	2	3	4	7	18	24
35-49	54	8.0	78	1	2	5	11	18	24	50	10	5.4	21	1	3	4	7	13	14	14
50-64	11	9.4	78	3	4	7	10	22	33	34	2	2.0		2	2	2	2	2	2	2
65 +	15	8.9	69	2	3	5	15	21	26	28	3	5.0	16	1	1	5	8	9	9	9
ALL AGES	259	7.6	65	1	2	5	10	17	24	50	55	5.3	32	1	2	3	7	13	18	24
SUBTOTAL	**391**	**7.6**	**64**	**1**	**2**	**5**	**10**	**16**	**24**	**47**	**76**	**5.5**	**33**	**1**	**2**	**3**	**8**	**13**	**18**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	4	13.0	55	6	7	12	19	22	22	22										
13-19	30	11.5	141	2	4	7	14	23	37	58	4	8.0	5	5	6	8	9	10	10	10
20-34	144	8.5	67	2	4	6	11	18	29	39	19	4.8	9	1	3	4	7	10	11	11
35-49	70	7.7	52	2	3	6	11	14	17	42	13	10.8	107	1	4	9	13	23	37	40
50-64	14	10.9	123	3	5	6	14	18	40	46	6	8.2	53	2	2	6	13	19	20	20
65 +	11	12.3	103	2	3	11	19	26	34	35										
ALL AGES	273	8.9	77	2	4	6	12	18	29	43	42	7.5	48	2	3	5	10	14	19	40
B. FEMALE																						
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-19	72	10.8	106	2	5	8	14	20	26	62	9	5.2	27	1	2	4	6	13	18	18
20-34	142	8.3	68	2	3	6	10	18	22	39	23	9.2	75	2	4	7	11	22	30	36
35-49	78	8.8	45	2	4	7	13	17	20	34	20	12.9	89	3	6	12	16	24	34	43
50-64	14	9.1	21	4	6	9	11	16	18	18	3	18.3	391	5	6	9	33	41	41	41
65 +	4	9.8	23	4	6	9	13	16	16	16	3	7.7	9	5	5	7	10	11	11	11
ALL AGES	311	9.1	69	2	4	7	12	19	23	41	58	10.2	88	2	4	7	13	22	32	43
SUBTOTAL	**584**	**9.0**	**73**	**2**	**4**	**7**	**12**	**18**	**25**	**43**	**100**	**9.1**	**72**	**2**	**4**	**7**	**11**	**19**	**26**	**42**
GRAND TOTAL	**975**	**8.5**	**69**	**2**	**3**	**6**	**11**	**18**	**24**	**43**	**176**	**7.5**	**59**	**1**	**2**	**5**	**10**	**17**	**22**	**41**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	9.0		9	9	9	9	9	9	9	1	7.0		7	7	7	7	7	7	7
20-34	1	10.0		10	10	10	10	10	10	10										
35-49	3	13.3	14	10	11	13	16	17	17	17	1	9.0		9	9	9	9	9	9	9
50-64																				
65 +																				
ALL AGES	5	11.8	11	9	10	10	14	17	17	17	2	8.0	2	7	7	8	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	2	9.5	61	4	4	9	15	15	15	15	2	4.0	18	1	1	3	7	7	7	7
20-34	2	13.5	1	13	13	13	14	14	14	14										
35-49	3	11.3	143	3	4	6	20	25	25	25	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	9.0		9	9	9	9	9	9	9	3	12.3	263	3	3	3	24	31	31	31
ALL AGES	8	11.1	53	3	5	11	14	22	25	25	6	8.0	131	1	3	3	7	29	31	31
SUBTOTAL	**13**	**11.4**	**34**	**4**	**8**	**10**	**14**	**19**	**24**	**25**	**8**	**8.0**	**94**	**1**	**3**	**5**	**8**	**24**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	7.0	21	2	3	8	10	11	11	11	1	9.0		9	9	9	9	9	9	9
35-49	2	5.0	8	3	3	5	7	7	7	7										
50-64																				
65 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	6	8.5	43	2	3	7	11	19	20	20	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	2	16.0	200	6	6	16	26	26	26	26	1	34.0		34	34	34	34	34	34	34
20-34	7	12.4	83	2	6	11	16	27	29	29	4	8.8	131	3	3	3	15	26	26	26
35-49	3	7.3	15	3	4	9	10	10	10	10	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	13	11.2	73	3	6	9	15	27	29	29	6	12.0	201	3	3	3	26	33	34	34
SUBTOTAL	**19**	**10.4**	**61**	**2**	**5**	**8**	**14**	**24**	**28**	**29**	**7**	**11.6**	**168**	**3**	**3**	**3**	**22**	**32**	**34**	**34**
GRAND TOTAL	**32**	**10.8**	**49**	**3**	**6**	**9**	**14**	**21**	**26**	**29**	**15**	**9.7**	**122**	**3**	**3**	**3**	**9**	**31**	**33**	**34**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	13.0	175	3	4	8	23	28	28	28										
13-19	11	8.5	16	4	5	7	11	15	15	15	1	5.0		5	5	5	5	5	5	5
20-34	20	5.8	19	1	2	4	9	11	14	17	6	7.0	26	1	4	6	10	14	15	15
35-49	14	9.1	57	2	2	8	13	19	26	28	4	9.0	56	1	4	8	14	19	19	19
50-64	5	4.0	12	1	1	3	7	9	9	9										
65 +	3	10.0	27	7	7	7	14	16	16	16	1	9.0		9	9	9	9	9	9	9
ALL AGES	56	7.6	36	1	3	7	10	15	18	28	12	7.7	28	1	4	7	10	16	19	19
B. FEMALE																				
0-12 YRS.	2	54.5	1301	29	29	54	80	80	80	80	3	19.7	215	3	8	25	29	31	31	31
13-19	19	11.1	97	1	3	9	14	26	31	35	5	6.6	118	1	1	2	9	26	26	26
20-34	27	5.6	18	1	2	4	8	12	14	16	7	4.6	7	2	3	4	5	9	10	10
35-49	17	5.7	21	1	1	4	9	13	14	15	11	5.9	12	1	4	6	8	10	12	12
50-64	9	10.1	100	2	4	6	13	27	33	33	2	11.5	145	3	3	11	20	20	20	20
65 +	7	8.0	29	2	4	8	12	16	17	17	1	1.0		1	1	1	1	1	1	1
ALL AGES	81	8.8	120	1	3	6	11	17	27	66	29	7.3	66	1	3	4	9	23	26	31
SUBTOTAL	**137**	**8.3**	**86**	**1**	**3**	**6**	**11**	**16**	**26**	**41**	**41**	**7.4**	**54**	**1**	**3**	**5**	**9**	**19**	**25**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	33.4	329	10	22	31	47	59	59	59	1	68.0		68	68	68	68	68	68	68
13-19	19	7.6	44	1	3	6	10	20	21	22	5	10.6	238	2	2	5	14	38	38	38
20-34	48	7.2	57	1	3	4	10	16	20	42	4	9.5	20	3	7	11	12	13	13	13
35-49	30	6.1	17	2	3	5	8	13	14	15	4	10.0	59	3	4	8	16	20	20	20
50-64	5	12.8	236	3	4	8	16	40	40	40	2	2.5	1	2	2	2	3	3	3	3
65 +																				
ALL AGES	110	9.1	115	2	3	6	11	20	35	58	16	12.8	302	2	3	6	12	36	59	68
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	2	35.5	761	16	16	35	55	55	55	55
13-19	18	10.7	64	2	4	8	18	21	26	28	8	8.5	41	2	4	8	10	18	22	22
20-34	42	10.7	130	2	3	8	14	21	31	63	14	6.1	17	1	4	6	7	12	16	17
35-49	25	10.8	56	4	5	8	14	21	29	31	9	10.9	27	5	7	9	15	18	18	18
50-64	6	12.0	53	2	5	14	15	21	22	22	3	12.3	6	10	11	13	14	14	14	14
65 +	5	16.0	120	8	8	10	24	33	33	33	1	11.0		11	11	11	11	11	11	11
ALL AGES	97	11.0	91	3	4	8	14	22	28	53	37	10.0	85	2	5	8	13	18	21	55
SUBTOTAL	**207**	**10.0**	**104**	**2**	**3**	**7**	**14**	**21**	**29**	**58**	**53**	**10.8**	**149**	**2**	**4**	**7**	**13**	**19**	**36**	**68**
GRAND TOTAL	**344**	**9.3**	**98**	**1**	**3**	**7**	**12**	**20**	**28**	**58**	**94**	**9.4**	**108**	**1**	**3**	**6**	**11**	**19**	**26**	**62**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19	4	21.8	508	3	6	15	37	54	54	54										
20-34	3	16.3	578	1	2	4	34	44	44	44										
35-49																				
50-64																				
65 +																				
ALL AGES	8	17.3	427	1	2	7	32	51	54	54										
B. FEMALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-19	4	9.8	105	1	1	9	18	21	21	21										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	9.8	105	1	1	9	18	21	21	21	1	21.0		21	21	21	21	21	21	21
SUBTOTAL	**12**	**14.8**	**314**	**1**	**2**	**7**	**20**	**47**	**53**	**54**	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	20.5	41	16	16	20	25	25	25	25	1	57.0		57	57	57	57	57	57	57
13-19	1	23.0		23	23	23	23	23	23	23										
20-34	2	11.5	13	9	9	11	14	14	14	14										
35-49	2	5.5	5	4	4	5	7	7	7	7										
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	8	12.9	64	4	6	11	19	24	25	25	1	57.0		57	57	57	57	57	57	57
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-19	5	4.6	6	2	3	4	6	8	8	8										
20-34	1	3.0		3	3	3	3	3	3	3										
35-49	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
50-64																				
65 +																				
ALL AGES	8	6.3	44	2	2	4	7	18	22	22	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**16**	**9.6**	**62**	**2**	**3**	**6**	**15**	**23**	**24**	**25**	**2**	**31.5**	**1301**	**6**	**6**	**31**	**57**	**57**	**57**	**57**
GRAND TOTAL	**28**	**11.8**	**170**	**1**	**3**	**6**	**18**	**24**	**45**	**54**	**3**	**28.0**	**687**	**6**	**10**	**21**	**48**	**57**	**57**	**57**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	31.8	1020	5	18	60	99+	99+	99+	99+										
13-19	14	8.6	73	1	2	6	12	23	28	29										
20-34	8	8.1	49	2	3	6	10	20	23	23	1	5.0		5	5	5	5	5	5	5
35-49	5	3.8	18	1	1	2	6	11	11	11										
50-64											1	2.0		2	2	2	2	2	2	2
65 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	32	11.3	259	1	2	7	21	84	99+	99+	3	3.0	3	2	2	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	6	34.0	411	12	20	32	38	67	70	70	1	31.0		31	31	31	31	31	31	31
13-19	29	12.2	70	3	6	9	18	26	27	28	4	5.8	27	1	2	4	9	13	13	13
20-34	12	7.2	16	2	4	7	10	12	15	16	2	5.0	8	3	3	5	7	7	7	7
35-49	8	4.9	10	2	3	4	6	10	12	12										
50-64	3	1.3		1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
65 +	2	62.0	2312	28	28	62	96	96	96	96										
ALL AGES	60	13.5	261	2	5	8	17	28	36	93	8	8.4	97	1	3	5	10	26	31	31
SUBTOTAL	**92**	**12.8**	**257**	**2**	**4**	**8**	**17**	**30**	**80**	**99+**	**11**	**6.9**	**76**	**1**	**2**	**3**	**7**	**20**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	23.3	746	5	8	12	38	64	64	64	1	10.0		10	10	10	10	10	10	10
13-19	18	12.3	165	3	4	7	17	31	45	51	3	1.3		1	1	1	2	2	2	2
20-34	35	6.0	28	2	2	4	7	13	20	22	1	27.0		27	27	27	27	27	27	27
35-49	20	8.3	42	1	3	7	11	18	21	23	3	9.3	18	6	6	8	12	14	14	14
50-64	1	17.0		17	17	17	17	17	17	17										
65 +	1	2.0		2	2	2	2	2	2	2	1	11.0		11	11	11	11	11	11	11
ALL AGES	79	9.0	106	2	3	5	11	19	23	60	9	8.9	67	1	2	8	12	22	27	27
B. FEMALE																				
0-12 YRS.	2	19.0		19	19	19	19	19	19	19										
13-19	27	10.8	224	2	3	6	11	27	39	74	5	6.0	57	1	1	1	11	18	18	18
20-34	23	10.1	118	2	4	6	12	32	37	41	4	22.5	1090	5	5	6	39	72	72	72
35-49	9	10.4	66	4	6	8	12	24	30	30	2	4.5	13	2	2	4	7	7	7	7
50-64	3	11.7	13	9	9	10	14	16	16	16										
65 +																				
ALL AGES	64	10.8	145	2	4	7	12	27	34	69	11	11.7	425	1	1	6	9	40	69	72
SUBTOTAL	**143**	**9.8**	**123**	**2**	**3**	**6**	**12**	**21**	**32**	**66**	**20**	**10.5**	**253**	**1**	**2**	**6**	**10**	**22**	**49**	**72**
GRAND TOTAL	**235**	**11.0**	**176**	**2**	**4**	**7**	**14**	**27**	**36**	**99+**	**31**	**9.2**	**189**	**1**	**2**	**6**	**10**	**22**	**31**	**72**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	11.0	50	6	6	11	16	16	16	16										
13-19																				
20-34	4	5.0	18	1	2	4	8	11	11	11										
35-49	2	9.5	25	6	6	9	13	13	13	13										
50-64																				
65 +																				
ALL AGES	8	7.6	27	1	4	6	12	15	16	16										
B. FEMALE																				
0-12 YRS.	8	19.1	168	1	8	22	26	36	39	39										
13-19	4	20.5	675	2	6	10	35	59	59	59	3	3.7	6	1	2	4	5	6	6	6
20-34	14	13.8	196	1	3	6	31	34	38	39	2	4.0	2	3	3	4	5	5	5	5
35-49	15	9.7	187	1	2	4	12	21	46	54										
50-64																				
65 +	2	18.5	265	7	7	18	30	30	30	30										
ALL AGES	43	14.2	222	1	3	7	23	35	44	59	5	3.8	4	1	2	4	5	6	6	6
SUBTOTAL	**51**	**13.2**	**195**	**1**	**3**	**7**	**20**	**33**	**39**	**59**	**5**	**3.8**	**4**	**1**	**2**	**4**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	32.8	145	24	27	29	35	54	54	54	3	33.0	228	17	21	35	44	47	47	47
13-19	1	4.0		4	4	4	4	4	4	4	4	3.0	5	1	1	2	4	6	6	6
20-34	7	7.7	65	1	2	4	11	22	24	24										
35-49	5	15.0	171	2	9	12	19	37	37	37	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	18	16.5	217	2	4	12	28	35	47	54	8	14.3	307	1	2	5	26	43	47	47
B. FEMALE																				
0-12 YRS.											3	39.7	468	20	24	36	56	63	63	63
13-19	8	13.4	78	3	6	12	20	26	28	28	3	13.3	52	7	8	12	19	21	21	21
20-34	28	12.5	206	4	6	8	14	20	30	80	4	20.8	684	1	1	12	40	57	57	57
35-49	28	15.0	218	2	6	10	19	40	48	61	1	54.0		54	54	54	54	54	54	54
50-64	2	9.5	25	6	6	9	13	13	13	13	1	16.0		16	16	16	16	16	16	16
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	67	13.4	186	3	6	9	17	24	43	77	12	26.0	467	1	9	20	45	59	62	63
SUBTOTAL	**85**	**14.0**	**193**	**3**	**6**	**9**	**19**	**29**	**43**	**73**	**20**	**21.3**	**419**	**1**	**3**	**16**	**35**	**55**	**60**	**63**
GRAND TOTAL	**136**	**13.7**	**193**	**2**	**4**	**9**	**19**	**31**	**41**	**64**	**25**	**17.8**	**383**	**1**	**3**	**7**	**26**	**54**	**58**	**63**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	7.5	41	3	3	7	12	12	12	12
13-19	2	6.0	32	2	2	6	10	10	10	10										
20-34	2	4.0	18	1	1	3	7	7	7	7										
35-49	2	5.0	8	3	3	5	7	7	7	7	1	2.0		2	2	2	2	2	2	2
50-64																				
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	7	4.9	10	1	2	4	7	9	10	10	3	5.7	30	2	2	3	10	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19	5	12.0	104	4	4	8	19	28	28	28	1	2.0		2	2	2	2	2	2	2
20-34	7	3.7	10	1	1	3	6	9	9	9										
35-49	4	5.8	56	1	1	2	10	17	17	17	2	2.5	1	2	2	2	3	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3	1	11.0		11	11	11	11	11	11	11
65 +	1	23.0		23	23	23	23	23	23	23	1	43.0		43	43	43	43	43	43	43
ALL AGES	19	7.2	64	1	2	3	9	21	26	28	5	12.2	311	2	2	3	19	43	43	43
SUBTOTAL	**26**	**6.5**	**50**	**1**	**2**	**4**	**8**	**17**	**24**	**28**	**8**	**9.8**	**197**	**2**	**2**	**3**	**11**	**34**	**43**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	6	7.2	26	1	1	8	10	14	14	14	3	3.0	3	2	2	2	4	5	5	5
35-49	6	4.2	4	1	3	4	6	7	7	7										
50-64											2	6.0	32	2	2	6	10	10	10	10
65 +																				
ALL AGES	12	5.7	16	1	2	5	8	11	14	14	5	4.2	12	2	2	2	6	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19	6	14.0	305	1	1	9	18	43	46	46	1	1.0		1	1	1	1	1	1	1
20-34	12	8.3	47	1	4	8	10	16	25	27	2	17.0	338	4	4	17	30	30	30	30
35-49	4	11.3	179	1	1	7	21	30	30	30										
50-64	3	3.7	9	1	1	3	6	7	7	7										
65 +																				
ALL AGES	25	9.6	119	1	2	7	11	27	34	46	3	11.7	253	1	2	4	23	30	30	30
SUBTOTAL	**37**	**8.3**	**88**	**1**	**2**	**6**	**10**	**18**	**29**	**46**	**8**	**7.0**	**95**	**1**	**2**	**3**	**7**	**24**	**30**	**30**
GRAND TOTAL	**63**	**7.6**	**72**	**1**	**2**	**4**	**9**	**17**	**27**	**44**	**16**	**8.4**	**138**	**2**	**2**	**3**	**10**	**28**	**39**	**43**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	9.0		9	9	9	9	9	9	9										
35-49																				
50-64																				
65 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	9.0		9	9	9	9	9	9	9										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	9.0		9	9	9	9	9	9	9										

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	7.0	18	4	4	6	10	13	13	13	1	18.0		18	18	18	18	18	18	18
35-49	1	3.0		3	3	3	3	3	3	3										
50-64	2	15.0	288	3	3	15	27	27	27	27										
65 +	6	20.3	430	2	7	15	22	56	60	60	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	13	14.1	253	3	4	7	18	34	55	60	3	8.0	76	2	2	4	14	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19											1	5.0		5	5	5	5	5	5	5
20-34																				
35-49																				
50-64	2	12.0	128	4	4	12	20	20	20	20	1	1.0		1	1	1	1	1	1	1
65 +	2	32.5	221	22	22	32	43	43	43	43	4	24.5	1228	5	6	8	43	77	77	77
ALL AGES	4	22.3	253	4	12	21	32	43	43	43	6	17.3	863	1	5	6	9	70	77	77
SUBTOTAL	**17**	**16.0**	**251**	**3**	**4**	**13**	**22**	**40**	**54**	**60**	**9**	**14.2**	**580**	**1**	**3**	**5**	**11**	**53**	**77**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	7.5	61	2	2	7	13	13	13	13										
35-49																				
50-64																				
65 +	2	9.5	13	7	7	9	12	12	12	12										
ALL AGES	4	8.5	26	2	4	9	12	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	12.0	162	3	3	12	21	21	21	21										
35-49	1	13.0		13	13	13	13	13	13	13	2	23.5	113	16	16	23	31	31	31	31
50-64																				
65 +	2	9.0	98	2	2	9	16	16	16	16	2	20.5	145	12	12	20	29	29	29	29
ALL AGES	5	11.0	69	2	3	13	17	21	21	21	4	22.0	89	12	14	22	30	31	31	31
SUBTOTAL	**9**	**9.9**	**45**	**2**	**3**	**12**	**14**	**19**	**21**	**21**	**4**	**22.0**	**89**	**12**	**14**	**22**	**30**	**31**	**31**	**31**
GRAND TOTAL	**26**	**13.9**	**184**	**2**	**4**	**12**	**20**	**27**	**46**	**60**	**13**	**16.6**	**423**	**2**	**5**	**9**	**21**	**40**	**70**	**77**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	3.3	55	1	1	1	1	4	23	30	20	1.6	2	1	1	1	2	2	5	7
13-19	10	2.3	3	1	1	2	3	5	6	6	12	2.0	2	1	1	2	3	4	5	5
20-34	31	3.1	17	1	1	2	3	6	9	23	5	1.8	2	1	1	1	2	4	4	4
35-49	8	4.0	19	1	2	2	4	12	14	14	5	3.2	4	1	2	3	4	6	6	6
50-64	4	2.5	1	1	2	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
65 +	3	4.3	7	2	2	4	6	7	7	7	5	4.8	5	2	3	5	6	8	8	8
ALL AGES	71	3.2	21	1	1	2	3	6	9	29	48	2.2	3	1	1	2	3	5	6	8
B. FEMALE																				
0-12 YRS.	7	1.9	1	1	1	2	3	3	3	3	5	1.2		1	1	1	2	2	2	2
13-19	4	1.3		1	1	1	2	2	2	2	3	3.7	9	1	1	3	6	7	7	7
20-34	20	3.5	6	1	2	3	5	7	9	10	8	4.9	11	1	2	5	7	10	11	11
35-49	10	3.1	7	1	1	2	3	8	8	8	4	5.0	12	2	3	4	7	10	10	10
50-64	3	2.0	1	1	1	2	3	3	3	3	2	3.5	1	3	3	3	4	4	4	4
65 +	2	24.5	761	5	5	24	44	44	44	44	7	14.9	462	3	4	6	12	53	63	63
ALL AGES	46	3.8	41	1	1	2	3	7	9	44	29	6.4	130	1	2	4	6	11	15	63
SUBTOTAL	**117**	**3.4**	**29**	**1**	**1**	**2**	**3**	**6**	**9**	**35**	**77**	**3.8**	**54**	**1**	**1**	**2**	**4**	**7**	**10**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	8	13.1	895	1	1	2	5	63	87	87	2	1.0		1	1	1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2	3	3.7	8	2	2	2	6	7	7	7
50-64	4	9.5	123	2	3	5	16	26	26	26										
65 +	3	36.0	2352	8	8	8	71	92	92	92	1	7.0		7	7	7	7	7	7	7
ALL AGES	18	14.2	785	1	2	4	8	69	90	92	7	3.0	8	1	1	2	6	7	7	7
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-19	1	28.0		28	28	28	28	28	28	28										
20-34	2	3.5	5	2	2	3	5	5	5	5	2	2.5	1	2	2	2	3	3	3	3
35-49	5	5.4	7	2	3	6	7	9	9	9	1	4.0		4	4	4	4	4	4	4
50-64																				
65 +	3	16.7	375	4	5	23	69	99 +	99 +	99 +	3	9.3	5	7	8	10	11	11	11	11
ALL AGES	12	9.8	131	2	4	6	14	51	91	99 +	6	6.2	14	2	3	5	10	11	11	11
SUBTOTAL	**30**	**12.4**	**516**	**1**	**2**	**5**	**8**	**58**	**92**	**99 +**	**13**	**4.5**	**12**	**1**	**2**	**3**	**7**	**10**	**11**	**11**
GRAND TOTAL	**147**	**5.2**	**139**	**1**	**1**	**2**	**5**	**8**	**26**	**92**	**90**	**3.9**	**48**	**1**	**1**	**2**	**4**	**7**	**10**	**43**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	8.0		8	8	8	8	8	8	8										
65 +	3	14.3	43	7	9	17	18	19	19	19	1	6.0		6	6	6	6	6	6	6
ALL AGES	4	12.8	36	7	7	12	18	19	19	19	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**5**	**10.6**	**51**	**2**	**6**	**8**	**17**	**19**	**19**	**19**	**2**	**9.5**	**25**	**6**	**6**	**9**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	9.0		9	9	9	9	9	9	9										
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	6.0	18	3	3	6	9	9	9	9										
SUBTOTAL	**2**	**6.0**	**18**	**3**	**3**	**6**	**9**	**9**	**9**	**9**										
GRAND TOTAL	**7**	**9.3**	**42**	**2**	**4**	**8**	**15**	**19**	**19**	**19**	**2**	**9.5**	**25**	**6**	**6**	**9**	**13**	**13**	**13**	**13**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19											1	5.0		5	5	5	5	5	5	5
20-34																				
35-49																				
50-64	1	11.0		11	11	11	11	11	11	11	3	15.3	422	3	3	4	30	39	39	39
65 +	17	19.7	465	4	9	12	25	46	75	89	11	13.1	167	3	4	8	14	38	39	39
ALL AGES	18	19.2	443	5	9	11	24	44	73	89	16	12.3	181	2	4	6	14	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	9.0	50	4	4	9	14	14	14	14										
35-49																				
50-64	3	10.0	57	2	4	11	15	17	17	17	1	12.0		12	12	12	12	12	12	12
65 +	15	23.4	603	5	6	10	29	71	78	80	20	19.0	286	4	5	16	33	68	99 +	99 +
ALL AGES	20	20.0	488	4	6	11	21	60	75	80	21	18.7	273	4	6	16	32	64	99 +	99 +
SUBTOTAL	**38**	**19.6**	**455**	**4**	**7**	**11**	**22**	**49**	**76**	**89**	**37**	**15.9**	**238**	**3**	**5**	**9**	**27**	**52**	**80**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	13.0	2	12	12	13	14	14	14	14										
35-49	4	13.8	364	1	1	6	25	42	42	42										
50-64	2	17.0	288	5	5	17	29	29	29	29										
65 +	3	17.3	167	8	9	12	27	32	32	32	3	40.0	181	29	31	36	50	55	55	55
ALL AGES	11	15.2	175	2	6	12	25	36	41	42	3	40.0	181	29	31	36	50	55	55	55
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	4	9.3	14	6	6	9	12	14	14	14										
65 +	7	21.4	72	10	18	24	29	79	99 +	99 +	3	14.7	91	6	8	13	22	25	25	25
ALL AGES	11	17.0	85	6	9	18	27	52	93	99 +	3	14.7	91	6	8	13	22	25	25	25
SUBTOTAL	**22**	**16.1**	**125**	**5**	**7**	**14**	**28**	**34**	**62**	**99 +**	**6**	**27.3**	**304**	**7**	**13**	**27**	**36**	**53**	**55**	**55**
GRAND TOTAL	**60**	**18.3**	**333**	**4**	**7**	**12**	**25**	**44**	**75**	**99**	**43**	**17.5**	**256**	**3**	**5**	**13**	**30**	**52**	**66**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	2.0	1	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
20-34	7	8.0	196	1	1	1	8	33	39	39										
35-49	4	17.8	69	11	12	15	23	30	30	30	1	36.0		36	36	36	36	36	36	36
50-64	2	19.0		19	19	19	19	19	19	19	1	3.0		3	3	3	3	3	3	3
65 +	18	16.7	176	7	7	11	18	40	48	51	3	10.0	84	2	3	8	17	20	20	20
ALL AGES	34	13.9	160	1	5	11	18	33	43	51	6	11.7	191	1	2	5	20	34	36	36
B. FEMALE																				
0-12 YRS.																				
13-19	3	4.0	9	1	1	4	6	7	7	7	2	2.5	5	1	1	2	4	4	4	4
20-34	15	6.1	33	1	2	3	11	13	18	20	8	4.0	19	1	1	1	7	11	12	12
35-49	10	8.7	32	1	6	8	12	17	20	20	6	2.5	3	1	1	2	4	5	5	5
50-64	12	7.3	30	1	2	7	10	15	19	20	4	4.3	4	2	2	4	6	7	7	7
65 +	22	17.7	132	7	10	15	24	35	43	46	7	6.1	3	4	6	6	7	8	8	8
ALL AGES	62	10.8	91	1	3	9	14	21	31	45	27	4.1	9	1	1	4	7	8	9	12
SUBTOTAL	**96**	**11.9**	**116**	**1**	**4**	**9**	**15**	**28**	**37**	**49**	**33**	**5.5**	**46**	**1**	**1**	**4**	**7**	**9**	**19**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-19	6	20.2	634	4	5	7	29	64	68	68	3	14.7	148	4	6	12	24	28	28	28
20-34	20	14.9	97	5	9	13	18	26	37	47	10	5.2	38	1	1	3	8	15	21	21
35-49	8	11.8	432	1	3	5	7	46	63	63	5	3.0	9	1	1	2	4	8	8	8
50-64	5	11.2	74	2	6	10	15	25	25	25	1	4.0		4	4	4	4	4	4	4
65 +	8	16.6	186	3	6	13	25	38	41	41										
ALL AGES	48	14.8	213	3	5	11	18	31	49	68	19	6.1	53	1	1	4	8	17	25	28
B. FEMALE																				
0-12 YRS.																				
13-19	3	15.0	228	1	4	13	26	31	31	31	4	4.5	14	2	2	3	7	10	10	10
20-34	22	10.3	21	4	6	10	14	17	18	19	8	13.4	261	1	2	8	18	41	49	49
35-49	23	13.5	147	2	5	9	20	29	42	48	7	4.0	10	1	1	4	6	9	10	10
50-64	4	26.8	177	14	17	24	36	45	45	45	1	16.0		16	16	16	16	16	16	16
65 +	13	17.2	247	2	7	14	22	44	50	52	6	5.2	6	3	3	5	7	9	9	9
ALL AGES	65	14.1	135	2	6	10	18	31	43	51	26	7.7	99	1	3	4	10	16	27	49
SUBTOTAL	**113**	**14.4**	**166**	**3**	**6**	**10**	**18**	**31**	**45**	**65**	**45**	**7.0**	**79**	**1**	**2**	**4**	**8**	**16**	**23**	**49**
GRAND TOTAL	**209**	**13.2**	**145**	**2**	**5**	**10**	**17**	**29**	**41**	**56**	**78**	**6.4**	**64**	**1**	**2**	**4**	**8**	**13**	**22**	**45**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9	3	39.7	706	20	22	29	60	70	70	70
13-19	3	12.0	147	1	2	10	21	25	25	25	1	3.0		3	3	3	3	3	3	3
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	11.3	99	1	4	9	17	25	25	25	4	30.5	810	3	11	24	49	70	70	70
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49																				
50-64																				
65 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**10.4**	**79**	**1**	**5**	**9**	**14**	**25**	**25**	**25**	**5**	**24.8**	**770**	**2**	**3**	**20**	**39**	**70**	**70**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	93.0		93	93	96	99+	99+	99+	99+	11	59.5	571	27	41	61	73	94	95	95
13-19											2	14.0	98	7	7	14	21	21	21	21
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	93.0		93	93	96	99+	99+	99+	99+	13	52.5	776	15	31	60	66	93	95	95
B. FEMALE																				
0-12 YRS.											3	17.3	214	2	6	19	28	31	31	31
13-19	1	1.0		1	1	1	1	1	1	1										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	3	17.3	214	2	6	19	28	31	31	31
SUBTOTAL	**2**	**47.0**	**4232**	**1**	**24**	**93**	**98**	**99+**	**99+**	**99+**	**16**	**45.9**	**850**	**8**	**20**	**46**	**62**	**91**	**94**	**95**
GRAND TOTAL	**7**	**20.9**	**1075**	**1**	**4**	**9**	**59**	**98**	**99+**	**99+**	**21**	**40.9**	**874**	**3**	**18**	**34**	**62**	**83**	**94**	**95**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											2	18.5	85	12	12	18	25	25	25	25
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											2	18.5	85	12	12	18	25	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-19											2	17.0	162	8	8	17	26	26	26	26
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	17.0	162	8	8	17	26	26	26	26
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**4**	**17.8**	**81**	**8**	**10**	**18**	**25**	**26**	**26**	**26**
GRAND TOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**4**	**17.8**	**81**	**8**	**10**	**18**	**25**	**26**	**26**	**26**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	4	13.3	51	8	9	10	17	24	24	24	1	9.0		9	9	9	9	9	9	9
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	10.8	70	1	6	10	14	24	24	24	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	2	36.0	2312	2	2	36	70	70	70	70										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	36.0	2312	2	2	36	70	70	70	70										
SUBTOTAL	**7**	**18.0**	**583**	**1**	**3**	**10**	**21**	**61**	**70**	**70**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	9.0		9	9	9	9	9	9	9
13-19	9	29.9	1095	3	7	15	40	87	92	92	1	20.0		20	20	20	20	20	20	20
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	9	29.9	1095	3	7	15	40	87	92	92	2	14.5	61	9	9	14	20	20	20	20
B. FEMALE																				
0-12 YRS.	2	46.0	2888	8	8	46	84	84	84	84	1	4.0		4	4	4	4	4	4	4
13-19	4	45.8	809	3	30	59	61	62	62	62	3	12.7	53	7	8	10	18	21	21	21
20-34	1	7.0		7	7	7	7	7	7	7										
35-49																				
50-64																				
65 +																				
ALL AGES	7	40.3	1103	4	7	58	61	80	84	84	4	10.5	55	4	5	8	15	21	21	21
SUBTOTAL	**16**	**34.4**	**1057**	**3**	**7**	**21**	**61**	**84**	**90**	**92**	**6**	**11.8**	**50**	**4**	**7**	**9**	**20**	**21**	**21**	**21**
GRAND TOTAL	**23**	**29.4**	**940**	**2**	**7**	**15**	**59**	**81**	**87**	**92**	**7**	**11.4**	**43**	**5**	**7**	**9**	**17**	**21**	**21**	**21**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	61	99+	99+	99+	99+										
13-19	5	17.2	339	1	3	7	35	41	41	41										
20-34	3	12.0	112	4	6	16	62	99+	99+	99+	1	5.0		5	5	5	5	5	5	5
35-49	2	3.0	8	1	1	3	5	5	5	5										
50-64																				
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	12	12.7	188	1	4	7	33	99+	99+	99+	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.											1	22.0		22	22	22	22	22	22	22
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	22.0		22	22	22	22	22	22	22
SUBTOTAL	**12**	**12.7**	**188**	**1**	**4**	**7**	**33**	**99+**	**99+**	**99+**	**2**	**13.5**	**145**	**5**	**5**	**13**	**22**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	95.0		95	95	95	95	95	95	95	1	15.0		15	15	15	15	15	15	15
13-19	4	15.8	163	5	7	12	24	34	34	34	1	11.0		11	11	11	11	11	11	11
20-34	5	7.8	59	1	2	4	15	18	18	18										
35-49	1	22.0		22	22	22	22	22	22	22										
50-64																				
65 +																				
ALL AGES	11	19.9	718	2	4	14	21	58	92	95	2	13.0	8	11	11	13	15	15	15	15
B. FEMALE																				
0-12 YRS.											1	41.0		41	41	41	41	41	41	41
13-19																				
20-34											1	6.0		6	6	6	6	6	6	6
35-49																				
50-64																				
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	1	12.0		12	12	12	12	12	12	12	2	23.5	613	6	6	23	41	41	41	41
SUBTOTAL	**12**	**19.3**	**656**	**2**	**4**	**13**	**20**	**52**	**89**	**95**	**4**	**18.3**	**241**	**6**	**8**	**13**	**28**	**41**	**41**	**41**
GRAND TOTAL	**24**	**16.0**	**415**	**1**	**4**	**10**	**24**	**90**	**99+**	**99+**	**6**	**16.7**	**180**	**5**	**6**	**13**	**22**	**39**	**41**	**41**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	25.0		25	25	25	25	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-19	1	43.0		43	43	43	43	43	43	43										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	43.0		43	43	43	43	43	43	43										
SUBTOTAL	**2**	**34.0**	**162**	**25**	**25**	**34**	**43**	**43**	**43**	**43**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	38.5	685	20	20	38	57	57	57	57										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	38.5	685	20	20	38	57	57	57	57										
B. FEMALE																				
0-12 YRS.																				
13-19	1	47.0		47	47	47	47	47	47	47										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	47.0		47	47	47	47	47	47	47										
SUBTOTAL	**3**	**41.3**	**370**	**20**	**27**	**47**	**54**	**57**	**57**	**57**										
GRAND TOTAL	**5**	**38.4**	**240**	**20**	**24**	**43**	**49**	**57**	**57**	**57**										

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	7.8	148	1	1	2	14	26	26	26	1	3.0		3	3	3	3	3	3	3
13-19	2	8.5	1	8	8	8	9	9	9	9										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	6	8.0	90	1	1	5	9	24	26	26	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	2	3.0	8	1	1	3	5	5	5	5	1	13.0		13	13	13	13	13	13	13
35-49																				
50-64																				
65 +																				
ALL AGES	3	2.7	4	1	1	2	4	5	5	5	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**9**	**6.2**	**65**	**1**	**1**	**3**	**8**	**19**	**26**	**26**	**2**	**8.0**	**50**	**3**	**3**	**8**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	15.8	165	1	6	15	25	32	32	32										
13-19	1	2.0		2	2	2	2	2	2	2	1	19.0		19	19	19	19	19	19	19
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES	5	13.0	163	1	1	12	21	32	32	32	2	10.0	162	1	1	10	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-19											1	20.0		20	20	20	20	20	20	20
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	20.0		20	20	20	20	20	20	20
SUBTOTAL	**5**	**13.0**	**163**	**1**	**1**	**12**	**21**	**32**	**32**	**32**	**3**	**13.3**	**116**	**1**	**5**	**19**	**20**	**20**	**20**	**20**
GRAND TOTAL	**14**	**8.6**	**102**	**1**	**1**	**4**	**12**	**27**	**31**	**32**	**5**	**11.2**	**78**	**1**	**2**	**13**	**19**	**20**	**20**	**20**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	31.7	544	9	17	27	63	92	99 +	99 +	3	7.7	69	1	2	5	14	17	17	17
13-19	10	24.0	422	2	5	20	40	53	61	61	2	1.5	1	1	1	1	2	2	2	2
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	17	27.2	455	4	11	26	46	69	89	99 +	5	5.2	46	1	1	2	8	17	17	17
B. FEMALE																				
0-12 YRS.	6	29.3	1099	1	1	17	64	74	75	75	1	1.0		1	1	1	1	1	1	1
13-19	5	21.2	27	16	17	22	24	29	29	29	2	9.0	98	2	2	9	16	16	16	16
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	11	25.6	579	1	8	22	30	68	74	75	3	6.3	71	1	1	2	12	16	16	16
SUBTOTAL	**28**	**26.6**	**483**	**2**	**10**	**22**	**41**	**69**	**76**	**99 +**	**8**	**5.6**	**47**	**1**	**1**	**2**	**10**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	45.7	570	18	28	59	60	60	60	60
13-19	8	11.9	83	1	5	11	17	26	28	28	2	35.0	2048	3	3	35	67	67	67	67
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	9	10.7	85	1	2	8	16	25	28	28	5	41.4	833	3	14	59	62	67	67	67
B. FEMALE																				
0-12 YRS.	2	21.0	392	7	7	21	35	35	35	35	3	36.7	930	10	15	30	60	70	70	70
13-19	1	20.0		20	20	20	20	20	20	20										
20-34																				
35-49																				
50-64																				
65 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	3	20.7	194	7	10	20	31	35	35	35	4	31.0	751	10	12	22	50	70	70	70
SUBTOTAL	**12**	**13.2**	**118**	**1**	**4**	**11**	**20**	**30**	**34**	**35**	**9**	**36.8**	**726**	**6**	**13**	**30**	**62**	**69**	**70**	**70**
GRAND TOTAL	**40**	**22.6**	**405**	**1**	**7**	**20**	**31**	**62**	**74**	**99 +**	**17**	**22.1**	**642**	**1**	**2**	**14**	**37**	**66**	**69**	**70**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	60	99 +	99 +	99 +	99 +										
13-19	1	25.0		25	25	25	25	25	25	25										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	23.0	8	21	22	25	81	99 +	99 +	99 +										
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	1	18.0		18	18	18	18	18	18	18										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	10.5	113	3	3	10	18	18	18	18										
SUBTOTAL	**4**	**16.8**	**90**	**3**	**14**	**21**	**44**	**99 +**	**99 +**	**99 +**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	31.3	163	20	22	29	41	45	45	45
13-19	3	14.0	52	8	9	12	19	22	22	22										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	14.0	52	8	9	12	19	22	22	22	3	31.3	163	20	22	29	41	45	45	45
B. FEMALE																				
0-12 YRS.											4	26.8	423	9	11	21	42	55	55	55
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											4	26.8	423	9	11	21	42	55	55	55
SUBTOTAL	**3**	**14.0**	**52**	**8**	**9**	**12**	**19**	**22**	**22**	**22**	**7**	**28.7**	**274**	**10**	**15**	**29**	**41**	**53**	**55**	**55**
GRAND TOTAL	**7**	**15.6**	**65**	**4**	**10**	**19**	**23**	**77**	**99 +**	**99 +**	**7**	**28.7**	**274**	**10**	**15**	**29**	**41**	**53**	**55**	**55**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	17.0		17	17	17	17	17	17	17										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	45.1	715	16	26	51	92	99+	99+	99+	7	37.3	829	12	15	27	61	82	84	84
13-19	4	14.3	80	3	8	14	20	25	25	25										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	14	36.3	722	9	17	48	83	99+	99+	99+	7	37.3	829	12	15	27	61	82	84	84
B. FEMALE																				
0-12 YRS.	6	37.8	824	9	23	30	78	97	99+	99+	2	13.5	85	7	7	13	20	20	20	20
13-19	4	19.5	153	2	11	23	28	30	30	30	1	18.0		18	18	18	18	18	18	18
20-34	2	10.5	61	5	5	10	16	16	16	16										
35-49																				
50-64																				
65 +																				
ALL AGES	12	27.2	552	4	13	26	37	89	98	99+	3	15.0	49	7	10	18	19	20	20	20
SUBTOTAL	**26**	**32.1**	**640**	**5**	**16**	**28**	**57**	**99+**	**99+**	**99+**	**10**	**30.6**	**680**	**9**	**13**	**21**	**30**	**78**	**84**	**84**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	30.0	338	17	30	71	99+	99+	99+	99+	25	53.3	467	25	35	55	65	82	90	92
13-19	2	11.0		11	11	11	11	11	11	11	3	12.0	147	1	3	10	21	25	25	25
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	20.5	233	11	11	30	99+	99+	99+	99+	28	48.9	592	17	27	52	63	82	90	92
B. FEMALE																				
0-12 YRS.	2	31.0	242	20	20	31	42	42	42	42	8	44.8	686	19	21	43	56	86	97	97
13-19	6	12.0	100	1	4	11	18	26	27	27	2	17.0	2	16	16	17	18	18	18	18
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	8	16.8	181	2	5	17	23	37	42	42	10	39.2	675	17	19	32	53	78	97	97
SUBTOTAL	**12**	**18.0**	**183**	**4**	**11**	**17**	**42**	**99+**	**99+**	**99+**	**38**	**46.3**	**620**	**17**	**25**	**47**	**61**	**82**	**91**	**97**
GRAND TOTAL	**38**	**27.6**	**534**	**5**	**14**	**25**	**53**	**99+**	**99+**	**99+**	**48**	**43.0**	**662**	**14**	**20**	**40**	**61**	**82**	**90**	**97**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	39.9	1173	3	11	42	80	96	99	99 +	3	11.3	123	1	3	10	20	23	23	23
13-19											1	11.0		11	11	11	11	11	11	11
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	16	39.9	1173	3	11	42	80	96	99	99 +	4	11.3	80	1	5	10	17	23	23	23
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	44.0		44	44	44	44	44	44	44
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	44.0		44	44	44	44	44	44	44
SUBTOTAL	**17**	**37.7**	**1182**	**2**	**8**	**33**	**80**	**95**	**99**	**99 +**	**5**	**17.8**	**276**	**1**	**8**	**11**	**28**	**44**	**44**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	26	51.4	558	25	30	63	84	99 +	99 +	99 +	4	46.3	375	20	31	51	61	63	63	63
13-19	4	12.5	39	5	9	16	39	99 +	99 +	99 +										
20-34											1	5.0		5	5	5	5	5	5	5
35-49																				
50-64	1	6.0		6	6	6	6	6	6	6										
65 +																				
ALL AGES	31	44.9	697	15	27	55	80	99 +	99 +	99 +	5	38.0	626	5	16	43	60	63	63	63
B. FEMALE																				
0-12 YRS.	2	54.5	113	48	62	99 +	99 +	99 +	99 +	99 +										
13-19											1	25.0		25	25	25	25	25	25	25
20-34	1	11.0		11	11	11	11	11	11	11										
35-49																				
50-64																				
65 +																				
ALL AGES	3	40.0	687	18	51	99 +	99 +	99 +	99 +	99 +	1	25.0		25	25	25	25	25	25	25
SUBTOTAL	**34**	**44.5**	**674**	**15**	**27**	**61**	**93**	**99 +**	**99 +**	**99 +**	**6**	**35.8**	**532**	**6**	**20**	**34**	**59**	**63**	**63**	**63**
GRAND TOTAL	**51**	**42.2**	**837**	**7**	**22**	**54**	**86**	**99 +**	**99 +**	**99 +**	**11**	**27.6**	**466**	**3**	**10**	**23**	**44**	**61**	**63**	**63**

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	9.0		9	9	9	9	9	9	9
50-64																				
65 +																				
ALL AGES											1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

Appendix

Appendix A: Table 1

HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[1]

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			TOTAL		
	U.S.[2] Total	LOS Sample	% of U.S.[3] Total	U.S. Total	LOS Sample	% of U.S. Total	U.S.	LOS Sample	% of U.S.
All Hospitals	1,423	346	24.3	3,986	588	14.8	5,409	934	17.3
Control									
Public	234	46	19.7	1,245	144	11.6	1,479	190	12.8
Private	1,183	294	24.9	2,737	440	16.1	3,920	734	18.7
Unavailable	6	6		4	4	100.0	10	10	
Bedsize									
< 100 Beds	135	37	27.4	2,551	349	13.7	2,686	386	14.4
100-199	328	82	25.0	812	121	14.9	1,140	203	17.8
200-299	336	76	22.6	365	60	16.4	701	136	19.4
300-399	248	57	23.0	149	38	25.5	397	95	23.9
400-499	149	39	26.2	60	12	20.0	209	51	24.4
500+	227	55	24.2	48	7	14.6	275	62	22.5
Unavailable				1	1		1	1	
Teaching Intensity									
Low	785	184	23.4	3,614	502	13.9	4,399	686	15.6
Medium	408	113	27.7	307	66	21.5	715	179	25.0
High	230	49	21.3	63	18	28.6	293	67	22.9
Unavailable				2	2		2	2	
Location									
Rural	286	70	24.5	2,239	295	13.2	2,525	365	14.5
Urban	1,137	276	24.3	1,747	293	16.8	2,884	569	19.7

---

[1] Hospitals with average stay less than 30 days.

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 LOS sample is compared to the universe of hospitals in 1989.

Appendix A: Table 2

HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx [1]	% [2]
All Hospitals	346	100.0	187,461	100.0
Control				
Public	46	13.3	22,453	12.0
Private	294	85.0	162,877	86.9
Unavailable	6	1.7	2,131	1.1
Bedsize				
<100 Beds	37	10.7	6,031	3.2
100-199	82	23.7	31,930	17.0
200-299	76	22.0	34,823	18.6
300-399	57	16.5	39,541	21.1
400-499	39	11.3	28,821	15.4
500+	55	15.9	46,315	24.7
Teaching Intensity				
Low	184	53.2	78,560	41.9
Medium	113	32.7	75,030	40.0
High	49	14.2	33,871	18.1
Location				
Rural	70	20.2	23,686	12.6
Urban	276	79.8	163,775	87.4

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Appendix A: Table 3

HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx[1]	%[2]
All Hospitals	588	100.0	54,023	100.0
Control				
Public	144	24.5	8,552	15.8
Private	440	74.8	43,188	79.9
Unavailable	4	.7	2,283	4.2
Bedsize				
<100 Beds	349	59.4	13,344	24.7
100-199	121	20.6	14,430	26.7
200-299	60	10.2	10,098	18.7
300-399	38	6.5	6,817	12.6
400-499	12	2.0	4,990	9.2
500+	7	1.2	2,647	4.9
Unavailable	1	.2	1,697	3.1
Teaching Intensity				
Low	502	85.4	36,544	67.6
Medium	66	11.2	11,333	21.0
High	18	3.1	4,445	8.2
Unavailable	2	0.3	1,701	3.1
Location				
Rural	295	50.2	11,831	21.9
Urban	293	49.8	42,192	78.1

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Hospitals With or Without a Psychiatric Unit or Beds

Nonfederal, short-term general hospitals that reported a psychiatric unit or beds are included in the hospitals with psychiatric unit/beds category.[1] Nonfederal, short-term general hospitals that did not indicate having a psychiatric unit or beds are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories can, however, offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, long-term psychiatric hospitalization, or partial hospitalization.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[2] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by Accreditation Council for Graduate Medical Education (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

Control: Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment not-for-profit and investor-owned (for-profit) facilities.

---

[1] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[2] Phillip, P.,J., and Hai, Abdul, An Index of Programs for Hospitals, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

APPENDIX D

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes	**2**
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.8	Other specified alcoholic psychosis	15
291.9	Unspecified alcoholic psychosis	16
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	17
292.1	Paranoid and/or hallucinatory states induced by drugs	18
292.11	Drug-induced organic delusional syndrome	18
292.12	Drug-induced hallucinosis	18
292.2	Pathological drug intoxication	19
292.8	Other specified drug-induced mental disorders	20
292.81	Drug-induced delirium	20
292.82	Drug-induced dementia	20
292.83	Drug-induced amnestic syndrome	20
292.84	Drug-induced organic affective syndrome	20
292.89	Other specified drug-induced mental disorders	20
292.9	Unspecified drug-induced mental disorder	21
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	22
293.1	Subacute delirium	23
293.8	Other specified transient organic mental disorders	24
293.81	Organic delusional syndrome	24
293.82	Organic hallucinosis syndrome	24
293.83	Organic affective syndrome	24

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
293.89	Other specified transient organic mental disorders	24
293.9	Unspecified transient organic mental disorder	25
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	26
294.1	Dementia in conditions classified elsewhere	27
294.8	Other specified organic brain syndromes (chronic)	28
294.9	Unspecified organic brain syndrome (chronic)	29
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	30
295.1	Disorganized type schizophrenia	31
295.2	Catatonic type schizophrenia	32
295.3	Paranoid type schizophrenia	33
295.4	Acute schizophrenic episode	34
295.5	Latent schizophrenia	35
295.6	Residual schizophrenia	36
295.7	Schizo-affective type schizophrenia	37
295.8	Other specified types of schizophrenia	38
295.9	Unspecified schizophrenia	39
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	40
296.1	Manic disorder, recurrent episode	41
296.2	Major depressive disorder, single episode	42
296.3	Major depressive disorder, recurrent episode	43
296.4	Bipolar affective disorder, manic	44
296.5	Bipolar affective disorder, depressed	45
296.6	Bipolar affective disorder, mixed	46
296.7	Bipolar affective disorder, unspecified	47
296.8	Manic-depressive psychosis, other and unspecified	48
296.80	Manic-depressive psychosis, unspecified	48
296.81	Atypical manic disorder	48
296.82	Atypical depressive disorder	48
296.89	Other manic-depressive psychosis	48
296.9	Other and unspecified affective psychoses	49
296.90	Unspecified affective psychosis	49
296.99	Other specified affective psychoses	49

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
297	**Paranoid states**	
297.0	Paranoid state, simple	50
297.1	Paranoia	51
297.2	Paraphrenia	52
297.8	Other specified paranoid states	53
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified childhood psychosis	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other anxiety states	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.7	Hypochondriasis	71
300.8	Other neurotic disorders	72
300.81	Somatization disorder	72
300.89	Other neurotic disorders	72

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
300.9	Unspecified neurotic disorder	73
301	**Personality disorders**	
301.0	Paranoid personality disorder	74
301.1	Affective personality disorder	75
301.10	Affective personality disorder, unspecified	75
301.11	Chronic hypomanic personality disorder	75
301.12	Chronic depressive personality disorder	75
301.13	Cyclothymic disorder	75
301.2	Schizoid personality disorder	76
301.20	Schizoid personality disorder, unspecified	76
301.21	Introverted personality	76
301.22	Schizotypal personality	76
301.3	Explosive personality disorder	77
301.4	Compulsive personality disorder	78
301.5	Histrionic personality disorder	79
301.50	Histrionic personality disorder, unspecified	79
301.51	Chronic factitious illness with physical symptoms	79
301.59	Other histrionic personality disorder	79
301.6	Dependent personality disorder	80
301.7	Antisocial personality disorder	81
301.8	Other personality disorders	82
301.81	Narcissistic personality	82
301.82	Avoidant personality	82
301.83	Borderline personality	82
301.84	Passive-aggressive personality	82
301.89	Other personality disorders	82
301.9	Unspecified personality disorder	83
302	**Sexual deviations and disorders**	
302.2	Pedophilia	84
302.5	Trans-sexualism	85
302.50	Trans-sexualism with unspecified sexual history	85
302.51	Trans-sexualism with asexual history	85
302.52	Trans-sexualism with homosexual history	85
302.53	Trans-sexualism with heterosexual history	85
302.7	Psychosexual dysfunction	86
302.70	Psychosexual dysfunction, unspecified	86
302.71	Psychosexual dysfunction with inhibited sexual desire	86
302.72	Psychosexual dysfunction with inhibited sexual excitement	86
302.73	Psychosexual dysfunction with inhibited female orgasm	86
302.74	Psychosexual dysfunction with inhibited male orgasm	86
302.75	Psychosexual dysfunction with premature ejaculation	86
302.76	Psychosexual dysfunction with functional dyspareunia	86
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	86
302.8	Other specified psychosexual disorders	87
302.81	Fetishism	87
302.82	Voyeurism	87
302.83	Sexual masochism	87
302.84	Sexual sadism	87
302.85	Gender identity disorder of adolescent or adult life	87
302.89	Other specified psychosexual disorders	87
303	**Alcohol dependence syndrome**	

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	Fifth-digit subclassification for use with 303:	
	0 Unspecified	——
	1 Continuous	
	2 Episodic	
	3 In remission	
303.0	Acute alcoholic intoxication	88
303.9	Other and unspecified alcohol dependence	89
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
304.0	Opioid type dependence	90
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	91
304.2	Cocaine dependence	92
304.3	Cannabis dependence	93
304.4	Amphetamine and other psychostimulant dependence	94
304.5	Hallucinogen dependence	95
304.6	Other specified drug dependence	96
304.7	Combinations of opioid type drug with any other drug dependence	97
304.8	Combinations of drug dependence excluding opioid type drug	98
304.9	Unspecified drug dependence	99
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
305.0	Alcohol abuse	100
305.1	Tobacco use disorder	101
305.2	Cannabis abuse	102
305.3	Hallucinogen abuse	103
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	104
305.5	Opioid abuse	105
305.6	Cocaine abuse	106
305.7	Amphetamine or related acting sympathomimetic abuse	107
305.8	Antidepressant type abuse	108
305.9	Other, mixed, or unspecified drug abuse	109
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	110
306.1	Respiratory malfunction arising from mental factors	111
306.2	Cardiovascular malfunction arising from mental factors	112
306.3	Skin disorder arising from mental factors	113
306.4	Gastrointestinal malfunction arising from mental factors	114
306.5	Genitourinary malfunction arising from mental factors	115
306.50	Psychogenic genitourinary malfunction, unspecified	115
306.51	Psychogenic vaginismus	115
306.52	Psychogenic dysmenorrhea	115
306.53	Psychogenic dysuria	115
306.59	Other genitourinary malfunction arising from mental factors	115

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
306.6	Endocrine disorder arising from mental factors	116
306.8	Other specified psychophysiological malfunction	117
306.9	Unspecified psychophysiological malfunction	118
307	**Special symptoms or syndromes, not elsewhere classified**	
307.1	Anorexia nervosa	119
307.2	Tics	120
307.20	Tic disorder, unspecified	120
307.21	Transient tic disorder of childhood	120
307.22	Chronic motor tic disorder	120
307.23	Gilles de la Tourette's disorder	120
307.3	Stereotyped repetitive movements	121
307.4	Specific disorders of sleep of nonorganic origin	122
307.40	Nonorganic sleep disorder, unspecified	122
307.41	Transient disorder of initiating or maintaining sleep	122
307.42	Persistent disorder of initiating or maintaining sleep	122
307.43	Transient disorder of initiating or maintaining wakefulness	122
307.44	Persistent disorder of initiating or maintaining wakefulness	122
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	122
307.46	Somnambulism or night terrors	122
307.47	Other dysfunctions of sleep stages or arousal from sleep	122
307.48	Repetitive intrusions of sleep	122
307.49	Other specific disorders of sleep of nonorganic origin	122
307.5	Other and unspecified disorders of eating	123
307.50	Eating disorder, unspecified	123
307.51	Bulimia	123
307.52	Pica	123
307.53	Psychogenic rumination	123
307.54	Psychogenic vomiting	123
307.59	Other disorders of eating	123
307.6	Enuresis	124
307.7	Encopresis	125
307.8	Psychalgia	126
307.80	Psychogenic pain, site unspecified	126
307.81	Tension headache	126
307.89	Other psychalgia	126
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	127
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	128
308.2	Predominant psychomotor disturbance	129
308.3	Other acute reactions to stress	130
308.4	Mixed disorders as reaction to stress	131
308.9	Unspecified acute reaction to stress	132
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	133
309.1	Adjustment reaction with prolonged depressive reaction	134
309.2	Adjustment reaction with predominant disturbance of other emotions	135
309.21	Separation anxiety disorder	135
309.22	Emancipation disorder of adolescence and early adult life	135
309.23	Specific academic or work inhibition	135
309.24	Adjustment reaction with anxious mood	135
309.28	Adjustment reaction with mixed emotional features	135

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
309.29	Other adjustment reactions with predominant disturbance of other emotions	135
309.3	Adjustment reaction with predominant disturbance of conduct	136
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	137
309.8	Other specified adjustment reactions	138
309.81	Prolonged posttraumatic stress disorder	138
309.82	Adjustment reaction with physical symptoms	138
309.83	Adjustment reaction with withdrawal	138
309.89	Other specified adjustment reactions	138
309.9	Unspecified adjustment reaction	139
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	140
310.1	Organic personality syndrome	141
310.2	Postconcussion syndrome	142
310.8	Other specified nonpsychotic mental disorders following organic brain damage	143
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	144
311	**Depressive disorder, not elsewhere classified**	**145**
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	146
312.1	Undersocialized conduct disorder, unaggressive type	147
312.2	Socialized conduct disorder	148
312.3	Disorders of impulse control, not elsewhere classified	149
312.30	Impulse control disorder, unspecified	149
312.31	Pathological gambling	149
312.32	Kleptomania	149
312.33	Pyromania	149
312.34	Intermittent explosive disorder	149
312.35	Isolated explosive disorder	149
312.39	Other disorders of impulse control	149
312.4	Mixed disturbance of conduct and emotions	150
312.8	Other specified disturbances of conduct, not elsewhere classified	151
312.9	Unspecified disturbance of conduct	152
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	153
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	154
313.21	Shyness disorder of childhood	154
313.22	Introverted disorder of childhood	154
313.23	Elective mutism specific to childhood and adolescence	154
313.8	Other or mixed emotional disturbances of childhood or adolescence	155
313.81	Oppositional disorder of childhood or adolescence	155
313.82	Identity disorder of childhood or adolescence	155
313.83	Academic underachievement disorder of childhood or adolescence	155
313.89	Other emotional disturbances of childhood or adolescence	155
314	**Hyperkinetic syndrome of childhood**	

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
314.0	Attention deficit disorder of childhood	156
314.00	Attention deficit disorder of childhood without mention of hyperactivity	156
314.01	Attention deficit disorder of childhood with hyperactivity	156
314.9	Unspecified hyperkinetic syndrome of childhood	157

APPENDIX E

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	155
Acute alcoholic intoxication	303.0	88
Acute delirium	293.0	22
Acute paranoid reaction	298.3	58
Acute reaction to stress	308.0 - 308.9	128-132
Acute schizophrenic episode	295.4	34
Adjustment reaction	309.0 - 309.9	133-139
Adjustment reaction with anxious mood	309.24	135
Adjustment reaction with brief depressive reaction	309.0	133
Adjustment reaction with mixed emotional features	309.28	135
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	137
Adjustment reaction with physical symptoms	309.82	138
Adjustment reaction with predominant disturbance of other emotions	309.2	135
Adjustment reaction with predominant disturbance of conduct	309.3	136
Adjustment reaction with prolonged depressive reaction	309.1	134
Adjustment reaction with withdrawal	309.83	138
Affective personality disorder	301.1	75
Affective personality disorder, unspecified	301.10	75
Affective psychoses	296.0 - 296.9	40-49
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	100
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0 - 303.9	88-89
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic psychoses	291.0 - 291.9	10-16
Amnestic syndrome	294.0	26
Amphetamine and other psychostimulant dependence	304.4	94
Amphetamine or related acting sympathomimetic abuse	305.7	107
Anorexia nervosa	307.1	119
Antidepressant type abuse	305.8	108
Antisocial personality disorder	301.7	81
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7
Arteriosclerotic dementia with delusional features	290.42	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	156
Attention deficit disorder of childhood without mention of hyperactivity	314.00	156
Attention deficit disorder of childhood with hyperactivity	314.01	156
Atypical depressive disorder	296.82	48
Atypical manic disorder	296.81	48
Avoidant personality	301.82	82
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	91
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	104
Bipolar affective disorder, depressed	296.5	45
Bipolar affective disorder, manic	296.4	44
Bipolar affective disorder, mixed	296.6	46
Bipolar affective disorder, unspecified	296.7	47
Borderline personality	301.83	82
Bulimia	307.51	123
Cannabis abuse	305.2	102
Cannabis dependence	304.3	93
Cardiovascular malfunction arising from mental factors	306.2	112
Catatonic type schizophrenia	295.2	32
Chronic depressive personality disorder	301.12	75
Chronic factitious illness with physical symptoms	301.51	79
Chronic hypomanic personality disorder	301.11	75
Chronic motor tic disorder	307.22	120
Cocaine abuse	305.6	106
Cocaine dependence	304.2	92
Combinations of drug dependence excluding opioid type drug	304.8	98
Combinations of opioid type drug with any other drug dependence	304.7	97
Compulsive personality disorder	301.4	78
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	75
Dementia in conditions classified elsewhere	294.1	27
Dependent personality disorder	301.6	80
Depressive disorder, not elsewhere classified	311	145
Depressive type psychosis	298.0	55
Disorders of impulse control, not elsewhere classified	312.3	149
Disorganized type schizophrenia	295.1	31
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0 - 312.9	146-152
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0 - 313.8	153-155
Drug dependence	304.0 - 304.9	90-99
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Drug psychoses	292.0 - 292.9	17-21
Drug withdrawal syndrome	292.0	17
Drug-induced amnestic syndrome	292.83	20
Drug-induced delirium	292.81	20
Drug-induced dementia	292.82	20
Drug-induced hallucinosis	292.12	18
Drug-induced organic affective syndrome	292.84	20
Drug-induced organic delusional syndrome	292.11	18
Eating disorder, unspecified	307.50	123
Elective mutism specific to childhood and adolescence	313.23	154
Emancipation disorder of adolescence and early adult life	309.22	135
Encopresis	307.7	125
Endocrine disorder arising from mental factors	306.6	116
Enuresis	307.6	124
Excitative type psychosis	298.1	56
Explosive personality disorder	301.3	77
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	87
Frontal lobe syndrome	310.0	140
Gastrointestinal malfunction arising from mental factors	306.4	114
Gender identity disorder of adolescent or adult life	302.85	87
Generalized anxiety disorder	300.02	65
Genitourinary malfunction arising from mental factors	306.5	115
Gilles de la Tourette's disorder	307.23	120
Hallucinogen abuse	305.3	103
Hallucinogen dependence	304.5	95
Histrionic personality disorder	301.5	79
Histrionic personality disorder, unspecified	301.50	79
Hyperkinetic syndrome of childhood	314.0 - 314.9	156-157
Hypochondriasis	300.7	71
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder of childhood or adolescence	313.82	155
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	149
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	149
Introverted disorder of childhood	313.22	154
Introverted personality	301.21	76
Isolated explosive disorder	312.35	149
Kleptomania	312.32	149
Latent schizophrenia	295.5	35
Major depressive disorder, recurrent episode	296.3	43
Major depressive disorder, single episode	296.2	42
Manic disorder, recurrent episode	296.1	41
Manic disorder, single episode	296.0	40

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Manic-depressive psychosis, other and unspecified	296.8	48
Manic-depressive psychosis, unspecified	296.80	48
Mixed disorders as reaction to stress	308.4	131
Mixed disturbance of conduct and emotions	312.4	150
Multiple personality	300.14	66
Musculoskeletal malfunction arising from mental factors	306.0	110
Narcissistic personality	301.81	82
Neurasthenia	300.5	70
Neurotic depression	300.4	69
Neurotic disorders	300.0 - 300.9	65-73
Nondependent abuse of drugs	305.0 - 305.9	100-109
Fifth-digit subclassification for use with 305:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	122
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	105
Opioid type dependence	304.0	90
Oppositional disorder of childhood or adolescence	313.81	155
Organic affective syndrome	293.83	24
Organic delusional syndrome	293.81	24
Organic hallucinosis syndrome	293.82	24
Organic personality syndrome	310.1	141
Other acute reactions to stress	308.3	130
Other adjustment reactions with predominant disturbance of other emotions	309.29	135
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	49
Other and unspecified alcohol dependence	303.9	89
Other and unspecified disorders of eating	307.5	123
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	127
Other anxiety states	300.09	65
Other disorders of eating	307.59	123
Other disorders of impulse control	312.39	149
Other dysfunctions of sleep stages or arousal from sleep	307.47	122
Other emotional disturbances of childhood or adolescence	313.89	155
Other genitourinary malfunction arising from mental factors	306.59	115
Other histrionic personality disorder	301.59	79
Other isolated or simple phobias	300.29	67
Other manic-depressive psychosis	296.89	48
Other neurotic disorders	300.8	72
Other neurotic disorders	300.89	72
Other nonorganic psychoses	298.0 - 298.9	55-61
Other or mixed emotional disturbances of childhood or adolescence	313.8	155
Other organic psychotic conditions (chronic)	294.0 - 294.9	26-29
Other personality disorders	301.8	82
Other personality disorders	301.89	82
Other psychalgia	307.89	126
Other specific disorders of sleep of nonorganic origin	307.49	122

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Other specified adjustment reactions	309.8	138
Other specified adjustment reactions	309.89	138
Other specified affective psychoses	296.99	49
Other specified alcoholic psychosis	291.8	15
Other specified disturbances of conduct, not elsewhere classified	312.8	151
Other specified drug dependence	304.6	96
Other specified drug-induced mental disorders	292.8	20
Other specified drug-induced mental disorders	292.89	20
Other specified early childhood psychoses	299.8	63
Other specified nonpsychotic mental disorders following organic brain damage	310.8	143
Other specified organic brain syndromes (chronic)	294.8	28
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	117
Other specified psychosexual disorders	302.8	87
Other specified psychosexual disorders	302.89	87
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	24
Other specified transient organic mental disorders	293.89	24
Other specified types of schizophrenia	295.8	38
Other, mixed, or unspecified drug abuse	305.9	109
Overanxious disorder specific to childhood and adolescence	313.0	153
Panic disorder	300.01	65
Paranoia	297.1	51
Paranoid and/or hallucinatory states induced by drugs	292.1	18
Paranoid personality disorder	301.0	74
Paranoid state, simple	297.0	50
Paranoid states	297.0 - 297.9	50-54
Paranoid type schizophrenia	295.3	33
Paraphrenia	297.2	52
Passive-aggressive personality	301.84	82
Pathological drug intoxication	292.2	19
Pathological gambling	312.31	149
Pedophilia	302.2	84
Persistent disorder of initiating or maintaining sleep	307.42	122
Persistent disorder of initiating or maintaining wakefulness	307.44	122
Personality disorders	301.0 - 301.9	74-83
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	122
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Physiological malfunction arising from mental factors	306.0 - 306.9	110-118
Pica	307.52	123
Postconcussion syndrome	310.2	142
Predominant disturbance of emotions	308.0	128
Predominant psychomotor disturbance	308.2	129
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	138
Psychalgia	307.8	126
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	115

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Psychogenic dysuria	306.53	115
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	115
Psychogenic pain, site unspecified	307.80	126
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	123
Psychogenic vaginismus	306.51	115
Psychogenic vomiting	307.54	123
Psychoses with origin specific to childhood	299.0 - 299.9	62-64
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	86
Psychosexual dysfunction with inhibited sexual desire	302.71	86
Psychosexual dysfunction with inhibited sexual excitement	302.72	86
Psychosexual dysfunction with inhibited female orgasm	302.73	86
Psychosexual dysfunction with inhibited male orgasm	302.74	86
Psychosexual dysfunction with premature ejaculation	302.75	86
Psychosexual dysfunction with functional dyspareunia	302.76	86
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	86
Psychosexual dysfunction, unspecified	302.70	86
Pyromania	312.33	149
Reactive confusion	298.2	57
Repetitive intrusions of sleep	307.48	122
Residual schizophrenia	295.6	36
Respiratory malfunction arising from mental factors	306.1	111
Schizo-affective type schizophrenia	295.7	37
Schizoid personality disorder	301.2	76
Schizoid personality disorder, unspecified	301.20	76
Schizophrenic disorders	295.0 - 295.9	30-39
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	76
Senile and presenile organic psychotic conditions	290.0 - 290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	154
Separation anxiety disorder	309.21	135
Sexual deviations and disorders	302.2 - 302.8	84-87
Sexual masochism	302.83	87
Sexual sadism	302.84	87
Shyness disorder of childhood	313.21	154
Simple type schizophrenia	295.0	30

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Skin disorder arising from mental factors	306.3	113
Social phobia	300.23	67
Socialized conduct disorder	312.2	148
Somatization disorder	300.81	72
Somnambulism or night terrors	307.46	122
Special symptoms or syndromes, not elsewhere classified	307.1 - 307.9	119-127
Specific academic or work inhibition	309.23	135
Specific disorders of sleep of nonorganic origin	307.4	122
Specific nonpsychotic mental disorders due to organic brain damage	310.0 - 310.9	140-144
Stereotyped repetitive movements	307.3	121
Subacute delirium	293.1	23
Tension headache	307.81	126
Tic disorder, unspecified	307.20	120
Tics	307.2	120
Tobacco use disorder	305.1	101
Trans-sexualism	302.5	85
Trans-sexualism with asexual history	302.51	85
Trans-sexualism with heterosexual history	302.53	85
Trans-sexualism with homosexual history	302.52	85
Trans-sexualism with unspecified sexual history	302.50	85
Transient disorder of initiating or maintaining sleep	307.41	122
Transient disorder of initiating or maintaining wakefulness	307.43	122
Transient organic psychotic conditions	293.0 - 293.9	22- 25
Transient tic disorder of childhood	307.21	120
Undersocialized conduct disorder, aggressive type	312.0	146
Undersocialized conduct disorder, unaggressive type	312.1	147
Unspecified acute reaction to stress	308.9	132
Unspecified adjustment reaction	309.9	139
Unspecified affective psychosis	296.90	49
Unspecified alcoholic psychosis	291.9	16
Unspecified childhood psychosis	299.9	64
Unspecified disturbance of conduct	312.9	152
Unspecified drug dependence	304.9	99
Unspecified drug-induced mental disorder	292.9	21
Unspecified hyperkinetic syndrome of childhood	314.9	157
Unspecified neurotic disorder	300.9	73
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	144
Unspecified organic brain syndrome (chronic)	294.9	29
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	83
Unspecified psychophysiological malfunction	306.9	118
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	39
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	25
Voyeurism	302.82	87

APPENDIX F

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM.*[1] It was developed in response to a need expressed by medical records administrators for a standardized means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal Agencies). This crosswalk has been specifically developed to facilitate such coding and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association and is available through the APA Office of Research.

INSTRUCTIONS FOR USING THE CROSSWALK

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances, discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content" and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*; *ICD-9-CM* is the more inclusive system. However, since one of its primary purposes is to serve as a complete list of medical terms to assist in the coding of medical records, there are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not in *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote One (following the Crosswalk) for general notes about the crosswalk.

---

[1] American Psychiatric Association: *Diagnostic and Statistical Manual of Mental Disorders, Third Edition, Revised.* Washington, D.C., 1987.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor **or** verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

LOS

PSYCHIATRIC
LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
Southern Region, 1990

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
United States, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
November, 1991

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the Psychiatric Length of Stay by Diagnosis series:

Psychiatric Length of Stay by Diagnosis, United States, 1990
ISSN 0898-0543

Psychiatric Length of Stay by Diagnosis, Northeastern Region, 1990
ISSN 0898-0527

Psychiatric Length of Stay by Diagnosis, North Central Region, 1990
ISSN 0898-249X

Psychiatric Length of Stay by Diagnosis, Southern Region, 1990
ISSN 0898-0519

Psychiatric Length of Stay by Diagnosis, Western Region, 1990
ISSN 0898-0535

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither CPHA nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

CONTENTS

Introduction v

Description of the Database vi
Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii
Diagnosis Classification Categories
Hospital Service Type
Patient Data Stratification

Explanation of the Statistics x
Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xi

Psychiatric Length of Stay Tables 1

Appendix A
1990 Hospital Characteristics 177
Table 1: Universe of Hospitals
Table 2: Hospitals With Psychiatric Units
Table 3: Hospitals Without Psychiatric Units

Appendix B
Description of Hospital Characteristics 180

Appendix C
State Inclusions By Region 181

Appendix D
Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 182

Appendix E
Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 190

Appendix F
Crosswalk From *DSM-III-R* to *ICD-9-CM* 198

ACKNOWLEDGEMENTS

1990 PSYCHIATRIC LENGTH OF STAY BY DIAGNOSIS

PROJECT TEAM:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda E. Vanek, Manager, Normative Products
Helen Garcia, Programmer Analyst
Jan Sweet, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources.

We offer a special thank-you to the following individuals for their assistance:

Joyce Beach, Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, software, and magnetic media. The Psychiatric Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States during 1990. This book is one volume in a set of five books. The complete set is the latest in a series of publications on psychiatric length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Psychiatric Length of Stay by Diagnosis*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

SOURCE OF THE DATA

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.

2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.

5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

HOSPITAL CHARACTERISTICS

Data chosen for inclusion in the Psychiatric Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in the tables in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

DIAGNOSIS CLASSIFICATION CATEGORIES

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*[1], updated as of October 1, 1990. This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix D lists, in numerical order, the *ICD-9-CM* diagnosis codes in the tables, their accompanying description, and the page number of the table. Appendix E lists, in alphabetical order, the *ICD-9-CM* psychiatric diagnoses description and accompanying numerical codes along with the page number of the table. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included in Appendix F.)

HOSPITAL SERVICE TYPE

The tables are also categorized by hospital service unit.[2] The divisions are:

a. **Hospitals with a psychiatric unit/beds** – nonfederal, short-term general hospitals reporting a psychiatric unit or beds set-up.

b. **Hospitals without a psychiatric unit/beds** – nonfederal, short-term general hospitals that do not report a psychiatric unit or beds set-up.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, long-term psychiatric hospitalization, or partial hospitalization.

PATIENT DATA STRATIFICATION

The psychiatric length of stay data are stratified into two patient groups, by sex, and by six age ranges. The age categories have been collapsed from the seven groups previously presented to six. This provides a more accurate breakdown of adolescent, teen, young adult, middle and senior adult length of stay patterns.

Patient Groups

Patients in the tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that, after study, explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code only (*ICD-9-CM* 290-314.9) or patients having the specified psychiatric principal diagnosis code and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table as their only diagnosis. Alternatively, a patient with the same principal psychiatric diagnosis and a secondary diagnosis of diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s))

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9).

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

0-12 (includes newborns)
13-19
20-34
35-49
50-64
65+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF THE STATISTICS

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

TOTAL NUMBER OF PATIENTS

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

AVERAGE LENGTH OF STAY

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

VARIANCE

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

DISTRIBUTION PERCENTILES

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

SUBTOTAL AND GRAND TOTAL

The subtotal represents the total patients in each of the two patient groups. The Grand Total represents the total number of patients in the specified psychiatric diagnosis category within one of the two hospital service type categories.

USING THE TABLES

The Psychiatric Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Appendix at the back of the book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Length of Stay tables; the *ICD-9-CM* diagnosis code number follows the English title of each table.

Step 3: Find the appropriate portion of the table for review:

- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1216	18.6	289	1	5	14	28	45	62	99 +	227	7.0	133	1	1	2	8	19	27	70
13-19	3986	15.2	217	1	4	11	22	36	47	83	753	9.3	140	1	1	3	14	28	34	50
20-34	12220	11.6	128	2	4	8	16	27	33	55	3562	10.6	119	1	3	6	15	28	30	50
35-49	11192	11.6	123	2	4	8	16	27	32	54	3415	10.0	114	2	3	6	14	26	29	49
50-64	5010	12.6	120	2	4	10	18	28	32	50	1538	9.5	100	2	3	5	14	24	28	48
65 +	5526	13.4	141	3	5	10	18	28	36	68	2005	9.7	116	2	3	6	12	22	30	67
ALL AGES	39150	12.6	143	2	4	9	18	28	36	62	11500	10.0	116	1	3	6	14	26	29	53
B. FEMALE																				
0-12 YRS.	749	17.0	245	1	4	13	27	40	50	99 +	194	7.7	141	1	1	3	7	22	31	58
13-19	5016	14.3	197	2	4	10	20	33	44	82	836	9.2	131	1	1	4	13	27	33	52
20-34	12716	11.3	120	2	4	8	15	25	32	56	3091	9.5	105	1	3	6	13	23	29	50
35-49	12745	12.6	122	2	5	10	17	27	33	56	2781	9.9	124	2	3	6	13	24	31	58
50-64	7427	14.2	124	3	6	12	19	28	35	55	1583	10.9	138	2	3	7	15	27	34	60
65 +	10904	15.7	169	3	7	13	21	32	42	68	3128	9.8	111	2	4	6	12	22	34	99 +
ALL AGES	49557	13.4	145	2	5	10	18	28	36	63	11613	9.8	119	1	3	6	13	24	31	61
SUBTOTAL	**88707**	**13.1**	**143**	**2**	**4**	**10**	**18**	**28**	**36**	**62**	**23113**	**9.9**	**117**	**1**	**3**	**6**	**14**	**25**	**30**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2077	26.6	290	7	15	25	35	51	65	99 +	188	29.5	530	3	9	25	47	63	77	99 +
13-19	6360	19.3	259	3	7	15	28	41	53	93	1097	16.2	194	1	4	11	28	36	42	50
20-34	18341	10.9	100	2	4	7	16	25	29	45	7219	9.5	85	2	4	5	14	25	28	38
35-49	15557	10.2	85	2	4	7	14	23	28	43	7316	8.1	66	2	4	5	9	21	28	34
50-64	5032	11.2	107	2	4	8	15	25	30	51	2256	8.5	75	2	3	5	10	22	28	39
65 +	3440	14.2	139	3	6	11	19	29	37	61	1193	9.7	92	2	4	7	12	22	28	49
ALL AGES	50807	12.6	144	2	4	9	18	28	35	61	19269	9.4	96	2	4	5	12	25	28	43
B. FEMALE																				
0-12 YRS.	830	24.5	296	6	13	22	34	51	68	99 +	134	22.7	388	3	7	19	33	55	63	97
13-19	6782	18.3	254	3	7	14	27	41	54	99 +	1024	16.8	242	2	4	12	27	40	46	66
20-34	16515	11.6	116	2	4	8	16	26	31	54	4589	10.0	92	2	4	6	14	25	28	43
35-49	13169	12.1	107	2	5	9	17	26	31	50	3301	9.4	89	2	3	6	13	23	28	42
50-64	4912	13.8	132	3	6	11	19	28	35	59	1195	9.8	103	2	3	6	13	24	29	45
65 +	5739	16.2	158	4	7	13	22	32	41	67	1398	10.6	118	2	4	7	14	25	34	73
ALL AGES	47947	13.7	150	3	5	10	19	29	38	67	11641	10.6	118	2	4	7	14	27	31	54
SUBTOTAL	**98754**	**13.1**	**148**	**2**	**4**	**10**	**19**	**28**	**36**	**63**	**30910**	**9.9**	**104**	**2**	**4**	**5**	**13**	**26**	**29**	**47**
GRAND TOTAL	**187461**	**13.1**	**146**	**2**	**4**	**10**	**18**	**28**	**36**	**63**	**54023**	**9.9**	**110**	**2**	**3**	**6**	**13**	**25**	**30**	**51**

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	24.3	143	17	17	18	33	38	38	38										
65 +	157	10.6	81	2	4	8	14	25	30	38	54	9.2	62	2	4	7	13	16	27	41
ALL AGES	160	10.9	84	2	4	8	14	25	31	38	54	9.2	62	2	4	7	14	18	29	97
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	11.7	36	5	7	13	16	17	17	17	1	8.0		8	8	8	8	8	8	8
65 +	248	11.8	147	3	5	9	15	27	43	99 +	134	10.9	213	3	4	7	12	24	51	99 +
ALL AGES	251	11.8	145	3	5	9	15	26	43	99 +	135	10.9	211	3	4	7	11	24	51	99 +
SUBTOTAL	**411**	**11.5**	**120**	**3**	**5**	**8**	**14**	**25**	**35**	**99 +**	**189**	**10.4**	**169**	**2**	**4**	**7**	**13**	**23**	**49**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	38	13.4	115	5	7	10	16	31	47	99 +	23	7.2	33	2	3	5	10	19	20	20
ALL AGES	38	13.4	115	5	7	10	16	31	47	99 +	23	7.2	33	2	3	5	10	19	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	6.0		6	6	6	6	6	6	6										
65 +	82	13.9	107	5	7	10	18	28	37	49	21	9.5	229	2	4	5	9	16	43	73
ALL AGES	83	13.8	107	5	7	10	18	28	36	49	21	9.5	229	2	4	5	9	16	43	73
SUBTOTAL	**121**	**13.7**	**108**	**5**	**7**	**10**	**17**	**28**	**37**	**70**	**44**	**8.3**	**125**	**2**	**3**	**5**	**9**	**18**	**19**	**73**
GRAND TOTAL	**532**	**12.0**	**118**	**3**	**5**	**9**	**15**	**26**	**35**	**99 +**	**233**	**10.0**	**161**	**2**	**4**	**6**	**12**	**20**	**44**	**99 +**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	31.0	349	3	21	40	41	41	41	41	1	3.0		3	3	3	3	3	3	3
35-49	8	10.9	55	5	6	7	16	23	24	24	2	14.0	2	13	13	14	15	15	15	15
50-64	43	13.3	128	2	5	10	18	28	37	50	9	15.9	311	2	5	9	47	99+	99+	99+
65 +	415	11.7	146	3	5	9	14	25	37	99+	198	13.3	250	3	4	8	15	31	58	93
ALL AGES	470	12.0	147	3	5	9	15	26	39	98	210	13.4	247	3	4	8	16	34	64	99+
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	90.0		90	90	90	90	90	90	90										
35-49	3	13.7	5	11	12	14	15	16	16	16	2	9.0		9	9	9	9	9	9	9
50-64	45	12.1	101	2	4	10	18	36	99+	99+	19	11.9	127	3	4	7	14	31	38	42
65 +	587	12.4	165	3	5	9	15	25	38	75	270	12.6	225	3	4	8	16	49	99+	99+
ALL AGES	636	12.5	168	3	5	9	15	27	41	94	291	12.5	217	3	4	8	16	42	99+	99+
SUBTOTAL	**1106**	**12.3**	**159**	**3**	**5**	**9**	**15**	**26**	**39**	**96**	**501**	**12.9**	**229**	**3**	**4**	**8**	**16**	**41**	**81**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	5	10.8	14	5	10	12	15	91	99+	99+										
50-64	6	15.2	65	7	8	14	21	25	26	26	6	9.8	29	3	4	11	14	16	16	16
65 +	97	13.1	118	3	6	10	16	28	34	58	44	13.1	153	3	4	9	17	30	39	60
ALL AGES	108	13.1	110	4	6	10	17	27	35	78	50	12.7	138	3	4	9	16	29	39	60
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	11.0	98	4	4	11	18	18	18	18										
35-49																				
50-64	15	15.7	253	5	8	10	15	34	59	67	4	14.5	175	5	6	9	22	34	34	34
65 +	139	14.6	95	4	7	12	20	30	38	99+	57	14.5	250	3	4	8	16	42	59	98
ALL AGES	156	14.7	107	4	7	12	20	30	38	97	61	14.5	242	3	5	8	16	40	58	97
SUBTOTAL	**264**	**14.0**	**110**	**4**	**7**	**12**	**19**	**28**	**36**	**94**	**111**	**13.7**	**194**	**3**	**5**	**9**	**16**	**35**	**47**	**84**
GRAND TOTAL	**1370**	**12.7**	**148**	**3**	**5**	**9**	**16**	**27**	**38**	**98**	**612**	**13.0**	**224**	**3**	**4**	**8**	**16**	**39**	**70**	**99+**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	6	21.5	97	12	12	21	25	37	38	38										
65 +	141	15.9	136	5	8	13	20	32	46	99 +	35	10.9	172	3	4	7	12	27	59	99 +
ALL AGES	147	16.1	136	5	8	14	20	33	46	99 +	35	10.9	172	3	4	7	12	27	59	99 +
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	9	19.8	235	7	10	14	27	46	54	54										
65 +	377	17.6	126	6	10	15	21	32	43	55	53	12.7	112	3	6	10	14	30	41	43
ALL AGES	386	17.6	130	6	10	15	22	32	43	55	53	12.7	112	3	6	10	14	30	41	43
SUBTOTAL	**533**	**17.2**	**131**	**6**	**10**	**15**	**21**	**32**	**43**	**62**	**88**	**12.0**	**134**	**3**	**5**	**9**	**14**	**29**	**41**	**85**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	14.0		14	14	14	14	14	14	14										
50-64	1	15.0		15	15	15	15	15	15	15										
65 +	41	18.9	126	6	13	16	25	33	39	58	6	6.7	11	3	5	6	7	12	13	13
ALL AGES	43	18.7	121	6	13	16	24	32	39	58	6	6.7	11	3	5	6	7	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	4	17.8	337	2	5	12	30	44	44	44										
65 +	102	17.5	132	6	10	15	23	32	37	62	17	14.4	112	3	7	13	22	28	35	39
ALL AGES	106	17.5	137	6	9	15	23	32	39	62	17	14.4	112	3	7	13	22	28	35	39
SUBTOTAL	**149**	**17.8**	**133**	**6**	**10**	**15**	**23**	**32**	**39**	**58**	**23**	**12.4**	**96**	**3**	**5**	**8**	**16**	**28**	**32**	**39**
GRAND TOTAL	**682**	**17.3**	**133**	**6**	**10**	**15**	**22**	**32**	**43**	**61**	**111**	**12.1**	**125**	**3**	**5**	**9**	**14**	**28**	**41**	**76**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	4.0		4	4	4	4	4	4	4
35-49	1	19.0		19	19	19	19	19	19	19	1	5.0		5	5	5	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8										
65 +	203	12.6	109	3	6	10	16	25	36	83	87	7.7	35	2	3	6	11	15	18	31
ALL AGES	205	12.6	108	3	6	10	16	25	36	83	89	7.7	34	2	3	6	11	15	18	31
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	5	15.8	133	4	10	19	83	99 +	99 +	99 +										
65 +	344	11.4	75	3	5	9	15	22	30	57	157	10.2	130	3	4	7	11	22	39	82
ALL AGES	349	11.5	75	3	5	9	16	23	32	99 +	157	10.2	130	3	4	7	11	22	39	82
SUBTOTAL	**554**	**11.9**	**87**	**3**	**5**	**10**	**16**	**23**	**33**	**99 +**	**246**	**9.3**	**96**	**3**	**4**	**7**	**11**	**18**	**26**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	20.3	186	12	12	13	30	36	36	36										
65 +	59	13.5	73	3	7	13	18	26	29	39	21	7.0	25	2	4	6	10	17	52	99 +
ALL AGES	62	13.8	79	4	8	13	18	27	32	40	21	7.0	25	2	4	6	10	17	52	99 +
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	8.0	2	7	7	8	9	9	9	9										
65 +	94	14.6	131	3	7	11	19	32	38	52	24	18.4	388	3	4	8	35	46	62	68
ALL AGES	96	14.5	128	3	7	11	18	32	38	52	24	18.4	388	3	4	8	35	46	62	68
SUBTOTAL	**158**	**14.2**	**109**	**3**	**7**	**11**	**18**	**30**	**35**	**49**	**45**	**13.1**	**247**	**3**	**4**	**7**	**15**	**42**	**62**	**99 +**
GRAND TOTAL	**712**	**12.4**	**93**	**3**	**6**	**10**	**17**	**26**	**34**	**79**	**291**	**9.8**	**122**	**3**	**4**	**7**	**11**	**20**	**37**	**77**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34																				
35-49	5	12.4	106	2	3	12	21	26	26	26	1	7.0		7	7	7	7	7	7	7
50-64	33	18.5	335	2	7	13	23	45	54	83	11	12.9	184	1	3	11	12	39	41	41
65 +	329	12.3	149	4	6	9	15	24	36	99 +	123	10.3	94	3	4	7	13	22	31	48
ALL AGES	368	12.8	168	3	6	9	15	26	40	99 +	135	10.5	100	2	4	7	12	22	36	48
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	10.0	50	5	5	10	15	15	15	15
35-49	1	14.0		14	14	14	14	14	14	14	1	9.0		9	9	9	9	9	9	9
50-64	33	11.2	88	3	5	8	18	28	36	99 +	2	15.5	421	1	1	15	30	30	30	30
65 +	455	13.3	138	4	6	10	16	27	40	62	167	11.4	140	3	5	8	13	25	39	71
ALL AGES	489	13.2	133	3	6	10	16	27	39	63	172	11.4	140	3	5	8	13	26	39	71
SUBTOTAL	**857**	**13.0**	**149**	**3**	**6**	**10**	**16**	**27**	**39**	**93**	**307**	**11.0**	**122**	**3**	**5**	**8**	**13**	**23**	**36**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	10.0	27	4	6	13	13	13	13	13										
50-64	16	15.3	276	3	4	12	19	26	57	70	5	20.2	469	1	4	8	41	48	48	48
65 +	100	15.7	252	4	6	11	19	35	58	91	25	12.6	131	3	5	10	14	30	38	49
ALL AGES	119	15.5	248	3	6	11	19	33	59	88	30	13.8	183	2	5	9	16	36	48	49
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	39.0		39	39	39	39	39	39	39										
50-64	13	15.1	183	3	5	13	20	40	44	45	4	18.8	220	5	10	15	28	40	40	40
65 +	158	16.8	168	5	8	13	20	35	42	68	33	9.4	69	2	4	7	13	19	32	37
ALL AGES	172	16.8	171	5	8	13	20	36	43	67	37	10.4	88	2	5	7	14	19	36	40
SUBTOTAL	**291**	**16.3**	**201**	**4**	**7**	**13**	**20**	**35**	**46**	**75**	**67**	**11.9**	**132**	**2**	**5**	**7**	**15**	**33**	**39**	**49**
GRAND TOTAL	**1148**	**13.8**	**165**	**4**	**6**	**11**	**17**	**29**	**40**	**89**	**374**	**11.2**	**123**	**3**	**5**	**8**	**13**	**24**	**39**	**55**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	36.0	882	15	15	36	57	57	57	57	2	18.0	512	2	2	18	34	34	34	34
ALL AGES	2	36.0	882	15	15	36	57	57	57	57	2	18.0	512	2	2	18	34	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	12.5	1	12	12	12	13	13	13	13	1	6.0		6	6	6	6	6	6	6
ALL AGES	2	12.5	1	12	12	12	13	13	13	13	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**4**	**24.3**	**475**	**12**	**12**	**14**	**36**	**57**	**57**	**57**	**3**	**14.0**	**304**	**2**	**3**	**6**	**27**	**34**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6										
35-49																				
50-64																				
65 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**5**	**20.6**	**425**	**6**	**10**	**13**	**25**	**57**	**57**	**57**	**3**	**14.0**	**304**	**2**	**3**	**6**	**27**	**34**	**34**	**34**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	18.0		18	18	18	18	18	18	18	1	6.0		6	6	6	6	6	6	6
65 +	19	12.6	52	6	7	12	16	25	28	28	5	11.0	66	2	5	8	19	21	21	21
ALL AGES	20	12.9	50	6	7	12	17	25	27	28	6	10.2	56	2	6	7	18	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	11.0	98	4	4	11	18	18	18	18										
65 +	32	15.5	134	5	8	12	21	35	46	99 +	4	10.3	19	4	8	13	35	99 +	99 +	99 +
ALL AGES	34	15.3	128	5	8	12	19	34	45	99 +	4	10.3	19	4	8	13	35	99 +	99 +	99 +
SUBTOTAL	**54**	**14.4**	**99**	**5**	**7**	**12**	**18**	**34**	**36**	**97**	**10**	**10.2**	**38**	**3**	**6**	**10**	**17**	**53**	**96**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	10	11.5	53	2	6	10	18	21	21	21	3	8.7	16	4	5	10	11	12	12	12
ALL AGES	10	11.5	53	2	6	10	18	21	21	21	3	8.7	16	4	5	10	11	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	7.0		7	7	7	7	7	7	7
65 +	18	15.7	96	6	10	14	20	25	38	46	3	18.3	91	11	12	15	25	29	29	29
ALL AGES	18	15.7	96	6	10	14	20	25	38	46	4	15.5	92	7	9	13	22	29	29	29
SUBTOTAL	**28**	**14.2**	**83**	**4**	**8**	**13**	**19**	**24**	**27**	**46**	**7**	**12.6**	**64**	**5**	**8**	**11**	**14**	**26**	**29**	**29**
GRAND TOTAL	**82**	**14.3**	**93**	**5**	**8**	**13**	**18**	**29**	**35**	**83**	**17**	**11.2**	**47**	**4**	**6**	**11**	**15**	**27**	**72**	**99 +**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	48	5.8	47	1	2	4	7	9	15	45	21	4.4	5	2	3	4	6	7	9	10
35-49	82	5.4	14	2	3	4	7	10	13	20	49	3.8	9	1	1	3	5	8	9	15
50-64	52	7.1	67	2	3	5	7	17	31	42	27	7.9	53	2	3	7	10	12	19	39
65 +	24	8.2	165	3	3	5	8	11	28	67	19	5.8	15	1	3	6	9	11	13	14
ALL AGES	207	6.2	53	2	3	4	7	10	16	43	116	5.2	22	1	2	4	7	10	11	24
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	7	4.6	7	2	2	4	6	9	9	9	4	3.5	2	2	2	3	4	5	5	5
35-49	17	5.3	11	1	2	5	8	9	10	11	11	6.8	27	2	3	5	12	15	15	15
50-64	6	4.5	10	1	3	4	5	10	10	10	7	6.0	37	2	2	4	7	17	19	19
65 +	4	8.0	39	3	4	6	12	17	17	17	3	16.7	1	15	15	17	18	18	18	18
ALL AGES	34	5.3	13	1	3	5	7	9	11	17	25	7.2	36	2	3	5	14	17	18	19
SUBTOTAL	**241**	**6.1**	**47**	**2**	**3**	**4**	**7**	**10**	**15**	**42**	**141**	**5.6**	**24**	**1**	**2**	**4**	**7**	**11**	**15**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	276	4.9	17	2	3	4	6	9	11	25	97	4.8	20	1	2	4	6	8	9	30
35-49	511	5.3	19	2	3	4	6	10	13	25	249	5.4	49	2	3	4	6	9	13	30
50-64	252	7.0	42	2	3	5	9	14	20	43	140	6.7	41	2	3	5	9	13	18	33
65 +	98	9.5	67	3	4	7	11	20	27	43	54	7.6	28	2	5	7	10	14	19	97
ALL AGES	1138	5.9	30	2	3	4	7	11	17	31	540	5.9	40	2	3	4	7	10	15	32
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	54	6.2	30	2	3	4	7	12	15	30	19	5.8	23	2	3	4	6	11	17	22
35-49	94	4.7	11	2	3	4	6	10	12	17	64	5.5	29	2	3	4	6	10	15	32
50-64	61	6.7	33	2	3	5	8	17	21	23	33	5.8	27	2	3	4	7	13	18	24
65 +	21	8.1	61	2	3	4	13	20	27	28	15	8.0	33	2	4	6	13	16	20	21
ALL AGES	231	5.9	26	2	3	4	7	13	17	27	131	5.9	28	2	3	4	7	12	18	27
SUBTOTAL	**1369**	**5.9**	**29**	**2**	**3**	**4**	**7**	**11**	**17**	**30**	**671**	**5.9**	**37**	**2**	**3**	**4**	**7**	**11**	**16**	**32**
GRAND TOTAL	**1610**	**5.9**	**32**	**2**	**3**	**4**	**7**	**11**	**17**	**31**	**812**	**5.8**	**36**	**2**	**3**	**4**	**7**	**11**	**15**	**32**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49	3	4.3	18	1	1	3	7	9	9	9	1	6.0		6	6	6	6	6	6	6
50-64	7	14.6	84	4	6	16	21	28	29	29	4	7.8	14	2	5	9	10	10	10	10
65 +	5	14.6	58	9	10	12	17	28	28	28	4	7.3	22	2	3	7	11	13	13	13
ALL AGES	16	12.0	73	3	5	10	16	27	29	29	9	7.3	15	2	4	9	10	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	52.0		52	52	52	52	52	52	52
35-49	2	4.0		4	4	4	4	4	4	4										
50-64	3	37.7	1939	6	9	19	71	88	88	88										
65 +	4	23.3	482	5	9	16	37	55	55	55	2	40.0	2592	4	4	40	76	76	76	76
ALL AGES	9	23.8	837	4	5	13	29	75	88	88	3	44.0	1344	4	16	52	70	76	76	76
SUBTOTAL	**25**	**16.2**	**360**	**4**	**5**	**11**	**19**	**29**	**63**	**88**	**12**	**16.5**	**530**	**2**	**4**	**9**	**12**	**59**	**74**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	6	12.0	32	6	8	11	14	21	22	22	2	1.5	1	1	1	1	2	2	2	2
35-49	19	14.6	540	1	3	5	11	50	77	87	7	12.7	83	5	6	12	15	28	31	31
50-64	18	15.6	479	4	6	10	21	69	99 +	99 +	14	7.1	13	3	4	7	9	13	14	14
65 +	15	19.3	181	7	11	15	23	44	49	51	11	11.1	79	3	4	7	18	24	30	31
ALL AGES	58	15.9	364	3	6	10	18	40	77	99 +	34	9.2	54	3	4	7	13	18	28	31
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-49	4	14.3	94	2	8	14	20	26	26	26	4	4.5	9	2	2	4	7	8	8	8
50-64	5	29.6	612	4	18	29	69	97	99 +	99 +	2	48.0	2048	16	32	80	95	99 +	99 +	99 +
65 +	9	21.3	93	12	15	20	36	99 +	99 +	99 +	3	13.0	12	9	10	15	15	15	15	15
ALL AGES	19	21.1	240	3	14	19	35	99 +	99 +	99 +	10	15.4	547	1	3	9	16	88	99	99 +
SUBTOTAL	**77**	**17.2**	**335**	**3**	**6**	**13**	**24**	**57**	**99**	**99 +**	**44**	**10.6**	**163**	**2**	**4**	**8**	**14**	**19**	**43**	**99 +**
GRAND TOTAL	**102**	**16.9**	**339**	**3**	**6**	**12**	**23**	**50**	**90**	**99 +**	**56**	**11.9**	**239**	**2**	**4**	**8**	**13**	**28**	**68**	**99**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
35-49	6	6.8	34	2	4	5	8	17	18	18	3	13.0	57	6	7	12	19	21	21	21
50-64	13	13.8	174	3	5	10	19	31	46	49	9	7.6	23	2	4	5	12	15	15	15
65 +	23	12.7	113	3	6	10	13	33	37	41	13	8.1	31	3	4	6	11	18	20	20
ALL AGES	43	12.3	116	3	5	9	13	27	37	49	26	8.2	32	3	4	6	12	18	20	21
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	5.0		5	5	5	5	5	5	5										
50-64	4	33.8	1422	8	9	19	58	89	89	89	1	11.0		11	11	11	11	11	11	11
65 +	9	22.2	399	4	8	16	29	56	65	65	4	9.0	54	3	3	8	15	18	18	18
ALL AGES	14	24.3	632	5	8	15	27	67	84	89	5	9.4	41	3	3	11	13	18	18	18
SUBTOTAL	**57**	**15.2**	**262**	**3**	**6**	**10**	**18**	**34**	**47**	**87**	**31**	**8.4**	**33**	**3**	**4**	**6**	**12**	**18**	**20**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	9	5.4	9	2	3	6	7	9	10	10	2	3.0	2	2	2	3	4	4	4	4
35-49	24	12.3	136	3	7	9	15	21	37	58	14	6.0	37	2	2	4	7	18	20	21
50-64	42	10.2	66	2	5	8	14	22	30	99 +	24	12.3	73	4	6	8	16	27	29	30
65 +	50	14.2	161	3	5	11	19	30	35	72	24	15.3	139	4	6	12	21	35	43	44
ALL AGES	125	11.9	116	3	5	9	15	24	32	79	64	11.8	99	2	4	7	17	26	31	44
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											3	9.7	91	1	3	8	17	20	20	20
35-49	9	17.7	128	5	9	19	22	71	99 +	99 +	6	7.5	38	3	4	5	10	18	19	19
50-64	12	22.2	210	5	9	18	35	43	44	44	15	11.9	148	2	4	10	15	21	43	50
65 +	25	14.5	99	2	7	13	20	31	35	35	14	16.9	177	4	7	11	31	38	41	42
ALL AGES	46	17.1	139	4	7	14	24	36	43	99 +	38	12.9	140	3	4	9	16	33	40	50
SUBTOTAL	**171**	**13.3**	**127**	**3**	**6**	**10**	**19**	**30**	**39**	**93**	**102**	**12.2**	**113**	**2**	**4**	**8**	**16**	**27**	**36**	**47**
GRAND TOTAL	**228**	**13.8**	**160**	**3**	**6**	**10**	**19**	**31**	**42**	**91**	**133**	**11.3**	**97**	**3**	**4**	**7**	**16**	**23**	**33**	**45**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	6.0		6	6	6	6	6	6	6
20-34	9	8.8	176	1	2	3	8	32	41	41	8	2.5	2	1	1	2	3	5	5	5
35-49	10	5.2	62	1	2	3	4	17	27	27	12	4.3	6	2	3	3	6	8	8	8
50-64	6	3.8	10	1	2	3	6	9	9	9	3	14.0	117	5	6	11	22	26	26	26
65 +	3	5.0	13	2	2	4	8	9	9	9										
ALL AGES	28	6.0	80	1	2	3	5	16	28	41	24	5.0	27	1	2	3	6	9	15	26
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	5.7	14	3	3	4	8	10	10	10	1	2.0		2	2	2	2	2	2	2
50-64	4	8.8	102	3	3	4	14	24	24	24										
65 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	8	8.8	64	3	3	4	14	22	24	24	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**36**	**6.6**	**76**	**1**	**2**	**3**	**6**	**19**	**26**	**41**	**25**	**4.9**	**26**	**1**	**2**	**3**	**6**	**8**	**15**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	8.0		8	8	8	8	8	8	8										
20-34	53	5.7	51	1	2	4	7	9	13	48	27	5.5	49	1	2	2	5	19	23	28
35-49	112	6.9	41	2	3	5	9	15	23	32	47	5.0	11	2	3	4	7	9	10	20
50-64	43	7.6	37	3	3	6	10	14	19	34	20	5.0	19	1	2	3	7	12	14	16
65 +	19	11.3	97	3	5	8	15	28	36	37	5	5.6	7	2	3	6	8	8	8	8
ALL AGES	228	7.1	49	2	3	5	9	15	20	35	99	5.1	23	1	2	4	7	10	15	25
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	13	9.8	191	2	3	6	8	29	48	52	3	6.3	34	3	3	3	11	13	13	13
35-49	34	5.8	29	2	3	4	7	11	14	30	20	8.2	221	1	2	4	5	21	47	66
50-64	8	6.0	23	1	2	5	9	13	14	14	6	3.8	2	2	3	4	5	6	6	6
65 +	5	14.4	574	1	2	3	20	57	57	57	1	3.0		3	3	3	3	3	3	3
ALL AGES	60	7.4	104	2	3	4	7	13	26	56	30	6.9	152	1	3	3	5	13	28	66
SUBTOTAL	**288**	**7.2**	**59**	**2**	**3**	**5**	**8**	**14**	**21**	**44**	**129**	**5.6**	**52**	**1**	**2**	**4**	**6**	**10**	**16**	**36**
GRAND TOTAL	**324**	**7.1**	**62**	**2**	**3**	**5**	**8**	**14**	**23**	**43**	**154**	**5.4**	**48**	**1**	**2**	**4**	**6**	**10**	**16**	**28**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64	1	1.0		1	1	1	1	1	1	1										
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	2.3	3	1	1	2	3	4	4	4										
SUBTOTAL	**5**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	5	3.0	9	1	1	2	4	8	8	8										
20-34	4	1.3		1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
35-49	6	1.8	2	1	1	1	2	4	4	4										
50-64											1	2.0		2	2	2	2	2	2	2
65 +	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
ALL AGES	16	2.3	4	1	1	2	3	6	7	8	3	3.0	1	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19	2	1.0		1	1	1	1	1	1	1										
20-34																				
35-49																				
50-64																				
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	1.3		1	1	1	2	2	2	2										
SUBTOTAL	**19**	**2.2**	**4**	**1**	**1**	**1**	**2**	**5**	**7**	**8**	**3**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**24**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**7**	**8**	**3**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH		TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-19																						
20-34																						
35-49																						
50-64																						
65 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-19																						
20-34																						
35-49																						
50-64																						
65 +																						
ALL AGES																						
SUBTOTAL																						
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-19																						
20-34	1	7.0		7	7	7	7	7	7	7												
35-49	3	2.7	2	1	1	3	4	4	4	4		2	11.5	41	7	7	11	16	16	16	16	
50-64	2	44.0	578	27	27	44	61	61	61	61		1	11.0		11	11	11	11	11	11	11	
65 +	2	9.5	145	1	1	9	18	18	18	18		1	5.0		5	5	5	5	5	5	5	
ALL AGES	8	15.3	425	1	2	5	22	51	61	61		4	9.8	22	5	6	9	13	16	16	16	
B. FEMALE																						
0-12 YRS.																						
13-19																						
20-34	2	7.0		7	7	7	7	7	7	7												
35-49	1	1.0		1	1	1	1	1	1	1												
50-64	1	7.0		7	7	7	7	7	7	7		1	7.0		7	7	7	7	7	7	7	
65 +	1	2.0		2	2	2	2	2	2	2												
ALL AGES	5	4.8	9	1	1	7	7	7	7	7		1	7.0		7	7	7	7	7	7	7	
SUBTOTAL	**13**	**11.2**	**281**	**1**	**2**	**7**	**10**	**34**	**56**	**61**		**5**	**9.2**	**19**	**5**	**6**	**7**	**12**	**16**	**16**	**16**	
GRAND TOTAL	**13**	**11.2**	**281**	**1**	**2**	**7**	**10**	**34**	**56**	**61**		**5**	**9.2**	**19**	**5**	**6**	**7**	**12**	**16**	**16**	**16**	

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	86	4.8	55	1	2	3	5	9	14	47	62	3.3	6	1	2	2	5	6	7	15
35-49	180	4.4	34	1	2	3	5	8	11	22	105	3.8	10	1	2	3	4	7	9	18
50-64	114	6.8	99	1	2	4	9	14	18	54	61	4.6	14	2	2	3	6	9	11	23
65 +	32	9.0	247	2	3	5	8	14	23	91	26	9.2	95	1	3	5	11	22	32	42
ALL AGES	413	5.5	74	1	2	3	6	10	15	41	254	4.4	21	1	2	3	5	9	12	24
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	18	3.7	5	2	2	3	5	8	8	8	19	2.8	1	1	2	3	3	4	5	6
35-49	40	6.0	33	1	3	4	7	11	23	26	27	3.3	2	1	2	3	5	5	6	7
50-64	14	7.6	61	2	4	5	7	24	26	26	17	5.0	13	2	2	4	7	9	13	15
65 +	13	7.0	57	2	3	4	8	15	27	30	8	7.0	32	2	3	5	11	16	16	16
ALL AGES	85	5.9	36	2	3	4	7	11	24	29	71	4.0	9	1	2	3	5	7	9	16
SUBTOTAL	**498**	**5.6**	**67**	**1**	**2**	**3**	**6**	**11**	**16**	**31**	**325**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**11**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	5.0		5	5	5	53	99 +	99 +	99 +
13-19	10	4.5	69	1	1	2	3	16	28	28	11	8.9	92	2	3	3	18	24	25	25
20-34	551	5.1	37	1	2	3	5	13	16	28	766	5.2	18	2	3	5	5	7	10	28
35-49	1092	4.5	20	2	2	3	5	8	14	26	1471	4.9	9	2	3	5	5	7	8	21
50-64	516	5.9	48	2	3	4	6	12	17	31	582	5.7	27	2	3	5	5	8	16	29
65 +	173	7.5	58	2	3	5	9	16	23	40	126	7.9	42	3	4	6	10	15	22	35
ALL AGES	2342	5.2	34	2	2	3	6	11	16	28	2959	5.3	17	2	3	5	5	7	11	28
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19	2	8.0	98	1	1	8	15	15	15	15										
20-34	194	6.0	48	2	2	3	6	14	21	32	149	5.7	30	2	3	5	5	10	21	29
35-49	261	4.9	23	1	2	3	5	11	15	26	264	5.1	21	2	3	5	5	8	14	27
50-64	153	4.9	22	2	2	3	6	9	13	27	101	6.2	33	2	3	5	6	12	22	27
65 +	79	6.8	48	2	3	4	8	14	22	37	43	9.9	106	3	4	5	12	23	33	50
ALL AGES	689	5.4	33	2	2	3	6	13	17	30	558	5.8	34	2	3	5	6	10	20	29
SUBTOTAL	**3031**	**5.2**	**34**	**2**	**2**	**3**	**6**	**11**	**16**	**28**	**3517**	**5.4**	**19**	**2**	**3**	**5**	**5**	**7**	**12**	**28**
GRAND TOTAL	**3529**	**5.3**	**38**	**1**	**2**	**3**	**6**	**11**	**16**	**29**	**3842**	**5.3**	**20**	**2**	**3**	**5**	**5**	**7**	**12**	**28**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6	2	2.0	2	1	1	2	3	3	3	3
35-49	5	3.2	3	2	2	2	5	5	5	5	2	2.0	2	1	1	2	3	3	3	3
50-64	1	22.0		22	22	22	22	22	22	22										
65 +																				
ALL AGES	7	6.3	51	2	2	5	6	19	22	22	4	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64	1	20.0		20	20	20	20	20	20	20	1	3.0		3	3	3	3	3	3	3
65 +																				
ALL AGES	2	10.5	181	1	1	10	20	20	20	20	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**9**	**7.2**	**65**	**1**	**2**	**5**	**9**	**21**	**22**	**22**	**5**	**2.2**	**1**	**1**	**1**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	7	9.6	139	1	2	6	13	30	34	34	1	1.0		1	1	1	1	1	1	1
35-49	11	7.6	33	1	2	7	13	16	16	16	4	6.0	14	1	3	6	8	10	10	10
50-64	12	4.5	7	1	2	5	6	8	10	10										
65 +	8	8.6	52	1	2	7	14	19	21	21										
ALL AGES	38	7.2	47	1	2	5	9	16	19	34	5	5.0	16	1	1	6	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	2.5	1	2	2	2	3	3	3	3										
35-49	5	7.6	32	2	3	7	11	16	16	16	2	3.5	1	3	3	3	4	4	4	4
50-64	2	14.0	32	10	10	14	18	18	18	18										
65 +	2	11.5	41	7	7	11	16	16	16	16										
ALL AGES	11	8.5	37	2	3	7	14	17	18	18	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**49**	**7.5**	**44**	**1**	**3**	**5**	**10**	**16**	**18**	**34**	**7**	**4.6**	**11**	**1**	**1**	**4**	**7**	**9**	**10**	**10**
GRAND TOTAL	**58**	**7.5**	**46**	**1**	**2**	**5**	**10**	**16**	**21**	**33**	**12**	**3.6**	**8**	**1**	**1**	**3**	**5**	**8**	**10**	**10**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-19											1	5.0		5	5	5	5	5	5	5
20-34	10	5.1	22	1	2	4	6	12	17	17										
35-49	7	6.4	119	1	2	3	3	25	31	31	7	2.1	1	1	1	2	3	3	3	3
50-64	6	4.7	2	2	4	5	6	6	6	6	5	2.4	1	1	2	2	3	4	4	4
65 +	11	6.1	19	2	3	4	8	13	16	16	3	12.7	71	4	6	13	19	21	21	21
ALL AGES	36	5.4	33	2	2	4	6	11	17	31	17	4.2	27	1	2	3	4	11	18	21
B. FEMALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34	11	6.9	31	1	2	7	9	16	18	18	5	2.2	5	1	1	1	3	6	6	6
35-49	17	5.1	30	1	2	4	5	17	19	19	8	3.4	8	1	1	2	5	8	8	8
50-64	16	5.9	31	1	2	4	7	14	19	21	4	5.0	9	2	3	4	7	9	9	9
65 +	14	8.1	37	2	3	7	11	17	20	21	6	3.2	1	2	2	3	4	4	4	4
ALL AGES	58	6.4	32	1	2	4	8	16	19	21	24	3.3	6	1	2	2	4	8	8	9
SUBTOTAL	**94**	**6.0**	**32**	**1**	**2**	**4**	**7**	**15**	**19**	**27**	**41**	**3.7**	**14**	**1**	**2**	**2**	**4**	**8**	**11**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	4	2.0	2	1	1	2	3	4	4	4	19	15.9	122	3	5	17	26	30	32	34
20-34	146	4.7	32	1	2	3	5	8	15	33	266	6.9	29	3	3	6	7	13	20	28
35-49	135	5.2	28	2	3	4	5	11	18	29	353	5.8	11	3	3	6	7	10	11	17
50-64	21	4.6	5	1	3	4	7	8	9	9	44	5.8	35	2	3	4	7	9	14	39
65 +	10	9.6	46	3	4	7	15	19	23	23	13	6.3	25	2	3	5	7	14	19	20
ALL AGES	316	5.1	28	1	2	4	5	9	15	30	695	6.5	25	3	3	6	7	10	15	28
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2	6	10.0	134	2	3	6	9	31	33	33
20-34	135	6.5	53	2	3	4	8	14	19	34	119	7.2	50	1	3	5	8	20	26	29
35-49	84	7.2	68	2	3	4	8	15	30	43	69	6.9	46	2	3	5	7	12	28	33
50-64	24	7.1	31	2	3	5	11	17	18	19	22	7.1	59	1	2	4	8	20	24	29
65 +	30	7.3	36	2	3	5	9	17	18	27	16	11.6	30	4	8	10	16	19	20	21
ALL AGES	274	6.9	52	2	3	4	8	15	19	38	232	7.5	50	2	3	5	8	19	27	31
SUBTOTAL	**590**	**5.9**	**41**	**2**	**3**	**4**	**7**	**14**	**19**	**32**	**927**	**6.8**	**31**	**2**	**3**	**6**	**7**	**12**	**20**	**29**
GRAND TOTAL	**684**	**5.9**	**40**	**2**	**3**	**4**	**7**	**14**	**19**	**31**	**968**	**6.6**	**32**	**2**	**3**	**5**	**7**	**12**	**20**	**29**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.8		1	1	2	2	2	2	2	3	1.0		1	1	1	1	1	1	1
13-19	8	4.5	16	1	1	3	8	10	11	11										
20-34	14	3.9	14	1	1	3	5	9	13	14	5	7.4	61	2	3	4	10	21	21	21
35-49	7	3.9	5	1	2	3	5	8	8	8	1	7.0		7	7	7	7	7	7	7
50-64	8	8.8	23	4	5	8	10	17	19	19	9	4.1	11	1	2	3	5	10	12	12
65 +	27	5.0	27	1	2	3	6	9	13	28	13	6.8	28	1	3	6	10	14	17	18
ALL AGES	68	4.8	21	1	2	4	6	10	12	26	31	5.6	26	1	2	4	7	13	18	21
B. FEMALE																				
0-12 YRS.	5	1.6		1	1	2	2	2	2	2	2	1.0		1	1	1	1	1	1	1
13-19	4	3.8	5	2	2	3	5	7	7	7	1	1.0		1	1	1	1	1	1	1
20-34	7	6.0	9	2	4	6	7	10	11	11	5	9.2	127	1	3	5	12	29	29	29
35-49	4	5.3	2	3	4	5	6	7	7	7	3	8.3	105	1	2	4	16	20	20	20
50-64	8	4.4	7	2	2	3	6	9	10	10	1	6.0		6	6	6	6	6	6	6
65 +	37	5.8	20	2	3	5	7	13	17	18	20	7.2	83	2	3	5	7	13	30	43
ALL AGES	65	5.2	14	2	2	4	7	11	14	18	32	7.0	79	1	2	5	7	19	28	43
SUBTOTAL	**133**	**5.0**	**18**	**1**	**2**	**4**	**6**	**10**	**13**	**21**	**63**	**6.3**	**52**	**1**	**2**	**4**	**7**	**14**	**20**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	14	5.8	32	1	1	3	9	14	18	19	7	3.7	8	1	1	3	6	8	8	8
20-34	58	6.9	92	1	2	4	7	16	25	49	15	10.5	144	2	4	6	10	24	42	48
35-49	30	6.4	28	1	2	5	9	14	14	21	9	4.7	8	1	2	5	6	9	10	10
50-64	4	5.8	11	2	3	5	8	10	10	10	2	5.5	25	2	2	5	9	9	9	9
65 +	12	11.3	95	2	4	9	15	25	34	36	9	6.9	40	2	3	4	9	18	22	22
ALL AGES	118	7.0	67	1	2	4	9	15	20	48	42	7.1	68	2	3	5	8	13	23	48
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	6	3.5	10	2	2	2	3	9	10	10										
20-34	25	7.2	35	1	3	4	11	17	19	20	8	4.5	13	1	2	3	6	10	11	11
35-49	14	6.5	45	2	2	3	10	18	22	23	1	6.0		6	6	6	6	6	6	6
50-64	7	9.4	83	2	4	8	10	25	29	29	1	14.0		14	14	14	14	14	14	14
65 +	17	12.4	78	3	5	10	18	27	30	30	10	9.7	82	3	5	7	11	23	34	34
ALL AGES	70	8.1	55	2	3	5	11	19	23	30	20	7.7	51	2	3	6	10	13	24	34
SUBTOTAL	**188**	**7.5**	**61**	**1**	**2**	**5**	**10**	**18**	**21**	**43**	**62**	**7.3**	**62**	**2**	**3**	**5**	**9**	**12**	**23**	**46**
GRAND TOTAL	**321**	**6.4**	**46**	**1**	**2**	**4**	**8**	**14**	**19**	**32**	**125**	**6.8**	**57**	**1**	**3**	**5**	**7**	**13**	**21**	**44**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	1.0		1	1	1	1	1	1	1
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	2	3.0	2	2	2	3	4	4	4	4	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-49																				
50-64	1	5.0		5	5	5	5	5	5	5										
65 +											3	6.3	11	4	4	5	9	10	10	10
ALL AGES	2	5.0		5	5	5	5	5	5	5	5	4.8	10	2	3	4	6	10	10	10
SUBTOTAL	**4**	**4.0**	**2**	**2**	**3**	**4**	**5**	**5**	**5**	**5**	**7**	**3.7**	**10**	**1**	**1**	**3**	**5**	**9**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
20-34	3	2.3	1	2	2	2	3	3	3	3										
35-49	3	6.3	13	3	4	6	9	10	10	10										
50-64																				
65 +																				
ALL AGES	7	3.9	9	1	2	3	5	9	10	10	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34	3	8.0	4	6	6	8	9	10	10	10										
35-49	2	8.0	98	1	1	7	15	15	15	15										
50-64	1	5.0		5	5	5	5	5	5	5	1	31.0		31	31	31	31	31	31	31
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	8	6.9	18	1	4	6	9	13	15	15	1	31.0		31	31	31	31	31	31	31
SUBTOTAL	**15**	**5.5**	**16**	**1**	**2**	**5**	**8**	**10**	**14**	**15**	**2**	**16.0**	**450**	**1**	**1**	**15**	**31**	**31**	**31**	**31**
GRAND TOTAL	**19**	**5.2**	**13**	**1**	**2**	**5**	**7**	**10**	**13**	**15**	**9**	**6.4**	**94**	**1**	**1**	**3**	**6**	**23**	**31**	**31**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.0		1	1	1	1	1	1	1										
13-19	6	2.8	13	1	1	1	2	9	10	10	4	2.5	2	1	1	2	3	4	4	4
20-34	17	6.7	39	1	2	5	10	17	18	19	4	3.5	3	2	2	3	5	6	6	6
35-49	17	3.9	7	1	2	3	5	9	10	10	11	3.9	10	1	1	3	6	9	10	10
50-64	20	8.2	61	1	3	5	10	19	28	32	19	5.1	42	1	2	3	6	9	21	30
65 +	97	5.7	18	2	3	5	7	12	15	22	91	6.5	45	2	3	4	9	13	15	42
ALL AGES	160	5.7	25	1	2	4	7	12	16	25	129	5.9	39	2	2	4	7	12	15	35
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-19	3	3.0	4	1	1	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
20-34	13	4.1	8	2	2	4	5	8	11	12	2	1.0		1	1	1	1	1	1	1
35-49	23	3.3	8	1	1	3	4	7	11	11	17	6.0	30	1	2	4	9	16	18	18
50-64	29	7.0	28	1	3	6	10	14	19	22	33	5.5	45	1	2	4	6	13	15	37
65 +	164	6.2	30	2	3	5	8	14	18	26	112	5.8	23	2	3	5	8	10	13	29
ALL AGES	234	5.8	27	1	3	4	7	13	18	25	166	5.7	27	1	3	4	7	11	14	35
SUBTOTAL	**394**	**5.8**	**26**	**1**	**3**	**4**	**7**	**13**	**17**	**25**	**295**	**5.8**	**32**	**1**	**3**	**4**	**7**	**11**	**14**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-19	10	10.0	197	1	2	6	10	31	48	48	3	1.7		1	1	2	2	2	2	2
20-34	55	7.7	65	1	2	5	11	19	21	44	11	6.2	24	1	1	6	10	13	14	14
35-49	32	8.6	44	2	4	6	12	19	24	24	10	5.8	24	1	2	4	9	14	14	14
50-64	23	10.9	105	3	5	7	16	23	35	43	5	7.8	72	1	2	4	12	22	22	22
65 +	46	8.7	82	3	4	6	9	13	32	50	40	7.4	35	2	3	6	9	14	16	32
ALL AGES	167	8.8	80	2	3	6	11	20	25	47	69	6.8	32	1	3	5	9	14	16	30
B. FEMALE																				
0-12 YRS.																				
13-19	7	7.1	30	1	3	7	9	16	17	17	2	3.5	5	2	2	3	5	5	5	5
20-34	37	9.6	122	2	3	6	11	23	40	45	8	5.9	26	2	3	4	6	14	18	18
35-49	30	6.7	23	2	3	5	11	14	15	20	10	14.8	364	2	5	10	15	41	67	67
50-64	44	9.3	69	3	4	7	11	17	29	41	14	9.9	164	2	4	4	9	32	43	46
65 +	113	9.1	71	2	4	7	12	17	34	63	54	7.3	25	3	4	6	9	14	22	96
ALL AGES	231	8.9	70	2	3	6	11	16	26	43	88	8.3	87	2	4	6	10	16	25	87
SUBTOTAL	**398**	**8.8**	**75**	**2**	**3**	**6**	**11**	**19**	**26**	**45**	**157**	**7.6**	**64**	**2**	**3**	**6**	**9**	**14**	**20**	**65**
GRAND TOTAL	**792**	**7.3**	**53**	**2**	**3**	**5**	**9**	**15**	**21**	**41**	**452**	**6.4**	**44**	**2**	**3**	**4**	**8**	**13**	**16**	**40**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	4	2.3	6	1	1	1	4	6	6	6	1	27.0		27	27	27	27	27	27	27
20-34	4	5.0	25	1	1	3	8	12	12	12	10	7.1	43	1	2	5	8	18	21	21
35-49	2	14.0	18	11	11	14	17	17	17	17	8	5.1	14	1	2	4	8	11	11	11
50-64	4	2.3	3	1	1	2	3	5	5	5	1	2.0		2	2	2	2	2	2	2
65 +	6	4.3	12	1	2	3	8	9	9	9	4	4.5	3	3	3	4	6	7	7	7
ALL AGES	21	4.4	21	1	1	2	6	11	14	17	24	6.6	42	1	2	5	8	16	23	27
B. FEMALE																				
0-12 YRS.																				
13-19											1	35.0		35	35	35	35	35	35	35
20-34	6	2.7	1	1	2	3	4	4	4	4	7	15.4	892	1	3	5	6	68	83	83
35-49	7	7.6	50	1	3	5	11	19	21	21	3	6.3	7	4	4	6	8	9	9	9
50-64	7	4.6	5	2	3	4	6	8	9	9	4	4.5	6	1	3	5	6	6	6	6
65 +	21	8.1	42	2	4	6	9	17	22	28	7	8.3	111	3	3	4	6	27	32	32
ALL AGES	41	6.6	34	2	3	4	8	15	19	28	22	10.8	336	2	4	5	6	33	54	83
SUBTOTAL	**62**	**5.9**	**30**	**1**	**2**	**4**	**8**	**13**	**18**	**27**	**46**	**8.6**	**183**	**1**	**3**	**5**	**7**	**20**	**33**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	11	6.1	16	1	3	5	10	11	12	12	2	1.5	1	1	1	1	2	2	2	2
20-34	29	5.4	15	1	3	4	7	12	14	14	16	11.9	172	2	4	6	13	38	42	43
35-49	17	5.2	22	2	3	3	7	9	17	21	8	10.8	172	2	3	5	14	33	41	41
50-64																				
65 +	4	7.8	34	3	3	6	12	16	16	16	3	4.3	5	2	3	5	6	6	6	6
ALL AGES	61	5.6	18	1	3	4	8	11	14	20	29	10.1	146	2	3	5	12	35	41	43
B. FEMALE																				
0-12 YRS.																				
13-19	2	6.5	13	4	4	6	9	9	9	9	3	2.3	1	2	2	2	3	3	3	3
20-34	21	6.0	13	2	3	6	9	11	12	12	10	8.6	27	3	5	6	13	15	16	16
35-49	11	4.5	7	1	2	4	6	9	10	10	1	6.0		6	6	6	6	6	6	6
50-64	7	6.0	46	1	1	3	8	18	20	20										
65 +	9	10.6	84	3	3	7	15	26	31	31	4	6.0	9	2	4	6	8	9	9	9
ALL AGES	50	6.5	31	2	3	5	9	12	18	31	18	6.8	22	2	3	6	9	14	16	16
SUBTOTAL	**111**	**6.0**	**24**	**1**	**3**	**5**	**8**	**12**	**14**	**25**	**47**	**8.8**	**100**	**2**	**3**	**5**	**11**	**16**	**39**	**43**
GRAND TOTAL	**173**	**6.0**	**25**	**1**	**3**	**4**	**8**	**12**	**17**	**26**	**93**	**8.7**	**140**	**2**	**3**	**5**	**9**	**17**	**35**	**66**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.7		2	2	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
13-19	3	2.0	1	1	1	2	3	3	3	3	5	2.8	5	1	1	2	4	6	6	6
20-34	20	4.2	22	1	1	3	5	8	15	21	8	2.9	7	1	1	2	3	7	9	9
35-49	36	5.3	29	1	2	3	6	14	18	24	22	2.9	2	1	2	3	3	5	7	8
50-64	68	5.7	26	2	3	4	6	13	18	26	36	4.8	23	1	2	3	5	14	17	18
65 +	202	7.2	47	2	3	5	8	14	24	34	186	6.5	45	2	3	5	8	14	20	44
ALL AGES	332	6.4	40	2	3	4	8	13	20	32	259	5.7	38	1	2	4	7	12	18	36
B. FEMALE																				
0-12 YRS.	4	5.8	57	1	1	3	10	17	17	17	5	2.2	2	1	1	2	3	4	4	4
13-19	6	3.7	11	1	1	3	4	9	10	10	3	1.7		1	1	2	2	2	2	2
20-34	22	5.0	20	1	1	3	8	10	14	18	9	4.8	16	1	1	4	7	11	13	13
35-49	30	6.2	45	1	2	4	7	14	18	33	12	3.0	3	1	2	3	4	5	6	6
50-64	74	5.4	28	1	3	4	6	12	18	27	39	4.5	15	1	2	4	6	9	12	20
65 +	355	7.2	53	2	3	5	9	15	18	49	304	7.1	70	2	3	5	8	14	19	64
ALL AGES	491	6.7	48	2	3	5	8	14	18	38	372	6.5	61	2	3	4	8	13	18	54
SUBTOTAL	**823**	**6.6**	**44**	**2**	**3**	**5**	**8**	**14**	**18**	**32**	**631**	**6.2**	**52**	**2**	**3**	**4**	**7**	**13**	**18**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	4.0	8	2	2	4	6	6	6	6										
13-19	1	2.0		2	2	2	2	2	2	2	2	1.0		1	1	1	1	1	1	1
20-34	17	7.7	114	1	2	4	7	20	36	44	3	7.0	52	1	2	5	12	15	15	15
35-49	23	8.6	45	2	4	6	12	19	23	26	11	3.4	3	1	2	3	5	6	6	6
50-64	33	8.0	60	2	3	5	12	23	26	28	14	8.7	132	1	2	5	6	26	38	42
65 +	99	9.3	53	3	4	7	11	20	26	32	63	6.6	59	2	3	4	8	14	17	44
ALL AGES	175	8.7	58	2	3	6	11	21	26	32	93	6.4	63	1	3	4	7	14	18	43
B. FEMALE																				
0-12 YRS.																				
13-19	2	7.0	32	3	3	7	11	11	11	11	1	10.0		10	10	10	10	10	10	10
20-34	13	8.9	130	1	2	4	10	33	35	35	1	4.0		4	4	4	4	4	4	4
35-49	28	10.8	149	1	4	6	12	29	46	46	13	7.4	85	1	2	3	8	27	28	28
50-64	36	8.5	89	2	3	6	11	20	44	99 +	19	5.3	14	1	3	4	8	12	13	14
65 +	175	8.7	63	3	4	7	11	18	21	35	103	7.6	80	2	4	5	8	14	18	58
ALL AGES	254	8.9	79	2	4	6	11	19	28	50	137	7.3	69	2	3	5	8	13	19	47
SUBTOTAL	**429**	**8.8**	**70**	**2**	**4**	**6**	**11**	**19**	**26**	**46**	**230**	**6.9**	**67**	**2**	**3**	**5**	**8**	**14**	**18**	**43**
GRAND TOTAL	**1252**	**7.4**	**53**	**2**	**3**	**5**	**9**	**15**	**21**	**36**	**861**	**6.4**	**56**	**2**	**3**	**4**	**7**	**13**	**18**	**44**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	21.0		21	21	21	21	21	21	21
50-64											1	3.0		3	3	3	3	3	3	3
65 +	6	17.5	407	5	6	10	15	54	58	58	3	10.7	111	1	3	9	19	22	22	22
ALL AGES	6	17.5	407	5	6	10	15	54	58	58	5	11.2	97	1	2	9	21	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
50-64	3	3.3	7	1	1	3	5	6	6	6	2	7.5	41	3	3	7	12	12	12	12
65 +	9	13.9	223	1	3	5	23	39	42	42	5	9.4	71	2	3	5	16	22	22	22
ALL AGES	13	11.3	171	1	3	5	14	36	41	42	8	8.0	53	2	3	4	13	20	22	22
SUBTOTAL	**19**	**13.3**	**234**	**2**	**4**	**6**	**14**	**39**	**51**	**58**	**13**	**9.2**	**66**	**2**	**3**	**5**	**16**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	4	6.8	27	2	3	7	35	99 +	99 +	99 +										
50-64	3	9.3	7	7	7	9	11	12	12	12										
65 +	1	19.0		19	19	19	19	19	19	19	1	5.0		5	5	5	5	5	5	5
ALL AGES	9	8.3	35	1	4	8	14	59	99 +	99 +	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	5.0		5	5	5	5	5	5	5
35-49																				
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	5	17.2	161	4	5	21	25	34	34	34										
ALL AGES	6	15.2	152	4	5	13	22	33	34	34	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**15**	**11.1**	**86**	**2**	**4**	**8**	**20**	**33**	**80**	**99 +**	**2**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**34**	**12.3**	**166**	**2**	**4**	**7**	**18**	**34**	**54**	**99 +**	**15**	**8.7**	**58**	**2**	**3**	**5**	**13**	**22**	**22**	**22**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	17.5	61	12	12	17	23	23	23	23	1	3.0		3	3	3	3	3	3	3
13-19	14	11.2	82	4	4	7	22	26	26	26										
20-34	89	15.9	268	3	6	10	19	33	54	81	5	13.6	160	6	7	8	17	36	36	36
35-49	63	14.2	138	5	7	11	16	30	41	58	5	5.6	24	1	2	4	9	13	13	13
50-64	55	15.9	131	4	6	14	21	33	41	46	7	24.4	588	3	8	16	45	62	64	64
65 +	183	15.2	114	3	7	14	21	28	34	50	20	9.0	29	2	4	9	12	17	19	21
ALL AGES	406	15.2	151	3	7	12	20	29	40	62	38	11.8	173	2	4	8	12	21	46	64
B. FEMALE																				
0-12 YRS.																				
13-19	9	16.9	94	4	10	16	24	29	33	33	1	5.0		5	5	5	5	5	5	5
20-34	50	14.2	147	4	6	9	18	32	34	54	4	12.3	16	6	10	14	15	15	15	15
35-49	49	16.5	278	2	6	12	20	43	49	79	6	5.2	7	2	3	5	6	10	10	10
50-64	61	14.4	104	3	7	12	21	30	42	93	8	15.0	121	4	6	12	22	32	35	35
65 +	281	15.7	124	5	9	14	20	28	41	77	30	13.5	171	3	4	9	16	35	47	47
ALL AGES	450	15.5	138	4	8	13	20	30	43	79	49	12.4	134	3	5	8	15	32	37	47
SUBTOTAL	**856**	**15.3**	**146**	**4**	**7**	**13**	**20**	**29**	**42**	**67**	**87**	**12.2**	**148**	**2**	**5**	**8**	**14**	**29**	**38**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	23.0	8	21	21	23	25	25	25	25										
13-19	12	20.3	313	5	11	16	21	44	67	71	2	10.0	32	6	6	10	14	14	14	14
20-34	121	12.9	74	3	6	11	18	26	30	37	11	11.9	136	2	6	7	13	33	38	38
35-49	108	14.7	137	3	6	12	20	34	39	78	12	19.3	539	3	6	10	32	86	97	99 +
50-64	58	14.3	119	4	8	13	18	26	30	70	8	14.9	124	4	7	9	26	30	31	31
65 +	107	16.8	105	5	10	15	22	30	34	55	6	7.2	33	2	3	6	8	17	18	18
ALL AGES	408	14.9	113	4	7	13	20	29	34	59	39	13.9	240	2	6	8	20	34	61	99 +
B. FEMALE																				
0-12 YRS.	6	41.8	539	19	30	35	47	81	85	85										
13-19	15	22.3	262	6	10	17	33	51	52	52										
20-34	67	12.6	179	2	4	8	15	27	34	81	12	10.4	57	2	5	8	14	20	28	29
35-49	87	16.7	217	4	7	13	21	35	44	92	4	2.3		2	2	2	3	3	3	3
50-64	53	17.3	264	4	8	13	21	34	44	96	4	22.8	372	5	8	18	37	49	49	49
65 +	180	17.3	120	6	10	14	23	33	37	64	12	18.8	114	6	9	18	25	36	37	37
ALL AGES	408	16.9	192	4	8	13	22	34	43	86	32	14.1	138	2	5	11	22	31	37	49
SUBTOTAL	**816**	**15.9**	**153**	**4**	**8**	**13**	**21**	**32**	**37**	**75**	**71**	**14.0**	**191**	**2**	**5**	**9**	**21**	**32**	**40**	**96**
GRAND TOTAL	**1672**	**15.6**	**149**	**4**	**7**	**13**	**20**	**31**	**40**	**70**	**158**	**13.0**	**167**	**2**	**5**	**8**	**16**	**31**	**39**	**81**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	3	34.7	3	32	33	35	36	37	37	37										
20-34	3	6.3	71	1	1	2	12	16	16	16	1	1.0		1	1	1	1	1	1	1
35-49	3	9.0	25	4	5	9	13	14	14	14	7	4.0	3	2	2	5	5	6	6	6
50-64	6	7.2	26	1	3	7	8	15	16	16	6	4.7	18	1	1	3	10	10	10	10
65 +	18	7.5	32	2	3	5	13	14	19	21	16	4.3	13	1	1	3	7	10	11	11
ALL AGES	34	9.7	90	1	3	7	13	22	34	37	30	4.2	11	1	1	3	6	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	2	10.5	181	1	1	10	20	20	20	20	1	2.0		2	2	2	2	2	2	2
20-34	4	7.5	86	1	1	4	13	21	21	21	2	19.0	512	3	3	19	35	35	35	35
35-49	6	13.7	107	2	6	12	20	29	30	30	3	3.0	7	1	1	2	5	6	6	6
50-64	7	6.0	7	3	4	5	7	10	11	11	2	13.0	8	11	11	13	15	15	15	15
65 +	24	7.7	75	2	2	4	12	17	31	32	14	5.7	14	2	4	4	8	13	13	13
ALL AGES	43	8.3	72	2	2	5	13	20	30	32	22	7.0	56	2	2	4	9	14	23	35
SUBTOTAL	**77**	**8.9**	**80**	**1**	**3**	**5**	**13**	**21**	**31**	**36**	**52**	**5.4**	**31**	**1**	**2**	**4**	**7**	**11**	**13**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	59.0		59	59	59	59	59	59	59	1	1.0		1	1	1	1	1	1	1
20-34	8	6.0	35	2	3	4	6	16	20	20										
35-49	4	14.5	194	4	4	10	24	34	34	34										
50-64	3	9.0	19	6	6	7	12	14	14	14	2	23.5	421	9	9	23	38	38	38	38
65 +	12	6.8	21	2	3	6	9	13	16	17	3	5.0	1	4	4	5	6	6	6	6
ALL AGES	28	9.8	141	2	3	6	10	19	36	59	6	10.5	188	1	4	5	9	35	38	38
B. FEMALE																				
0-12 YRS.																				
13-19	2	24.0	1058	1	1	24	47	47	47	47										
20-34	4	5.5	34	1	2	3	9	14	14	14	1	2.0		2	2	2	2	2	2	2
35-49	7	11.7	12	7	9	12	14	17	17	17	1	9.0		9	9	9	9	9	9	9
50-64	2	4.5	1	4	4	4	5	5	5	5										
65 +	14	11.3	218	2	4	7	12	26	52	59	6	7.7	25	3	4	6	11	15	16	16
ALL AGES	29	11.0	165	2	4	8	12	20	48	59	8	7.1	23	2	3	6	10	14	16	16
SUBTOTAL	**57**	**10.4**	**151**	**2**	**4**	**7**	**12**	**19**	**42**	**59**	**14**	**8.6**	**87**	**2**	**4**	**5**	**9**	**18**	**34**	**38**
GRAND TOTAL	**134**	**9.6**	**108**	**2**	**3**	**6**	**13**	**20**	**32**	**59**	**66**	**6.1**	**43**	**1**	**2**	**4**	**8**	**11**	**15**	**38**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34																				
35-49	2	17.5	145	9	9	17	26	26	26	26										
50-64	3	4.0	4	2	2	4	5	6	6	6	4	8.8	133	1	2	4	15	26	26	26
65 +	4	12.3	61	3	6	12	18	21	21	21	4	7.3	40	2	2	6	12	15	15	15
ALL AGES	10	9.9	70	2	3	7	16	23	26	26	8	8.0	76	1	2	4	12	23	26	26
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
35-49																				
50-64	2	3.0	2	2	2	3	4	4	4	4	2	5.5	41	1	1	5	10	10	10	10
65 +	7	11.6	47	3	6	13	16	21	22	22	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	10	9.8	45	2	4	9	15	19	22	22	5	4.4	14	1	1	4	7	10	10	10
SUBTOTAL	**20**	**9.9**	**53**	**2**	**3**	**8**	**15**	**21**	**24**	**26**	**13**	**6.6**	**52**	**1**	**2**	**4**	**10**	**17**	**24**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	2	4.5	1	4	4	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
50-64											1	2.0		2	2	2	2	2	2	2
65 +	4	18.3	192	9	11	13	54	99 +	99 +	99 +	1	7.0		7	7	7	7	7	7	7
ALL AGES	7	11.9	161	2	4	10	26	82	99 +	99 +	3	3.3	11	1	1	2	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	6.0		6	6	6	6	6	6	6										
50-64	2	12.5	221	2	2	12	23	23	23	23										
65 +	5	22.6	137	6	13	28	31	34	34	34										
ALL AGES	8	18.0	154	3	6	19	29	33	34	34										
SUBTOTAL	**15**	**15.1**	**158**	**2**	**5**	**12**	**29**	**38**	**82**	**99 +**	**3**	**3.3**	**11**	**1**	**1**	**2**	**6**	**7**	**7**	**7**
GRAND TOTAL	**35**	**12.1**	**102**	**2**	**4**	**9**	**19**	**30**	**37**	**99 +**	**16**	**6.0**	**45**	**1**	**2**	**4**	**8**	**15**	**23**	**26**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	11	8.7	24	4	5	7	12	17	18	18	2	3.0	2	2	2	3	4	4	4	4
35-49	11	7.9	13	3	6	7	11	13	13	13	4	20.8	544	3	3	13	38	53	53	53
50-64	12	9.9	61	2	3	8	14	22	25	26	4	8.5	15	4	5	8	11	13	13	13
65 +	36	8.2	49	1	4	6	11	20	28	99 +	21	16.1	362	3	5	8	15	47	67	69
ALL AGES	70	8.5	41	2	4	7	12	18	25	85	31	14.9	317	3	4	8	13	42	65	69
B. FEMALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-19	1	14.0		14	14	14	14	14	14	14										
20-34	3	17.0	147	6	8	15	26	30	30	30										
35-49	2	29.0	338	16	22	42	85	99 +	99 +	99 +	2	33.0	968	11	11	33	55	55	55	55
50-64	6	16.3	177	7	8	10	22	39	41	41	5	13.2	304	2	3	7	18	44	44	44
65 +	53	12.8	85	4	7	11	15	24	28	57	14	7.4	11	4	5	6	10	12	13	14
ALL AGES	67	13.5	102	4	7	11	16	28	41	92	21	11.2	176	3	5	7	11	26	49	55
SUBTOTAL	**137**	**10.9**	**78**	**3**	**5**	**9**	**15**	**23**	**30**	**99 +**	**52**	**13.4**	**259**	**3**	**4**	**8**	**12**	**38**	**55**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	14.3	67	5	8	19	19	19	19	19										
35-49	4	28.5	214	7	19	34	37	39	39	39	1	22.0		22	22	22	22	22	22	22
50-64	5	17.4	32	8	14	21	21	21	21	21	5	22.8	211	8	9	23	35	41	41	41
65 +	9	14.2	124	4	7	9	19	31	39	39	5	14.8	104	6	8	12	19	32	32	32
ALL AGES	21	17.7	126	6	8	19	21	37	39	39	11	19.1	143	7	9	15	30	36	41	41
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	8.3	45	4	4	10	58	99 +	99 +	99 +	1	11.0		11	11	11	11	11	11	11
35-49	2	23.0	128	15	15	23	31	31	31	31										
50-64	7	15.6	243	6	8	9	15	43	50	50	1	13.0		13	13	13	13	13	13	13
65 +	17	15.4	81	4	9	15	20	31	32	33	4	19.3	366	8	9	10	29	48	48	48
ALL AGES	29	15.2	117	4	8	14	19	32	50	99 +	6	16.8	237	8	10	11	13	44	48	48
SUBTOTAL	**50**	**16.3**	**118**	**5**	**8**	**15**	**21**	**34**	**39**	**99 +**	**17**	**18.3**	**164**	**8**	**9**	**12**	**25**	**39**	**46**	**48**
GRAND TOTAL	**187**	**12.4**	**92**	**3**	**6**	**10**	**16**	**27**	**36**	**99 +**	**69**	**14.6**	**238**	**3**	**5**	**9**	**14**	**39**	**53**	**68**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27	2	8.0	98	1	1	8	15	15	15	15
13-19	1	16.0		16	16	16	16	16	16	16	1	2.0		2	2	2	2	2	2	2
20-34	8	8.6	52	1	3	6	15	19	19	19	9	21.4	698	4	5	6	32	67	68	68
35-49	13	16.1	419	2	6	10	17	33	72	81	6	18.0	213	6	8	14	39	89	99 +	99 +
50-64	14	7.2	50	1	1	5	9	19	20	20	1	4.0		4	4	4	4	4	4	4
65 +	42	12.3	58	3	5	12	18	23	27	29	7	13.9	23	8	9	15	17	20	21	21
ALL AGES	79	11.9	119	2	4	10	17	22	27	66	26	16.2	305	4	6	10	20	62	73	99 +
B. FEMALE																				
0-12 YRS.																				
13-19	3	6.0	7	4	4	5	8	9	9	9										
20-34	7	16.1	225	3	5	7	26	40	43	43	2	12.5	13	10	10	12	15	15	15	15
35-49	12	21.8	413	4	5	14	30	55	67	69										
50-64	18	17.3	142	4	6	17	24	37	42	43	7	12.0	110	2	4	8	22	27	28	28
65 +	70	15.8	258	3	6	12	20	36	73	99 +	15	10.6	169	2	4	6	12	22	45	53
ALL AGES	110	16.5	245	3	6	12	22	40	67	99 +	24	11.2	132	2	4	7	14	25	35	53
SUBTOTAL	**189**	**14.5**	**199**	**3**	**5**	**11**	**19**	**29**	**43**	**92**	**50**	**13.8**	**224**	**3**	**5**	**9**	**17**	**34**	**65**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	29.8	48	23	23	30	36	36	36	36										
13-19	3	18.7	178	9	10	13	29	34	34	34										
20-34	14	12.0	45	4	7	11	16	20	23	24	1	21.0		21	21	21	21	21	21	21
35-49	20	10.3	67	2	4	7	18	23	24	24										
50-64	14	11.7	43	5	6	10	17	21	23	24	4	32.8	763	6	12	27	53	70	70	70
65 +	29	20.6	451	4	8	15	23	44	82	93	5	10.8	118	4	5	7	13	30	30	30
ALL AGES	84	15.6	218	4	6	12	21	27	37	89	10	20.6	427	4	6	13	30	53	70	70
B. FEMALE																				
0-12 YRS.	2	31.5	545	15	15	31	48	48	48	48										
13-19	1	12.0		12	12	12	12	12	12	12	2	27.0	128	19	19	27	35	35	35	35
20-34	7	9.3	58	1	4	8	12	22	24	24	3	11.7	33	5	7	14	15	16	16	16
35-49	4	8.5	58	1	3	7	13	19	19	19	4	8.3	51	4	4	5	12	19	19	19
50-64	14	13.8	70	3	7	13	19	26	28	28	4	34.5	1438	5	9	22	60	89	89	89
65 +	34	15.1	138	2	10	13	17	26	42	60	6	29.2	1246	3	6	21	82	99	99 +	99 +
ALL AGES	62	14.2	122	2	7	12	18	25	37	59	19	22.9	720	4	5	15	33	92	98	99 +
SUBTOTAL	**146**	**15.0**	**177**	**3**	**6**	**12**	**19**	**26**	**37**	**81**	**29**	**22.1**	**601**	**4**	**5**	**15**	**31**	**79**	**96**	**99 +**
GRAND TOTAL	335	14.7	189	3	6	12	19	28	42	83	**79**	**16.8**	**374**	**3**	**5**	**10**	**21**	**48**	**79**	**99 +**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	23.5	1	23	23	23	24	24	24	24	1	1.0		1	1	1	1	1	1	1
20-34	9	15.9	104	3	10	17	27	66	99 +	99 +	1	3.0		3	3	3	3	3	3	3
35-49	15	20.8	327	2	6	19	30	38	62	70	3	10.7	133	3	3	5	19	24	24	24
50-64	16	21.8	335	7	8	15	32	46	62	69	3	11.7	35	6	7	11	16	18	18	18
65 +	78	14.5	166	3	7	11	15	29	40	74	10	13.8	117	3	4	10	19	30	37	37
ALL AGES	120	16.5	205	3	7	12	23	36	46	89	18	11.6	96	3	3	9	19	24	32	37
B. FEMALE																				
0-12 YRS.	1	44.0		44	44	44	44	44	44	44										
13-19	2	14.5	25	11	11	14	18	18	18	18										
20-34	3	40.3	29	35	36	41	44	45	45	45										
35-49	5	8.4	75	1	2	7	12	23	23	23	2	5.0	2	4	4	5	6	6	6	6
50-64	24	14.0	77	4	7	13	22	26	31	31	1	33.0		33	33	33	33	33	33	33
65 +	106	15.8	140	4	8	14	18	30	45	57	14	7.4	11	3	5	7	10	12	13	13
ALL AGES	141	16.0	140	4	8	14	19	31	45	53	17	8.6	49	3	5	6	10	13	26	33
SUBTOTAL	**261**	**16.2**	**170**	**4**	**7**	**13**	**21**	**33**	**45**	**70**	**35**	**10.1**	**75**	**3**	**4**	**7**	**12**	**23**	**31**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	13.7	191	2	4	10	24	29	29	29										
20-34	19	10.1	34	3	6	11	14	19	21	21	2	3.0	2	2	2	3	4	4	4	4
35-49	12	14.6	171	4	5	8	24	34	43	45	3	5.7	4	4	4	5	7	8	8	8
50-64	13	18.5	162	5	9	12	28	35	43	45	1	11.0		11	11	11	11	11	11	11
65 +	34	15.9	96	5	7	14	21	30	35	43	3	7.0	49	2	2	4	12	15	15	15
ALL AGES	81	14.7	107	4	7	12	21	29	35	45	9	6.1	20	2	3	4	9	13	15	15
B. FEMALE																				
0-12 YRS.																				
13-19	1	16.0		16	16	16	16	16	16	16										
20-34	6	13.0	192	1	5	9	16	37	39	39										
35-49	7	14.9	51	5	9	15	21	23	23	23										
50-64	8	21.0	695	7	7	10	21	67	84	84	3	8.3	1	8	8	8	9	9	9	9
65 +	53	18.0	216	6	9	14	22	34	41	94	5	13.2	69	5	7	9	21	24	24	24
ALL AGES	75	17.6	239	5	8	14	21	33	41	93	8	11.4	45	6	8	9	15	23	24	24
SUBTOTAL	**156**	**16.1**	**171**	**5**	**7**	**13**	**21**	**29**	**38**	**82**	**17**	**8.6**	**37**	**3**	**4**	**8**	**10**	**19**	**23**	**24**
GRAND TOTAL	**417**	**16.2**	**169**	**4**	**7**	**13**	**21**	**32**	**43**	**74**	**52**	**9.6**	**62**	**3**	**4**	**8**	**11**	**21**	**24**	**37**

TOTAL U.S., JANUARY-DECEMBER 1990

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12										
20-34	2	17.5	25	14	14	17	21	21	21	21										
35-49	5	19.2	247	6	9	16	25	46	46	46	1	3.0		3	3	3	3	3	3	3
50-64	1	18.0		18	18	18	18	18	18	18										
65 +	2	19.0	162	10	10	19	28	28	28	28										
ALL AGES	11	18.1	122	8	11	16	20	35	45	46	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34	1	6.0		6	6	6	6	6	6	6										
35-49																				
50-64	3	8.0	19	5	5	6	11	13	13	13	2	28.5	545	12	12	28	45	45	45	45
65 +	2	14.0	288	2	2	14	26	26	26	26	3	5.7	6	3	4	6	7	8	8	8
ALL AGES	6	9.7	76	2	5	6	13	25	26	26	6	12.5	268	1	3	7	12	42	45	45
SUBTOTAL	**17**	**15.1**	**118**	**5**	**6**	**13**	**19**	**28**	**40**	**46**	**7**	**11.1**	**238**	**1**	**3**	**6**	**11**	**38**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	8.5	5	7	7	8	10	10	10	10										
35-49	3	5.3	1	5	5	5	6	6	6	6										
50-64	1	12.0		12	12	12	12	12	12	12										
65 +	2	17.5	41	13	13	17	22	22	22	22	1	10.0		10	10	10	10	10	10	10
ALL AGES	8	10.0	33	5	6	8	12	19	22	22	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12										
20-34	2	7.0	50	2	2	7	12	12	12	12	1	7.0		7	7	7	7	7	7	7
35-49	2	27.5	25	24	24	27	31	31	31	31										
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	4	12.0	8	10	10	11	14	16	16	16										
ALL AGES	10	13.4	73	3	10	12	16	27	31	31	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**18**	**11.9**	**55**	**5**	**6**	**11**	**13**	**23**	**28**	**31**	**2**	**8.5**	**5**	**7**	**7**	**8**	**10**	**10**	**10**	**10**
GRAND TOTAL	**35**	**13.5**	**85**	**5**	**6**	**12**	**17**	**26**	**30**	**46**	**9**	**10.6**	**178**	**2**	**3**	**7**	**10**	**32**	**45**	**45**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-19	4	33.0	459	5	16	37	49	53	53	53										
20-34	34	18.8	316	5	6	14	24	53	75	99 +	8	16.3	84	7	10	15	19	31	36	36
35-49	37	20.7	353	4	7	17	25	53	58	85	3	42.7	922	19	22	32	66	77	77	77
50-64	13	16.8	242	3	3	13	29	41	47	48										
65 +	3	22.7	190	11	13	19	33	38	38	38										
ALL AGES	92	20.3	321	4	6	16	27	51	58	94	11	23.5	395	8	12	16	29	52	75	77
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-19	2	23.0	512	7	7	23	39	39	39	39										
20-34	29	23.0	306	4	12	19	29	50	55	77	5	21.4	129	13	14	17	26	41	41	41
35-49	32	20.3	364	7	9	14	25	39	69	88	11	18.3	168	5	7	15	27	39	41	41
50-64	18	15.1	68	3	10	14	21	26	30	32	5	15.4	73	8	10	13	19	30	30	30
65 +	10	16.0	213	4	8	10	18	39	53	53										
ALL AGES	92	19.6	270	5	9	15	25	39	54	83	21	18.3	131	6	10	15	25	38	41	41
SUBTOTAL	**184**	**20.0**	**292**	**4**	**8**	**16**	**25**	**47**	**57**	**87**	**32**	**20.1**	**217**	**7**	**11**	**16**	**26**	**38**	**41**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	27	15.4	99	5	8	13	22	32	35	38	1	4.0		4	4	4	4	4	4	4
35-49	14	18.1	139	4	6	20	28	33	37	38										
50-64	2	10.5	5	9	9	10	12	12	12	12										
65 +	2	25.0	2	24	24	25	26	26	26	26										
ALL AGES	45	16.4	108	5	8	15	24	32	36	38	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34	21	17.3	90	7	9	17	21	34	35	36	3	12.0	112	4	5	8	20	24	24	24
35-49	4	10.0	17	7	7	8	12	16	16	16										
50-64	4	13.0	13	8	10	14	15	16	16	16	1	13.0		13	13	13	13	13	13	13
65 +	1	54.0		54	54	54	54	54	54	54	1	20.0		20	20	20	20	20	20	20
ALL AGES	31	16.5	125	7	8	15	19	34	36	54	5	13.8	68	4	7	13	21	24	24	24
SUBTOTAL	**76**	**16.5**	**111**	**5**	**8**	**15**	**23**	**33**	**36**	**50**	**6**	**12.2**	**70**	**4**	**4**	**10**	**20**	**24**	**24**	**24**
GRAND TOTAL	**260**	**18.9**	**244**	**5**	**8**	**15**	**24**	**38**	**53**	**85**	**38**	**18.8**	**202**	**5**	**9**	**15**	**24**	**37**	**41**	**77**

CATATONIC SCHIZOPHRENIA (295.2)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	25.3	298	10	14	27	62	99 +	99 +	99 +	1	23.0		23	23	23	23	23	23	23
20-34	22	15.0	171	2	7	11	17	39	46	47	5	8.0	40	1	4	8	11	18	18	18
35-49	15	13.7	113	1	5	11	20	22	36	41	1	7.0		7	7	7	7	7	7	7
50-64	7	17.1	258	5	7	15	19	45	51	51										
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	49	15.5	171	2	7	13	20	43	49	99 +	7	10.0	59	2	5	8	16	22	23	23
B. FEMALE																				
0-12 YRS.																				
13-19	2	21.0		21	21	21	21	21	21	21	1	11.0		11	11	11	11	11	11	11
20-34	18	16.6	161	2	7	15	24	40	73	99 +	3	14.7	375	2	3	5	29	37	37	37
35-49	20	14.1	94	5	8	12	27	31	63	99 +	6	15.7	159	2	11	12	21	36	38	38
50-64	12	14.9	180	1	4	14	27	53	91	99 +	3	16.0	13	12	13	17	18	19	19	19
65 +	8	14.5	219	4	5	7	23	39	41	41	5	7.4	45	2	3	6	9	19	19	19
ALL AGES	60	15.3	138	3	7	13	24	40	62	99 +	18	13.0	117	2	5	11	19	32	38	38
SUBTOTAL	**109**	**15.4**	**151**	**2**	**7**	**13**	**22**	**40**	**49**	**99 +**	**25**	**12.2**	**99**	**2**	**5**	**11**	**18**	**23**	**37**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	18.0		18	18	18	18	18	18	18
20-34	9	22.9	452	4	7	13	42	55	63	63	2	25.0	338	12	12	25	38	38	38	38
35-49	4	16.0	54	7	10	17	22	22	22	22										
50-64	2	22.0	338	9	9	22	35	35	35	35	2	6.5	5	5	5	6	8	8	8	8
65 +	1	27.0		27	27	27	27	27	27	27	1	9.0		9	9	9	9	9	9	9
ALL AGES	16	21.3	286	7	8	15	31	44	57	63	6	15.0	146	5	8	10	18	36	38	38
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	12	16.6	277	4	7	13	19	36	61	65										
35-49	11	22.0	231	5	11	22	30	43	56	57	1	2.0		2	2	2	2	2	2	2
50-64	8	26.5	211	12	15	25	32	49	56	56	1	4.0		4	4	4	4	4	4	4
65 +	8	18.5	116	6	10	16	26	34	37	37	3	6.0	7	3	4	7	8	8	8	8
ALL AGES	40	20.1	217	4	9	17	27	35	56	65	5	4.8	7	2	3	4	7	8	8	8
SUBTOTAL	**56**	**20.4**	**234**	**5**	**9**	**17**	**28**	**41**	**57**	**65**	**11**	**10.4**	**103**	**3**	**4**	**8**	**11**	**26**	**37**	**38**
GRAND TOTAL	**165**	**17.1**	**184**	**3**	**7**	**14**	**24**	**40**	**51**	**99 +**	**36**	**11.6**	**99**	**2**	**5**	**8**	**17**	**23**	**38**	**38**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-19	84	18.1	229	2	6	16	25	38	50	64	11	8.2	140	1	1	5	7	27	40	41
20-34	1602	15.4	157	3	7	12	21	34	42	65	344	14.9	172	3	6	11	19	33	44	78
35-49	1211	15.5	176	3	6	12	21	32	43	70	243	17.2	259	3	6	13	22	38	57	90
50-64	275	15.2	119	4	7	13	21	30	35	50	39	17.5	264	4	7	13	24	46	66	99 +
65 +	58	17.6	134	3	10	16	22	36	40	50	10	15.1	220	4	6	9	22	38	52	52
ALL AGES	3231	15.5	164	3	7	12	21	33	42	65	647	15.8	212	3	6	12	21	35	48	89
B. FEMALE																				
0-12 YRS.	2	29.5	365	16	16	29	43	43	43	43										
13-19	32	21.4	309	4	9	16	32	44	79	99 +	5	12.8	40	2	10	15	16	18	18	18
20-34	795	16.8	167	4	7	14	23	34	43	68	135	15.5	220	2	5	11	23	32	49	83
35-49	1038	15.7	145	4	7	13	21	31	39	61	169	16.3	250	3	5	11	22	37	45	80
50-64	587	16.5	136	5	8	14	22	32	40	60	80	18.6	241	5	7	15	27	40	64	99 +
65 +	348	18.8	167	6	10	16	24	35	42	70	53	13.8	108	4	6	10	19	32	36	98
ALL AGES	2802	16.6	157	4	8	14	22	33	42	66	442	16.1	221	3	6	12	23	36	48	85
SUBTOTAL	**6033**	**16.0**	**161**	**4**	**7**	**13**	**21**	**33**	**42**	**66**	**1089**	**15.9**	**216**	**3**	**6**	**12**	**22**	**36**	**48**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	42	18.5	478	4	6	10	19	65	87	99 +	5	10.4	261	1	1	5	14	39	39	39
20-34	788	13.9	163	3	5	10	18	29	41	72	149	14.2	175	2	5	12	20	30	44	85
35-49	615	13.5	155	3	5	10	17	28	36	74	108	15.0	182	3	6	12	21	30	42	93
50-64	89	14.5	152	3	6	11	19	30	38	88	19	15.6	170	2	6	11	25	38	41	41
65 +	34	23.5	389	5	8	18	29	61	64	77	8	12.0	92	4	5	7	19	27	28	28
ALL AGES	1568	14.1	175	3	6	10	18	30	42	77	289	14.5	174	3	5	12	20	31	42	87
B. FEMALE																				
0-12 YRS.	2	41.5	1201	17	17	41	66	66	66	66										
13-19	19	19.9	347	5	9	16	26	64	90	99 +	1	3.0		3	3	3	3	3	3	3
20-34	264	15.9	171	4	7	12	21	34	42	64	47	12.9	186	1	4	9	16	37	44	99 +
35-49	287	14.8	130	4	7	12	20	29	38	56	47	13.9	118	3	6	11	16	26	36	57
50-64	130	18.4	222	6	9	14	21	34	53	78	20	17.8	295	3	5	13	26	36	56	75
65 +	81	21.1	267	5	11	18	26	39	61	96	18	14.4	99	3	7	12	23	28	33	36
ALL AGES	783	16.6	185	4	7	13	21	33	44	77	133	14.1	165	3	6	11	17	31	40	79
SUBTOTAL	**2351**	**14.9**	**181**	**3**	**6**	**11**	**19**	**31**	**43**	**77**	**422**	**14.4**	**170**	**3**	**6**	**11**	**20**	**31**	**41**	**86**
GRAND TOTAL	**8384**	**15.7**	**166**	**4**	**7**	**12**	**21**	**32**	**42**	**69**	**1511**	**15.5**	**203**	**3**	**6**	**12**	**21**	**35**	**45**	**88**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	27.6	468	6	17	22	35	64	64	64										
13-19	19	17.4	115	2	12	17	21	35	37	37										
20-34	51	15.0	102	2	7	15	21	30	33	38	15	17.2	271	2	5	7	27	47	49	50
35-49	25	19.4	446	2	5	16	23	53	65	93	3	3.7	4	2	2	3	5	6	6	6
50-64	10	19.7	139	6	10	19	25	38	43	43	3	10.7	69	1	4	15	16	16	16	16
65 +	[illegible]	20.0	115	9	12	18	28	34	34	34										
ALL AGES	114	17.5	198	2	7	16	22	34	38	74	21	14.3	223	2	4	7	22	41	48	50
B. FEMALE																				
0-12 YRS.	2	35.0	288	23	23	35	47	47	47	47										
13-19	14	24.9	555	7	11	23	61	99 +	99 +	99 +	1	13.0		13	13	13	13	13	13	13
20-34	40	18.9	250	5	9	13	22	40	46	80	9	17.9	445	1	2	10	24	54	56	56
35-49	44	16.9	155	2	7	15	26	35	42	49	7	12.4	59	2	8	12	18	23	24	24
50-64	23	15.9	119	4	8	14	21	32	40	41	3	4.3	18	1	1	3	7	9	9	9
65 +	11	12.2	111	3	4	7	24	28	28	28	2	7.0		7	7	7	7	7	7	7
ALL AGES	134	18.0	223	4	8	13	27	41	50	99 +	22	13.1	212	1	3	10	13	32	54	56
SUBTOTAL	**248**	**17.8**	**210**	**3**	**8**	**15**	**25**	**37**	**47**	**99 +**	**43**	**13.7**	**212**	**2**	**4**	**9**	**16**	**39**	**51**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	68.0	128	60	60	68	76	76	76	76										
13-19	11	25.5	419	4	10	19	44	56	60	60										
20-34	33	17.3	255	3	7	12	22	37	48	80	5	9.4	147	2	3	5	12	31	31	31
35-49	8	19.5	418	4	9	14	19	54	68	68	3	4.3	25	1	1	2	8	10	10	10
50-64	3	22.3	299	3	9	28	34	36	36	36	1	11.0		11	11	11	11	11	11	11
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	58	21.1	371	3	8	14	27	53	65	80	9	7.9	87	1	2	5	10	23	31	31
B. FEMALE																				
0-12 YRS.	2	22.0	18	19	19	22	25	25	25	25										
13-19	8	19.3	145	8	9	15	31	35	36	36										
20-34	20	15.0	138	3	5	10	23	31	37	43	3	17.0	49	10	12	17	22	24	24	24
35-49	14	11.0	74	4	5	8	13	23	32	35	2	18.5	85	12	12	18	25	25	25	25
50-64	2	30.5	13	28	28	30	33	33	33	33	1	8.0		8	8	8	8	8	8	8
65 +	8	14.0	61	5	9	13	16	26	30	30										
ALL AGES	54	15.3	113	4	7	12	23	31	35	43	6	16.0	52	8	10	14	24	25	25	25
SUBTOTAL	**112**	**16.3**	**253**	**4**	**8**	**12**	**24**	**37**	**54**	**78**	**15**	**11.1**	**86**	**2**	**4**	**10**	**16**	**25**	**29**	**31**
GRAND TOTAL	**360**	**18.0**	**221**	**3**	**8**	**14**	**24**	**37**	**49**	**93**	**58**	**13.0**	**180**	**2**	**4**	**9**	**16**	**30**	**49**	**56**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	22.5	365	9	9	22	36	36	36	36										
20-34	1	38.0		38	38	38	38	38	38	38	1	44.0		44	44	44	44	44	44	44
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	4	21.0	353	1	5	22	37	38	38	38	1	44.0		44	44	44	44	44	44	44
B. FEMALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34	3	6.7	12	3	4	7	9	10	10	10										
35-49	1	2.0		2	2	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
50-64																				
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	6	6.5	12	2	3	7	10	10	10	10	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**10**	**12.3**	**180**	**1**	**3**	**8**	**10**	**37**	**38**	**38**	**3**	**16.3**	**576**	**2**	**2**	**3**	**34**	**44**	**44**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	15.0		15	15	15	15	15	15	15										
35-49																				
50-64	1	9.0		9	9	9	9	9	9	9										
65 +																				
ALL AGES	2	12.0	18	9	9	12	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	14.0	338	1	1	14	27	27	27	27										
35-49	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	3	11.0	196	1	2	5	21	27	27	27	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**5**	**11.4**	**103**	**1**	**4**	**9**	**18**	**27**	**27**	**27**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**15**	**12.0**	**145**	**1**	**3**	**9**	**14**	**36**	**37**	**38**	**4**	**13.0**	**427**	**2**	**2**	**3**	**24**	**44**	**44**	**44**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19	43	19.5	465	2	6	12	26	76	99+	99+	6	12.3	92	4	4	9	19	27	28	28
20-34	739	18.1	227	4	7	14	25	39	48	77	93	14.4	186	3	6	10	20	34	43	72
35-49	543	17.5	203	4	7	14	24	39	49	63	72	14.6	241	3	6	10	16	30	49	83
50-64	160	17.8	128	5	9	16	25	35	39	48	16	13.8	169	4	5	8	21	38	43	44
65 +	47	14.4	111	4	7	11	21	28	35	47	4	18.5	416	6	7	9	29	49	49	49
ALL AGES	1533	17.8	210	4	7	14	25	39	48	77	191	14.4	204	3	6	10	18	33	45	75
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-19	20	23.5	317	4	9	20	44	70	99+	99+										
20-34	442	17.0	225	4	7	13	22	34	45	78	67	11.7	131	3	5	8	16	21	32	64
35-49	504	17.4	213	4	7	14	22	34	46	78	63	12.5	157	3	4	9	16	27	37	69
50-64	325	15.9	127	4	7	13	22	31	36	53	38	16.3	149	4	7	14	20	29	43	60
65 +	144	18.3	177	6	8	16	25	34	39	71	27	11.4	52	3	4	11	18	22	23	23
ALL AGES	1436	17.1	196	4	7	14	23	34	44	72	195	12.8	134	3	5	10	17	24	34	64
SUBTOTAL	**2969**	**17.5**	**202**	**4**	**7**	**14**	**24**	**36**	**46**	**73**	**386**	**13.6**	**168**	**3**	**5**	**10**	**17**	**28**	**43**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	18	18.6	284	3	5	14	22	51	57	59	1	10.0		10	10	10	10	10	10	10
20-34	394	13.1	101	3	6	11	18	26	34	47	45	13.2	96	4	6	12	16	24	31	53
35-49	245	14.9	140	4	7	13	19	30	43	61	30	9.8	54	3	4	7	15	20	26	29
50-64	65	19.8	230	5	10	16	26	39	45	83	4	9.3	22	4	5	9	13	15	15	15
65 +	30	15.4	57	6	10	15	20	25	27	35	3	19.0	157	6	9	20	28	31	31	31
ALL AGES	752	14.5	130	3	7	12	19	29	38	57	83	12.0	79	3	6	10	15	23	29	47
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-19	5	31.0	287	11	16	40	47	95	99+	99+										
20-34	194	13.7	121	3	5	11	20	29	39	81	26	10.5	87	1	3	9	15	19	30	42
35-49	168	15.4	108	4	8	13	21	31	35	52	18	12.8	71	2	4	14	18	25	26	26
50-64	87	15.1	114	4	8	13	18	26	35	55	9	18.3	401	2	5	14	22	52	66	66
65 +	56	15.3	168	4	7	11	22	28	36	75	1	23.0		23	23	23	23	23	23	23
ALL AGES	511	14.8	125	4	7	12	20	30	39	65	54	12.8	134	1	3	12	17	26	29	65
SUBTOTAL	**1263**	**14.6**	**129**	**4**	**7**	**12**	**20**	**30**	**38**	**58**	**137**	**12.3**	**100**	**2**	**5**	**11**	**16**	**24**	**29**	**55**
GRAND TOTAL	**4232**	**16.6**	**183**	**4**	**7**	**13**	**22**	**34**	**44**	**69**	**523**	**13.3**	**150**	**3**	**5**	**10**	**17**	**26**	**40**	**66**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	31.0	300	11	18	41	41	41	41	41										
13-19	103	22.2	253	7	12	20	28	49	60	99 +	6	15.5	65	6	12	13	23	27	27	27
20-34	876	16.7	184	4	7	13	22	34	44	66	78	18.0	220	3	7	13	26	35	47	73
35-49	683	16.0	126	5	8	13	21	31	38	56	72	15.9	290	3	6	11	22	36	45	94
50-64	170	16.8	114	6	10	14	21	29	38	59	14	17.3	117	4	10	17	23	31	40	43
65 +	39	21.0	172	9	11	19	25	32	56	63	5	12.0	14	6	10	13	14	16	16	16
ALL AGES	1874	16.8	164	5	8	14	22	33	42	63	175	16.8	229	3	6	13	23	35	43	83
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-19	52	18.2	151	5	10	15	25	38	50	99	4	19.8	186	5	10	18	29	38	38	38
20-34	927	16.5	146	5	8	13	21	34	42	63	102	16.4	251	3	7	12	20	37	44	91
35-49	1119	17.0	174	5	8	14	22	34	44	71	116	18.2	360	3	6	11	25	45	72	98
50-64	583	18.2	182	6	9	15	23	34	44	74	49	17.0	150	6	8	14	21	35	42	62
65 +	228	21.2	228	7	11	17	27	41	51	80	16	17.9	104	9	10	15	28	35	78	99 +
ALL AGES	2910	17.4	173	5	8	14	22	34	44	73	287	17.4	265	3	7	12	22	39	48	96
SUBTOTAL	**4784**	**17.2**	**169**	**5**	**8**	**14**	**22**	**34**	**44**	**67**	**462**	**17.2**	**250**	**3**	**7**	**13**	**22**	**37**	**47**	**93**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	16.0	50	11	13	21	80	99 +	99 +	99 +										
13-19	59	23.7	425	6	9	17	28	55	69	86	5	16.4	358	3	4	7	27	48	48	48
20-34	629	14.9	134	4	7	12	19	29	39	65	92	15.2	173	4	8	12	19	27	41	73
35-49	443	14.8	133	4	7	12	20	30	41	54	64	13.9	101	4	6	12	19	27	36	47
50-64	89	15.8	156	4	7	14	20	28	38	75	12	10.1	57	2	5	8	13	24	25	25
65 +	26	21.1	341	4	9	17	27	44	56	86	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	1248	15.5	156	4	7	12	20	30	42	66	175	14.3	142	4	7	11	19	26	39	53
B. FEMALE																				
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4										
13-19	63	19.8	368	3	7	14	31	55	93	99 +										
20-34	634	14.9	128	4	7	12	20	29	36	64	100	15.0	171	3	5	11	21	35	44	80
35-49	615	14.3	108	4	7	12	19	29	33	47	72	16.4	133	3	8	15	23	30	32	66
50-64	247	18.1	167	6	9	15	22	36	46	67	14	17.4	232	2	4	17	22	34	52	57
65 +	105	18.3	124	7	11	16	23	32	38	58	10	16.1	180	4	6	12	19	39	44	44
ALL AGES	1666	15.6	136	4	7	13	21	31	37	65	196	15.7	161	3	6	13	22	33	42	68
SUBTOTAL	**2914**	**15.5**	**146**	**4**	**7**	**13**	**21**	**31**	**39**	**65**	**371**	**15.1**	**150**	**3**	**7**	**12**	**20**	**31**	**39**	**60**
GRAND TOTAL	**7698**	**16.6**	**159**	**5**	**8**	**13**	**21**	**33**	**42**	**67**	**833**	**16.2**	**209**	**3**	**7**	**12**	**21**	**35**	**44**	**85**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	8	12.3	62	4	6	9	20	23	24	24										
20-34	81	14.4	106	3	7	13	17	32	36	44	12	9.4	73	1	2	7	16	20	27	28
35-49	54	12.3	127	3	6	11	14	26	30	70	6	9.2	87	2	2	6	11	25	27	27
50-64	13	12.9	35	5	9	13	16	22	22	22	3	6.7	40	3	3	3	11	14	14	14
65 +	5	39.2	1066	14	15	27	58	93	93	93										
ALL AGES	161	14.2	149	3	6	12	16	29	35	69	21	9.0	66	1	3	6	14	21	27	28
B. FEMALE																				
0-12 YRS.																				
13-19	8	15.5	106	4	7	16	28	73	99 +	99 +	1	7.0		7	7	7	7	7	7	7
20-34	49	14.8	161	3	7	10	20	35	41	63	6	8.2	47	1	2	6	15	18	18	18
35-49	48	12.3	79	3	6	11	16	25	38	99 +	9	8.7	36	1	4	8	13	18	20	20
50-64	37	15.2	82	6	8	14	20	30	39	99 +	6	13.7	101	3	5	11	25	27	27	27
65 +	15	15.7	131	7	7	10	22	31	42	46	6	9.0	31	3	4	9	14	15	15	15
ALL AGES	157	14.3	109	4	7	11	20	30	40	99 +	28	9.6	50	2	4	8	14	19	25	27
SUBTOTAL	**318**	**14.2**	**131**	**3**	**7**	**12**	**19**	**29**	**37**	**95**	**49**	**9.3**	**57**	**1**	**3**	**7**	**14**	**19**	**27**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-19	11	24.3	607	9	11	16	26	61	90	93										
20-34	31	17.7	140	5	9	15	24	34	40	55	7	13.0	28	6	9	13	15	21	22	22
35-49	23	15.3	77	6	8	16	21	26	59	99 +	2	17.5	145	9	9	17	26	26	26	26
50-64	9	18.1	168	3	7	20	26	36	42	42	1	14.0		14	14	14	14	14	14	14
65 +	2	15.0	32	11	11	15	19	19	19	19	1	2.0		2	2	2	2	2	2	2
ALL AGES	77	17.8	185	5	9	15	23	34	42	98	11	12.9	48	4	8	13	16	24	26	26
B. FEMALE																				
0-12 YRS.																				
13-19	3	10.7	68	4	5	8	17	20	20	20										
20-34	25	16.0	163	5	8	13	22	31	41	60	5	19.6	227	5	10	14	28	44	44	44
35-49	28	15.0	95	4	6	14	18	30	33	42	3	11.7	40	7	7	9	16	19	19	19
50-64	1	7.0		7	7	7	7	7	7	7	1	30.0		30	30	30	30	30	30	30
65 +	8	22.4	283	8	14	16	25	51	61	61										
ALL AGES	65	15.9	145	4	7	14	21	31	37	61	9	18.1	159	6	8	14	25	38	44	44
SUBTOTAL	**142**	**17.0**	**164**	**5**	**8**	**15**	**22**	**31**	**41**	**93**	**20**	**15.3**	**97**	**5**	**8**	**13**	**20**	**28**	**37**	**44**
GRAND TOTAL	**460**	**15.1**	**141**	**4**	**7**	**13**	**20**	**30**	**40**	**93**	**69**	**11.1**	**73**	**2**	**4**	**9**	**15**	**24**	**27**	**41**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	44.0	198	25	35	43	59	59	59	59	1	7.0		7	7	7	7	7	7	7
13-19	74	19.2	221	5	10	16	24	38	48	74	10	18.6	156	4	8	18	33	63	97	99 +
20-34	419	14.3	126	4	7	12	19	28	35	62	108	19.1	316	4	7	14	28	50	75	99 +
35-49	264	14.2	122	4	7	12	20	29	34	61	79	16.0	261	3	5	13	20	34	43	90
50-64	88	14.5	72	5	7	13	21	26	31	37	21	19.0	201	4	7	18	27	38	45	54
65 +	27	14.1	101	3	7	11	18	31	36	37	2	28.0	1250	3	15	53	88	99 +	99 +	99 +
ALL AGES	878	14.9	134	4	7	12	20	29	36	62	221	18.0	280	3	7	14	24	43	64	99 +
B. FEMALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45	1	2.0		2	2	2	2	2	2	2
13-19	43	24.0	373	6	9	16	36	47	66	85	4	16.3	126	6	7	14	25	30	30	30
20-34	312	15.2	176	4	7	11	20	31	43	68	72	15.7	219	3	7	12	21	33	43	99 +
35-49	282	14.9	167	3	7	11	18	29	43	72	51	19.3	278	4	8	15	25	42	55	99 +
50-64	159	15.2	108	5	8	13	20	32	38	56	27	18.7	300	3	5	14	31	42	48	74
65 +	82	16.5	155	6	8	14	21	32	38	71	12	13.5	146	3	6	11	16	27	45	48
ALL AGES	879	15.7	172	4	7	12	20	32	43	70	167	17.1	240	3	7	13	22	40	44	99 +
SUBTOTAL	**1757**	**15.3**	**153**	**4**	**7**	**12**	**20**	**31**	**40**	**67**	**388**	**17.6**	**263**	**3**	**7**	**14**	**23**	**42**	**57**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	40.9	369	19	28	35	55	68	71	71										
13-19	42	18.0	155	6	8	14	24	36	46	51	6	8.0	45	1	3	7	10	19	20	20
20-34	232	14.8	191	3	6	11	19	31	41	73	44	16.3	213	3	6	12	23	44	50	52
35-49	135	13.1	107	3	6	12	17	25	28	53	25	19.8	579	2	5	12	25	42	87	98
50-64	30	13.9	135	4	5	11	17	34	43	46	3	16.0	301	1	4	12	29	35	35	35
65 +	15	13.3	110	5	6	9	18	30	37	39	1	10.0		10	10	10	10	10	10	10
ALL AGES	463	15.0	174	3	6	12	20	30	43	69	79	16.7	315	2	5	11	22	41	51	94
B. FEMALE																				
0-12 YRS.	2	15.0	72	9	12	21	80	99 +	99 +	99 +	1	36.0		36	36	36	36	36	36	36
13-19	25	19.0	311	3	7	17	26	37	90	99 +	1	20.0		20	20	20	20	20	20	20
20-34	131	13.3	132	3	6	9	17	28	36	57	12	13.7	359	2	3	7	14	40	65	69
35-49	104	15.7	182	5	8	11	19	31	45	68	17	14.4	164	2	7	8	21	36	42	44
50-64	47	18.6	325	7	9	11	21	36	57	89	4	16.0	69	7	10	15	21	27	27	27
65 +	18	14.8	54	5	10	14	23	25	27	27	4	30.3	1102	3	6	36	81	99 +	99 +	99 +
ALL AGES	327	15.3	188	4	7	11	20	30	41	86	39	16.7	300	3	6	9	27	40	72	99 +
SUBTOTAL	**790**	**15.1**	**180**	**3**	**6**	**12**	**20**	**30**	**41**	**73**	**118**	**16.7**	**307**	**3**	**5**	**10**	**23**	**41**	**52**	**99**
GRAND TOTAL	**2547**	**15.2**	**163**	**4**	**7**	**12**	**20**	**30**	**41**	**70**	**506**	**17.4**	**272**	**3**	**7**	**13**	**23**	**42**	**57**	**99 +**

MANIC DIS, SINGL EPISODE (296.0)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	5	5.2	16	1	2	5	8	11	11	11										
20-34	18	14.9	215	4	7	9	20	29	50	64	1	1.0		1	1	1	1	1	1	1
35-49	23	13.6	203	3	4	9	16	31	46	62	2	6.5	25	3	3	6	10	10	10	10
50-64	9	8.9	35	2	5	7	14	18	19	19	1	7.0		7	7	7	7	7	7	7
65 +	13	13.2	68	4	7	14	17	24	31	33	2	10.5	13	8	8	10	13	13	13	13
ALL AGES	68	12.6	147	2	5	9	15	28	33	64	6	7.0	20	1	3	7	10	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19	5	16.8	277	1	7	10	26	44	44	44	1	4.0		4	4	4	4	4	4	4
20-34	22	10.2	68	1	4	11	16	24	56	99 +	3	15.3	211	6	6	8	26	32	32	32
35-49	30	11.7	76	2	5	9	17	25	26	36	3	8.3	15	4	5	10	11	11	11	11
50-64	28	12.6	70	3	7	12	16	21	29	40	3	7.3	43	1	2	7	12	14	14	14
65 +	23	18.8	80	9	12	17	24	32	37	41	5	12.2	381	1	3	4	15	47	47	47
ALL AGES	108	13.4	88	2	6	12	20	26	35	67	15	10.5	160	1	4	6	11	32	43	47
SUBTOTAL	**176**	**13.1**	**110**	**2**	**6**	**11**	**18**	**27**	**34**	**63**	**21**	**9.5**	**119**	**1**	**4**	**7**	**10**	**21**	**39**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	5	20.0	85	12	13	15	29	31	31	31										
20-34	13	18.6	319	2	7	14	23	45	63	67										
35-49	14	11.2	104	1	3	8	21	28	30	30										
50-64	4	12.3	27	6	8	12	16	18	18	18										
65 +	1	19.0		19	19	19	19	19	19	19	2	27.5	925	6	6	27	49	49	49	49
ALL AGES	37	15.3	171	2	7	13	21	30	37	67	2	27.5	925	6	6	27	49	49	49	49
B. FEMALE																				
0-12 YRS.																				
13-19	4	31.0	1094	2	6	23	55	76	76	76	1	2.0		2	2	2	2	2	2	2
20-34	16	12.7	149	2	4	9	15	39	41	41										
35-49	19	12.3	90	2	5	8	19	27	28	28	1	3.0		3	3	3	3	3	3	3
50-64	9	21.9	463	4	8	12	29	59	63	63										
65 +	9	18.3	234	3	7	14	27	42	48	48	3	13.0	103	2	5	15	20	22	22	22
ALL AGES	57	16.2	257	2	5	11	21	40	51	75	5	8.8	85	2	2	3	17	22	22	22
SUBTOTAL	**94**	**15.9**	**219**	**2**	**5**	**12**	**21**	**34**	**47**	**72**	**7**	**14.1**	**295**	**2**	**2**	**6**	**20**	**44**	**49**	**49**
GRAND TOTAL	**270**	**14.0**	**151**	**2**	**5**	**11**	**19**	**29**	**40**	**66**	**28**	**10.7**	**157**	**1**	**3**	**6**	**12**	**29**	**47**	**49**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	5	16.8	287	1	2	10	35	35	35	35										
20-34	13	18.3	316	3	8	15	18	56	58	58	2	4.0	8	2	2	4	6	6	6	6
35-49	11	13.6	133	6	8	11	14	28	45	47	2	6.5	1	6	6	6	7	7	7	7
50-64	5	10.8	42	4	5	9	17	19	19	19	3	9.3	58	4	4	6	15	18	18	18
65 +	5	18.0	92	7	9	18	27	28	28	28	1	1.0		1	1	1	1	1	1	1
ALL AGES	39	15.8	186	4	7	12	18	35	51	58	8	6.3	26	1	3	6	7	15	18	18
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-19	3	29.3	465	11	14	24	46	53	53	53										
20-34	15	16.3	77	6	8	17	25	27	29	30	2	2.5	5	1	1	2	4	4	4	4
35-49	26	12.7	73	2	7	12	19	30	43	99 +	5	7.0	19	1	5	7	9	13	13	13
50-64	24	12.0	114	3	4	9	15	25	32	47	5	18.2	215	1	5	20	30	36	36	36
65 +	16	21.3	227	5	8	19	29	47	51	53	4	11.3	92	1	3	12	19	20	20	20
ALL AGES	85	15.3	137	4	7	12	23	30	47	83	16	11.0	114	1	3	7	19	27	34	36
SUBTOTAL	**124**	**15.4**	**153**	**4**	**7**	**12**	**20**	**32**	**47**	**68**	**24**	**9.4**	**88**	**1**	**3**	**6**	**15**	**21**	**30**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	8	17.5	191	3	7	14	29	37	37	37										
35-49	13	13.1	88	3	5	13	16	26	34	36	3	7.7	24	2	4	10	11	11	11	11
50-64	7	25.1	128	14	14	28	36	39	39	39										
65 +	4	24.3	108	10	16	26	32	34	34	34										
ALL AGES	33	17.8	141	4	8	14	28	37	38	39	3	7.7	24	2	4	10	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	2	10.5	13	8	8	10	13	13	13	13	1	3.0		3	3	3	3	3	3	3
20-34	7	16.6	269	3	5	9	25	44	48	48	2	14.5	265	3	3	14	26	26	26	26
35-49	13	14.5	77	4	8	13	20	27	32	33	2	28.5	85	22	22	28	35	35	35	35
50-64	7	14.3	104	5	8	10	19	32	34	34	1	5.0		5	5	5	5	5	5	5
65 +	4	15.3	44	8	9	15	21	22	22	22	3	12.0	148	4	4	6	21	26	26	26
ALL AGES	33	14.8	104	4	8	12	20	30	34	48	9	14.4	161	3	4	6	26	31	35	35
SUBTOTAL	**66**	**16.3**	**123**	**4**	**8**	**13**	**23**	**34**	**37**	**47**	**12**	**12.8**	**129**	**3**	**4**	**8**	**24**	**29**	**34**	**35**
GRAND TOTAL	**190**	**15.7**	**142**	**4**	**7**	**13**	**22**	**33**	**39**	**57**	**36**	**10.5**	**102**	**1**	**3**	**6**	**18**	**26**	**33**	**36**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	102	22.1	226	5	11	21	30	45	57	99 +	6	11.7	63	2	3	12	18	22	22	22
13-19	561	17.9	191	3	8	15	25	37	48	99 +	26	11.6	130	2	3	7	14	32	36	43
20-34	840	10.9	98	2	4	8	14	22	27	49	99	9.7	69	2	4	7	13	22	27	40
35-49	889	12.0	91	3	6	10	15	23	29	49	98	10.0	97	2	4	7	12	22	29	51
50-64	508	15.1	134	4	7	12	20	30	37	63	57	11.5	165	3	5	10	14	18	22	91
65 +	594	17.2	131	4	9	15	22	32	39	56	74	15.7	286	2	5	10	21	31	52	87
ALL AGES	3494	14.3	136	3	6	12	19	29	36	63	360	11.4	145	2	4	7	15	23	31	70
B. FEMALE																				
0-12 YRS.	77	22.7	201	7	12	22	29	44	53	92	5	22.8	50	14	18	21	29	31	31	31
13-19	918	17.9	215	3	7	14	25	38	48	94	73	14.6	185	2	4	9	23	33	43	52
20-34	1686	11.4	91	2	5	9	15	23	30	47	204	11.2	94	3	5	8	15	22	34	45
35-49	1729	12.5	94	3	6	11	17	24	30	50	234	11.5	160	2	4	8	14	28	36	73
50-64	977	14.7	99	5	8	13	19	26	32	52	124	12.5	117	3	5	9	16	25	32	58
65 +	1408	18.5	172	5	10	16	23	35	46	63	186	12.6	91	4	6	10	16	27	31	47
ALL AGES	6795	14.6	138	3	7	12	19	29	37	60	826	12.1	126	3	5	8	16	28	34	54
SUBTOTAL	**10289**	**14.5**	**137**	**3**	**7**	**12**	**19**	**29**	**37**	**61**	**1186**	**11.9**	**132**	**2**	**5**	**8**	**15**	**26**	**34**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	233	27.9	241	9	18	27	35	48	61	98	30	28.3	159	11	21	27	36	45	54	57
13-19	750	19.5	231	4	8	16	27	40	52	92	48	13.6	194	2	3	6	23	36	43	50
20-34	1359	11.2	81	2	5	9	15	23	28	43	137	12.1	141	2	4	8	16	27	34	61
35-49	1263	12.3	76	3	6	11	17	24	28	46	135	12.2	75	3	5	11	18	23	29	54
50-64	433	14.5	147	3	7	12	18	28	40	68	54	15.7	279	2	6	10	19	35	43	91
65 +	412	17.1	144	4	9	14	22	32	41	59	45	11.3	115	2	4	7	16	26	34	50
ALL AGES	4450	14.7	143	3	6	12	20	29	38	62	449	13.7	157	2	5	10	19	30	40	60
B. FEMALE																				
0-12 YRS.	107	26.5	260	9	14	24	36	47	60	76	21	22.6	388	4	7	21	41	63	81	99 +
13-19	1203	19.8	239	4	9	16	27	42	57	99 +	88	16.8	196	3	6	13	26	38	49	86
20-34	2252	13.1	110	3	6	11	17	26	33	51	266	12.3	79	3	5	10	17	25	29	42
35-49	1891	13.7	105	3	6	11	19	27	32	49	226	11.7	97	2	4	9	15	24	30	49
50-64	715	15.6	126	4	8	13	20	28	36	60	78	11.7	115	2	4	10	17	25	29	60
65 +	847	18.5	155	6	10	16	24	34	43	66	96	10.1	72	2	5	8	13	18	26	48
ALL AGES	7015	15.5	149	4	7	13	21	30	39	65	775	12.6	113	3	5	10	17	26	34	57
SUBTOTAL	**11465**	**15.2**	**147**	**3**	**7**	**12**	**21**	**30**	**39**	**65**	**1224**	**13.0**	**130**	**2**	**5**	**10**	**18**	**28**	**36**	**60**
GRAND TOTAL	**21754**	**14.9**	**141**	**3**	**7**	**12**	**20**	**29**	**38**	**63**	**2410**	**12.5**	**130**	**2**	**5**	**9**	**16**	**27**	**35**	**57**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	23	21.7	219	10	12	20	35	62	99+	99+	1	10.0		10	10	10	10	10	10	10
13-19	163	16.1	190	4	7	13	20	31	42	83	10	12.6	131	3	4	7	26	30	33	33
20-34	453	11.3	82	3	5	9	15	21	27	51	65	13.0	101	4	5	10	18	28	34	41
35-49	680	14.4	133	3	7	12	19	28	35	56	74	12.8	152	3	5	10	18	29	32	72
50-64	454	15.6	136	4	8	13	21	30	36	68	44	11.8	74	3	5	9	18	23	27	37
65 +	604	21.2	215	6	12	18	28	41	49	83	59	18.1	308	4	6	14	23	38	72	99
ALL AGES	2377	16.0	160	4	7	13	21	32	40	71	253	13.9	163	3	5	10	19	28	34	80
B. FEMALE																				
0-12 YRS.	21	13.6	23	8	10	13	18	23	54	99+	1	1.0		1	1	1	1	1	1	1
13-19	313	16.2	198	3	6	12	21	34	47	76	27	9.5	114	1	2	6	13	20	28	52
20-34	1141	12.6	114	3	6	10	16	25	31	56	152	13.5	146	2	5	10	19	30	39	58
35-49	1715	13.3	99	3	6	11	17	26	31	47	173	12.6	127	2	4	9	18	26	36	53
50-64	1138	15.7	118	5	8	14	21	29	37	53	120	16.4	207	3	7	14	21	32	46	92
65 +	1923	20.9	179	7	11	18	28	38	46	69	176	14.8	154	4	6	11	20	30	38	66
ALL AGES	6251	16.1	146	4	8	13	21	31	39	61	649	14.0	154	3	5	11	19	29	38	62
SUBTOTAL	**8628**	**16.0**	**152**	**4**	**7**	**13**	**21**	**31**	**39**	**65**	**902**	**14.0**	**155**	**3**	**5**	**11**	**19**	**29**	**37**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	94	19.1	150	8	11	14	26	36	45	59	2	23.0	968	1	1	22	45	45	45	45
13-19	349	18.4	237	4	9	14	24	41	51	99+	28	12.4	161	2	4	7	17	33	37	50
20-34	997	12.2	96	3	6	10	16	24	31	49	134	13.2	128	3	5	10	17	27	31	58
35-49	1135	12.4	102	3	6	10	16	25	32	55	159	12.0	85	3	5	10	16	25	30	52
50-64	441	15.3	134	4	7	13	19	31	41	55	53	15.7	112	6	8	14	17	35	40	43
65 +	367	19.3	160	6	10	16	25	40	47	60	31	16.7	164	5	9	13	21	31	41	66
ALL AGES	3383	14.3	133	3	7	11	18	29	39	58	407	13.3	118	3	5	11	17	28	35	54
B. FEMALE																				
0-12 YRS.	47	17.7	193	7	10	14	20	35	45	76	2	11.0	32	7	7	11	15	15	15	15
13-19	568	17.6	196	5	8	14	24	37	49	99+	54	17.1	230	2	5	15	27	34	41	75
20-34	2269	13.8	137	3	6	11	18	28	36	59	273	13.9	137	3	5	11	19	30	38	64
35-49	2428	14.0	122	3	6	11	19	28	36	55	318	13.7	144	3	5	11	18	27	38	63
50-64	946	16.1	130	5	8	14	21	30	38	60	118	13.6	119	2	6	11	19	29	35	51
65 +	1053	21.0	186	7	11	18	28	39	47	79	102	19.2	186	5	10	15	28	37	47	99+
ALL AGES	7311	15.5	150	4	7	13	21	31	39	67	867	14.6	151	3	6	11	20	30	38	66
SUBTOTAL	**10694**	**15.1**	**145**	**4**	**7**	**12**	**20**	**31**	**39**	**64**	**1274**	**14.2**	**140**	**3**	**6**	**11**	**19**	**29**	**38**	**64**
GRAND TOTAL	**19322**	**15.5**	**149**	**4**	**7**	**13**	**21**	**31**	**39**	**65**	**2176**	**14.1**	**147**	**3**	**5**	**11**	**19**	**29**	**37**	**66**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	19.3	62	11	14	16	25	32	33	33										
13-19	62	17.8	184	5	9	15	22	34	50	66	6	17.5	254	1	4	14	34	38	38	38
20-34	521	15.8	137	4	7	13	21	30	39	56	104	15.2	150	3	7	11	22	38	42	72
35-49	504	16.0	174	4	7	12	21	33	40	69	85	13.8	181	3	6	11	17	25	31	76
50-64	288	17.5	152	5	9	15	22	35	44	55	47	14.6	163	4	6	13	16	26	43	70
65 +	180	16.0	139	5	9	13	20	30	36	67	11	19.9	329	6	6	17	28	45	64	66
ALL AGES	1563	16.3	154	4	8	14	21	32	41	66	253	14.9	170	3	6	11	20	31	42	70
B. FEMALE																				
0-12 YRS.	3	43.3	409	21	28	49	57	60	60	60										
13-19	67	16.7	168	5	9	14	21	30	44	96	8	22.1	151	8	11	21	32	37	39	39
20-34	649	15.3	144	4	7	12	20	30	39	76	124	15.9	159	3	7	14	20	32	45	72
35-49	983	15.3	138	4	7	12	20	30	36	63	195	14.2	149	4	7	12	17	30	39	66
50-64	674	16.9	147	6	9	14	22	31	39	80	135	16.9	190	5	8	13	21	36	49	67
65 +	441	19.4	189	6	9	17	25	36	45	78	27	16.7	121	3	8	15	24	34	37	39
ALL AGES	2817	16.4	153	5	8	13	21	31	39	68	489	15.7	160	4	7	13	19	32	41	65
SUBTOTAL	**4380**	**16.4**	**152**	**4**	**8**	**13**	**21**	**32**	**40**	**68**	**742**	**15.4**	**164**	**3**	**7**	**13**	**20**	**32**	**42**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	25.7	209	13	17	20	32	49	59	59										
13-19	33	20.0	237	6	10	15	26	49	58	61	7	25.3	368	5	11	23	37	56	59	59
20-34	232	14.6	168	3	6	11	19	30	40	71	60	14.4	68	4	7	15	20	25	30	93
35-49	226	13.7	89	4	7	11	18	27	33	41	34	16.6	254	4	7	11	20	37	53	76
50-64	128	15.5	165	4	7	13	20	29	36	73	18	12.6	89	3	5	8	21	28	31	31
65 +	63	16.2	154	4	8	13	21	32	39	70	7	12.7	82	6	7	8	18	28	30	30
ALL AGES	691	15.1	144	4	7	12	20	30	38	66	126	15.2	142	4	7	13	21	30	39	81
B. FEMALE																				
0-12 YRS.	4	23.3	396	4	8	19	38	50	50	50										
13-19	29	23.9	515	5	9	18	27	73	89	99 +	2	9.5	61	4	4	9	15	15	15	15
20-34	223	14.5	131	4	7	12	20	26	34	59	40	19.3	125	6	10	19	28	40	42	99 +
35-49	245	14.3	90	4	8	13	19	27	31	48	46	14.7	95	5	7	11	23	28	29	43
50-64	146	17.6	133	4	9	16	25	33	39	65	14	11.6	69	2	4	12	19	24	26	26
65 +	111	19.6	99	8	13	17	26	34	37	73	6	17.7	127	4	8	17	25	33	34	34
ALL AGES	758	16.2	134	4	8	14	21	30	37	74	108	16.1	108	4	7	13	24	29	39	66
SUBTOTAL	**1449**	**15.6**	**141**	**4**	**7**	**13**	**21**	**30**	**37**	**71**	**234**	**15.6**	**127**	**4**	**7**	**13**	**22**	**30**	**39**	**79**
GRAND TOTAL	**5829**	**16.2**	**149**	**4**	**8**	**13**	**21**	**31**	**39**	**68**	**976**	**15.5**	**154**	**4**	**7**	**13**	**20**	**31**	**41**	**69**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	14.0	109	7	7	9	22	26	26	26										
13-19	35	13.3	60	4	7	12	18	26	29	31	4	35.5	1338	2	8	27	62	85	85	85
20-34	163	12.4	98	3	6	10	16	23	31	45	16	11.4	118	3	4	8	14	21	39	46
35-49	198	13.2	136	3	7	10	16	25	38	73	21	10.1	116	1	3	8	12	20	33	48
50-64	142	17.9	131	6	10	16	23	32	45	56	8	13.0	108	3	5	9	21	29	29	29
65 +	86	18.8	186	7	10	15	25	35	42	78	9	18.9	148	4	10	15	28	36	38	38
ALL AGES	627	14.9	132	4	7	12	19	28	36	60	58	14.0	219	2	4	10	17	31	44	82
B. FEMALE																				
0-12 YRS.	3	17.7	88	7	10	21	24	25	25	25										
13-19	41	12.9	72	3	6	12	17	26	30	32	1	6.0		6	6	6	6	6	6	6
20-34	294	12.7	88	3	7	10	16	26	31	43	37	11.7	98	3	5	9	14	26	30	46
35-49	403	13.3	100	3	6	11	19	27	32	45	51	11.5	106	3	5	8	15	25	39	44
50-64	269	15.6	110	5	8	13	20	30	35	50	26	18.2	298	5	9	13	18	37	59	81
65 +	286	20.9	212	7	11	16	26	41	51	81	22	17.1	155	6	7	14	22	41	42	43
ALL AGES	1296	15.3	133	4	7	12	21	30	37	55	137	13.7	152	3	6	10	18	29	41	57
SUBTOTAL	**1923**	**15.2**	**132**	**4**	**7**	**12**	**20**	**29**	**37**	**56**	**195**	**13.8**	**171**	**3**	**5**	**10**	**18**	**29**	**42**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	41.5	403	18	30	36	58	71	72	72										
13-19	32	17.6	109	6	10	17	23	29	37	50	2	13.0	50	8	8	13	18	18	18	18
20-34	252	12.6	90	3	7	10	16	23	32	47	23	14.8	141	2	9	13	18	28	38	56
35-49	238	13.9	105	4	7	12	19	25	31	45	26	11.7	46	2	7	12	15	20	25	31
50-64	93	17.0	139	5	8	15	22	38	43	99 +	12	14.8	77	4	6	15	22	25	29	30
65 +	38	18.0	210	2	7	17	25	38	45	66	2	16.0	98	9	9	16	23	23	23	23
ALL AGES	659	14.5	122	4	7	12	19	28	37	64	65	13.5	86	2	8	13	17	23	29	52
B. FEMALE																				
0-12 YRS.	3	23.7	44	16	18	26	28	29	29	29										
13-19	51	20.9	280	5	8	16	32	45	66	99 +	3	5.3	15	1	2	7	8	8	8	8
20-34	312	14.0	151	3	6	11	18	28	41	65	26	12.2	204	2	4	8	14	25	36	73
35-49	387	14.7	122	4	7	13	20	28	38	52	41	13.4	217	2	4	8	16	33	36	79
50-64	148	16.5	141	5	8	14	22	30	39	85	15	10.4	81	2	6	7	13	19	33	38
65 +	98	22.8	266	8	12	19	30	41	57	99 +	9	15.1	55	6	9	16	20	26	28	28
ALL AGES	999	15.9	162	4	7	13	21	32	41	71	94	12.5	169	2	5	8	15	27	35	76
SUBTOTAL	**1658**	**15.3**	**148**	**4**	**7**	**13**	**21**	**30**	**39**	**67**	**159**	**12.9**	**134**	**2**	**6**	**10**	**16**	**25**	**32**	**71**
GRAND TOTAL	**3581**	**15.2**	**141**	**4**	**7**	**12**	**20**	**30**	**39**	**61**	**354**	**13.4**	**154**	**3**	**6**	**10**	**17**	**28**	**38**	**72**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	29.0	50	17	27	29	34	36	36	36										
13-19	56	18.0	137	7	10	15	22	30	43	58	1	20.0		20	20	20	20	20	20	20
20-34	162	13.4	105	3	7	11	17	27	31	53	11	7.8	27	1	3	7	13	14	15	15
35-49	182	15.4	148	4	8	12	19	28	41	70	16	9.8	45	3	5	8	12	21	25	26
50-64	73	15.1	114	5	8	13	19	25	40	56	8	12.4	185	2	3	6	19	35	40	40
65 +	34	16.9	111	7	9	15	22	37	48	99 +	7	19.6	249	3	6	14	33	41	43	43
ALL AGES	514	15.3	128	4	8	13	19	28	40	61	43	11.6	106	2	4	8	15	26	37	43
B. FEMALE																				
0-12 YRS.	7	29.3	335	12	20	25	29	60	68	68										
13-19	65	18.0	203	3	8	15	24	35	55	97	4	27.8	361	8	14	25	41	53	53	53
20-34	281	14.0	113	3	7	11	18	27	34	54	23	14.8	156	4	7	10	18	32	47	52
35-49	361	14.8	108	5	8	12	18	28	35	51	30	14.8	301	3	5	7	13	55	64	99 +
50-64	216	16.5	152	4	8	13	20	35	43	60	23	20.7	203	6	9	17	31	38	48	62
65 +	163	20.3	184	7	11	18	26	38	49	79	13	16.9	233	5	7	9	24	46	48	48
ALL AGES	1093	16.0	142	4	8	13	20	30	40	64	93	17.1	235	4	7	11	23	45	53	84
SUBTOTAL	**1607**	**15.8**	**137**	**4**	**8**	**13**	**20**	**30**	**40**	**64**	**136**	**15.4**	**198**	**4**	**6**	**10**	**20**	**39**	**50**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	31.1	485	6	13	26	51	62	73	75										
13-19	74	18.9	134	7	11	17	26	36	47	88	2	14.0	98	7	7	14	21	21	21	21
20-34	186	13.0	94	3	6	11	17	26	34	42	21	17.1	194	4	8	11	23	39	47	55
35-49	147	14.9	144	3	7	13	18	30	39	65	17	14.2	240	3	6	11	16	20	53	70
50-64	53	15.0	159	3	6	12	20	34	43	52	4	24.8	190	14	16	20	33	45	45	45
65 +	18	13.7	74	5	7	11	18	26	33	36	4	31.0	575	6	10	32	51	53	53	53
ALL AGES	491	15.2	140	4	7	12	19	31	39	61	48	17.8	238	4	7	14	21	43	53	70
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-19	56	17.8	202	5	10	14	22	31	38	89	2	9.0	72	3	3	9	15	15	15	15
20-34	203	13.2	109	3	6	11	17	26	32	54	25	15.1	109	5	9	13	17	26	39	51
35-49	261	16.4	164	4	8	13	20	32	41	61	30	15.6	148	4	7	13	20	33	41	55
50-64	99	16.3	158	5	8	13	21	31	42	67	18	16.7	130	4	9	15	19	36	42	44
65 +	48	20.5	198	7	10	15	29	39	45	67	4	14.8	35	8	10	14	19	22	22	22
ALL AGES	668	15.9	154	4	7	13	20	31	39	61	79	15.5	120	4	8	14	19	28	41	54
SUBTOTAL	**1159**	**15.6**	**148**	**4**	**7**	**13**	**20**	**31**	**39**	**61**	**127**	**16.3**	**167**	**4**	**8**	**14**	**19**	**36**	**46**	**59**
GRAND TOTAL	**2766**	**15.7**	**142**	**4**	**8**	**13**	**20**	**30**	**39**	**62**	**263**	**15.8**	**184**	**4**	**7**	**12**	**20**	**37**	**49**	**64**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	18.0	314	3	6	10	28	47	56	57										
13-19	50	17.2	225	3	7	11	23	45	59	99 +	5	27.6	628	3	5	25	46	63	63	63
20-34	179	12.5	105	3	6	10	16	25	31	49	24	12.5	196	4	6	8	13	24	42	71
35-49	145	13.2	118	3	6	11	16	25	36	53	36	15.0	159	3	6	10	24	34	39	48
50-64	73	15.1	143	4	6	13	20	31	35	67	11	14.9	107	5	8	10	21	32	36	36
65 +	40	15.5	112	4	7	13	21	30	36	44	5	15.0	91	4	7	14	23	27	27	27
ALL AGES	498	14.0	130	3	6	11	18	29	37	61	81	15.0	188	3	6	10	22	33	40	69
B. FEMALE																				
0-12 YRS.	6	28.3	215	6	21	30	41	44	44	44										
13-19	66	23.4	315	7	13	21	31	50	95	99 +	3	16.3	164	8	8	10	26	31	31	31
20-34	209	13.0	73	3	7	12	18	24	31	38	40	11.9	98	3	6	9	15	25	34	47
35-49	267	14.4	138	3	6	12	19	28	37	54	36	11.1	77	2	6	9	13	28	31	35
50-64	199	16.1	105	4	9	15	21	30	36	48	24	15.7	227	3	5	11	21	36	51	64
65 +	117	19.0	147	8	10	15	25	37	40	59	15	10.7	129	3	5	6	11	28	41	45
ALL AGES	864	15.9	137	4	8	14	21	31	38	60	118	12.4	122	3	6	9	14	29	35	52
SUBTOTAL	**1362**	**15.2**	**136**	**4**	**7**	**13**	**20**	**31**	**38**	**61**	**199**	**13.5**	**148**	**3**	**6**	**9**	**17**	**30**	**38**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	31	28.4	201	10	21	28	34	51	56	59	1	4.0		4	4	4	4	4	4	4
13-19	98	21.4	262	6	11	16	29	43	67	99 +	5	20.0	208	5	7	17	34	36	36	36
20-34	189	11.9	103	3	6	9	15	22	30	52	25	10.7	134	3	4	5	12	20	45	47
35-49	148	10.8	64	3	5	9	13	22	28	37	19	12.2	63	4	7	11	15	20	30	38
50-64	44	14.9	134	4	7	12	20	30	37	58	6	10.0	67	1	3	9	17	21	21	21
65 +	24	15.8	152	5	7	12	19	40	47	48	6	11.2	98	2	2	9	16	27	28	28
ALL AGES	534	14.7	157	4	6	11	19	30	39	69	62	11.8	105	3	5	10	15	23	37	47
B. FEMALE																				
0-12 YRS.	10	21.0	33	14	16	20	24	30	31	31										
13-19	102	18.8	163	6	10	17	27	39	59	99 +	2	19.0	162	10	10	19	28	28	28	28
20-34	242	13.6	174	3	6	10	17	28	40	80	24	11.0	85	2	5	9	14	23	32	38
35-49	213	13.6	117	3	6	11	19	25	30	54	29	9.6	67	3	4	7	11	22	30	34
50-64	81	16.0	143	3	8	13	21	34	42	57	4	5.8	10	1	3	7	8	8	8	8
65 +	59	24.2	294	6	11	19	34	52	64	97	7	6.4	21	2	4	5	7	14	16	16
ALL AGES	707	15.6	170	4	7	12	21	31	44	85	66	9.8	70	2	4	7	11	22	29	37
SUBTOTAL	**1241**	**15.2**	**165**	**4**	**7**	**12**	**21**	**30**	**43**	**79**	**128**	**10.8**	**87**	**3**	**4**	**8**	**13**	**22**	**34**	**45**
GRAND TOTAL	**2603**	**15.2**	**149**	**4**	**7**	**12**	**20**	**30**	**40**	**71**	**327**	**12.4**	**127**	**3**	**5**	**9**	**15**	**29**	**35**	**51**

TOTAL U.S., JANUARY-DECEMBER 1990

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	30.9	294	12	14	43	64	99+	99+	99+										
13-19	40	15.5	111	5	10	14	17	29	41	53	2	7.5	1	7	7	7	8	8	8	8
20-34	80	10.2	75	2	5	9	13	20	24	51	7	6.6	44	1	3	5	7	18	21	21
35-49	59	12.3	96	3	6	9	16	27	33	47	8	14.3	112	6	7	9	20	31	36	36
50-64	33	11.8	55	2	7	11	17	22	26	29	4	5.3	21	1	1	4	9	11	11	11
65 +	29	14.2	86	5	7	12	19	27	36	37	1	7.0		7	7	53	99+	99+	99+	99+
ALL AGES	248	12.8	102	3	7	11	16	26	37	60	22	9.2	70	2	5	7	11	24	58	99+
B. FEMALE																				
0-12 YRS.	6	24.2	147	13	14	22	32	41	42	42										
13-19	66	14.4	141	3	7	12	19	28	32	72	4	3.8	4	2	2	3	5	7	7	7
20-34	137	12.2	97	3	6	11	16	21	26	51	12	5.9	10	2	3	6	8	10	11	11
35-49	113	12.4	137	3	6	10	14	25	32	71	17	7.9	41	2	3	6	10	19	23	24
50-64	74	14.8	126	3	7	13	20	28	40	52	14	5.3	11	1	3	4	9	9	11	11
65 +	62	20.5	309	5	9	16	24	45	66	75	16	15.4	121	3	7	11	24	33	36	37
ALL AGES	458	14.3	154	3	7	11	18	28	38	71	63	8.6	62	2	3	6	10	20	28	36
SUBTOTAL	**706**	**13.8**	**135**	**3**	**7**	**11**	**17**	**28**	**38**	**70**	**85**	**8.8**	**62**	**2**	**3**	**7**	**10**	**21**	**30**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	17	29.4	297	9	14	29	47	57	83	99+										
13-19	55	17.5	346	2	6	13	24	34	80	99+	3	11.7		11	11	11	13	13	13	13
20-34	126	11.3	117	3	5	8	15	24	32	53	19	12.5	96	3	6	10	16	27	36	41
35-49	67	11.7	56	3	6	10	16	24	28	31	10	7.7	49	1	3	5	10	20	20	20
50-64	33	12.1	48	3	7	11	17	22	25	27	4	6.3	24	1	3	5	9	13	13	13
65 +	30	16.8	118	6	10	17	20	27	48	49	2	16.0	50	11	11	16	21	21	21	21
ALL AGES	328	14.0	161	3	6	11	18	28	40	91	38	10.7	70	2	5	9	14	21	27	41
B. FEMALE																				
0-12 YRS.	8	35.9	871	8	14	26	59	81	81	81										
13-19	55	14.3	181	2	5	10	21	32	48	98	3	10.7	16	6	7	12	13	14	14	14
20-34	148	15.1	244	3	6	9	20	35	47	96	15	8.2	40	1	3	7	10	19	20	20
35-49	150	15.5	111	4	8	13	20	30	35	50	22	9.4	32	2	6	9	13	17	20	21
50-64	61	15.8	232	4	7	11	20	30	33	85	2	8.0	32	4	4	8	12	12	12	12
65 +	58	21.4	227	7	11	18	29	47	61	97	5	13.6	563	2	2	4	17	56	56	56
ALL AGES	480	16.3	210	4	7	12	22	33	46	85	47	9.5	79	2	4	7	12	19	20	56
SUBTOTAL	**808**	**15.4**	**190**	**3**	**6**	**11**	**21**	**31**	**44**	**88**	**85**	**10.0**	**75**	**2**	**5**	**8**	**13**	**20**	**22**	**51**
GRAND TOTAL	**1514**	**14.6**	**166**	**3**	**7**	**11**	**19**	**30**	**41**	**80**	**170**	**9.4**	**69**	**2**	**4**	**7**	**12**	**20**	**27**	**53**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	31.5	25	28	28	31	35	35	35	35										
13-19	5	13.2	135	1	2	12	24	27	27	27	1	36.0		36	36	36	36	36	36	36
20-34	22	11.6	185	3	6	7	13	21	42	67	2	16.0	288	4	4	16	28	28	28	28
35-49	14	11.4	66	3	4	10	20	22	27	29	5	13.0	107	1	5	14	19	28	28	28
50-64	10	11.5	65	3	7	10	14	24	30	30	5	26.0	1181	6	7	15	33	87	87	87
65 +	10	15.4	138	3	5	12	29	32	34	34	1	9.0		9	9	9	9	9	9	9
ALL AGES	63	12.9	129	3	5	10	18	29	32	63	14	19.4	483	4	6	14	28	41	77	87
B. FEMALE																				
0-12 YRS.																				
13-19	4	11.0	59	4	6	9	16	22	22	22	1	1.0		1	1	1	1	1	1	1
20-34	25	8.5	38	1	4	9	13	19	21	23	2	7.5	25	4	4	7	11	11	11	11
35-49	30	12.4	122	3	6	9	13	26	39	51	9	7.8	60	2	4	6	8	21	27	27
50-64	15	16.8	103	3	10	19	25	34	80	99 +	4	7.5	24	2	4	7	11	14	14	14
65 +	37	17.9	222	4	10	16	20	33	41	85	3	12.3	2	12	12	12	13	13	13	13
ALL AGES	111	13.9	142	3	6	11	19	29	39	91	19	8.1	37	2	4	7	12	14	21	27
SUBTOTAL	**174**	**13.5**	**138**	**3**	**6**	**11**	**19**	**29**	**34**	**80**	**33**	**12.9**	**249**	**2**	**4**	**7**	**14**	**28**	**35**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	25.4	16	21	21	28	28	29	29	29										
13-19	12	12.6	111	2	4	11	17	26	36	38										
20-34	34	11.5	66	3	4	11	18	23	27	32	7	9.6	50	2	4	9	12	21	23	23
35-49	34	13.3	87	4	6	11	16	29	32	37	6	11.8	70	2	8	9	19	23	24	24
50-64	11	13.8	126	4	7	12	15	30	43	44	1	11.0		11	11	11	11	11	11	11
65 +	23	18.3	95	7	11	19	23	35	38	39	2	14.0	72	8	8	14	20	20	20	20
ALL AGES	119	14.2	94	3	6	13	20	28	34	41	16	11.1	49	2	6	10	16	23	24	24
B. FEMALE																				
0-12 YRS.																				
13-19	17	17.2	196	5	7	12	23	43	45	46	1	25.0		25	25	25	25	25	25	25
20-34	48	11.9	75	4	6	9	14	25	30	41	3	3.0	12	1	1	1	5	7	7	7
35-49	25	13.0	105	3	6	9	17	24	39	41	7	15.1	410	1	1	10	18	50	58	58
50-64	15	9.6	56	1	4	6	13	19	26	28	4	7.5	48	1	1	7	13	14	14	14
65 +	29	18.2	70	7	13	19	21	25	40	41	7	10.4	62	4	6	7	14	24	26	26
ALL AGES	134	13.9	99	4	7	12	19	25	40	44	22	11.0	170	1	2	7	15	25	39	58
SUBTOTAL	**253**	**14.1**	**94**	**4**	**7**	**12**	**20**	**27**	**36**	**44**	**38**	**11.1**	**115**	**1**	**4**	**8**	**15**	**24**	**26**	**58**
GRAND TOTAL	**427**	**13.8**	**113**	**3**	**6**	**12**	**19**	**28**	**35**	**47**	**71**	**11.9**	**177**	**1**	**4**	**8**	**15**	**25**	**28**	**81**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	9.0		9	9	9	9	9	9	9										
65 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +	4	15.8	73	4	10	17	21	25	25	25										
ALL AGES	5	14.2	69	4	7	17	19	25	25	25										
SUBTOTAL	**6**	**13.3**	**61**	**4**	**8**	**13**	**17**	**24**	**25**	**25**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	18.0		18	18	18	18	18	18	18										
20-34	1	33.0		33	33	33	33	33	33	33										
35-49																				
50-64																				
65 +	2	26.0	18	23	23	26	29	29	29	29										
ALL AGES	4	25.8	40	18	20	26	31	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	5	23.0	106	8	18	22	30	36	36	36										
ALL AGES	5	23.0	106	8	18	22	30	36	36	36										
SUBTOTAL	**9**	**24.2**	**73**	**12**	**20**	**23**	**30**	**35**	**36**	**36**										
GRAND TOTAL	**15**	**19.9**	**91**	**8**	**11**	**21**	**27**	**33**	**35**	**36**										

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS												HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS											
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH			TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH		
1. PSYCH PRIN, NO 2ND PSYCH DX																								
A. MALE																								
0-12 YRS.																								
13-19	1	5.0		5	5	5	5	5	5	5			2	7.5	85	1	1	7	14	14	14	14		
20-34	7	14.9	486	1	1	6	23	54	60	60			2	10.5	1	10	10	10	11	11	11	11		
35-49	13	12.0	97	1	3	12	18	28	29	29			3	12.0	19	7	9	14	15	15	15	15		
50-64	11	18.5	345	2	5	13	27	47	63	64			2	10.0	98	3	3	10	17	17	17	17		
65 +	11	19.2	156	4	6	19	29	36	38	38			1	55.0		55	55	55	55	55	55	55		
ALL AGES	43	15.8	229	1	4	12	27	34	46	64			10	14.7	228	1	7	12	15	36	55	55		
B. FEMALE																								
0-12 YRS.																								
13-19																								
20-34	10	8.8	53	2	3	8	9	20	26	26			4	12.8	12	8	10	13	15	17	17	17		
35-49	18	12.3	59	3	6	10	19	23	25	26			4	17.0	136	5	10	15	24	33	33	33		
50-64	20	13.7	101	4	6	11	18	27	35	42			5	6.4	23	1	2	6	10	13	13	13		
65 +	48	15.4	189	5	7	11	17	35	49	65			5	17.6	214	2	12	17	41	94	99 +	99 +		
ALL AGES	96	13.8	133	4	7	10	17	26	39	63			18	13.3	104	2	6	13	17	38	73	99 +		
SUBTOTAL	**139**	**14.4**	**163**	**3**	**6**	**11**	**19**	**29**	**39**	**64**			**28**	**13.8**	**142**	**2**	**7**	**13**	**16**	**38**	**57**	**99 +**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																								
A. MALE																								
0-12 YRS.																								
13-19	1	20.0		20	20	20	20	20	20	20			2	7.0	2	6	6	7	8	8	8	8		
20-34	11	10.6	49	2	5	9	16	20	24	24			5	15.0	222	3	6	8	23	40	40	40		
35-49	14	11.1	65	4	6	7	16	21	28	30			3	27.0	571	6	10	22	45	53	53	53		
50-64	5	13.0	54	3	9	12	18	23	23	23			1	4.0		4	4	4	4	4	4	4		
65 +	9	22.9	297	7	11	15	31	51	58	58			2	7.0	8	5	5	7	9	9	9	9		
ALL AGES	40	14.1	126	3	6	12	18	26	35	58			13	14.5	236	4	6	8	18	43	51	53		
B. FEMALE																								
0-12 YRS.																								
13-19	1	3.0		3	3	3	3	3	3	3			1	10.0		10	10	10	10	10	10	10		
20-34	9	10.7	43	2	6	10	15	20	22	22														
35-49	14	10.7	70	4	6	8	11	21	32	35			4	6.5	24	1	2	6	10	12	12	12		
50-64	10	17.3	208	4	9	12	21	42	49	49			3	12.7	33	6	8	15	16	17	17	17		
65 +	27	18.7	178	6	8	16	24	32	41	67			5	14.0	218	3	3	4	28	33	33	33		
ALL AGES	61	15.2	146	4	7	11	21	31	36	65			13	11.1	95	2	4	9	15	28	32	33		
SUBTOTAL	**101**	**14.8**	**136**	**4**	**7**	**12**	**20**	**30**	**36**	**62**			**26**	**12.8**	**162**	**3**	**4**	**8**	**17**	**32**	**43**	**53**		
GRAND TOTAL	**240**	**14.6**	**150**	**3**	**6**	**11**	**19**	**29**	**37**	**64**			**54**	**13.3**	**149**	**3**	**5**	**10**	**16**	**33**	**50**	**98**		

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	1.0		1	1	1	1	1	1	1										
65 +											2	37.0	1922	6	6	37	68	68	68	68
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	37.0	1922	6	6	37	68	68	68	68
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	17.0		17	17	17	17	17	17	17	1	3.0		3	3	3	3	3	3	3
65 +	5	19.4	157	9	9	13	32	34	34	34	3	13.7	11	10	11	14	16	17	17	17
ALL AGES	6	19.0	127	9	9	15	32	34	34	34	4	11.0	37	3	6	12	15	17	17	17
SUBTOTAL	**7**	**16.4**	**153**	**3**	**9**	**13**	**28**	**34**	**34**	**34**	**6**	**19.7**	**585**	**3**	**6**	**12**	**17**	**63**	**68**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	1	16.0		16	16	16	16	16	16	16										
50-64																				
65 +	1	11.0		11	11	11	11	11	11	11	1	21.0		21	21	21	21	21	21	21
ALL AGES	3	10.7	29	5	6	11	15	16	16	16	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	7.0		7	7	7	7	7	7	7										
65 +	2	11.5	25	8	8	11	15	15	15	15										
ALL AGES	3	10.0	19	7	7	8	13	15	15	15										
SUBTOTAL	**6**	**10.3**	**21**	**5**	**7**	**9**	**15**	**16**	**16**	**16**	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**
GRAND TOTAL	**13**	**13.6**	**95**	**4**	**8**	**11**	**16**	**32**	**34**	**34**	**7**	**19.9**	**487**	**4**	**7**	**14**	**20**	**59**	**68**	**68**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	33.0		33	33	33	33	33	33	33
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	33.0		33	33	33	33	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21										
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	2	12.0	162	3	3	12	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**12.0**	**162**	**3**	**3**	**12**	**21**	**21**	**21**	**21**										
GRAND TOTAL	**2**	**12.0**	**162**	**3**	**3**	**12**	**21**	**21**	**21**	**21**	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	17.0		17	17	17	17	17	17	17										
20-34	5	18.2	125	7	7	22	25	33	33	33	1	15.0		15	15	15	15	15	15	15
35-49	5	9.4	38	3	4	7	16	16	16	16										
50-64	1	3.0		3	3	3	3	3	3	3										
65 +	2	13.0	2	12	12	13	14	14	14	14										
ALL AGES	14	13.1	76	3	7	13	17	23	31	33	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	4	25.3	131	14	17	23	33	41	41	41										
50-64	4	3.5	7	1	1	3	5	7	7	7	2	14.5	41	10	10	14	19	19	19	19
65 +	8	14.9	127	4	6	15	17	33	39	39	1	3.0		3	3	3	3	3	3	3
ALL AGES	16	14.6	152	2	5	14	19	38	40	41	3	10.7	63	3	5	10	17	19	19	19
SUBTOTAL	**30**	**13.9**	**113**	**3**	**6**	**14**	**18**	**29**	**39**	**41**	**4**	**11.8**	**46**	**3**	**6**	**12**	**17**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	20.8	129	9	12	19	29	36	36	36										
35-49	6	10.0	22	3	8	10	14	15	15	15										
50-64																				
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	11	13.7	83	5	8	11	16	28	35	36										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	3	16.0	21	11	12	17	19	20	20	20	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	2	24.0	18	21	21	24	27	27	27	27	1	4.0		4	4	4	4	4	4	4
ALL AGES	6	16.2	81	2	11	18	21	26	27	27	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**17**	**14.6**	**78**	**3**	**9**	**14**	**20**	**26**	**33**	**36**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**47**	**14.2**	**97**	**3**	**7**	**14**	**19**	**27**	**36**	**41**	**6**	**9.0**	**47**	**3**	**3**	**7**	**15**	**19**	**19**	**19**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	7.3	9	4	5	9	9	9	9	9										
20-34	42	11.6	56	3	6	10	15	22	27	33	8	5.3	6	2	3	5	7	9	10	10
35-49	55	10.6	115	2	3	7	14	27	34	49	10	11.9	107	3	5	7	16	28	37	37
50-64	35	11.1	48	4	5	10	15	21	23	34	2	19.0	200	9	9	19	29	29	29	29
65 +	50	15.3	154	4	7	12	22	31	43	59	6	11.8	152	2	7	8	11	33	36	36
ALL AGES	185	12.1	102	2	5	10	15	27	32	47	26	10.4	94	3	4	7	11	28	36	37
B. FEMALE																				
0-12 YRS.																				
13-19	1	34.0		34	34	34	34	34	34	34	1	30.0		30	30	30	30	30	30	30
20-34	45	10.2	38	4	5	9	14	21	22	23	9	3.9	10	1	1	2	6	9	10	10
35-49	83	10.9	72	2	5	9	15	24	25	42	6	16.2	360	2	6	10	14	50	54	54
50-64	60	15.8	168	4	7	14	19	30	39	76	4	3.3	2	1	2	3	4	5	5	5
65 +	127	15.9	114	4	8	14	22	29	34	53	21	8.1	31	2	5	7	11	17	21	21
ALL AGES	316	13.8	109	4	6	11	19	27	32	49	41	8.4	91	1	3	6	10	17	25	54
SUBTOTAL	**501**	**13.2**	**106**	**3**	**6**	**11**	**18**	**27**	**32**	**49**	**67**	**9.2**	**91**	**1**	**4**	**6**	**11**	**20**	**31**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	6	8.8	79	2	2	5	15	23	24	24	1	2.0		2	2	2	2	2	2	2
20-34	51	11.3	84	3	5	10	14	21	30	53	3	3.3	11	1	1	2	6	7	7	7
35-49	53	12.5	77	3	6	11	19	21	23	51	6	11.3	148	1	2	8	14	32	34	34
50-64	20	15.9	150	2	6	14	21	37	41	43	1	2.0		2	2	2	2	2	2	2
65 +	32	17.8	92	7	9	17	23	34	35	38	3	9.7	.33	3	5	12	13	14	14	14
ALL AGES	162	13.4	97	3	6	12	19	25	34	51	14	7.9	80	1	2	5	12	16	30	34
B. FEMALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	26	11.2	128	2	5	6	13	29	57	99 +	2	2.0		2	2	2	2	2	2	2
35-49	50	10.9	57	2	5	9	15	25	25	29	4	7.3	26	1	3	8	11	12	12	12
50-64	35	16.7	164	5	7	13	23	36	42	57	2	8.5	41	4	4	8	13	13	13	13
65 +	81	18.1	114	7	11	15	25	33	39	52	10	9.2	46	3	4	7	14	20	22	22
ALL AGES	193	15.0	119	4	7	13	21	29	38	55	18	7.9	37	2	4	6	12	17	21	22
SUBTOTAL	**355**	**14.3**	**108**	**3**	**6**	**12**	**20**	**28**	**36**	**52**	**32**	**7.9**	**54**	**1**	**2**	**6**	**12**	**16**	**22**	**34**
GRAND TOTAL	**856**	**13.6**	**109**	**3**	**6**	**11**	**19**	**27**	**34**	**52**	**99**	**8.8**	**79**	**1**	**3**	**6**	**11**	**19**	**30**	**46**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	12.0	156	2	3	8	21	26	26	26										
20-34	5	7.6	37	2	3	4	13	16	16	16	3	12.7	15	9	10	12	16	17	17	17
35-49	12	11.2	36	5	7	9	15	21	22	22	3	6.7	21	4	4	4	10	12	12	12
50-64	9	12.6	177	2	4	6	23	34	36	36	1	12.0		12	12	12	12	12	12	12
65 +	7	16.0	114	3	7	17	26	27	27	27	3	11.7	31	7	8	10	16	18	18	18
ALL AGES	36	12.0	92	2	5	8	18	27	31	36	10	10.5	23	4	7	11	12	17	18	18
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-19	4	17.3	336	2	2	14	32	39	39	39	4	4.0	29	1	1	2	7	12	12	12
20-34	15	14.3	199	3	5	9	16	30	49	56	6	7.8	28	3	4	5	14	15	15	15
35-49	12	13.0	83	1	4	13	18	27	28	28	4	10.3	32	5	6	9	14	18	18	18
50-64	9	14.4	88	5	8	14	18	29	34	34	4	7.3	46	1	3	5	11	17	17	17
65 +	10	21.2	267	2	8	20	27	47	48	48	6	7.7	8	4	5	7	11	11	11	11
ALL AGES	51	15.5	166	2	6	13	21	32	47	56	24	7.5	25	1	4	6	11	15	17	18
SUBTOTAL	**87**	**14.1**	**135**	**2**	**5**	**11**	**21**	**28**	**36**	**53**	**34**	**8.4**	**25**	**2**	**4**	**7**	**12**	**17**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-19																				
20-34	8	13.5	138	1	4	11	20	32	36	36	1	4.0		4	4	4	4	4	4	4
35-49	12	11.3	51	3	6	10	13	23	26	27	3	2.7	2	1	1	3	4	4	4	4
50-64	3	18.7	431	2	4	12	34	42	42	42	1	3.0		3	3	3	3	3	3	3
65 +	4	20.5	151	8	10	19	30	35	35	35	2	8.5	13	6	6	8	11	11	11	11
ALL AGES	28	13.8	121	2	6	11	19	33	37	42	7	4.6	10	1	3	4	6	10	11	11
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-19	6	25.8	469	4	9	23	33	60	63	63	3	11.7	71	2	5	15	17	18	18	18
20-34	16	7.3	30	3	4	5	9	12	21	25	5	9.8	136	1	2	7	13	30	30	30
35-49	14	13.4	339	2	4	7	11	44	62	67	4	21.0	158	3	12	25	29	31	31	31
50-64	13	17.2	115	5	11	16	23	30	41	43										
65 +	8	13.6	87	3	6	12	20	27	28	28	5	12.2	126	2	3	8	22	27	27	27
ALL AGES	58	13.9	191	3	5	10	17	29	43	67	17	13.5	123	2	3	8	23	30	31	31
SUBTOTAL	**86**	**13.9**	**165**	**3**	**5**	**10**	**17**	**30**	**42**	**66**	**24**	**10.9**	**105**	**2**	**3**	**6**	**19**	**28**	**30**	**31**
GRAND TOTAL	**173**	**14.0**	**149**	**3**	**5**	**10**	**20**	**29**	**39**	**61**	**58**	**9.4**	**59**	**2**	**4**	**7**	**12**	**20**	**28**	**31**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	3	11.3	263	1	1	3	23	30	30	30										
20-34	12	7.5	22	2	3	7	11	14	16	16	4	10.0	67	2	3	10	17	18	18	18
35-49	7	7.9	61	1	2	5	14	20	21	21	2	3.0	8	1	1	3	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8										
65 +	7	13.0	81	5	6	8	20	27	28	28										
ALL AGES	30	9.3	61	1	4	7	13	21	28	30	7	6.7	52	1	1	4	13	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19	1	31.0		31	31	31	31	31	31	31										
20-34	5	5.8	10	3	4	5	7	11	11	11	5	14.0	230	1	1	8	28	34	34	34
35-49	6	9.0	64	3	5	7	7	23	25	25	3	11.7	119	3	4	8	20	24	24	24
50-64	4	11.8	37	5	6	12	17	18	18	18	5	6.2	61	1	2	4	8	20	20	20
65 +	5	10.2	119	1	4	7	14	29	29	29	4	7.3	30	2	3	6	11	15	15	15
ALL AGES	21	10.1	75	3	5	7	12	27	30	31	17	9.7	105	1	2	5	16	26	31	34
SUBTOTAL	**51**	**9.6**	**66**	**2**	**4**	**7**	**13**	**23**	**29**	**31**	**24**	**8.8**	**89**	**1**	**2**	**5**	**15**	**24**	**28**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	1	7.0		7	7	7	7	7	7	7	3	4.0	4	2	2	4	5	6	6	6
35-49	4	13.3	168	3	4	9	22	32	32	32	4	14.3	199	3	4	10	24	34	34	34
50-64	3	8.7	41	2	4	9	13	15	15	15	1	6.0		6	6	6	6	6	6	6
65 +	6	16.2	159	4	5	15	22	35	36	36	2	6.5	1	6	6	6	7	7	7	7
ALL AGES	15	12.3	119	2	4	8	20	32	35	36	10	8.8	91	2	4	6	7	24	34	34
B. FEMALE																				
0-12 YRS.																				
13-19											2	15.5	313	3	3	15	28	28	28	28
20-34	5	9.2	12	7	7	7	11	15	15	15	7	7.4	102	1	2	5	5	25	30	30
35-49	6	9.2	105	3	5	5	6	28	30	30	6	5.5	14	2	2	5	7	11	12	12
50-64	2	34.5	841	14	14	34	55	55	55	55										
65 +	8	19.8	810	4	5	6	23	70	86	86	7	7.3	10	3	4	8	10	10	10	10
ALL AGES	21	15.6	421	4	5	7	14	42	69	86	22	7.6	57	2	3	5	10	17	29	30
SUBTOTAL	**36**	**14.2**	**292**	**3**	**5**	**7**	**15**	**33**	**49**	**86**	**32**	**8.0**	**65**	**2**	**3**	**5**	**9**	**19**	**30**	**34**
GRAND TOTAL	**87**	**11.5**	**162**	**3**	**5**	**7**	**15**	**29**	**32**	**74**	**56**	**8.3**	**75**	**1**	**3**	**5**	**10**	**24**	**29**	**34**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	7.0	50	2	2	7	12	12	12	12										
20-34											1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2										
50-64	2	1.0		1	1	1	1	1	1	1										
65 +											2	2.5	5	1	1	2	4	4	4	4
ALL AGES	5	3.6	22	1	1	2	5	12	12	12	3	2.0	3	1	1	1	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19											2	1.0		1	1	1	1	1	1	1
20-34	1	23.0		23	23	23	23	23	23	23										
35-49	2	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
50-64	2	5.0	8	3	3	5	7	7	7	7	1	4.0		4	4	4	4	4	4	4
65 +	1	16.0		16	16	16	16	16	16	16	2	6.0	50	1	1	6	11	11	11	11
ALL AGES	6	9.2	71	3	3	7	21	85	99 +	99 +	6	3.2	16	1	1	1	4	10	11	11
SUBTOTAL	**11**	**6.6**	**54**	**1**	**2**	**3**	**14**	**46**	**92**	**99 +**	**9**	**2.8**	**11**	**1**	**1**	**1**	**4**	**8**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	2	9.5	25	6	6	9	13	13	13	13										
50-64																				
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	3	8.7	13	6	6	7	11	13	13	13	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	10.0		10	10	10	10	10	10	10										
35-49	1	8.0		8	8	8	8	8	8	8										
50-64	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
65 +	2	3.5	13	1	1	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	5	5.6	13	1	2	6	8	10	10	10	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**8**	**6.8**	**13**	**2**	**4**	**7**	**9**	**12**	**13**	**13**	**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
GRAND TOTAL	**19**	**6.7**	**35**	**1**	**2**	**6**	**11**	**19**	**61**	**99 +**	**12**	**2.7**	**8**	**1**	**1**	**1**	**4**	**6**	**10**	**11**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	6	11.2	45	4	6	10	14	22	23	23	2	10.0	50	5	5	10	15	15	15	15
35-49	5	7.0	26	1	2	7	12	12	12	12	2	3.0		3	3	3	3	3	3	3
50-64	7	11.0	49	5	7	10	11	23	26	26	1	3.0		3	3	3	3	3	3	3
65 +	9	22.0	166	3	12	23	30	38	40	40	1	14.0		14	14	14	14	14	14	14
ALL AGES	28	13.7	109	3	6	10	23	29	35	40	6	7.2	32	3	3	4	14	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	4	11.5	20	7	8	11	15	17	17	17	2	3.5	5	2	2	3	5	5	5	5
35-49	14	6.1	18	2	3	5	6	13	16	17	5	7.2	45	2	2	3	14	15	15	15
50-64	7	10.4	38	4	6	9	13	20	22	22	2	6.0	32	2	2	6	10	10	10	10
65 +	14	15.6	79	7	10	13	20	32	34	34	7	12.0	111	2	5	11	12	30	34	34
ALL AGES	39	10.8	58	3	5	9	14	21	27	34	16	8.7	69	2	2	7	12	15	28	34
SUBTOTAL	**67**	**12.0**	**80**	**3**	**6**	**10**	**16**	**25**	**32**	**39**	**22**	**8.3**	**57**	**2**	**3**	**5**	**12**	**15**	**23**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	14.0	18	11	11	14	17	17	17	17										
20-34	4	12.5	88	3	5	11	20	24	24	24	1	7.0		7	7	7	7	7	7	7
35-49	6	13.0	81	1	8	12	16	27	28	28	2	15.0	8	13	13	15	17	17	17	17
50-64	1	6.0		6	6	6	6	6	6	6										
65 +	4	6.8	10	3	4	7	9	10	10	10	4	27.3	2100	2	3	5	51	96	96	96
ALL AGES	17	11.1	55	3	6	10	16	23	27	28	7	20.9	1122	3	5	7	16	80	96	96
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	5	5.6	5	2	4	7	7	7	7	7	1	6.0		6	6	6	6	6	6	6
35-49	9	12.1	52	5	8	12	14	23	28	28	4	4.3	10	2	2	3	6	9	9	9
50-64	3	6.0	31	1	2	5	10	12	12	12	1	5.0		5	5	5	5	5	5	5
65 +	11	12.7	21	6	9	13	17	18	18	18	3	11.7	51	7	7	8	17	20	20	20
ALL AGES	28	10.5	36	3	7	10	14	18	19	28	9	7.0	30	2	4	6	8	16	20	20
SUBTOTAL	**45**	**10.8**	**41**	**3**	**6**	**10**	**14**	**18**	**25**	**28**	**16**	**13.1**	**515**	**2**	**4**	**6**	**11**	**20**	**73**	**96**
GRAND TOTAL	**112**	**11.5**	**64**	**3**	**6**	**10**	**15**	**23**	**28**	**36**	**38**	**10.3**	**247**	**2**	**3**	**6**	**12**	**16**	**28**	**96**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	18.5	113	11	11	18	26	26	26	26										
50-64																				
65 +																				
ALL AGES	2	18.5	113	11	11	18	26	26	26	26										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	49.0		49	49	49	49	49	49	49										
35-49																				
50-64																				
65 +																				
ALL AGES	1	49.0		49	49	49	49	49	49	49										
SUBTOTAL	**3**	**28.7**	**363**	**11**	**15**	**26**	**43**	**49**	**49**	**49**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	21.0		21	21	21	21	21	21	21										
50-64																				
65 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	26.0		26	26	26	26	26	26	26										
65 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	2	28.0	8	26	26	28	30	30	30	30										
SUBTOTAL	**3**	**25.7**	**18**	**21**	**22**	**26**	**29**	**30**	**30**	**30**										
GRAND TOTAL	**6**	**27.2**	**155**	**12**	**21**	**26**	**30**	**47**	**49**	**49**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	7.3	51	3	3	4	11	18	18	18										
13-19	19	12.7	135	2	4	11	16	23	40	52	2	2.5	5	1	1	2	4	4	4	4
20-34	49	9.0	33	2	5	8	12	16	18	28	10	7.4	55	2	2	5	6	20	25	25
35-49	37	8.3	57	2	4	7	11	15	19	43	8	6.8	10	4	4	5	9	12	13	13
50-64	8	7.9	26	2	3	6	13	14	14	14										
65 +	13	10.2	81	2	4	8	12	22	33	36	4	5.5	4	4	4	5	7	8	8	8
ALL AGES	130	9.3	60	2	4	8	12	16	21	45	24	6.5	27	2	4	5	7	13	19	25
B. FEMALE																				
0-12 YRS.	2	21.5	613	4	4	21	39	39	39	39	2	1.0		1	1	1	1	1	1	1
13-19	19	10.7	114	1	4	10	15	33	74	99 +	1	5.0		5	5	5	5	5	5	5
20-34	97	9.4	53	3	4	7	12	18	21	39	13	12.5	220	3	5	7	16	29	53	58
35-49	83	9.4	110	3	4	6	11	17	32	57	13	5.8	13	1	4	5	7	12	12	12
50-64	34	7.9	32	2	3	7	13	17	19	22	7	8.1	75	1	2	4	16	21	22	22
65 +	34	11.2	61	2	5	11	15	20	29	32	15	9.8	68	3	4	7	14	21	29	32
ALL AGES	269	9.6	76	2	4	7	13	18	28	50	51	8.8	93	1	4	6	10	20	22	58
SUBTOTAL	**399**	**9.5**	**71**	**2**	**4**	**7**	**13**	**18**	**24**	**50**	**75**	**8.1**	**72**	**2**	**4**	**6**	**9**	**16**	**22**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	26.3	97	18	19	24	34	37	37	37										
13-19	16	12.6	135	3	5	9	19	40	80	99 +	1	2.0		2	2	2	2	2	2	2
20-34	65	10.5	67	3	5	9	14	18	23	46	4	8.8	38	2	4	8	13	17	17	17
35-49	42	8.6	37	2	4	8	12	15	16	32	3	6.3	3	5	5	6	7	8	8	8
50-64	8	13.8	107	4	4	12	23	26	27	27	1	15.0		15	15	15	15	15	15	15
65 +	5	12.2	146	2	3	11	18	32	32	32	1	2.0		2	2	2	2	2	2	2
ALL AGES	139	10.8	74	3	5	9	14	21	32	52	10	7.3	28	2	2	6	9	16	17	17
B. FEMALE																				
0-12 YRS.	6	14.3	24	8	13	14	18	21	21	21										
13-19	21	16.2	202	4	7	13	21	28	46	67	3	6.3	1	6	6	6	7	7	7	7
20-34	70	10.7	51	3	6	9	14	20	25	33	10	9.6	49	1	5	9	16	19	22	22
35-49	67	9.9	68	2	4	6	13	22	31	35	8	7.6	57	2	3	4	11	21	23	23
50-64	12	15.1	177	5	6	10	18	40	43	44	3	10.3	87	4	4	6	17	21	21	21
65 +	18	10.8	66	3	4	8	16	24	27	28	1	3.0		3	3	3	3	3	3	3
ALL AGES	194	11.4	84	3	5	8	16	23	29	42	25	8.4	45	1	4	6	13	21	22	23
SUBTOTAL	**333**	**11.1**	**81**	**3**	**5**	**8**	**15**	**22**	**31**	**44**	**35**	**8.1**	**39**	**2**	**3**	**6**	**12**	**17**	**22**	**23**
GRAND TOTAL	**732**	**10.3**	**75**	**2**	**4**	**8**	**14**	**20**	**28**	**48**	**110**	**8.1**	**61**	**2**	**4**	**6**	**9**	**17**	**22**	**42**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	31	23.7	210	4	17	25	39	56	99+	99+	5	2.2	5	1	1	1	3	6	6	6
13-19	58	19.4	287	3	6	16	34	59	99+	99+	21	9.4	50	1	4	7	15	22	23	23
20-34	231	10.9	91	2	4	8	15	22	29	43	83	7.0	62	1	2	5	8	15	18	47
35-49	169	8.7	59	2	4	7	11	18	24	42	63	10.0	65	2	4	7	14	19	27	38
50-64	108	10.6	119	2	4	8	13	22	29	59	38	8.9	114	1	3	5	11	23	46	99+
65 +	361	10.1	102	2	4	7	13	21	27	55	188	7.4	59	2	3	5	9	17	23	55
ALL AGES	958	11.1	118	2	4	8	15	25	34	75	398	7.9	66	1	3	6	10	17	24	53
B. FEMALE																				
0-12 YRS.	11	9.8	116	1	2	10	15	56	94	99+	7	3.0	3	1	1	3	4	6	6	6
13-19	50	15.6	114	4	7	14	23	32	42	99	9	5.2	62	1	1	2	5	19	25	25
20-34	255	11.3	99	2	5	10	15	22	29	52	91	8.5	94	2	3	6	10	19	24	57
35-49	254	9.1	55	2	4	7	12	19	21	35	62	7.6	48	2	3	6	10	15	20	39
50-64	186	10.1	76	2	4	8	14	21	27	55	56	7.5	56	2	3	4	9	20	26	34
65 +	570	11.5	110	3	4	8	15	26	34	59	331	7.0	52	2	3	5	9	14	19	56
ALL AGES	1326	10.9	95	2	4	8	15	22	31	54	556	7.3	58	2	3	5	9	15	21	45
SUBTOTAL	**2284**	**11.0**	**105**	**2**	**4**	**8**	**15**	**24**	**32**	**62**	**954**	**7.6**	**61**	**2**	**3**	**5**	**9**	**16**	**23**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	23	33.5	309	13	22	29	52	62	76	99+										
13-19	83	19.0	247	3	7	14	28	48	60	99+	8	21.8	704	1	2	4	48	59	63	63
20-34	228	10.7	82	2	4	8	15	25	29	56	47	12.1	136	3	5	10	14	29	38	99+
35-49	150	10.4	77	2	4	8	15	22	29	42	25	10.8	243	2	4	8	11	16	35	82
50-64	66	10.6	95	3	4	8	13	23	33	50	28	7.0	47	1	2	4	9	18	21	26
65 +	156	12.4	124	2	4	10	17	25	35	66	54	10.4	203	3	4	7	12	19	32	93
ALL AGES	706	12.7	139	2	4	9	17	28	38	66	162	10.9	190	2	4	7	13	21	39	93
B. FEMALE																				
0-12 YRS.	5	22.2	218	6	11	27	41	94	99+	99+	2	7.0	8	5	5	7	9	9	9	9
13-19	36	21.4	419	4	9	17	25	76	93	99+	5	22.8	1081	1	1	19	75	97	99+	99+
20-34	182	12.4	130	2	5	9	17	31	45	99+	30	13.7	193	1	4	8	18	31	49	58
35-49	155	11.7	98	2	4	9	16	24	31	49	36	7.1	54	2	3	5	8	14	19	40
50-64	91	12.7	149	2	5	10	17	26	30	70	31	13.8	254	3	4	8	19	32	33	82
65 +	230	13.3	122	3	5	10	19	26	38	50	94	8.6	65	2	3	6	13	20	24	79
ALL AGES	699	13.1	142	3	5	10	18	27	38	91	198	10.3	140	2	3	7	14	24	34	91
SUBTOTAL	**1405**	**12.9**	**141**	**2**	**5**	**10**	**18**	**28**	**38**	**83**	**360**	**10.6**	**161**	**2**	**4**	**7**	**13**	**22**	**35**	**93**
GRAND TOTAL	**3689**	**11.7**	**120**	**2**	**4**	**9**	**16**	**26**	**35**	**69**	**1314**	**8.4**	**90**	**2**	**3**	**6**	**10**	**18**	**25**	**67**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	7.7	38	2	3	4	12	16	20	22	3	4.0	4	2	2	4	5	6	6	6
13-19	7	9.1	43	2	3	7	14	18	19	19	1	5.0		5	5	5	5	5	5	5
20-34	3	27.7	334	7	14	34	40	42	42	42	2	5.0	2	4	4	5	6	6	6	6
35-49	2	14.0		14	14	14	14	14	14	14	1	14.0		14	14	14	14	14	14	14
50-64																				
65 +																				
ALL AGES	27	10.7	97	2	3	7	14	21	35	42	7	5.9	14	2	4	5	6	12	14	14
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
13-19											1	3.0		3	3	3	3	3	3	3
20-34											1	4.0		4	4	4	4	4	4	4
35-49																				
50-64																				
65 +																				
ALL AGES	2	3.0		3	3	3	3	3	3	3	3	2.7	2	1	1	3	4	4	4	4
SUBTOTAL	**29**	**10.2**	**94**	**2**	**3**	**7**	**14**	**21**	**34**	**42**	**10**	**4.9**	**13**	**1**	**3**	**4**	**6**	**10**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	27.4	798	5	9	13	44	74	74	74										
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	2	12.0	72	6	6	12	18	18	18	18										
35-49																				
50-64																				
65 +																				
ALL AGES	8	20.6	561	4	5	12	26	62	74	74										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19	1	5.0		5	5	5	5	5	5	5	1	9.0		9	9	9	9	9	9	9
20-34	1	27.0		27	27	27	27	27	27	27										
35-49																				
50-64																				
65 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	4	14.8	169	2	3	15	26	27	27	27	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**12**	**18.7**	**410**	**3**	**5**	**12**	**26**	**46**	**70**	**74**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**41**	**12.7**	**193**	**2**	**4**	**7**	**15**	**30**	**38**	**74**	**11**	**5.3**	**13**	**1**	**3**	**4**	**6**	**11**	**14**	**14**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	29	22.3	224	4	11	25	38	68	99+	99+	2	1.5	1	1	1	1	2	2	2	2
13-19	8	16.4	81	6	9	13	26	27	28	28	1	18.0		18	18	18	18	18	18	18
20-34	3	14.3	104	8	8	9	22	26	26	26										
35-49																				
50-64																				
65 +																				
ALL AGES	40	20.6	186	5	10	21	34	47	99+	99+	3	7.0	91	1	1	2	14	18	18	18
B. FEMALE																				
0-12 YRS.	18	26.3	327	4	10	28	41	49	58	62										
13-19	3	11.7	51	7	7	8	17	20	20	20	1	1.0		1	1	1	1	1	1	1
20-34																				
35-49	1	71.0		71	71	71	71	71	71	71										
50-64																				
65 +																				
ALL AGES	22	26.4	392	5	8	27	41	54	66	71	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**62**	**22.6**	**265**	**5**	**10**	**24**	**35**	**51**	**78**	**99+**	**4**	**5.5**	**70**	**1**	**1**	**1**	**10**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	37	33.1	496	13	22	28	36	71	92	94	1	2.0		2	2	2	2	2	2	2
13-19	6	29.8	823	12	13	14	73	97	99+	99+	1	20.0		20	20	20	20	20	20	20
20-34	4	10.5	44	3	5	11	16	17	17	17										
35-49	1	10.0		10	10	10	10	10	10	10										
50-64																				
65 +																				
ALL AGES	48	30.3	520	9	15	28	36	79	94	99+	2	11.0	162	2	2	11	20	20	20	20
B. FEMALE																				
0-12 YRS.	11	20.2	184	2	11	17	30	40	42	42	3	8.0	91	2	2	3	15	19	19	19
13-19	4	20.3	35	14	15	20	25	26	26	26										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	15	20.2	140	3	12	17	27	39	41	42	3	8.0	91	2	2	3	15	19	19	19
SUBTOTAL	**63**	**27.9**	**444**	**9**	**14**	**25**	**33**	**64**	**90**	**99**	**5**	**9.2**	**89**	**2**	**2**	**3**	**19**	**20**	**20**	**20**
GRAND TOTAL	**125**	**25.3**	**358**	**5**	**12**	**24**	**35**	**53**	**89**	**99+**	**9**	**7.6**	**74**	**1**	**1**	**2**	**18**	**20**	**20**	**20**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	28.7	326	7	12	27	49	50	50	50										
13-19	7	13.9	69	4	8	12	21	26	26	26										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	13	20.7	230	6	9	14	27	49	50	50										
B. FEMALE																				
0-12 YRS.	3	20.3	228	3	9	28	29	30	30	30	1	3.0		3	3	3	3	3	3	3
13-19	6	20.5	249	5	9	16	29	46	48	48										
20-34																				
35-49	1	9.0		9	9	9	9	9	9	9										
50-64																				
65 +																				
ALL AGES	10	19.3	202	4	9	16	29	39	48	48	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**23**	**20.1**	**208**	**5**	**9**	**15**	**29**	**48**	**49**	**50**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	43.2	574	30	30	32	44	86	91	91										
13-19	2	13.0	128	5	5	13	21	21	21	21										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	8	35.6	628	10	25	31	38	77	91	91										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	14.0		14	14	14	14	14	14	14										
35-49																				
50-64																				
65 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**9**	**33.2**	**601**	**9**	**19**	**30**	**36**	**72**	**91**	**91**										
GRAND TOTAL	**32**	**23.8**	**338**	**5**	**10**	**22**	**30**	**48**	**50**	**91**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	9.5	97	1	2	5	14	19	33	36	3	11.3	81	1	5	16	17	17	17	17
13-19	19	6.4	73	1	1	3	8	18	27	34	7	1.6		1	1	2	2	2	2	2
20-34	95	5.5	35	1	1	3	7	13	19	29	26	2.9	18	1	1	2	3	5	9	23
35-49	112	3.6	13	1	1	2	4	8	10	20	49	2.8	7	1	1	2	3	5	7	15
50-64	73	3.6	8	1	1	3	4	8	9	13	42	3.0	5	1	1	2	4	6	7	9
65 +	74	7.2	94	1	2	4	9	15	20	55	48	2.7	3	1	1	2	4	5	6	8
ALL AGES	386	5.1	41	1	1	3	6	11	16	35	175	2.9	9	1	1	2	3	6	7	17
B. FEMALE																				
0-12 YRS.	12	17.8	294	1	3	16	27	40	55	58	1	3.0		3	3	3	3	3	3	3
13-19	22	4.9	25	1	2	3	7	9	15	23	10	4.7	65	1	1	2	5	16	27	27
20-34	138	5.8	29	1	2	4	8	14	16	23	63	3.4	13	1	1	2	4	7	9	23
35-49	178	5.1	37	1	1	3	6	13	16	34	92	3.3	10	1	1	2	4	7	10	17
50-64	134	5.5	32	1	2	3	7	14	18	27	91	3.3	12	1	1	2	4	6	8	22
65 +	210	6.9	84	1	3	4	7	16	20	48	117	3.7	17	1	2	3	4	7	11	99 +
ALL AGES	694	6.1	55	1	2	3	7	14	19	34	374	3.5	14	1	1	2	4	7	10	26
SUBTOTAL	**1080**	**5.7**	**51**	**1**	**2**	**3**	**7**	**14**	**18**	**35**	**549**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	19.7	228	1	5	20	32	39	40	40										
13-19	21	10.1	55	1	4	9	14	23	24	25	5	7.0	104	1	1	3	10	25	25	25
20-34	110	9.5	87	2	3	7	12	20	25	52	22	4.8	19	1	2	3	6	11	14	18
35-49	121	8.5	69	1	3	6	12	22	27	39	26	5.6	40	1	2	3	5	18	21	21
50-64	55	10.6	122	3	4	8	12	19	32	58	15	5.2	24	1	2	4	5	13	17	19
65 +	46	10.4	96	2	3	7	15	26	31	38	15	5.3	37	1	2	4	6	8	21	26
ALL AGES	360	9.7	89	2	3	7	13	22	29	50	83	5.3	33	1	2	3	5	14	20	26
B. FEMALE																				
0-12 YRS.	11	19.5	308	2	6	19	26	42	61	63	2	17.5	481	2	2	17	33	33	33	33
13-19	26	12.6	90	2	5	9	20	25	28	35	7	5.6	28	1	2	4	9	14	15	15
20-34	215	9.3	66	1	3	7	13	20	25	36	45	9.0	93	1	2	4	13	24	28	42
35-49	193	8.8	60	2	3	7	12	17	24	39	54	5.9	54	1	2	3	6	20	22	35
50-64	122	10.3	67	2	4	8	14	23	28	33	36	5.9	31	2	2	3	8	13	17	26
65 +	137	11.2	86	2	4	9	16	23	30	39	72	4.8	34	1	2	4	6	9	10	40
ALL AGES	704	10.0	74	2	4	7	14	21	28	37	216	6.3	55	1	2	3	7	15	22	37
SUBTOTAL	**1064**	**9.9**	**79**	**2**	**3**	**7**	**14**	**22**	**28**	**41**	**299**	**6.0**	**49**	**1**	**2**	**3**	**7**	**15**	**21**	**34**
GRAND TOTAL	**2144**	**7.8**	**69**	**1**	**2**	**5**	**10**	**18**	**24**	**38**	**848**	**4.2**	**28**	**1**	**1**	**3**	**5**	**9**	**15**	**28**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	28	4.7	47	1	2	3	5	7	16	37	12	3.3	9	1	1	2	4	8	11	11
13-19	23	6.3	31	1	2	4	9	14	19	22	13	2.4	1	1	2	2	3	4	4	4
20-34	52	5.4	20	1	2	4	7	11	17	19	29	4.1	26	1	2	3	4	11	14	25
35-49	36	4.9	13	1	2	4	7	10	11	17	12	2.9	4	1	1	2	4	6	7	7
50-64	21	5.6	39	1	2	3	6	18	20	21	8	2.6	3	1	1	2	3	5	6	6
65 +	12	14.5	583	2	2	4	11	56	77	81	2	6.5	1	6	6	6	7	7	7	7
ALL AGES	172	6.0	67	1	2	4	7	12	18	43	76	3.4	13	1	1	2	4	7	10	22
B. FEMALE																				
0-12 YRS.	26	4.0	23	1	2	3	4	7	12	25	17	5.9	66	1	1	3	6	16	26	32
13-19	80	6.3	108	1	2	3	5	11	24	67	35	3.2	8	1	1	3	4	6	7	16
20-34	211	8.4	102	1	2	5	10	22	33	72	63	3.8	11	1	2	3	5	7	11	20
35-49	159	7.6	94	1	2	4	9	21	30	95	55	6.1	86	1	2	4	7	10	18	60
50-64	39	6.3	82	1	2	3	6	12	28	46	24	3.4	9	1	1	2	5	9	9	10
65 +	31	6.2	35	1	2	4	9	15	18	22	26	6.3	60	1	3	4	6	11	25	39
ALL AGES	546	7.4	92	1	2	4	8	17	29	59	220	4.7	40	1	2	3	5	8	14	34
SUBTOTAL	**718**	**7.0**	**87**	**1**	**2**	**4**	**8**	**16**	**25**	**58**	**296**	**4.3**	**34**	**1**	**2**	**3**	**5**	**8**	**12**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	4.9	8	2	3	4	5	10	11	11	3	41.7	1248	2	15	53	66	70	70	70
13-19	18	12.9	274	1	3	6	13	37	54	63	2	1.0		1	1	1	1	1	1	1
20-34	38	6.8	35	1	3	6	9	15	16	31	14	5.3	11	1	3	5	6	11	11	11
35-49	33	8.3	125	2	3	5	8	17	32	57	14	4.1	8	2	3	3	4	8	12	13
50-64	15	11.6	69	3	4	10	15	25	26	27	6	5.8	21	2	3	4	8	13	14	14
65 +	6	4.7	2	3	3	4	6	7	7	7	6	7.3	62	1	2	4	14	19	20	20
ALL AGES	117	8.6	101	2	3	5	10	17	29	59	45	7.5	159	1	3	4	6	14	28	70
B. FEMALE																				
0-12 YRS.	8	18.3	297	2	3	16	26	45	53	53	5	7.0	84	1	1	3	10	23	23	23
13-19	26	15.4	198	2	4	7	22	38	44	46	15	3.7	20	1	2	2	4	5	16	19
20-34	273	12.0	176	2	4	7	15	26	38	85	51	6.9	54	1	2	4	9	22	33	99 +
35-49	201	12.6	168	2	4	9	17	31	44	99 +	36	6.9	39	2	3	5	8	18	23	25
50-64	31	6.5	30	2	3	4	10	15	24	99 +	23	6.4	30	2	2	4	11	15	18	19
65 +	20	7.9	31	2	3	7	11	16	20	21	13	5.8	19	2	3	5	7	12	16	17
ALL AGES	559	12.1	163	2	4	8	16	28	41	98	143	6.4	40	2	2	4	8	18	23	99 +
SUBTOTAL	**676**	**11.5**	**153**	**2**	**3**	**7**	**15**	**26**	**39**	**90**	**188**	**6.7**	**68**	**1**	**2**	**4**	**8**	**16**	**23**	**88**
GRAND TOTAL	**1394**	**9.2**	**124**	**1**	**3**	**5**	**12**	**22**	**33**	**81**	**484**	**5.3**	**47**	**1**	**2**	**3**	**6**	**11**	**18**	**48**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	38.0	817	21	21	22	59	71	71	71	1	1.0		1	1	1	1	1	1	1
20-34	8	12.4	130	3	5	6	21	31	33	33	1	64.0		64	64	64	64	64	64	64
35-49	4	6.0	15	3	3	5	9	11	11	11	4	6.3	15	2	3	6	9	11	11	11
50-64	6	13.2	125	3	3	9	25	29	29	29										
65 +	3	7.3	45	3	3	4	12	15	15	15										
ALL AGES	24	14.1	237	3	4	7	21	29	44	71	6	15.0	590	1	2	6	11	59	64	64
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	6	16.7	145	1	4	20	22	32	33	33										
20-34	21	11.8	162	2	3	6	15	33	40	46	2	2.5	5	1	1	2	4	4	4	4
35-49	25	11.2	53	2	5	12	15	23	24	24	4	5.5	6	4	4	5	7	9	9	9
50-64	4	16.3	582	1	1	6	31	52	52	52	3	3.0	7	1	1	2	5	6	6	6
65 +	9	8.3	52	1	3	8	11	20	23	23	2	23.0	8	21	21	23	25	25	25	25
ALL AGES	66	11.7	120	2	3	9	16	24	33	51	11	7.5	64	1	2	4	8	23	25	25
SUBTOTAL	**90**	**12.3**	**151**	**2**	**3**	**8**	**17**	**27**	**33**	**63**	**17**	**10.1**	**239**	**1**	**2**	**4**	**9**	**24**	**50**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	17.0	450	2	2	17	32	32	32	32										
13-19	2	12.0	18	9	9	12	15	15	15	15										
20-34	21	14.2	391	2	4	7	15	32	65	88	2	2.5	5	1	1	2	4	4	4	4
35-49	20	13.6	95	2	4	13	20	27	32	34	3	14.3	179	3	5	11	24	29	29	29
50-64	3	14.0	112	6	7	10	22	26	26	26	1	10.0		10	10	10	10	10	10	10
65 +											2	21.5	5	20	20	21	23	23	23	23
ALL AGES	48	14.0	219	2	4	10	19	29	35	88	8	12.6	107	2	3	10	21	27	29	29
B. FEMALE																				
0-12 YRS.	2	19.0	72	13	13	19	25	25	25	25										
13-19	10	14.4	420	2	3	7	12	48	69	69										
20-34	40	14.2	109	2	7	12	20	28	35	48	6	8.3	36	1	3	8	12	16	17	17
35-49	39	13.4	161	2	7	11	16	21	29	79	4	7.8	11	3	5	8	10	11	11	11
50-64	9	14.8	121	5	7	8	23	32	36	36	2	14.0	200	4	4	14	24	24	24	24
65 +	8	21.1	94	11	12	21	28	33	35	35	3	18.0	124	8	10	16	26	30	30	30
ALL AGES	108	14.6	152	3	7	12	19	28	35	73	15	10.9	64	3	5	9	15	24	28	30
SUBTOTAL	**156**	**14.4**	**172**	**2**	**7**	**12**	**19**	**28**	**35**	**78**	**23**	**11.5**	**75**	**2**	**4**	**10**	**17**	**25**	**29**	**30**
GRAND TOTAL	**246**	**13.6**	**165**	**2**	**5**	**11**	**18**	**28**	**35**	**71**	**40**	**10.9**	**141**	**1**	**3**	**8**	**14**	**24**	**29**	**64**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-19	7	27.9	308	9	12	33	48	85	99 +	99 +										
20-34	25	23.0	332	4	11	21	29	39	62	84	2	13.5	313	1	1	13	26	26	26	26
35-49	9	13.9	296	1	3	10	15	43	56	56										
50-64	7	13.4	88	1	5	14	20	26	27	27	2	14.0	18	11	11	14	17	17	17	17
65 +	4	21.3	35	15	16	21	26	27	27	27	1	21.0		21	21	21	21	21	21	21
ALL AGES	53	20.3	278	3	8	15	28	46	56	99	6	13.2	98	1	3	14	21	25	26	26
B. FEMALE																				
0-12 YRS.	2	21.5	221	11	11	21	32	32	32	32	1	24.0		24	24	24	24	24	24	24
13-19	4	10.3	67	2	4	9	16	21	21	21										
20-34	21	11.6	115	1	4	8	17	27	38	39	3	14.7	85	4	8	19	20	21	21	21
35-49	11	17.5	359	4	5	14	25	78	97	99 +	1	5.0		5	5	5	5	5	5	5
50-64	8	13.4	106	3	4	10	24	27	27	27	1	27.0		27	27	27	27	27	27	27
65 +	8	34.9	392	16	19	31	43	67	76	76	2	13.0	2	12	12	13	14	14	14	14
ALL AGES	54	16.8	251	3	5	14	23	39	62	99	8	15.8	70	4	8	16	22	26	27	27
SUBTOTAL	**107**	**18.5**	**266**	**3**	**6**	**15**	**27**	**40**	**57**	**99 +**	**14**	**14.6**	**80**	**3**	**5**	**15**	**21**	**26**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	20.0	133	7	11	24	28	29	29	29										
13-19	18	29.1	577	3	10	24	40	74	77	77	3	23.0	343	9	11	16	37	44	44	44
20-34	33	12.1	100	4	6	9	13	24	40	46	7	10.3	126	1	1	10	24	78	99 +	99 +
35-49	16	15.4	151	5	6	11	21	39	42	43										
50-64	5	8.4	11	4	6	8	11	13	13	13	3	20.0	211	5	9	21	31	34	34	34
65 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	76	16.9	261	4	7	12	22	41	45	77	13	15.5	189	1	3	17	26	50	89	99 +
B. FEMALE																				
0-12 YRS.	6	36.8	950	13	22	29	31	91	98	98	1	26.0		26	26	26	26	26	26	26
13-19	7	20.4	72	10	16	22	29	80	99 +	99 +	1	4.0		4	4	4	4	4	4	4
20-34	26	16.7	238	1	6	10	31	35	45	60	4	22.5	226	1	13	26	31	36	36	36
35-49	25	19.4	270	2	11	17	27	32	45	83	5	8.2	11	5	5	9	10	13	13	13
50-64	12	15.4	76	7	8	13	22	29	31	31	7	12.1	30	5	10	11	14	20	22	22
65 +	10	21.0	70	9	15	22	26	32	33	33	1	4.0		4	4	4	4	4	4	4
ALL AGES	86	19.5	251	4	9	16	28	34	44	99	19	13.2	94	4	5	11	20	27	32	36
SUBTOTAL	**162**	**18.3**	**255**	**4**	**8**	**14**	**25**	**35**	**44**	**96**	**32**	**14.1**	**130**	**1**	**5**	**11**	**23**	**34**	**43**	**99 +**
GRAND TOTAL	**269**	**18.4**	**258**	**3**	**7**	**14**	**26**	**38**	**55**	**99**	**46**	**14.3**	**111**	**2**	**5**	**13**	**22**	**27**	**37**	**99 +**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	63	24.9	307	5	12	24	31	49	63	79	4	14.5	38	9	10	13	19	23	23	23
13-19	213	16.5	206	3	7	14	22	35	46	77	9	9.4	85	2	3	4	15	24	28	28
20-34	160	6.6	24	1	3	6	9	13	17	21	19	3.6	17	1	1	2	4	10	14	16
35-49	114	8.0	48	1	3	6	10	18	23	32	32	5.9	17	2	3	4	8	13	15	16
50-64	45	7.7	31	1	3	8	12	16	17	18	18	4.2	18	1	1	3	6	12	15	15
65 +	62	12.0	149	2	4	9	14	25	37	68	28	5.6	46	1	2	4	6	10	14	37
ALL AGES	657	12.4	159	2	4	9	16	28	37	69	110	5.8	33	1	2	4	7	14	16	32
B. FEMALE																				
0-12 YRS.	48	22.9	245	5	12	20	31	44	47	83	2	5.5	25	2	2	5	9	9	9	9
13-19	434	15.1	177	2	5	12	21	32	42	78	21	11.5	122	2	4	9	14	24	37	50
20-34	393	6.8	39	1	2	5	9	14	18	35	64	4.6	18	1	2	3	6	11	14	20
35-49	315	8.6	73	1	3	7	11	18	22	35	57	5.1	21	1	2	4	6	12	16	21
50-64	111	7.9	37	1	3	7	11	16	21	29	42	5.2	39	1	2	3	5	11	20	31
65 +	182	11.5	100	2	4	8	15	24	32	50	76	8.1	56	2	3	6	9	17	20	37
ALL AGES	1483	10.8	116	2	4	8	14	24	32	51	262	6.4	45	1	2	4	8	15	18	36
SUBTOTAL	**2140**	**11.3**	**130**	**2**	**4**	**8**	**15**	**25**	**33**	**60**	**372**	**6.2**	**42**	**1**	**2**	**4**	**8**	**14**	**18**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	255	25.4	207	10	15	23	33	44	53	77	12	47.1	340	24	42	49	62	81	96	99 +
13-19	565	19.2	263	4	8	15	26	40	53	91	23	12.3	99	1	3	8	19	26	30	31
20-34	548	9.1	72	2	3	7	12	21	26	42	53	8.2	71	1	2	4	12	20	28	35
35-49	391	10.0	90	2	4	8	13	21	28	42	36	7.2	61	1	2	5	8	19	28	34
50-64	89	10.8	81	2	4	9	15	22	25	47	8	7.4	40	2	4	6	8	18	22	22
65 +	46	13.5	98	3	6	13	20	27	58	99 +	12	4.8	8	2	3	4	6	10	11	11
ALL AGES	1894	14.7	187	2	5	11	21	32	42	73	144	11.5	205	1	3	5	14	31	49	77
B. FEMALE																				
0-12 YRS.	104	26.7	271	8	14	27	33	44	54	99	7	45.4	591	18	32	34	59	82	88	88
13-19	807	17.7	208	4	7	14	24	37	46	91	50	13.4	107	1	4	11	21	28	33	40
20-34	797	10.0	82	2	4	7	13	21	28	43	88	7.2	33	2	3	5	10	16	18	26
35-49	627	10.0	74	2	4	7	14	21	26	38	71	7.8	46	2	3	6	11	16	21	32
50-64	174	11.2	64	3	5	9	16	22	27	38	31	8.0	41	2	3	6	13	17	21	26
65 +	150	11.8	78	3	6	9	17	23	28	49	39	8.0	77	2	3	5	10	15	22	51
ALL AGES	2659	13.2	143	3	5	10	18	28	37	62	286	9.6	103	2	3	6	13	21	27	54
SUBTOTAL	**4553**	**13.8**	**162**	**2**	**5**	**10**	**19**	**30**	**39**	**68**	**430**	**10.2**	**139**	**2**	**3**	**6**	**13**	**25**	**33**	**62**
GRAND TOTAL	**6693**	**13.0**	**153**	**2**	**5**	**9**	**18**	**29**	**37**	**65**	**802**	**8.4**	**97**	**1**	**3**	**5**	**11**	**19**	**27**	**53**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	13	1	1	3	6	6	6	6										
35-49	1	1.0		1	1	1	1	1	1	1	2	9.5	145	1	1	9	18	18	18	18
50-64											1	1.0		1	1	1	1	1	1	1
65 +																				
ALL AGES	3	2.7	8	1	1	1	5	6	6	6	4	5.5	70	1	1	2	10	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
20-34	2	4.5	1	4	4	4	5	5	5	5	4	4.8	1	3	4	5	6	6	6	6
35-49	5	4.4	10	2	3	3	5	10	10	10	5	2.4	1	1	2	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
65 +	2	6.5	61	1	1	6	12	12	12	12										
ALL AGES	11	4.3	13	1	2	3	5	11	12	12	12	3.5	3	2	2	3	5	6	6	6
SUBTOTAL	**14**	**3.9**	**12**	**1**	**1**	**3**	**5**	**10**	**12**	**12**	**16**	**4.0**	**17**	**1**	**2**	**3**	**5**	**6**	**14**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	5.0	8	3	3	5	7	7	7	7	1	3.0		3	3	3	3	3	3	3
50-64	3	8.0	13	4	5	9	10	11	11	11										
65 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	6	7.5	12	3	4	8	11	11	11	11	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-19											1	84.0		84	84	84	84	84	84	84
20-34	6	7.2	25	2	3	6	9	15	16	16	1	3.0		3	3	3	3	3	3	3
35-49	6	4.7	31	1	2	3	3	15	16	16	2	2.5	1	2	2	2	3	3	3	3
50-64	2	11.0	72	5	5	11	17	17	17	17	1	8.0		8	8	8	8	8	8	8
65 +											3	6.7	22	3	3	5	10	12	12	12
ALL AGES	14	6.6	33	2	3	4	9	16	17	17	9	14.2	696	2	3	5	9	55	84	84
SUBTOTAL	**20**	**6.9**	**25**	**2**	**3**	**5**	**10**	**16**	**17**	**17**	**10**	**13.1**	**631**	**2**	**3**	**4**	**8**	**48**	**84**	**84**
GRAND TOTAL	**34**	**5.7**	**21**	**1**	**2**	**4**	**9**	**12**	**16**	**17**	**26**	**7.5**	**257**	**1**	**2**	**3**	**6**	**12**	**31**	**84**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	29.0		29	29	29	29	29	29	29										
35-49																				
50-64																				
65 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	11.0		11	11	11	11	11	11	11										
35-49	1	13.0		13	13	13	13	13	13	13										
50-64																				
65 +																				
ALL AGES	2	12.0	2	11	11	12	13	13	13	13										
SUBTOTAL	**3**	**17.7**	**96**	**11**	**11**	**13**	**25**	**29**	**29**	**29**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	2	4.0	8	2	2	4	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	38.0		38	38	38	38	38	38	38										
35-49	1	24.0		24	24	24	24	24	24	24										
50-64																				
65 +																				
ALL AGES	2	31.0	98	24	24	31	38	38	38	38										
SUBTOTAL	**4**	**17.5**	**278**	**2**	**4**	**15**	**31**	**38**	**38**	**38**										
GRAND TOTAL	**7**	**17.6**	**170**	**3**	**7**	**13**	**28**	**36**	**38**	**38**										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	8.0		8	8	8	8	8	8	8
50-64																				
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	1	12.0		12	12	12	12	12	12	12	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	5.0	32	1	1	5	9	9	9	9										
50-64	2	6.0	2	5	5	6	7	7	7	7										
65 +	4	14.8	130	1	6	15	23	28	28	28	1	19.0		19	19	19	19	19	19	19
ALL AGES	8	10.1	87	1	3	8	15	25	28	28	1	19.0		19	19	19	19	19	19	19
SUBTOTAL	**9**	**10.3**	**77**	**1**	**4**	**9**	**14**	**24**	**28**	**28**	**2**	**13.5**	**61**	**8**	**8**	**13**	**19**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	7.5	85	1	1	7	14	14	14	14	2	4.0	18	1	1	4	7	7	7	7
35-49																				
50-64	1	7.0		7	7	7	7	7	7	7										
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	4	8.5	34	1	4	9	13	14	14	14	2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19	1	20.0		20	20	20	20	20	20	20	1	29.0		29	29	29	29	29	29	29
20-34																				
35-49	3	23.0	687	1	5	16	43	52	52	52	2	15.5	365	2	2	15	29	29	29	29
50-64	4	11.8	26	7	8	10	15	19	19	19										
65 +	7	13.1	67	6	7	9	16	27	29	29										
ALL AGES	15	15.2	152	6	8	12	18	29	46	52	3	20.0	243	2	9	29	29	29	29	29
SUBTOTAL	**19**	**13.8**	**132**	**3**	**7**	**12**	**17**	**25**	**42**	**52**	**5**	**13.6**	**203**	**1**	**2**	**7**	**29**	**29**	**29**	**29**
GRAND TOTAL	**28**	**12.7**	**113**	**1**	**7**	**10**	**16**	**26**	**31**	**52**	**7**	**13.6**	**144**	**1**	**3**	**8**	**26**	**29**	**29**	**29**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	7.5	13	5	5	7	10	10	10	10										
13-19											1	29.0		29	29	29	29	29	29	29
20-34	6	7.3	37	2	3	5	12	16	17	17	1	4.0		4	4	4	4	4	4	4
35-49	4	8.0	129	1	2	3	14	25	25	25	2	2.0		2	2	2	2	2	2	2
50-64	6	6.0	22	1	1	6	9	13	13	13										
65 +	2	29.0	882	8	8	29	50	50	50	50										
ALL AGES	20	9.3	128	1	3	6	11	21	37	50	4	9.3	173	2	2	3	16	29	29	29
B. FEMALE																				
0-12 YRS.											1	7.0		7	7	7	7	7	7	7
13-19	5	11.6	65	4	5	9	17	24	24	24	3	4.7	14	2	2	3	7	9	9	9
20-34	22	5.6	65	1	2	2	7	12	26	36	3	2.7	4	1	1	2	4	5	5	5
35-49	7	7.4	63	1	2	3	14	20	21	21	6	6.5	9	3	5	6	9	11	11	11
50-64	15	10.1	309	1	2	4	9	20	58	71	2	10.0	50	5	5	10	15	15	15	15
65 +	9	15.4	172	4	7	12	21	37	44	44	1	11.0		11	11	11	11	11	11	11
ALL AGES	58	9.0	148	1	2	5	10	21	32	69	16	6.2	15	2	3	5	9	11	14	15
SUBTOTAL	**78**	**9.1**	**141**	**1**	**2**	**5**	**10**	**21**	**32**	**65**	**20**	**6.8**	**41**	**2**	**3**	**5**	**9**	**13**	**22**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	9.0		9	9	9	9	9	9	9
13-19																				
20-34	5	22.2	110	7	14	24	31	33	33	33	1	6.0		6	6	6	6	6	6	6
35-49	6	9.8	109	2	2	4	21	25	25	25	1	6.0		6	6	6	6	6	6	6
50-64	3	5.3	6	4	4	4	7	8	8	8	1	13.0		13	13	13	13	13	13	13
65 +	4	14.8	466	1	2	5	27	47	47	47	2	6.0	32	2	2	6	10	10	10	10
ALL AGES	18	13.6	180	2	4	7	24	32	41	47	6	7.7	14	2	6	8	10	13	13	13
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	4	15.8	136	2	6	16	25	29	29	29										
20-34	25	10.9	111	3	4	8	15	26	33	48	4	11.8	47	4	6	12	17	19	19	19
35-49	20	10.4	51	2	4	9	15	22	23	23	5	17.8	269	6	7	11	25	46	46	46
50-64	21	6.8	24	1	3	5	10	13	17	19	4	17.5	283	6	6	11	28	42	42	42
65 +	10	16.4	92	4	10	17	22	29	36	36	7	7.0	26	2	4	6	11	15	15	15
ALL AGES	80	10.6	78	2	4	8	15	22	27	44	21	12.2	140	3	5	8	15	28	44	46
SUBTOTAL	**98**	**11.2**	**95**	**2**	**4**	**8**	**16**	**24**	**30**	**48**	**27**	**11.2**	**114**	**2**	**6**	**8**	**14**	**19**	**43**	**46**
GRAND TOTAL	**176**	**10.3**	**115**	**2**	**3**	**7**	**15**	**23**	**30**	**49**	**47**	**9.3**	**87**	**2**	**4**	**6**	**11**	**18**	**31**	**46**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	20	3.4	17	1	1	2	4	9	15	16	8	3.1	7	1	1	2	5	7	7	7
13-19	28	8.7	143	1	2	3	10	28	42	42	16	1.6	1	1	1	1	2	3	3	3
20-34	33	3.5	16	1	1	2	4	7	15	18	13	3.2	15	1	1	1	4	10	12	12
35-49	22	7.6	120	1	2	4	7	22	36	47	15	7.3	130	1	1	3	5	31	36	38
50-64	22	7.0	29	2	3	5	10	15	19	21	8	3.3	4	1	1	3	5	6	6	6
65 +	50	7.6	41	2	4	6	8	18	22	30	49	7.9	62	2	2	5	10	19	25	35
ALL AGES	175	6.4	61	1	2	4	7	16	21	42	109	5.6	54	1	1	3	7	13	22	36
B. FEMALE																				
0-12 YRS.	18	6.3	63	1	2	3	7	20	27	29	6	2.8	1	1	3	3	3	4	4	4
13-19	32	8.7	182	1	1	4	9	19	47	61	21	3.5	6	1	2	2	5	7	8	9
20-34	36	3.6	19	1	1	2	3	10	13	20	21	2.3	4	1	1	2	3	5	7	8
35-49	17	7.1	187	1	1	2	7	9	42	59	18	4.8	23	1	1	3	7	12	16	18
50-64	19	4.8	15	1	2	4	7	10	13	15	22	4.9	14	1	2	4	6	11	13	14
65 +	81	8.1	56	2	4	6	10	15	27	35	50	7.7	50	3	4	6	8	16	19	46
ALL AGES	203	6.9	77	1	2	4	8	14	21	54	138	5.2	29	1	2	4	7	11	15	23
SUBTOTAL	**378**	**6.7**	**69**	**1**	**2**	**4**	**7**	**15**	**21**	**46**	**247**	**5.4**	**40**	**1**	**2**	**3**	**7**	**11**	**17**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	18	18.9	187	4	8	14	24	41	46	49	3	3.0		3	3	3	3	3	3	3
13-19	43	7.0	60	1	2	4	10	16	21	42	30	4.2	18	1	1	3	5	10	12	19
20-34	101	6.6	104	1	1	3	8	17	23	57	64	2.8	8	1	1	2	3	6	8	14
35-49	71	4.0	18	1	2	3	5	7	13	26	35	3.6	19	1	1	2	4	9	10	24
50-64	23	4.4	24	1	2	3	5	7	13	25	15	4.4	15	1	1	3	8	11	12	12
65 +	19	15.4	152	3	6	11	21	36	41	42	25	7.3	36	2	3	6	10	12	20	28
ALL AGES	275	7.2	93	1	2	3	8	18	25	42	172	4.0	18	1	1	3	5	10	12	23
B. FEMALE																				
0-12 YRS.	4	6.3	53	1	1	3	11	17	17	17	2	8.0	32	4	4	8	12	12	12	12
13-19	49	7.6	70	1	3	5	10	18	28	39	30	4.5	28	1	1	2	5	11	17	24
20-34	98	6.7	77	1	2	4	7	14	26	48	59	3.5	10	1	1	2	4	8	10	18
35-49	67	7.5	60	1	1	5	11	15	22	38	51	3.4	14	1	1	3	4	6	7	25
50-64	15	6.9	68	1	2	4	8	12	28	34	13	3.7	6	1	2	3	4	8	9	9
65 +	56	11.3	139	2	4	7	15	24	27	72	40	7.2	33	2	4	5	8	15	20	31
ALL AGES	289	7.9	85	1	2	5	10	18	27	39	195	4.4	21	1	2	3	5	9	13	25
SUBTOTAL	**564**	**7.6**	**88**	**1**	**2**	**4**	**9**	**18**	**26**	**42**	**367**	**4.2**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**24**
GRAND TOTAL	**942**	**7.2**	**81**	**1**	**2**	**4**	**8**	**17**	**24**	**42**	**614**	**4.7**	**28**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	22.0		22	22	22	22	22	22	22										
20-34	7	13.0	64	1	5	17	20	20	20	20										
35-49	1	18.0		18	18	18	18	18	18	18										
50-64	4	6.5	6	3	5	7	8	9	9	9										
65 +	2	10.0	50	5	5	10	15	15	15	15	1	2.0		2	2	2	2	2	2	2
ALL AGES	15	11.8	52	3	5	10	19	20	22	22	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
35-49	4	10.5	39	3	6	10	15	18	18	18	2	8.0	98	1	1	7	15	15	15	15
50-64	5	16.4	213	2	3	14	31	33	33	33	1	5.0		5	5	5	5	5	5	5
65 +	4	21.3	14	16	18	22	24	25	25	25										
ALL AGES	14	15.4	102	3	6	15	24	30	32	33	4	5.8	40	1	1	3	10	15	15	15
SUBTOTAL	**29**	**13.5**	**78**	**3**	**6**	**14**	**20**	**25**	**30**	**33**	**5**	**5.0**	**34**	**1**	**1**	**2**	**7**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	19.0		19	19	19	19	19	19	19										
20-34	3	14.3	458	2	2	2	30	39	39	39										
35-49	2	6.0		6	6	6	6	6	6	6	2	3.5	1	3	3	3	4	4	4	4
50-64	3	5.7	10	2	3	7	8	8	8	8										
65 +	1	39.0		39	39	39	39	39	39	39										
ALL AGES	10	13.0	212	2	2	7	19	39	39	39	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5	2	8.0	50	3	3	8	13	13	13	13
35-49	1	7.0		7	7	7	7	7	7	7										
50-64																				
65 +	4	35.8	1059	7	14	27	57	82	82	82	1	8.0		8	8	8	8	8	8	8
ALL AGES	6	25.8	877	5	7	14	33	77	82	82	3	8.0	25	3	4	8	12	13	13	13
SUBTOTAL	**16**	**17.8**	**461**	**2**	**5**	**7**	**27**	**39**	**69**	**82**	**5**	**6.2**	**19**	**3**	**3**	**4**	**9**	**13**	**13**	**13**
GRAND TOTAL	**45**	**15.0**	**212**	**2**	**6**	**10**	**20**	**33**	**39**	**82**	**10**	**5.6**	**24**	**1**	**2**	**4**	**8**	**14**	**15**	**15**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-19	4	13.3	60	2	8	15	18	20	20	20	1	11.0		11	11	11	11	11	11	11
20-34	11	5.7	9	2	4	5	8	10	10	10										
35-49	4	13.8	49	5	8	14	19	22	22	22										
50-64	2	8.5	85	2	2	8	15	15	15	15										
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	22	9.1	38	2	4	8	14	18	21	22	2	8.0	18	5	5	8	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	7	11.9	63	6	6	10	15	26	28	28	1	33.0		33	33	33	33	33	33	33
20-34	13	11.8	46	4	8	10	15	21	27	28	2	19.5	481	4	4	19	35	35	35	35
35-49	14	11.7	42	5	7	11	14	19	27	29	2	3.5	13	1	1	3	6	6	6	6
50-64	5	11.8	36	6	6	12	16	20	20	20										
65 +	4	8.3	25	1	5	9	11	13	13	13	2	20.0	392	6	6	20	34	34	34	34
ALL AGES	43	11.5	41	5	7	10	14	19	28	29	7	17.0	256	2	4	6	34	35	35	35
SUBTOTAL	**65**	**10.7**	**40**	**3**	**6**	**10**	**14**	**19**	**23**	**29**	**9**	**15.0**	**210**	**2**	**5**	**6**	**33**	**35**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	12.8	162	4	5	9	17	35	35	35										
13-19	23	12.6	69	3	6	12	20	25	27	27										
20-34	16	8.8	47	2	4	7	13	21	22	23	1	12.0		12	12	12	12	12	12	12
35-49	14	7.1	18	2	3	7	9	14	15	15	1	2.0		2	2	2	2	2	2	2
50-64	1	26.0		26	26	26	26	26	26	26	2	10.5	85	4	4	10	17	17	17	17
65 +	1	17.0		17	17	17	17	17	17	17	1	7.0		7	7	7	7	7	7	7
ALL AGES	60	10.6	64	2	5	8	15	23	26	34	5	8.4	37	2	3	7	13	17	17	17
B. FEMALE																				
0-12 YRS.	4	35.5	1131	3	6	36	64	66	66	66										
13-19	22	22.2	379	5	10	14	33	44	65	84										
20-34	46	11.0	83	2	4	9	14	28	29	35	3	4.7	4	3	3	4	6	7	7	7
35-49	27	13.0	87	3	7	11	16	30	33	35	3	13.0	127	6	6	7	21	26	26	26
50-64	19	12.9	44	4	8	12	18	21	23	25										
65 +	8	14.0	187	3	7	10	14	37	46	46	2	8.0	32	4	4	8	12	12	12	12
ALL AGES	126	14.7	184	2	7	11	17	32	36	70	8	8.6	58	3	4	6	10	22	26	26
SUBTOTAL	**186**	**13.4**	**147**	**2**	**6**	**10**	**17**	**28**	**35**	**65**	**13**	**8.5**	**46**	**3**	**4**	**7**	**12**	**19**	**25**	**26**
GRAND TOTAL	**251**	**12.7**	**121**	**3**	**6**	**10**	**16**	**27**	**33**	**63**	**22**	**11.2**	**116**	**3**	**4**	**6**	**12**	**33**	**34**	**35**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	38.5	221	28	33	49	87	99+	99+	99+										
13-19	6	14.8	70	5	8	15	18	27	28	28	2	36.5	145	28	28	36	45	45	45	45
20-34	16	8.9	61	1	2	7	13	20	24	26	5	7.8	86	2	3	3	11	24	24	24
35-49	4	11.0	279	1	2	3	20	36	36	36										
50-64																				
65 +																				
ALL AGES	28	12.6	145	1	3	9	19	33	51	99+	7	16.0	277	2	3	7	27	42	45	45
B. FEMALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-19	5	17.6	128	4	11	20	33	93	99+	99+										
20-34	8	14.4	43	7	8	14	20	22	23	23	2	12.5	61	7	7	12	18	18	18	18
35-49	5	11.2	20	7	8	9	16	16	16	16	1	12.0		12	12	12	12	12	12	12
50-64	1	3.0		3	3	3	3	3	3	3										
65 +											1	20.0		20	20	20	20	20	20	20
ALL AGES	20	14.6	69	5	8	16	21	31	63	99+	4	14.3	33	7	9	15	19	20	20	20
SUBTOTAL	**48**	**13.4**	**113**	**2**	**5**	**11**	**20**	**31**	**49**	**99+**	**11**	**15.4**	**176**	**2**	**4**	**12**	**23**	**35**	**44**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-19	6	9.8	76	1	4	6	18	22	23	23										
20-34	24	11.5	314	1	3	6	15	23	46	87	2	6.0	50	1	1	6	11	11	11	11
35-49	11	12.4	33	5	8	12	15	21	22	22	1	11.0		11	11	11	11	11	11	11
50-64																				
65 +																				
ALL AGES	42	12.3	216	2	4	8	16	22	35	87	3	7.7	33	1	3	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	2	16.5	265	5	5	16	28	28	28	28	1	9.0		9	9	9	9	9	9	9
20-34	6	15.3	118	5	6	15	16	33	35	35	1	4.0		4	4	4	4	4	4	4
35-49	9	16.4	455	5	7	8	14	51	72	72	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	2	3.0	8	1	1	3	5	5	5	5										
ALL AGES	19	14.7	266	5	5	8	16	32	55	72	3	5.3	11	3	3	4	8	9	9	9
SUBTOTAL	**61**	**13.0**	**230**	**2**	**5**	**8**	**16**	**25**	**39**	**85**	**6**	**6.5**	**19**	**1**	**3**	**6**	**11**	**11**	**11**	**11**
GRAND TOTAL	**109**	**13.2**	**176**	**2**	**5**	**9**	**18**	**28**	**43**	**99+**	**17**	**12.2**	**137**	**2**	**3**	**9**	**18**	**27**	**39**	**45**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	7.8	104	3	3	3	9	26	26	26										
13-19	8	15.0	45	7	12	16	28	99 +	99 +	99 +	2	18.0	512	2	2	18	34	34	34	34
20-34	13	8.6	64	2	3	5	14	22	25	26										
35-49	8	6.8	32	2	4	6	7	16	20	20	1	4.0		4	4	4	4	4	4	4
50-64	6	10.8	80	4	4	9	11	26	28	28										
65 +	4	12.0	23	5	9	14	15	15	15	15										
ALL AGES	44	10.0	58	3	4	8	15	26	42	99 +	3	13.3	323	2	2	4	26	34	34	34
B. FEMALE																				
0-12 YRS.	4	39.8	868	13	22	32	57	82	82	82	1	4.0		4	4	4	4	4	4	4
13-19	2	26.0	50	21	21	26	31	31	31	31	1	1.0		1	1	1	1	1	1	1
20-34	7	16.3	337	1	3	11	41	85	99 +	99 +										
35-49	3	20.0	37	13	15	23	24	24	24	24	1	9.0		9	9	9	9	9	9	9
50-64	1	14.0		14	14	14	14	14	14	14	1	7.0		7	7	7	7	7	7	7
65 +																				
ALL AGES	17	23.5	394	3	12	22	32	72	93	99 +	4	5.3	12	1	2	5	8	9	9	9
SUBTOTAL	**61**	**13.7**	**186**	**3**	**4**	**11**	**21**	**32**	**87**	**99 +**	**7**	**8.7**	**132**	**1**	**2**	**4**	**8**	**29**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	30.5	265	19	19	30	42	42	42	42	1	2.0		2	2	2	2	2	2	2
13-19	13	11.9	169	1	2	12	22	99 +	99 +	99 +	2	12.5	1	12	12	12	13	13	13	13
20-34	16	11.3	218	1	3	7	11	33	50	57	5	5.0	32	2	2	3	6	15	15	15
35-49	6	7.3	52	1	2	5	14	18	18	18	2	2.0	2	1	1	1	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3										
65 +	5	16.0	124	6	7	14	22	34	34	34										
ALL AGES	43	12.2	173	1	2	8	18	42	68	99 +	10	5.6	29	1	2	3	12	14	15	15
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-19	6	10.0	28	4	7	8	16	17	17	17										
20-34	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-49	4	14.5	153	1	4	16	25	25	25	25	1	2.0		2	2	2	2	2	2	2
50-64																				
65 +	2	7.5	1	7	7	7	8	8	8	8										
ALL AGES	15	10.9	56	4	7	8	17	25	25	25	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**58**	**11.9**	**141**	**1**	**4**	**8**	**18**	**34**	**52**	**99 +**	**12**	**4.9**	**27**	**1**	**2**	**3**	**8**	**14**	**15**	**15**
GRAND TOTAL	**119**	**12.8**	**164**	**2**	**4**	**9**	**18**	**33**	**64**	**99 +**	**19**	**6.3**	**64**	**1**	**2**	**3**	**8**	**14**	**25**	**34**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	2	7.0		7	7	7	7	7	7	7	1	35.0		35	35	35	35	35	35	35
35-49	1	16.0		16	16	16	16	16	16	16										
50-64	2	13.0	8	11	11	13	15	15	15	15										
65 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	7	13.1	90	5	7	11	16	29	32	32	1	35.0		35	35	35	35	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	4	17.8	16	13	14	17	21	23	23	23										
35-49	3	19.0	91	9	12	20	26	28	28	28										
50-64	1	11.0		11	11	11	11	11	11	11										
65 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	9	18.3	45	10	12	19	24	27	28	28										
SUBTOTAL	**16**	**16.1**	**65**	**7**	**10**	**15**	**21**	**28**	**31**	**32**	**1**	**35.0**		**35**	**35**	**35**	**35**	**35**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	13.0		13	13	13	13	13	13	13	1	11.0		11	11	11	11	11	11	11
20-34	7	22.3	453	1	6	10	41	52	54	54	1	41.0		41	41	41	41	41	41	41
35-49	5	11.6	200	2	2	7	17	36	36	36	2	8.0		8	8	8	8	8	8	8
50-64	4	14.0	39	9	10	12	18	23	23	23	1	4.0		4	4	4	4	4	4	4
65 +																				
ALL AGES	17	16.6	254	2	6	11	26	42	50	54	5	14.4	227	4	7	8	18	41	41	41
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-19	1	21.0		21	21	21	21	21	21	21	1	8.0		8	8	8	8	8	8	8
20-34	5	11.0	33	4	6	11	16	18	18	18	2	15.0	200	5	5	15	25	25	25	25
35-49	2	9.0	32	5	5	9	13	13	13	13										
50-64	6	15.7	206	1	6	13	19	40	42	42										
65 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	15	13.5	96	4	6	13	17	21	37	42	4	13.0	78	5	6	11	19	25	25	25
SUBTOTAL	**32**	**15.2**	**175**	**2**	**6**	**11**	**18**	**38**	**44**	**54**	**9**	**13.8**	**143**	**4**	**7**	**8**	**17**	**35**	**41**	**41**
GRAND TOTAL	**48**	**15.5**	**136**	**4**	**7**	**13**	**20**	**33**	**42**	**54**	**10**	**15.9**	**173**	**4**	**8**	**10**	**25**	**38**	**41**	**41**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	14.0	32	10	10	14	18	18	18	18	5	6.6	27	1	2	5	11	13	13	13
13-19																				
20-34	5	4.8	3	2	4	5	6	7	7	7	3	1.7		1	1	2	2	2	2	2
35-49	5	8.4	162	1	2	3	11	31	31	31	4	6.5	17	1	4	7	9	11	11	11
50-64																				
65 +											2	2.0		2	2	2	2	2	2	2
ALL AGES	12	7.8	75	2	3	5	8	22	30	31	14	4.9	17	1	2	3	7	11	13	13
B. FEMALE																				
0-12 YRS.	5	15.6	420	3	4	4	25	51	51	51	6	9.7	115	1	2	7	11	28	30	30
13-19	1	9.0		9	9	9	9	9	9	9	1	31.0		31	31	31	31	31	31	31
20-34	5	5.6	28	1	1	6	8	14	14	14	2	4.5	13	2	2	4	7	7	7	7
35-49	5	9.4	42	2	5	7	15	18	18	18	1	3.0		3	3	3	3	3	3	3
50-64	2	11.5	145	3	3	11	20	20	20	20	2	3.5	13	1	1	3	6	6	6	6
65 +	2	25.5	313	13	13	25	38	38	38	38										
ALL AGES	20	11.8	163	2	3	7	15	29	44	51	12	9.0	112	1	2	5	10	30	31	31
SUBTOTAL	**32**	**10.3**	**130**	**2**	**3**	**6**	**14**	**23**	**37**	**51**	**26**	**6.8**	**62**	**1**	**2**	**4**	**10**	**13**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	2	5.0	18	2	2	5	8	8	8	8										
35-49	2	2.5	1	2	2	2	3	3	3	3	1	13.0		13	13	13	13	13	13	13
50-64											1	14.0		14	14	14	14	14	14	14
65 +																				
ALL AGES	5	3.8	6	2	2	3	5	8	8	8	2	13.5	1	13	13	13	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19	2	3.5	5	2	2	3	5	5	5	5	1	3.0		3	3	3	3	3	3	3
20-34	15	5.0	9	1	2	6	7	9	10	10	1	6.0		6	6	6	6	6	6	6
35-49	6	9.5	47	2	6	8	11	21	22	22	4	7.5	34	2	3	6	12	15	15	15
50-64	2	4.0	18	1	1	3	7	7	7	7	2	9.5	1	9	9	9	10	10	10	10
65 +	2	6.5	41	2	2	6	11	11	11	11	3	6.7	14	4	4	5	9	11	11	11
ALL AGES	27	5.9	21	1	2	6	8	11	13	22	11	7.1	16	3	4	6	10	13	15	15
SUBTOTAL	**32**	**5.6**	**18**	**1**	**2**	**5**	**8**	**10**	**11**	**22**	**13**	**8.1**	**19**	**3**	**4**	**9**	**11**	**14**	**15**	**15**
GRAND TOTAL	**64**	**8.0**	**78**	**2**	**2**	**6**	**9**	**18**	**25**	**49**	**39**	**7.2**	**48**	**1**	**2**	**5**	**11**	**14**	**23**	**31**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	4.0	12	1	2	3	6	9	9	9										
35-49	2	7.5	61	2	2	7	13	13	13	13										
50-64	1	28.0		28	28	28	28	28	28	28										
65 +																				
ALL AGES	7	8.4	94	1	2	3	12	25	28	28										
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	4	14.5	73	6	7	14	22	24	24	24										
35-49	4	10.5	158	1	3	6	18	29	29	29										
50-64	4	21.3	143	7	11	22	31	34	34	34										
65 +	2	7.0	50	2	2	7	12	12	12	12										
ALL AGES	16	13.3	109	2	6	8	22	29	32	34										
SUBTOTAL	**23**	**11.8**	**106**	**2**	**4**	**7**	**19**	**28**	**31**	**34**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	12	7.6	30	2	3	7	11	16	18	18	2	1.5	1	1	1	1	2	2	2	2
35-49	5	7.0	16	2	4	6	10	12	12	12										
50-64	4	13.3	120	1	4	14	22	24	24	24										
65 +																				
ALL AGES	22	8.4	41	2	3	7	12	19	22	24	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	12	8.8	77	2	3	6	10	20	32	34										
35-49	7	12.6	26	6	8	14	16	19	20	20										
50-64	6	9.8	75	3	3	6	15	24	25	25										
65 +	2	9.0	8	7	7	9	11	11	11	11	1	3.0		3	3	3	3	3	3	3
ALL AGES	28	9.7	57	2	4	7	14	19	26	34	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**50**	**9.1**	**50**	**2**	**4**	**7**	**12**	**19**	**24**	**34**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**73**	**10.0**	**67**	**2**	**4**	**7**	**14**	**24**	**28**	**34**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	4.5	14	2	2	3	7	10	10	10	2	4.0	18	1	1	4	7	7	7	7
20-34	13	5.8	80	1	2	3	5	13	31	35	5	2.0	1	1	1	2	3	3	3	3
35-49	4	18.5	731	3	4	6	33	59	59	59	1	10.0		10	10	10	10	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4										
65 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	23	7.8	172	2	2	4	7	15	43	59	8	3.5	11	1	1	2	5	9	10	10
B. FEMALE																				
0-12 YRS.																				
13-19	2	4.5	13	2	2	4	7	7	7	7	1	7.0		7	7	7	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1	2	3.5	5	2	2	3	5	5	5	5
35-49																				
50-64																				
65 +																				
ALL AGES	3	3.3	11	1	1	2	6	7	7	7	3	4.7	6	2	3	5	6	7	7	7
SUBTOTAL	**26**	**7.3**	**154**	**2**	**2**	**3**	**7**	**10**	**40**	**59**	**11**	**3.8**	**9**	**1**	**1**	**3**	**6**	**8**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	19	7.1	82	2	3	4	8	12	29	42	5	6.2	89	1	1	3	8	23	23	23
20-34	46	6.5	58	1	2	4	9	15	19	43	8	6.1	68	1	1	2	9	21	23	23
35-49	11	6.5	51	1	2	4	7	18	24	25	2	12.0	128	4	4	12	20	20	20	20
50-64																				
65 +																				
ALL AGES	76	6.6	62	1	2	4	8	14	20	43	15	6.9	73	1	1	3	12	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-19	2	2.0	2	1	1	2	3	3	3	3										
20-34	13	3.4	4	1	2	3	4	7	8	8	1	3.0		3	3	3	3	3	3	3
35-49	3	22.7	1047	2	3	6	46	60	60	60										
50-64																				
65 +																				
ALL AGES	18	6.4	183	1	2	3	4	8	39	60	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**94**	**6.6**	**83**	**1**	**2**	**4**	**8**	**14**	**21**	**53**	**16**	**6.7**	**69**	**1**	**1**	**3**	**9**	**22**	**23**	**23**
GRAND TOTAL	**120**	**6.8**	**97**	**1**	**2**	**4**	**7**	**14**	**23**	**59**	**27**	**5.5**	**46**	**1**	**1**	**3**	**6**	**19**	**23**	**23**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	28.0		28	28	28	28	28	28	28
13-19	22	12.5	197	2	4	6	22	27	40	59	5	3.4	1	2	3	3	4	5	5	5
20-34	54	7.1	71	1	2	4	8	17	25	48	17	5.5	53	1	1	3	7	11	24	31
35-49	17	8.9	56	2	4	7	13	20	26	29	5	13.6	80	3	5	15	21	24	24	24
50-64	8	11.0	63	2	6	10	14	24	27	27										
65 +	3	9.3	5	7	8	10	11	11	11	11	1	6.0		6	6	53	99 +	99 +	99 +	99 +
ALL AGES	104	8.9	94	1	3	6	10	22	27	54	29	7.3	69	1	3	4	9	26	31	99 +
B. FEMALE																				
0-12 YRS.																				
13-19	34	11.1	119	2	4	6	17	29	34	40	6	5.3	27	1	3	3	7	14	15	15
20-34	190	9.5	107	1	3	6	12	22	33	50	20	6.3	33	1	2	4	9	15	19	22
35-49	126	8.9	73	1	3	6	11	24	26	41	12	8.3	77	1	1	3	15	20	27	28
50-64	14	9.6	50	3	5	6	18	19	22	23	2	4.0	2	3	3	4	5	5	5	5
65 +	7	13.9	242	1	2	12	19	40	45	45	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	371	9.6	95	1	3	6	12	23	30	47	42	6.5	42	1	2	4	9	15	18	28
SUBTOTAL	**475**	**9.4**	**96**	**1**	**3**	**6**	**12**	**23**	**28**	**48**	**71**	**6.8**	**53**	**1**	**2**	**4**	**9**	**17**	**27**	**85**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	42.4	423	7	33	53	54	57	57	57										
13-19	33	11.5	111	2	5	7	15	24	37	46	7	5.6	10	1	3	7	8	9	9	9
20-34	119	10.0	86	1	3	6	15	23	31	38	23	6.7	187	1	2	3	6	10	31	68
35-49	50	9.0	99	1	2	5	12	27	34	36	12	5.8	14	2	3	5	8	12	13	13
50-64	4	9.5	66	1	3	8	15	20	20	20	1	3.0		3	3	3	3	3	3	3
65 +	3	15.3	114	4	7	17	23	25	25	25										
ALL AGES	214	10.9	120	1	3	7	15	25	36	53	43	6.2	103	1	3	4	7	10	12	68
B. FEMALE																				
0-12 YRS.	2	55.5	145	47	55	82	99 +	99 +	99 +	99 +	4	27.3	71	18	20	27	34	36	36	36
13-19	79	16.9	320	2	4	11	27	35	59	83	12	13.8	97	3	5	12	21	27	32	33
20-34	338	10.6	116	2	3	7	14	24	33	72	33	11.5	223	1	2	7	13	24	52	68
35-49	137	9.6	67	2	4	7	13	20	25	48	10	9.0	177	1	2	3	9	31	44	44
50-64	13	9.0	51	2	4	7	12	18	26	28										
65 +	7	18.6	136	3	10	20	28	34	35	35										
ALL AGES	576	11.4	144	2	4	7	15	27	35	86	59	12.6	191	1	3	8	18	33	40	67
SUBTOTAL	**790**	**11.3**	**137**	**2**	**3**	**7**	**15**	**27**	**35**	**72**	**102**	**9.9**	**163**	**1**	**3**	**5**	**12**	**22**	**34**	**68**
GRAND TOTAL	**1265**	**10.6**	**122**	**2**	**3**	**7**	**14**	**25**	**33**	**60**	**173**	**8.7**	**118**	**1**	**3**	**5**	**11**	**22**	**32**	**68**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19	12	5.3	60	1	1	3	6	15	26	28	1	13.0		13	13	13	13	13	13	13
20-34	26	6.2	49	1	2	5	7	10	20	36	4	2.5	1	1	2	3	3	3	3	3
35-49	12	6.9	41	1	2	4	12	16	20	21	1	13.0		13	13	13	13	13	13	13
50-64	6	9.8	191	1	1	5	10	34	37	37										
65 +	5	18.8	281	4	4	14	33	42	42	42	1	43.0		43	43	43	43	43	43	43
ALL AGES	61	7.6	86	1	2	5	9	18	33	41	8	10.1	200	1	2	3	13	34	43	43
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-19	11	5.3	21	1	2	3	7	13	14	14	2	7.5	25	4	4	7	11	11	11	11
20-34	33	8.4	127	2	3	4	9	22	33	56	8	7.8	55	2	3	5	11	21	23	23
35-49	13	6.8	27	3	4	5	7	15	20	21	7	14.3	376	2	2	6	19	49	55	55
50-64	6	7.2	54	1	2	5	9	20	21	21	1	16.0		16	16	16	16	16	16	16
65 +	7	15.3	50	8	9	12	20	26	27	27										
ALL AGES	71	8.2	81	2	3	5	9	21	22	52	18	10.7	170	2	3	6	15	23	42	55
SUBTOTAL	**132**	**7.9**	**83**	**1**	**2**	**5**	**9**	**21**	**28**	**45**	**26**	**10.5**	**172**	**2**	**3**	**5**	**13**	**23**	**45**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	60.8	7	59	60	61	62	62	62	62										
13-19	8	10.6	50	4	5	8	17	21	22	22	1	14.0		14	14	14	14	14	14	14
20-34	42	6.3	128	1	1	3	6	14	20	70	10	8.0	76	1	1	5	12	22	26	26
35-49	12	7.0	49	1	2	4	9	19	23	24	2	6.0		6	6	6	6	6	6	6
50-64	5	7.6	76	2	3	4	10	23	23	23										
65 +	2	24.0	968	2	2	24	46	46	46	46										
ALL AGES	73	10.5	260	1	2	4	10	24	60	68	13	8.2	60	1	2	6	12	20	25	26
B. FEMALE																				
0-12 YRS.																				
13-19	8	11.4	137	3	5	7	13	32	38	38	5	16.0	97	9	10	10	22	32	32	32
20-34	43	8.0	51	2	2	6	13	19	21	29	7	14.6	316	2	3	8	18	46	52	52
35-49	16	10.1	114	2	4	6	10	29	36	39	7	7.4	18	3	5	7	9	14	15	15
50-64	6	12.7	81	5	6	10	15	28	29	29										
65 +	4	37.3	699	15	18	30	56	74	74	74	3	8.3	18	5	5	7	11	13	13	13
ALL AGES	77	10.7	138	2	3	6	14	22	35	65	22	11.8	130	2	5	9	14	24	40	52
SUBTOTAL	**150**	**10.6**	**196**	**1**	**2**	**5**	**13**	**23**	**39**	**70**	**35**	**10.4**	**106**	**2**	**4**	**8**	**14**	**20**	**30**	**52**
GRAND TOTAL	**282**	**9.3**	**145**	**1**	**2**	**5**	**10**	**21**	**35**	**62**	**61**	**10.5**	**130**	**2**	**3**	**7**	**13**	**23**	**37**	**55**

HOMOSEXUALITY (302.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64	1	16.0		16	16	16	16	16	16	16										
65 +																				
ALL AGES	2	9.0	98	2	2	9	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**9.0**	**98**	**2**	**2**	**9**	**16**	**16**	**16**	**16**										
GRAND TOTAL	**2**	**9.0**	**98**	**2**	**2**	**9**	**16**	**16**	**16**	**16**										

ZOOPHILIA (302.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	14.0		14	14	14	14	14	14	14
13-19																				
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	8.0		8	8	8	8	8	8	8	1	14.0		14	14	14	14	14	14	14
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	8.0		8	8	8	8	8	8	8	1	14.0		14	14	14	14	14	14	14

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-19	2	11.5	61	6	6	11	17	17	17	17										
20-34	3	16.0	19	11	13	18	19	19	19	19	2	10.5	5	9	9	10	12	12	12	12
35-49	2	16.5	25	13	13	16	20	20	20	20										
50-64	2	17.5	5	16	16	17	19	19	19	19										
65 +																				
ALL AGES	10	15.0	21	8	11	16	19	20	20	20	2	10.5	5	9	9	10	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	10	15.0	21	8	11	16	19	20	20	20	2	10.5	5	9	9	10	12	12	12	12
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	7	12.6	49	4	9	11	16	24	25	25	1	4.0		4	4	4	4	4	4	4
20-34	23	19.5	239	10	14	17	20	26	49	86										
35-49	16	14.3	55	7	8	14	20	24	26	27	1	5.0		5	5	5	5	5	5	5
50-64	5	22.2	100	14	15	17	30	37	37	37										
65 +	4	10.3	26	4	6	11	14	15	15	15										
ALL AGES	55	16.7	139	7	10	16	20	25	29	84	2	4.5	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	55	16.7	139	7	10	16	20	25	29	84	2	4.5	1	4	4	4	5	5	5	5
GRAND TOTAL	65	16.4	122	7	10	16	19	25	28	79	4	7.5	14	4	4	7	10	12	12	12

TRANSVESTISM (302.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	13.0	50	8	8	13	18	18	18	18										
35-49																				
50-64																				
65 +																				
ALL AGES	2	13.0	50	8	8	13	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**13.0**	**50**	**8**	**8**	**13**	**18**	**18**	**18**	**18**										
GRAND TOTAL	**2**	**13.0**	**50**	**8**	**8**	**13**	**18**	**18**	**18**	**18**										

EXHIBITIONISM (302.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	15.0		15	15	15	15	15	15	15										
35-49																				
50-64																				
65 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	5.0		5	5	5	5	5	5	5
20-34	2	17.5	13	15	15	17	20	20	20	20										
35-49	8	16.4	85	4	11	16	19	30	34	34	1	14.0		14	14	14	14	14	14	14
50-64																				
65 +																				
ALL AGES	10	16.6	68	5	15	16	20	27	34	34	2	9.5	41	5	5	9	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**10**	**16.6**	**68**	**5**	**15**	**16**	**20**	**27**	**34**	**34**	**2**	**9.5**	**41**	**5**	**5**	**9**	**14**	**14**	**14**	**14**
GRAND TOTAL	**11**	**16.5**	**60**	**5**	**15**	**16**	**20**	**26**	**33**	**34**	**2**	**9.5**	**41**	**5**	**5**	**9**	**14**	**14**	**14**	**14**

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	12.7	51	8	8	9	18	21	21	21	46	8.3	54	1	3	6	12	16	21	37
35-49	3	13.7	101	2	6	19	20	20	20	20	21	9.3	45	1	1	9	16	18	19	20
50-64											5	8.6	38	4	4	8	11	19	19	19
65 +																				
ALL AGES	6	13.2	61	3	8	14	20	21	21	21	72	8.6	50	1	3	8	13	18	19	35
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	11.0	4	9	9	11	12	13	13	13	71	8.5	5	7	9	9	9	9	9	15
35-49	10	10.8	47	3	5	9	18	19	20	20	95	8.7	21	4	9	9	9	9	10	33
50-64											21	7.7	8	2	8	9	9	10	10	10
65 +																				
ALL AGES	13	10.8	37	4	6	10	16	19	20	20	187	8.5	14	4	9	9	9	9	10	18
SUBTOTAL	**19**	**11.6**	**42**	**3**	**7**	**10**	**19**	**20**	**21**	**21**	**259**	**8.5**	**24**	**2**	**9**	**9**	**9**	**12**	**16**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	17.0		17	17	17	17	17	17	17										
20-34											1	20.0		20	20	20	20	20	20	20
35-49	1	14.0		14	14	14	14	14	14	14										
50-64																				
65 +																				
ALL AGES	2	15.5	5	14	14	15	17	17	17	17	1	20.0		20	20	20	20	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	7.0		7	7	7	7	7	7	7
35-49	1	15.0		15	15	15	15	15	15	15										
50-64	1	14.0		14	14	14	14	14	14	14										
65 +																				
ALL AGES	2	14.5	1	14	14	14	15	15	15	15	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**4**	**15.0**	**2**	**14**	**14**	**15**	**16**	**17**	**17**	**17**	**2**	**13.5**	**85**	**7**	**7**	**13**	**20**	**20**	**20**	**20**
GRAND TOTAL	**23**	**12.2**	**36**	**4**	**7**	**13**	**18**	**20**	**21**	**21**	**261**	**8.6**	**23**	**2**	**8**	**9**	**9**	**12**	**16**	**27**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-19	1	30.0		30	30	30	30	30	30	30										
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	3	17.0	217	1	6	20	27	30	30	30										
SUBTOTAL	**4**	**13.3**	**199**	**1**	**1**	**11**	**25**	**30**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	8.0		8	8	8	8	8	8	8										
50-64																				
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	2	5.0	18	2	2	5	8	8	8	8										
B. FEMALE																				
0-12 YRS.											1	17.0		17	17	17	17	17	17	17
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	17.0		17	17	17	17	17	17	17
SUBTOTAL	**2**	**5.0**	**18**	**2**	**2**	**5**	**8**	**8**	**8**	**8**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**6**	**10.5**	**142**	**1**	**2**	**5**	**20**	**29**	**30**	**30**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	15.0		15	15	15	15	15	15	15										
35-49	7	3.3	3	2	2	3	4	6	7	7	6	2.3	1	1	2	2	3	3	3	3
50-64	18	2.1	1	1	1	2	3	4	4	4	16	2.1	2	1	1	2	3	4	5	6
65 +	7	2.6	1	1	2	2	4	4	4	4	5	1.8	1	1	1	2	2	3	3	3
ALL AGES	33	2.8	7	1	2	2	3	4	7	15	27	2.1	1	1	1	2	3	3	4	6
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**33**	**2.8**	**7**	**1**	**2**	**2**	**3**	**4**	**7**	**15**	**27**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	19.0	50	14	14	19	24	24	24	24										
20-34	1	25.0		25	25	25	25	25	25	25										
35-49	1	4.0		4	4	4	4	4	4	4										
50-64											1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	5	13.6	122	1	3	14	24	25	25	25	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**5**	**13.6**	**122**	**1**	**3**	**14**	**24**	**25**	**25**	**25**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**38**	**4.2**	**33**	**1**	**2**	**2**	**4**	**12**	**20**	**25**	**28**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	9.5	85	3	3	9	16	16	16	16										
35-49																				
50-64																				
65 +																				
ALL AGES	2	9.5	85	3	3	9	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4										
35-49	1	8.0		8	8	8	8	8	8	8	1	16.0		16	16	16	16	16	16	16
50-64	1	16.0		16	16	16	16	16	16	16										
65 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	4	10.3	27	4	6	10	14	16	16	16	2	9.5	85	3	3	9	16	16	16	16
SUBTOTAL	**6**	**10.0**	**34**	**3**	**4**	**10**	**16**	**16**	**16**	**16**	**2**	**9.5**	**85**	**3**	**3**	**9**	**16**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21	1	3.0		3	3	3	3	3	3	3
20-34	6	12.8	45	3	6	16	17	19	19	19	1	4.0		4	4	4	4	4	4	4
35-49	5	15.0	41	7	9	16	20	22	22	22	1	20.0		20	20	20	20	20	20	20
50-64	1	8.0		8	8	8	8	8	8	8										
65 +																				
ALL AGES	13	13.9	41	5	8	16	19	21	22	22	3	9.0	91	3	3	4	16	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	25.0		25	25	25	25	25	25	25										
50-64																				
65 +																				
ALL AGES	1	25.0		25	25	25	25	25	25	25										
SUBTOTAL	**14**	**14.7**	**46**	**6**	**8**	**16**	**20**	**22**	**24**	**25**	**3**	**9.0**	**91**	**3**	**3**	**4**	**16**	**20**	**20**	**20**
GRAND TOTAL	**20**	**13.3**	**45**	**4**	**7**	**16**	**18**	**21**	**23**	**25**	**5**	**9.2**	**67**	**3**	**3**	**4**	**17**	**20**	**20**	**20**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	19.0		19	19	19	19	19	19	19										
35-49																				
50-64																				
65 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
B. FEMALE																				
0-12 YRS.	1	82.0		82	82	82	82	82	82	82										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	82.0		82	82	82	82	82	82	82										
SUBTOTAL	**2**	**50.5**	**1985**	**19**	**19**	**50**	**82**	**82**	**82**	**82**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	20.0		20	20	20	20	20	20	20										
20-34	6	15.0	37	5	10	18	19	20	20	20										
35-49	4	15.3	177	1	5	14	25	32	32	32										
50-64	1	25.0		25	25	25	25	25	25	25										
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	13	15.7	74	4	9	19	20	26	31	32										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**13**	**15.7**	**74**	**4**	**9**	**19**	**20**	**26**	**31**	**32**										
GRAND TOTAL	**15**	**20.3**	**357**	**5**	**9**	**19**	**20**	**32**	**69**	**82**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	2	11.5	221	1	1	11	22	22	22	22
13-19	44	4.8	49	1	1	1	4	20	21	24	22	2.8	32	1	1	1	2	3	14	28
20-34	493	4.3	27	1	1	3	4	11	19	21	176	4.0	26	1	1	3	4	7	19	26
35-49	789	4.9	34	1	2	3	4	14	20	29	276	3.8	18	1	2	3	4	7	10	27
50-64	375	5.4	35	1	2	3	6	14	21	29	161	5.0	26	1	2	3	6	10	16	27
65 +	142	6.2	41	1	2	4	7	15	21	31	82	5.5	43	1	2	3	6	15	20	32
ALL AGES	1845	4.9	34	1	2	3	5	14	20	28	719	4.3	26	1	2	3	5	8	16	28
B. FEMALE																				
0-12 YRS.																				
13-19	17	3.9	25	1	1	2	4	9	17	21	11	1.4	1	1	1	1	1	3	4	4
20-34	165	5.1	41	1	1	3	5	14	21	32	64	3.0	18	1	1	2	3	4	11	22
35-49	188	5.5	49	1	2	3	5	13	21	32	96	5.3	41	1	2	3	5	11	25	28
50-64	93	5.9	47	2	3	3	6	13	21	37	44	4.5	22	1	2	3	5	9	15	24
65 +	44	7.7	74	1	3	4	11	18	24	40	27	3.9	11	2	2	3	5	7	10	18
ALL AGES	507	5.6	47	1	2	3	5	14	21	33	242	4.2	28	1	1	3	4	8	19	27
SUBTOTAL	**2352**	**5.1**	**36**	**1**	**2**	**3**	**5**	**14**	**21**	**30**	**961**	**4.3**	**26**	**1**	**2**	**3**	**4**	**8**	**17**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	62	7.5	82	1	1	4	13	21	29	40	34	10.6	139	1	1	5	21	29	34	36
20-34	1027	6.4	56	1	2	3	7	20	21	30	639	7.4	66	2	3	4	8	23	28	29
35-49	1185	6.6	51	2	3	4	7	17	22	32	929	7.0	58	2	3	4	7	21	28	29
50-64	525	6.9	45	2	3	4	8	18	21	29	371	7.3	64	2	3	4	7	21	28	29
65 +	162	8.1	67	2	3	5	10	18	27	42	157	9.1	81	2	3	6	11	28	28	34
ALL AGES	2962	6.7	53	1	2	4	7	19	22	31	2130	7.4	64	2	3	4	7	22	28	29
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	42	6.5	100	1	1	2	6	22	33	41	20	9.1	119	1	2	4	16	28	29	30
20-34	383	6.9	55	1	2	4	8	20	24	32	224	7.8	82	1	2	4	8	25	28	35
35-49	397	6.4	52	1	2	4	7	17	23	33	252	7.6	69	2	2	4	9	21	28	34
50-64	142	6.1	40	1	2	4	7	14	21	29	128	6.8	53	1	3	4	7	21	25	28
65 +	96	9.8	77	2	3	7	15	26	30	33	75	9.0	71	2	3	6	13	26	28	33
ALL AGES	1061	6.9	56	1	2	4	8	19	24	33	699	7.7	72	1	2	4	9	23	28	32
SUBTOTAL	**4023**	**6.7**	**54**	**1**	**2**	**4**	**8**	**19**	**22**	**31**	**2829**	**7.5**	**66**	**2**	**3**	**4**	**8**	**22**	**28**	**30**
GRAND TOTAL	**6375**	**6.1**	**48**	**1**	**2**	**3**	**7**	**17**	**21**	**31**	**3790**	**6.7**	**57**	**1**	**2**	**4**	**7**	**21**	**28**	**29**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-19	208	22.7	205	3	13	21	31	41	45	62	83	21.1	151	2	14	25	29	35	40	49
20-34	1672	12.6	95	2	4	10	21	28	28	35	926	13.2	104	2	4	11	21	28	29	32
35-49	2121	11.4	91	2	4	7	19	27	28	34	1206	11.7	90	2	4	7	21	28	28	32
50-64	1003	12.7	92	3	4	10	21	28	28	34	564	11.4	86	2	4	7	20	28	28	32
65 +	337	12.9	80	3	5	11	20	27	29	31	225	12.7	80	3	5	11	20	28	29	31
ALL AGES	5343	12.6	99	3	4	9	21	28	29	37	3004	12.4	98	2	4	8	21	28	29	33
B. FEMALE																				
0-12 YRS.	2	24.0	32	20	20	24	28	28	28	28										
13-19	131	24.3	233	3	13	27	35	42	44	70	41	19.8	129	3	10	22	28	34	37	42
20-34	607	12.3	91	2	4	10	21	28	28	32	346	11.6	85	2	4	9	19	28	28	31
35-49	594	12.5	86	3	4	10	21	28	28	35	349	10.5	78	2	3	7	16	26	28	31
50-64	308	12.6	86	3	4	10	21	27	28	31	163	13.3	107	2	4	9	22	28	30	35
65 +	135	13.5	88	3	4	13	21	28	29	35	96	14.0	89	3	5	14	22	28	28	31
ALL AGES	1777	13.4	108	3	4	11	21	28	30	42	995	12.1	91	2	4	9	21	28	29	33
SUBTOTAL	**7120**	**12.8**	**102**	**3**	**4**	**10**	**21**	**28**	**29**	**38**	**3999**	**12.4**	**94**	**2**	**4**	**8**	**21**	**28**	**29**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	15.1	196	3	4	14	34	80	99 +	99 +	5	22.6	371	3	4	22	42	42	42	42
13-19	777	26.0	211	5	15	28	35	42	50	80	289	23.0	163	4	13	26	32	41	42	47
20-34	3796	13.2	101	3	4	11	21	28	29	36	2001	12.0	90	3	4	7	21	28	28	32
35-49	3276	11.3	83	3	4	7	18	27	28	33	1785	10.1	75	3	4	5	15	25	28	32
50-64	1013	11.7	82	3	5	8	18	27	28	33	524	11.1	76	3	4	7	17	26	28	32
65 +	352	13.6	89	4	5	11	21	28	29	41	153	11.8	65	3	5	9	16	25	28	30
ALL AGES	9221	13.5	116	3	4	10	21	28	31	43	4757	11.8	97	3	4	7	21	28	29	39
B. FEMALE																				
0-12 YRS.	2	39.0	18	36	36	39	42	42	42	42	1	9.0		9	9	9	9	9	9	9
13-19	436	26.9	215	7	16	28	36	45	57	99 +	149	24.7	156	7	14	26	31	42	43	58
20-34	1508	12.7	95	3	4	10	21	28	29	35	789	11.7	82	3	4	9	20	25	28	36
35-49	989	12.1	85	3	4	9	20	27	28	32	497	10.5	76	3	4	6	14	27	29	32
50-64	366	12.6	93	3	5	10	20	28	30	36	179	11.3	88	2	4	7	18	28	29	32
65 +	186	14.4	92	4	7	11	21	28	31	41	77	13.7	109	3	5	10	21	28	30	49
ALL AGES	3487	14.4	130	3	5	12	22	29	35	50	1692	12.5	104	3	4	9	21	28	30	42
SUBTOTAL	**12708**	**13.7**	**121**	**3**	**4**	**11**	**21**	**28**	**32**	**45**	**6449**	**12.0**	**99**	**3**	**4**	**7**	**21**	**28**	**29**	**41**
GRAND TOTAL	**19828**	**13.4**	**114**	**3**	**4**	**10**	**21**	**28**	**30**	**43**	**10448**	**12.2**	**96**	**3**	**4**	**7**	**21**	**28**	**29**	**37**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	30	3.7		3	3	4	4	4	5	5	2	5.5	5	4	4	5	7	7	7	7
20-34	132	6.1	43	2	3	4	5	17	22	29	54	6.7	52	2	3	4	5	21	23	28
35-49	125	8.5	68	3	3	5	12	20	24	45	69	7.8	51	2	4	5	10	19	28	29
50-64	12	11.0	79	3	4	8	14	27	30	31	7	13.9	194	1	3	10	28	34	34	34
65 +	5	7.8	55	4	4	4	10	21	21	21	5	8.2	15	4	5	7	11	14	14	14
ALL AGES	304	7.1	53	3	3	4	7	18	23	33	137	7.7	57	2	3	5	9	21	27	33
B. FEMALE																				
0-12 YRS.																				
13-19	14	4.6	4	3	4	4	4	9	9	9	3	2.3	2	1	1	3	3	3	3	3
20-34	161	5.8	32	2	3	4	5	12	19	28	72	5.8	24	2	3	4	7	11	14	28
35-49	61	8.2	55	3	4	5	10	20	22	37	41	6.6	45	1	3	5	7	13	24	33
50-64	12	14.3	82	3	5	16	20	27	28	28	5	10.4	190	3	4	5	13	35	35	35
65 +	8	13.9	61	4	9	13	18	26	28	28	1	28.0		28	28	28	28	28	28	28
ALL AGES	256	7.0	43	3	4	4	8	17	22	31	122	6.4	40	2	3	5	7	12	23	34
SUBTOTAL	**560**	**7.0**	**49**	**3**	**3**	**4**	**7**	**18**	**22**	**31**	**259**	**7.0**	**50**	**2**	**3**	**5**	**7**	**15**	**27**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	9	3.9	3	1	3	4	5	7	7	7	7	14.0	167	3	4	5	27	31	32	32
20-34	291	8.4	55	2	4	5	13	21	24	33	203	8.2	54	3	4	5	8	21	27	30
35-49	386	8.5	50	3	4	5	12	21	22	30	266	8.5	53	3	4	6	10	21	27	30
50-64	40	9.5	52	3	4	7	15	21	23	28	24	10.2	80	3	4	5	17	26	27	28
65 +	7	12.4	66	5	8	10	14	26	29	29	1	7.0		7	7	7	7	7	7	7
ALL AGES	733	8.5	52	3	4	5	12	21	23	30	501	8.5	57	3	4	5	10	21	28	30
B. FEMALE																				
0-12 YRS.																				
13-19	3	4.3	9	1	2	6	6	6	6	6	3	7.7	80	2	2	3	14	18	18	18
20-34	305	8.5	60	2	4	5	10	21	27	34	219	9.2	80	3	4	5	10	27	28	41
35-49	171	10.5	68	3	5	7	14	22	28	32	105	9.6	64	3	4	6	10	25	28	30
50-64	31	13.6	81	3	5	13	20	28	30	30	15	9.5	62	1	4	7	14	24	26	27
65 +	14	14.2	52	6	9	14	18	24	27	28	6	9.2	89	3	3	6	8	26	28	28
ALL AGES	524	9.6	65	3	4	6	14	22	28	32	348	9.3	74	3	4	6	10	27	28	40
SUBTOTAL	**1257**	**8.9**	**59**	**3**	**4**	**6**	**13**	**21**	**26**	**31**	**849**	**8.9**	**63**	**3**	**4**	**6**	**10**	**22**	**28**	**32**
GRAND TOTAL	**1817**	**8.3**	**57**	**3**	**4**	**5**	**11**	**21**	**25**	**31**	**1108**	**8.4**	**61**	**3**	**4**	**5**	**10**	**21**	**28**	**32**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	17	9.2	101	2	3	4	13	27	31	33	6	12.7	65	5	5	12	21	21	21	21
35-49	31	6.0	38	3	4	4	5	15	18	32	3	9.0	31	3	5	10	13	14	14	14
50-64	4	5.3	2	4	4	5	6	7	7	7	2	21.0	18	18	18	21	24	24	24	24
65 +	5	15.0	119	1	5	19	24	25	25	25	3	11.3	22	6	8	14	14	14	14	14
ALL AGES	57	7.7	65	2	4	4	6	23	27	33	14	12.8	49	5	6	14	18	22	23	24
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	48	8.4	49	3	4	5	11	20	22	32	20	9.0	35	4	5	8	10	15	22	28
35-49	37	7.4	62	2	3	4	10	22	25	35	10	10.3	57	4	5	7	11	24	24	24
50-64	10	11.9	90	3	4	9	14	27	33	33	7	14.3	69	3	11	14	16	27	29	29
65 +	7	15.3	115	2	5	14	25	29	29	29										
ALL AGES	102	8.8	65	2	4	4	12	21	28	34	37	10.4	47	4	5	9	14	22	27	29
SUBTOTAL	**159**	**8.4**	**65**	**2**	**4**	**4**	**12**	**22**	**27**	**33**	**51**	**11.0**	**49**	**4**	**5**	**10**	**15**	**22**	**24**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	13.0	175	3	4	8	23	28	28	28	2	15.5	265	4	4	15	27	27	27	27
20-34	47	13.2	82	2	5	13	20	27	28	35	20	9.2	69	2	3	5	14	23	27	28
35-49	72	13.5	106	3	4	12	21	26	28	51	41	13.9	114	4	4	11	24	29	33	42
50-64	18	11.3	133	2	3	6	12	32	36	38	11	14.7	111	3	6	11	26	28	29	29
65 +	9	17.6	38	10	12	15	23	26	28	28	5	10.6	7	7	8	11	12	14	14	14
ALL AGES	149	13.4	97	3	4	12	21	27	28	42	79	12.6	100	3	4	10	18	28	29	40
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19	1	18.0		18	18	18	18	18	18	18										
20-34	82	13.7	123	3	5	11	21	27	29	60	39	10.3	56	3	5	7	15	23	25	28
35-49	86	12.7	87	4	5	10	17	27	30	45	34	13.7	104	3	4	12	22	29	30	31
50-64	39	16.4	68	5	10	17	21	28	29	30	12	12.7	71	4	7	9	18	26	29	29
65 +	48	17.2	137	9	10	13	23	29	42	66	14	17.9	431	4	8	10	19	52	72	78
ALL AGES	256	14.4	108	4	6	13	20	28	30	48	100	12.7	129	3	5	9	20	26	29	63
SUBTOTAL	**405**	**14.1**	**102**	**3**	**6**	**12**	**21**	**28**	**29**	**47**	**179**	**12.7**	**114**	**3**	**4**	**9**	**19**	**28**	**29**	**47**
GRAND TOTAL	**564**	**12.5**	**98**	**3**	**4**	**10**	**19**	**27**	**29**	**42**	**230**	**12.3**	**101**	**3**	**5**	**9**	**17**	**27**	**29**	**43**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19	22	7.4	83	2	3	4	9	16	29	42	10	15.5	275	2	4	5	37	40	41	41
20-34	492	9.1	71	2	3	4	14	22	27	30	284	10.0	74	3	5	6	13	27	28	34
35-49	248	9.0	62	2	3	4	14	21	26	28	124	9.6	68	3	5	6	13	28	28	30
50-64	8	15.1	73	3	9	16	20	25	27	27	13	12.6	162	3	4	5	26	30	38	40
65 +	4	12.8	42	4	8	13	17	20	20	20	2	8.5	25	5	5	8	12	12	12	12
ALL AGES	774	9.1	68	2	3	4	14	22	27	30	434	10.1	78	3	5	6	14	27	28	37
B. FEMALE																				
0-12 YRS.																				
13-19	25	8.6	60	1	3	4	14	20	23	28	9	4.6	11	1	2	4	6	10	12	12
20-34	538	7.4	53	3	3	4	9	20	26	28	348	9.1	56	3	4	6	10	21	28	32
35-49	103	7.9	54	3	3	4	10	21	26	29	71	9.3	74	3	4	5	10	28	29	32
50-64	6	6.5	20	3	4	4	10	14	14	14										
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	672	7.5	53	3	3	4	10	20	26	28	429	9.0	59	3	4	6	10	22	28	32
SUBTOTAL	**1446**	**8.4**	**61**	**2**	**3**	**4**	**13**	**21**	**27**	**29**	**863**	**9.5**	**70**	**3**	**5**	**6**	**11**	**26**	**28**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-19	99	18.3	189	3	6	20	27	33	51	99 +	30	18.7	189	3	6	19	28	43	44	45
20-34	1287	12.2	98	2	3	11	19	27	29	42	840	10.5	84	3	4	6	14	28	29	40
35-49	621	11.5	72	3	4	11	17	23	28	35	446	11.0	90	4	5	6	14	28	30	41
50-64	35	14.1	87	3	5	14	21	27	28	37	30	8.5	67	3	4	5	10	24	29	30
65 +	12	13.8	38	3	11	14	19	20	21	21	1	5.0		5	5	5	5	5	5	5
ALL AGES	2055	12.3	96	3	4	11	19	27	29	41	1347	10.8	89	3	4	6	15	28	29	40
B. FEMALE																				
0-12 YRS.																				
13-19	43	20.4	190	3	7	21	28	34	47	60	15	14.7	260	2	3	7	24	42	44	45
20-34	789	9.6	67	2	3	6	14	22	27	31	620	9.2	54	3	4	7	10	21	28	31
35-49	199	10.6	69	3	3	8	16	24	27	32	132	9.8	59	4	5	7	10	21	28	36
50-64	3	18.0	457	1	3	11	34	42	42	42	3	17.0	103	8	10	15	25	28	28	28
65 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	1035	10.3	77	2	3	6	15	24	28	33	770	9.5	58	3	4	7	10	21	28	34
SUBTOTAL	**3090**	**11.6**	**92**	**3**	**3**	**9**	**18**	**26**	**29**	**39**	**2117**	**10.3**	**79**	**3**	**4**	**6**	**14**	**27**	**28**	**40**
GRAND TOTAL	**4536**	**10.6**	**84**	**2**	**3**	**7**	**16**	**25**	**28**	**36**	**2980**	**10.1**	**76**	**3**	**4**	**6**	**14**	**27**	**28**	**39**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	46	24.8	180	6	14	26	32	42	47	54	19	24.1	138	8	14	27	30	39	43	45
20-34	33	15.6	81	4	7	14	21	28	29	30	16	22.8	46	13	20	23	28	30	31	32
35-49	5	16.6	159	4	6	14	26	35	35	35	2	8.5	85	2	2	8	15	15	15	15
50-64																				
65 +																				
ALL AGES	84	20.7	157	4	11	21	28	40	43	52	37	22.7	102	8	15	22	30	35	39	45
B. FEMALE																				
0-12 YRS.																				
13-19	9	17.3	209	2	3	14	29	38	41	41	5	31.2	70	22	25	28	39	41	41	41
20-34	9	18.8	89	5	13	21	28	29	30	30	3	17.7	183	2	8	25	26	26	26	26
35-49	4	12.3	141	2	3	9	21	28	28	28	1	4.0		4	4	4	4	4	4	4
50-64											1	20.0		20	20	20	20	20	20	20
65 +																				
ALL AGES	22	17.0	139	2	4	15	28	31	37	41	10	23.3	160	3	20	25	28	40	41	41
SUBTOTAL	**106**	**19.9**	**156**	**3**	**10**	**21**	**28**	**39**	**42**	**51**	**47**	**22.8**	**113**	**8**	**15**	**24**	**30**	**38**	**40**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	15.5	313	3	3	15	28	28	28	28	1	19.0		19	19	19	19	19	19	19
13-19	229	28.3	261	7	18	28	37	48	59	96	107	26.5	162	8	18	28	36	42	45	52
20-34	150	15.6	87	3	8	14	22	28	29	36	81	18.7	97	3	10	21	27	29	30	39
35-49	28	14.7	93	3	7	14	20	27	31	41	13	19.1	76	8	11	21	25	30	32	32
50-64	4	14.0	156	1	4	13	24	29	29	29										
65 +	8	31.9	195	11	20	41	42	42	42	42										
ALL AGES	421	22.7	227	5	12	21	30	42	50	79	202	22.8	146	5	14	24	30	40	43	49
B. FEMALE																				
0-12 YRS.																				
13-19	109	26.8	196	10	19	26	32	43	52	79	34	29.9	160	12	20	30	41	45	48	55
20-34	55	15.5	146	3	7	14	23	28	30	70	16	18.5	97	3	8	22	27	28	28	28
35-49	12	16.9	88	6	8	15	26	29	32	32	2	15.0	200	5	5	15	25	25	25	25
50-64																				
65 +																				
ALL AGES	176	22.6	200	6	12	22	30	39	49	76	52	25.8	169	6	18	27	34	44	47	55
SUBTOTAL	**597**	**22.7**	**218**	**5**	**12**	**21**	**30**	**42**	**49**	**76**	**254**	**23.4**	**153**	**5**	**14**	**25**	**30**	**41**	**44**	**51**
GRAND TOTAL	**703**	**22.3**	**208**	**5**	**12**	**21**	**29**	**42**	**48**	**73**	**301**	**23.4**	**142**	**5**	**15**	**25**	**30**	**40**	**44**	**50**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	15.0	338	2	2	15	28	28	28	28										
20-34	8	7.9	103	1	2	3	11	26	30	30	15	22.0	60	9	19	21	29	30	31	31
35-49	4	11.3	59	2	6	11	16	21	21	21	2	3.5	1	3	3	3	4	4	4	4
50-64																				
65 +																				
ALL AGES	14	9.9	102	1	2	5	16	28	30	30	17	19.8	91	5	13	21	29	30	31	31
B. FEMALE																				
0-12 YRS.																				
13-19	2	4.5	25	1	1	4	8	8	8	8	1	17.0		17	17	17	17	17	17	17
20-34	6	12.8	78	4	7	9	20	26	27	27	7	17.6	97	3	9	22	23	27	28	28
35-49	2	20.5	1	20	20	20	21	21	21	21	4	21.5	130	5	14	25	29	30	30	30
50-64	1	12.0		12	12	12	12	12	12	12										
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	12	11.8	69	2	5	9	20	23	26	27	12	18.8	94	4	11	22	25	29	30	30
SUBTOTAL	**26**	**10.7**	**86**	**1**	**2**	**8**	**20**	**26**	**28**	**30**	**29**	**19.4**	**89**	**4**	**13**	**21**	**28**	**30**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	6	21.7	72	9	15	24	28	30	30	30	3	7.7	66	2	2	4	14	17	17	17
20-34	55	15.7	93	3	6	15	25	28	29	32	36	17.3	82	3	10	20	21	28	29	40
35-49	15	17.1	105	2	9	19	28	28	29	29	8	13.4	80	3	4	14	21	25	26	26
50-64																				
65 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	76	16.4	96	3	8	16	27	28	29	32	48	15.8	86	3	6	19	21	27	29	40
B. FEMALE																				
0-12 YRS.																				
13-19	4	29.3	712	12	13	18	45	69	69	69	6	32.8	376	5	21	36	42	57	59	59
20-34	32	13.7	100	4	5	10	22	29	32	33	24	15.5	104	3	5	18	22	30	30	30
35-49	6	14.8	91	5	6	14	23	26	26	26	7	12.3	74	5	6	10	18	26	28	28
50-64	1	18.0		18	18	18	18	18	18	18										
65 +	2	7.5	5	6	6	7	9	9	9	9										
ALL AGES	45	15.1	151	4	6	11	22	29	32	69	37	17.7	178	3	6	20	28	31	42	59
SUBTOTAL	**121**	**15.9**	**116**	**4**	**6**	**15**	**25**	**28**	**30**	**43**	**85**	**16.6**	**126**	**3**	**6**	**19**	**22**	**29**	**33**	**53**
GRAND TOTAL	**147**	**15.0**	**114**	**3**	**6**	**13**	**23**	**28**	**29**	**34**	**114**	**17.3**	**118**	**3**	**6**	**20**	**23**	**30**	**31**	**48**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	16.0	9	13	14	16	18	19	19	19										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	16.0	9	13	14	16	18	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-19											1	28.0		28	28	28	28	28	28	28
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	28.0		28	28	28	28	28	28	28
SUBTOTAL	**4**	**12.5**	**55**	**2**	**7**	**14**	**17**	**19**	**19**	**19**	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	14	34.2	624	6	11	31	53	69	82	86	6	17.0	284	1	2	16	33	34	34	34
20-34	5	14.4	338	1	1	15	40	94	99 +	99 +	3	6.3	9	3	4	8	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5										
50-64																				
65 +																				
ALL AGES	20	27.8	603	2	6	28	45	75	92	99 +	9	13.4	209	1	2	8	31	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-19	5	28.6	155	7	23	35	36	37	37	37										
20-34	2	19.5	113	12	12	19	27	27	27	27	2	8.0	32	4	4	8	12	12	12	12
35-49																				
50-64																				
65 +																				
ALL AGES	7	26.0	142	8	16	29	35	37	37	37	2	8.0	32	4	4	8	12	12	12	12
SUBTOTAL	**27**	**27.3**	**476**	**3**	**7**	**28**	**40**	**64**	**87**	**99 +**	**11**	**12.5**	**173**	**1**	**2**	**8**	**25**	**33**	**34**	**34**
GRAND TOTAL	**31**	**25.4**	**443**	**2**	**7**	**26**	**38**	**60**	**84**	**99 +**	**12**	**13.8**	**177**	**2**	**3**	**8**	**29**	**33**	**34**	**34**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-19	8	19.1	780	3	3	5	28	68	78	78	4	10.3	232	1	1	3	19	33	33	33
20-34	9	8.8	89	2	3	4	10	25	31	31	6	9.2	68	1	2	9	17	18	18	18
35-49	5	15.0	230	1	2	9	29	35	35	35	3	4.3	1	4	4	4	5	5	5	5
50-64	2	12.0	162	3	3	12	21	21	21	21	1	14.0		14	14	14	14	14	14	14
65 +	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
ALL AGES	26	13.2	314	3	3	5	17	35	52	78	15	8.4	84	1	2	4	15	18	29	33
B. FEMALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5	1	20.0		20	20	20	20	20	20	20
20-34	7	7.6	85	2	3	4	7	24	28	28	8	5.9	26	2	3	4	6	15	18	18
35-49	7	11.3	99	3	4	5	19	27	28	28	9	6.3	8	3	4	6	9	10	10	10
50-64	3	10.7	36	4	6	12	15	16	16	16	6	10.5	76	2	3	8	21	21	21	21
65 +	3	20.0	229	8	10	15	31	37	37	37	1	14.0		14	14	14	14	14	14	14
ALL AGES	21	10.9	100	3	4	5	15	28	32	37	25	8.0	38	3	3	5	10	20	21	21
SUBTOTAL	**47**	**12.2**	**215**	**3**	**3**	**5**	**16**	**30**	**38**	**78**	**40**	**8.2**	**53**	**2**	**3**	**5**	**12**	**19**	**21**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	25.7	414	8	11	21	41	48	48	48										
13-19	22	24.3	409	5	10	19	31	65	66	66	4	27.3	97	20	21	23	33	42	42	42
20-34	13	13.6	253	1	1	4	26	36	47	50	11	11.5	151	1	2	4	26	29	29	29
35-49	16	6.8	33	2	3	5	8	15	20	22	6	5.2	11	1	4	5	6	10	11	11
50-64	3	14.3	27	9	10	15	18	19	19	19	1	21.0		21	21	21	21	21	21	21
65 +	1	20.0		20	20	20	20	20	20	20	1	28.0		28	28	28	28	28	28	28
ALL AGES	58	16.6	283	2	4	10	21	44	59	66	23	13.7	153	1	4	6	24	28	34	42
B. FEMALE																				
0-12 YRS.																				
13-19	5	47.2	1077	3	22	46	79	79	79	79	1	7.0		7	7	7	7	7	7	7
20-34	25	8.3	59	1	3	5	13	23	24	26	7	10.6	81	3	3	8	14	25	28	28
35-49	26	11.7	70	3	4	11	19	21	25	31	6	19.7	269	6	7	12	39	42	42	42
50-64	5	10.6	63	1	4	9	17	21	21	21	2	6.5	5	5	5	6	8	8	8	8
65 +	3	12.3	186	4	4	5	22	28	28	28	2	18.0	200	8	8	18	28	28	28	28
ALL AGES	64	13.1	231	2	4	7	19	26	35	79	18	13.8	148	3	6	8	15	36	41	42
SUBTOTAL	**122**	**14.8**	**256**	**2**	**4**	**9**	**20**	**31**	**50**	**79**	**41**	**13.8**	**145**	**2**	**4**	**8**	**23**	**29**	**40**	**42**
GRAND TOTAL	**169**	**14.0**	**246**	**2**	**4**	**8**	**20**	**31**	**48**	**79**	**81**	**11.0**	**107**	**2**	**4**	**6**	**17**	**28**	**31**	**42**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	25	7.1	65	3	4	4	6	13	31	35	4	6.3	30	1	2	5	10	14	14	14
20-34	150	5.4	30	3	4	4	4	8	21	28	82	7.6	56	3	4	5	7	23	28	28
35-49	121	6.6	44	3	4	4	4	16	23	32	62	7.9	55	3	4	5	8	23	28	28
50-64	10	8.9	75	3	4	4	17	23	28	28	5	9.2	30	4	5	7	14	16	16	16
65 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	307	6.1	40	3	4	4	4	15	21	32	153	7.8	53	3	4	5	7	21	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	18	4.7	17	3	4	4	4	4	14	21										
20-34	194	4.8	16	3	4	4	4	5	9	26	69	7.2	51	3	3	5	7	20	28	29
35-49	59	5.4	25	3	4	4	4	11	17	29	31	7.3	44	3	4	5	7	13	25	33
50-64	3	9.0	61	4	4	5	15	18	18	18										
65 +	4	18.0	186	3	6	19	29	31	31	31										
ALL AGES	278	5.2	22	3	4	4	4	6	18	28	100	7.2	49	3	3	5	7	14	28	31
SUBTOTAL	**585**	**5.7**	**31**	**3**	**4**	**4**	**4**	**10**	**21**	**31**	**253**	**7.5**	**52**	**3**	**4**	**5**	**7**	**17**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	16	25.3	349	3	9	21	45	52	55	56	12	12.6	116	4	5	6	25	28	29	29
20-34	185	7.0	50	3	4	4	5	19	26	31	487	5.7	33	3	4	4	5	7	25	29
35-49	181	7.0	45	3	4	4	6	17	23	30	421	5.7	26	3	4	4	5	7	16	29
50-64	12	8.0	34	2	4	5	13	17	18	18	20	7.2	62	3	4	4	6	21	29	30
65 +	4	17.3	23	13	13	16	21	24	24	24	4	7.3	22	3	4	6	10	14	14	14
ALL AGES	398	7.8	73	3	4	4	7	20	27	45	944	5.8	32	3	4	4	5	7	23	29
B. FEMALE																				
0-12 YRS.	1	71.0		71	71	71	71	71	71	71										
13-19	9	13.8	382	2	3	4	16	49	59	59	4	6.3	10	2	5	7	32	99 +	99 +	99 +
20-34	133	5.8	34	3	3	4	5	11	23	29	370	6.5	30	3	4	5	7	10	21	28
35-49	63	6.6	30	3	4	4	7	17	21	25	163	6.9	47	3	4	5	7	10	27	40
50-64	6	11.3	95	3	5	9	14	27	29	29	7	4.0	2	2	3	4	5	6	6	6
65 +	6	12.5	46	6	8	11	14	24	25	25	1	11.0		11	11	11	11	11	11	11
ALL AGES	218	7.0	69	3	3	4	6	14	24	43	545	6.6	35	3	4	5	7	10	23	32
SUBTOTAL	**616**	**7.5**	**72**	**3**	**4**	**4**	**7**	**19**	**26**	**45**	**1489**	**6.1**	**33**	**3**	**4**	**4**	**5**	**9**	**23**	**29**
GRAND TOTAL	**1201**	**6.6**	**53**	**3**	**4**	**4**	**5**	**16**	**24**	**33**	**1742**	**6.3**	**36**	**3**	**4**	**4**	**6**	**10**	**26**	**29**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	59.5	85	53	53	59	66	66	66	66										
13-19	85	36.1	266	15	27	35	44	58	68	81	8	16.5	86	6	7	17	24	28	28	28
20-34	35	11.4	114	2	4	5	20	28	32	35	32	14.3	101	3	5	10	27	28	29	30
35-49	20	13.0	337	3	4	4	18	33	56	78	11	21.7	103	4	15	27	29	30	31	31
50-64											2	19.0	98	12	12	19	26	26	26	26
65 +																				
ALL AGES	142	27.1	384	3	6	28	39	52	65	79	53	16.3	104	4	7	14	28	28	29	31
B. FEMALE																				
0-12 YRS.																				
13-19	52	40.2	384	13	31	38	50	73	78	99	5	9.2	121	2	2	4	14	28	28	28
20-34	48	13.5	99	4	4	10	24	28	29	30	39	12.1	104	1	5	10	23	28	28	30
35-49	11	8.5	74	3	4	5	9	24	29	29	10	10.3	87	2	3	8	14	26	27	27
50-64	3	18.0	76	12	12	14	24	28	28	28	4	10.3	157	3	3	5	17	29	29	29
65 +	3	18.7	140	5	10	24	26	27	27	27	1	14.0		14	14	14	14	14	14	14
ALL AGES	117	25.1	408	4	6	25	36	54	73	86	59	11.5	99	1	3	9	22	28	28	30
SUBTOTAL	**259**	**26.2**	**394**	**4**	**6**	**27**	**37**	**52**	**69**	**80**	**112**	**13.8**	**105**	**2**	**5**	**10**	**26**	**28**	**29**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-19	185	34.8	374	7	22	35	46	63	69	97	25	18.6	162	3	6	23	28	31	60	99 +
20-34	120	17.1	116	3	7	18	27	28	30	45	73	15.7	128	4	6	13	28	28	33	41
35-49	44	16.4	89	3	8	17	24	28	29	36	19	16.4	118	3	4	14	26	30	32	33
50-64	2	18.5	41	14	14	18	23	23	23	23										
65 +																				
ALL AGES	352	26.5	324	4	11	26	36	52	64	91	117	16.4	134	3	6	14	28	30	33	66
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-19	119	41.9	470	8	29	44	55	70	83	96	11	32.4	78	23	28	29	41	44	46	46
20-34	53	16.4	140	3	5	18	26	29	31	55	44	14.6	146	4	5	7	26	29	42	42
35-49	26	14.2	110	3	4	11	25	28	29	31	12	18.4	158	5	7	14	29	34	41	42
50-64	5	16.8	289	3	5	7	29	43	43	43	7	17.6	65	6	11	20	24	27	27	27
65 +	2	21.0	98	14	14	21	28	28	28	28	2	15.0	242	4	4	15	26	26	26	26
ALL AGES	206	31.0	493	4	9	28	46	60	74	92	76	18.0	165	4	6	15	28	39	42	45
SUBTOTAL	**558**	**28.1**	**394**	**4**	**11**	**27**	**40**	**56**	**66**	**91**	**193**	**17.1**	**144**	**4**	**6**	**15**	**28**	**31**	**41**	**48**
GRAND TOTAL	**817**	**27.5**	**394**	**4**	**10**	**27**	**39**	**55**	**67**	**89**	**305**	**15.8**	**134**	**3**	**5**	**13**	**28**	**29**	**32**	**44**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	56.0		56	56	56	56	56	56	56										
13-19	33	30.8	292	11	18	34	37	48	56	91	2	20.0	162	11	11	20	29	29	29	29
20-34	26	13.7	134	2	4	8	28	29	32	34	17	14.5	80	2	6	14	21	28	30	30
35-49	14	9.6	53	2	3	7	17	19	20	20	13	11.7	42	4	6	14	16	21	21	21
50-64	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	76	20.7	287	2	6	18	34	38	52	82	33	13.4	68	3	6	14	20	23	30	30
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	14	40.2	394	14	29	39	49	65	76	79										
20-34	22	10.3	81	2	2	7	19	25	27	28	17	12.8	63	3	6	14	19	21	27	30
35-49	10	11.2	148	1	4	5	15	32	38	38	5	10.4	119	2	3	5	17	28	28	28
50-64	3	16.3	187	1	6	21	25	27	27	27	2	17.0	450	2	2	17	32	32	32	32
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	51	18.7	354	1	3	13	28	48	57	79	24	12.7	86	2	4	13	19	28	31	32
SUBTOTAL	**127**	**19.9**	**312**	**2**	**5**	**17**	**31**	**39**	**55**	**82**	**57**	**13.1**	**74**	**3**	**5**	**14**	**20**	**27**	**30**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	32	33.7	321	4	27	35	45	63	64	99 +	4	22.0	149	4	14	27	29	30	30	30
20-34	35	12.3	89	2	4	10	19	28	28	28	12	11.5	125	2	3	7	19	29	32	33
35-49	25	12.6	110	3	3	11	21	28	31	33	8	11.4	69	2	4	10	18	23	24	24
50-64	5	15.6	68	8	9	14	20	29	29	29										
65 +	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
ALL AGES	98	19.4	266	2	5	17	29	41	58	82	25	13.0	113	2	4	9	24	29	31	33
B. FEMALE																				
0-12 YRS.	1	64.0		64	64	64	64	64	64	64										
13-19	22	39.3	506	8	24	39	63	70	84	99 +	1	20.0		20	20	20	20	20	20	20
20-34	20	13.8	79	3	5	14	22	26	27	28	7	4.9	14	1	2	4	9	10	10	10
35-49	25	13.2	96	2	3	13	21	27	28	29	5	7.2	19	3	4	5	10	14	14	14
50-64	4	10.5	54	4	6	8	15	21	21	21	2	3.0		3	3	3	3	3	3	3
65 +	3	17.3	126	9	10	13	26	30	30	30	1	28.0		28	28	28	28	28	28	28
ALL AGES	75	21.7	367	3	7	19	28	58	67	93	16	7.8	54	2	3	5	10	19	26	28
SUBTOTAL	**173**	**20.4**	**309**	**3**	**5**	**17**	**29**	**53**	**64**	**94**	**41**	**11.0**	**94**	**2**	**3**	**7**	**16**	**28**	**29**	**33**
GRAND TOTAL	**300**	**20.2**	**309**	**2**	**5**	**17**	**29**	**43**	**58**	**85**	**98**	**12.2**	**83**	**2**	**4**	**11**	**20**	**28**	**30**	**33**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	1.1		1	1	1	1	2	2	2	13	1.2		1	1	1	1	2	2	2
13-19	192	3.9	79	1	1	1	2	5	25	43	150	2.8	41	1	1	1	1	4	13	40
20-34	274	2.5	21	1	1	1	2	4	11	27	119	2.2	10	1	1	1	2	3	9	19
35-49	168	3.7	28	1	1	2	3	9	16	28	91	2.9	15	1	1	2	3	5	7	24
50-64	71	6.2	107	1	1	2	5	19	28	56	37	3.0	11	1	1	1	3	8	12	13
65 +	50	5.1	40	1	2	3	5	10	18	34	19	3.8	8	1	1	3	6	7	10	12
ALL AGES	763	3.6	47	1	1	1	3	7	18	36	429	2.6	22	1	1	1	2	5	10	22
B. FEMALE																				
0-12 YRS.	4	4.3	42	1	1	1	8	14	14	14	12	2.4	5	1	1	1	3	6	7	7
13-19	108	3.3	41	1	1	1	2	7	21	33	94	1.8	12	1	1	1	1	2	6	23
20-34	99	2.9	25	1	1	1	2	7	13	29	51	2.0	8	1	1	1	2	4	4	20
35-49	71	3.8	38	1	1	1	3	8	21	30	44	2.2	8	1	1	1	3	4	5	19
50-64	31	4.3	26	1	1	2	7	10	12	25	16	2.7	10	1	1	2	3	4	11	14
65 +	22	4.7	35	1	2	3	5	10	18	28	14	4.2	57	1	1	2	4	7	25	30
ALL AGES	335	3.5	33	1	1	1	3	8	17	29	231	2.2	12	1	1	1	2	4	6	22
SUBTOTAL	**1098**	**3.6**	**43**	**1**	**1**	**1**	**3**	**7**	**18**	**34**	**660**	**2.5**	**18**	**1**	**1**	**1**	**2**	**4**	**8**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	11.0	156	1	1	7	21	31	32	32	2	5.5	41	1	1	5	10	10	10	10
13-19	140	13.6	160	1	2	11	23	31	38	58	68	10.6	213	1	1	2	19	32	45	51
20-34	291	5.1	44	1	1	2	6	13	20	32	76	4.2	32	1	1	2	5	13	15	28
35-49	178	5.7	45	1	2	3	6	14	20	29	56	3.7	23	1	1	2	4	6	17	25
50-64	42	5.5	41	1	2	4	7	12	13	39	30	6.4	79	1	1	3	6	22	28	36
65 +	26	5.5	17	1	3	5	6	12	16	16	13	5.8	82	1	1	4	6	13	31	35
ALL AGES	684	7.1	78	1	1	3	9	20	28	43	245	6.2	95	1	1	2	5	21	29	49
B. FEMALE																				
0-12 YRS.	4	23.0	285	1	10	26	36	39	39	39										
13-19	118	12.5	151	1	1	10	21	30	34	51	47	7.4	113	1	1	2	9	25	38	40
20-34	153	5.5	51	1	1	3	6	15	21	31	52	3.7	16	1	1	2	5	9	15	18
35-49	80	4.9	66	1	1	2	5	9	21	47	38	3.0	9	1	1	2	4	5	11	15
50-64	27	5.0	29	1	1	2	9	13	17	18	14	4.4	30	1	2	3	4	15	18	19
65 +	11	3.6	10	1	1	2	6	9	9	9	6	8.2	42	1	2	8	14	15	15	15
ALL AGES	393	7.6	96	1	1	3	10	22	30	44	157	4.9	48	1	1	2	5	14	17	40
SUBTOTAL	**1077**	**7.3**	**85**	**1**	**1**	**3**	**9**	**21**	**28**	**43**	**402**	**5.7**	**77**	**1**	**1**	**2**	**5**	**15**	**27**	**44**
GRAND TOTAL	**2175**	**5.4**	**67**	**1**	**1**	**2**	**5**	**16**	**26**	**39**	**1062**	**3.7**	**43**	**1**	**1**	**1**	**3**	**7**	**16**	**36**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	2.5	5	1	1	2	4	4	4	4										
50-64	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
65 +																				
ALL AGES	3	6.0	39	1	2	4	11	13	13	13	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
20-34											1	2.0		2	2	2	2	2	2	2
35-49	3	3.3	5	1	2	4	5	5	5	5										
50-64																				
65 +																				
ALL AGES	4	5.0	14	1	2	4	7	10	10	10	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**7**	**5.4**	**21**	**1**	**2**	**4**	**9**	**12**	**13**	**13**	**3**	**3.7**	**8**	**2**	**2**	**2**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	9.0		9	9	9	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1										
35-49											2	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3	4	2.8	2	1	1	3	4	4	4	4
65 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	7	3.4	8	1	2	2	4	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	3.0	2	2	2	3	4	4	4	4
35-49	2	13.5	145	5	5	13	22	22	22	22	1	5.0		5	5	5	5	5	5	5
50-64											1	4.0		4	4	4	4	4	4	4
65 +											2	5.5	25	2	2	5	9	9	9	9
ALL AGES	2	13.5	145	5	5	13	22	22	22	22	6	4.3	7	2	2	4	5	9	9	9
SUBTOTAL	**4**	**7.8**	**92**	**1**	**2**	**4**	**13**	**22**	**22**	**22**	**13**	**3.8**	**7**	**1**	**2**	**4**	**5**	**9**	**9**	**9**
GRAND TOTAL	**11**	**6.3**	**41**	**1**	**2**	**4**	**9**	**17**	**22**	**22**	**16**	**3.8**	**7**	**2**	**2**	**3**	**5**	**9**	**9**	**9**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	7	8.6	60	1	2	9	10	21	24	24										
20-34	3	15.7	111	6	8	14	24	27	27	27	9	15.1	174	2	2	12	28	31	32	32
35-49	1	28.0		28	28	28	28	28	28	28	3	3.0	12	1	1	1	6	7	7	7
50-64																				
65 +																				
ALL AGES	11	12.3	96	2	4	10	21	27	28	28	12	12.1	158	1	2	5	26	30	32	32
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	4	16.5	766	2	2	3	31	58	58	58	1	9.0		9	9	9	9	9	9	9
20-34											1	28.0		28	28	28	28	28	28	28
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	4	16.5	766	2	2	3	31	58	58	58	4	10.3	150	1	2	6	18	28	28	28
SUBTOTAL	**15**	**13.4**	**237**	**2**	**3**	**9**	**21**	**28**	**50**	**58**	**16**	**11.6**	**148**	**1**	**2**	**5**	**26**	**29**	**31**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-19	43	24.5	388	3	9	21	33	49	61	90	15	16.6	191	1	6	13	29	30	43	48
20-34	19	13.1	118	1	1	15	22	28	29	30	10	12.5	148	1	3	5	27	29	30	30
35-49	4	23.3	148	5	16	28	30	31	31	31	2	24.5	25	21	21	24	28	28	28	28
50-64	1	10.0		10	10	10	10	10	10	10										
65 +																				
ALL AGES	68	21.2	313	2	5	20	30	45	50	86	27	15.7	164	1	4	13	28	30	33	48
B. FEMALE																				
0-12 YRS.											1	20.0		20	20	20	20	20	20	20
13-19	19	24.9	207	6	13	24	35	43	52	57	8	22.4	62	11	17	22	28	33	35	35
20-34	9	9.0	64	1	3	7	14	22	22	22	5	12.8	116	1	3	15	19	28	28	28
35-49											1	8.0		8	8	8	8	8	8	8
50-64																				
65 +																				
ALL AGES	28	19.8	214	3	8	19	30	39	46	57	15	18.1	92	4	11	19	26	29	33	35
SUBTOTAL	**96**	**20.8**	**282**	**2**	**6**	**20**	**30**	**42**	**49**	**80**	**42**	**16.5**	**139**	**1**	**6**	**16**	**28**	**29**	**32**	**48**
GRAND TOTAL	**111**	**19.8**	**280**	**2**	**5**	**19**	**29**	**41**	**49**	**77**	**58**	**15.2**	**142**	**1**	**4**	**13**	**28**	**29**	**31**	**47**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-19	5	2.0	3	1	1	1	3	5	5	5	5	1.6	1	1	1	1	2	3	3	3
20-34	2	6.0	2	5	5	6	7	7	7	7	3	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES	9	2.7	5	1	1	1	5	6	7	7	8	1.4		1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19	2	1.5	1	1	1	1	2	2	2	2	8	1.1		1	1	1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	3	1.7		1	1	2	2	2	2	2	8	1.1		1	1	1	1	2	2	2
SUBTOTAL	**12**	**2.4**	**4**	**1**	**1**	**2**	**4**	**6**	**7**	**7**	**16**	**1.3**		**1**	**1**	**1**	**1**	**2**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	14	4.1	20	1	1	2	5	12	14	14	7	6.4	101	1	1	2	8	24	28	28
20-34	9	8.0	52	1	1	8	11	20	22	22	3	2.7	8	1	1	1	5	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	24	5.5	33	1	1	3	9	14	18	22	10	5.3	72	1	1	2	6	19	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	5	7.0	21	2	3	7	11	12	12	12	4	15.0	88	5	7	16	23	23	23	23
20-34	2	10.5	181	1	1	10	20	20	20	20										
35-49																				
50-64																				
65 +																				
ALL AGES	7	8.0	47	1	2	7	12	18	20	20	4	15.0	88	5	7	16	23	23	23	23
SUBTOTAL	**31**	**6.0**	**37**	**1**	**1**	**3**	**10**	**15**	**20**	**22**	**14**	**8.1**	**91**	**1**	**1**	**4**	**10**	**24**	**27**	**28**
GRAND TOTAL	**43**	**5.0**	**30**	**1**	**1**	**2**	**8**	**13**	**17**	**22**	**30**	**4.4**	**53**	**1**	**1**	**1**	**3**	**16**	**23**	**28**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	1	1.0		1	1	1	1	1	1	1	2	5.0	18	2	2	5	8	8	8	8
35-49											2	8.5	61	3	3	8	14	14	14	14
50-64	3	6.7	24	1	3	9	10	10	10	10										
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	6	4.3	18	1	1	3	9	10	10	10	4	6.8	29	2	2	5	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	13.0	223	2	3	7	24	30	30	30	3	13.0	217	4	4	5	24	30	30	30
35-49	4	4.8	14	1	2	4	7	10	10	10										
50-64	2	15.0	18	12	12	15	18	18	18	18	1	4.0		4	4	4	4	4	4	4
65 +	3	8.0	1	7	7	8	9	9	9	9	1	7.0		7	7	7	7	7	7	7
ALL AGES	12	9.3	65	2	4	8	11	22	29	30	5	10.0	127	4	4	5	13	30	30	30
SUBTOTAL	**18**	**7.7**	**52**	**1**	**2**	**7**	**10**	**16**	**25**	**30**	**9**	**8.6**	**77**	**2**	**4**	**5**	**9**	**24**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	2	3.5	13	1	1	3	6	6	6	6	5	8.4	12	5	5	9	11	13	13	13
35-49	6	10.2	145	1	1	4	24	27	27	27	2	7.0		7	7	7	7	7	7	7
50-64	2	8.5	41	4	4	8	13	13	13	13										
65 +	2	2.0	2	1	1	2	3	3	3	3										
ALL AGES	13	6.9	80	1	1	3	8	25	27	27	7	8.0	8	5	6	7	10	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	6	7.5	28	1	4	7	11	15	15	15	7	3.3	13	1	1	1	4	10	11	11
35-49	10	7.1	25	1	3	6	11	14	15	15	3	6.0	12	4	4	4	9	10	10	10
50-64	3	4.3	18	1	1	3	7	9	9	9	3	9.0	84	1	2	7	16	19	19	19
65 +	4	6.8	6	3	5	7	8	9	9	9	1	20.0		20	20	20	20	20	20	20
ALL AGES	24	6.6	20	1	3	6	10	14	15	15	14	6.3	42	1	1	4	10	19	20	20
SUBTOTAL	**37**	**6.7**	**40**	**1**	**2**	**4**	**9**	**15**	**21**	**27**	**21**	**6.9**	**30**	**1**	**3**	**5**	**10**	**15**	**19**	**20**
GRAND TOTAL	**55**	**7.0**	**43**	**1**	**2**	**6**	**10**	**15**	**22**	**30**	**30**	**7.4**	**43**	**1**	**4**	**5**	**10**	**16**	**20**	**30**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	8	3.0	2	1	2	4	4	4	4	4	5	1.6	1	1	1	1	2	3	3	3
35-49	5	2.4	3	1	1	2	3	5	5	5	3	6.3	3	5	5	6	7	8	8	8
50-64																				
65 +																				
ALL AGES	13	2.8	2	1	1	3	4	5	5	5	9	3.3	6	1	1	3	5	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	29.0		29	29	29	29	29	29	29	2	3.5	5	2	2	3	5	5	5	5
35-49	2	3.5	1	3	3	3	4	4	4	4	2	16.5	181	7	7	16	26	26	26	26
50-64																				
65 +																				
ALL AGES	3	12.0	217	3	3	4	23	29	29	29	4	10.0	118	2	3	6	16	26	26	26
SUBTOTAL	**16**	**4.5**	**45**	**1**	**2**	**3**	**4**	**5**	**22**	**29**	**13**	**5.4**	**44**	**1**	**2**	**3**	**6**	**12**	**23**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	15	6.9	73	1	1	4	7	24	27	28	13	4.4	10	1	2	3	6	9	11	12
35-49	14	5.1	33	1	1	3	5	14	19	21	12	4.8	15	1	2	4	6	12	13	13
50-64	3	9.3	21	5	6	9	13	14	14	14	2	3.5	13	1	1	3	6	6	6	6
65 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	34	6.7	56	1	1	4	9	21	24	28	27	4.5	12	1	2	3	6	10	12	13
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
20-34	12	13.2	114	2	4	9	22	30	30	30	2	5.0	8	3	3	5	7	7	7	7
35-49	7	7.3	31	2	3	5	11	16	17	17	7	7.3	73	1	2	4	7	22	26	26
50-64											2	15.0	338	2	2	15	28	28	28	28
65 +	3	6.3	26	1	2	7	10	11	11	11										
ALL AGES	23	10.0	81	2	3	8	14	28	30	30	12	7.8	85	1	2	4	7	27	28	28
SUBTOTAL	**57**	**8.0**	**68**	**1**	**2**	**5**	**11**	**23**	**28**	**30**	**39**	**5.5**	**35**	**1**	**2**	**4**	**6**	**12**	**20**	**28**
GRAND TOTAL	**73**	**7.2**	**64**	**1**	**2**	**4**	**9**	**21**	**28**	**30**	**52**	**5.5**	**36**	**1**	**2**	**4**	**6**	**11**	**24**	**28**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	8	6.6	92	1	1	2	10	23	26	26	3	2.0	1	1	1	2	3	3	3	3
20-34	57	6.5	87	1	1	3	6	20	27	49	61	4.1	21	1	2	3	5	7	15	23
35-49	31	6.1	45	1	2	3	6	17	21	28	17	8.4	90	1	2	5	9	26	30	31
50-64											1	8.0		8	8	8	8	8	8	8
65 +																				
ALL AGES	96	6.4	72	1	1	3	6	20	26	41	82	5.0	37	1	2	3	5	9	21	30
B. FEMALE																				
0-12 YRS.																				
13-19	4	7.0	45	3	3	4	11	17	17	17	5	1.8	2	1	1	1	2	4	4	4
20-34	45	8.6	75	2	3	4	14	24	28	34	40	5.4	25	2	3	4	7	9	14	30
35-49	8	9.9	104	1	2	5	18	26	28	28	8	4.3	5	1	2	4	6	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1										
65 +																				
ALL AGES	58	8.5	75	2	3	4	14	23	28	34	53	4.9	21	1	3	4	6	8	13	30
SUBTOTAL	**154**	**7.2**	**74**	**1**	**2**	**3**	**8**	**21**	**28**	**34**	**135**	**4.9**	**31**	**1**	**2**	**3**	**6**	**8**	**19**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	16	14.2	218	1	4	10	21	27	49	59	11	5.7	31	1	2	5	7	13	20	21
20-34	127	9.5	85	1	3	5	14	23	29	36	100	5.5	40	2	2	3	5	14	23	29
35-49	49	11.0	88	2	4	7	16	23	29	37	33	7.3	61	2	3	4	6	20	28	30
50-64	2	8.0	72	2	2	8	14	14	14	14	2	4.5	1	4	4	4	5	5	5	5
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	194	10.3	96	1	3	6	15	23	29	38	147	5.9	43	2	2	4	5	14	26	30
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	6	15.5	223	2	7	8	26	39	41	41	4	13.0	168	1	2	12	24	27	27	27
20-34	73	10.3	114	2	3	7	14	22	31	92	64	6.9	43	2	3	4	8	15	26	29
35-49	30	6.9	34	1	3	5	11	16	20	21	27	8.3	40	2	3	7	11	17	20	28
50-64	1	13.0		13	13	13	13	13	13	13										
65 +																				
ALL AGES	111	9.6	99	1	3	7	13	21	26	79	95	7.6	46	2	3	5	10	16	26	29
SUBTOTAL	**305**	**10.0**	**98**	**1**	**3**	**7**	**14**	**23**	**29**	**52**	**242**	**6.6**	**44**	**2**	**3**	**4**	**7**	**15**	**26**	**29**
GRAND TOTAL	**459**	**9.1**	**90**	**1**	**3**	**5**	**14**	**22**	**28**	**46**	**377**	**6.0**	**40**	**1**	**2**	**4**	**6**	**14**	**22**	**30**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	28.0		28	28	28	28	28	28	28	1	2.0		2	2	2	2	2	2	2
20-34	5	1.2		1	1	1	2	2	2	2	5	7.4	137	1	1	1	11	28	28	28
35-49	1	34.0		34	34	34	34	34	34	34										
50-64																				
65 +																				
ALL AGES	7	9.7	215	1	1	1	21	33	34	34	6	6.5	115	1	1	2	6	26	28	28
B. FEMALE																				
0-12 YRS.																				
13-19											2	1.0		1	1	1	1	1	1	1
20-34	3	4.3	5	2	3	5	6	6	6	6	3	3.7	14	1	1	2	6	8	8	8
35-49											2	3.0	2	2	2	3	4	4	4	4
50-64	1	5.0	·	5	5	5	5	5	5	5										
65 +																				
ALL AGES	4	4.5	3	2	3	5	6	6	6	6	7	2.7	7	1	1	2	4	7	8	8
SUBTOTAL	**11**	**7.8**	**137**	**1**	**1**	**2**	**6**	**30**	**34**	**34**	**13**	**4.5**	**55**	**1**	**1**	**2**	**4**	**12**	**25**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	6	14.5	135	2	3	13	26	30	30	30										
20-34	11	8.6	58	1	2	5	13	21	21	21	7	16.0	123	1	5	20	25	28	28	28
35-49	5	6.6	106	1	2	2	8	25	25	25	4	10.0	146	2	3	5	17	28	28	28
50-64																				
65 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	22	9.8	89	1	2	4	15	25	28	30	12	13.3	117	2	3	10	24	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	2	1.0		1	1	1	1	1	1	1	2	18.0	392	4	4	18	32	32	32	32
20-34	12	12.0	126	2	2	6	21	30	32	32	4	8.8	164	2	2	3	15	28	28	28
35-49	2	1.5	1	1	1	1	2	2	2	2	2	2.5	5	1	1	2	4	4	4	4
50-64	2	3.0	2	2	2	3	4	4	4	4										
65 +																				
ALL AGES	18	8.6	106	1	2	3	14	27	31	32	8	9.5	162	1	2	3	16	31	32	32
SUBTOTAL	**40**	**9.3**	**94**	**1**	**2**	**4**	**14**	**25**	**29**	**32**	**20**	**11.8**	**131**	**1**	**2**	**5**	**24**	**28**	**30**	**32**
GRAND TOTAL	**51**	**8.9**	**102**	**1**	**2**	**4**	**14**	**27**	**30**	**34**	**33**	**8.9**	**112**	**1**	**2**	**4**	**15**	**28**	**28**	**32**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	6.5	5	5	5	6	8	8	8	8										
35-49											1	18.0		18	18	18	18	18	18	18
50-64																				
65 +																				
ALL AGES	2	6.5	5	5	5	6	8	8	8	8	1	18.0		18	18	18	18	18	18	18
SUBTOTAL	**2**	**6.5**	**5**	**5**	**5**	**6**	**8**	**8**	**8**	**8**	**2**	**9.5**	**145**	**1**	**1**	**9**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	4	2.8	3	1	1	2	4	5	5	5	2	9.5	13	7	7	9	12	12	12	12
50-64																				
65 +																				
ALL AGES	5	3.6	6	1	2	3	5	7	7	7	3	7.3	21	3	4	7	11	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	1.5	1	1	1	1	2	2	2	2
35-49	3	8.0	1	7	7	8	9	9	9	9										
50-64																				
65 +																				
ALL AGES	3	8.0	1	7	7	8	9	9	9	9	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**8**	**5.3**	**8**	**1**	**2**	**6**	**8**	**9**	**9**	**9**	**5**	**5.0**	**21**	**1**	**2**	**3**	**8**	**12**	**12**	**12**
GRAND TOTAL	**10**	**5.5**	**8**	**1**	**3**	**6**	**8**	**9**	**9**	**9**	**7**	**6.3**	**42**	**1**	**1**	**3**	**11**	**17**	**18**	**18**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	37	20.5	362	1	3	14	31	45	50	76	8	3.3		2	3	3	4	5	5	5
20-34	48	8.5	76	1	2	4	13	22	28	29	42	6.0	40	2	3	4	6	14	24	28
35-49	19	7.4	84	1	2	3	10	19	30	37	15	6.4	95	1	2	3	5	14	33	39
50-64	1	29.0		29	29	29	29	29	29	29	3	10.3	210	1	1	3	21	27	27	27
65 +																				
ALL AGES	105	12.7	212	1	3	6	21	30	45	62	68	6.0	52	1	2	4	6	14	27	37
B. FEMALE																				
0-12 YRS.																				
13-19	16	15.5	354	1	1	5	28	48	56	58	6	1.5	2	1	1	1	1	4	4	4
20-34	23	6.7	46	1	2	5	8	16	22	29	25	7.3	42	2	4	5	8	21	23	25
35-49	21	9.0	70	1	2	5	15	21	26	30	8	6.1	88	1	1	3	5	22	29	29
50-64	4	9.3	98	1	2	6	16	23	23	23	4	13.0	117	5	7	9	19	29	29	29
65 +	4	14.5	129	2	5	15	24	26	26	26	5	9.2	61	3	4	6	14	22	22	22
ALL AGES	68	10.1	138	1	2	5	15	27	30	57	48	7.1	54	1	2	5	8	22	25	29
SUBTOTAL	**173**	**11.7**	**183**	**1**	**2**	**6**	**19**	**29**	**40**	**56**	**116**	**6.4**	**54**	**1**	**2**	**4**	**6**	**16**	**26**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	11.5	13	9	9	11	14	14	14	14	1	2.0		2	2	2	2	2	2	2
13-19	160	20.7	174	3	7	24	29	37	43	50	21	15.6	142	1	4	17	28	31	32	32
20-34	88	8.7	76	1	2	5	14	22	28	30	52	8.0	74	2	3	5	8	23	28	35
35-49	39	9.6	73	1	2	6	17	22	26	29	18	10.1	100	1	4	5	14	29	31	32
50-64	7	10.7	103	2	3	7	18	27	28	28	2	21.5	145	13	13	21	30	30	30	30
65 +	3	18.7	64	13	13	15	25	28	28	28	4	4.8	18	1	2	3	7	11	11	11
ALL AGES	299	15.4	161	1	3	13	28	30	38	49	98	10.1	101	1	3	5	14	28	31	34
B. FEMALE																				
0-12 YRS.	5	31.8	122	16	23	37	39	43	43	43										
13-19	119	22.4	215	3	8	27	32	37	49	78	4	30.8	529	9	12	27	49	60	60	60
20-34	52	5.3	35	1	2	4	6	10	21	28	25	8.6	75	1	3	5	12	21	28	33
35-49	29	6.7	52	1	2	4	7	15	23	34	14	7.3	59	2	4	5	6	17	28	31
50-64	7	9.3	71	1	2	9	14	22	24	24	1	4.0		4	4	4	4	4	4	4
65 +	6	13.2	132	1	4	11	21	29	30	30	4	5.8	47	1	1	3	10	16	16	16
ALL AGES	218	15.8	207	1	4	10	28	35	39	68	48	9.7	135	1	3	5	13	24	33	60
SUBTOTAL	**517**	**15.6**	**179**	**1**	**4**	**12**	**28**	**33**	**38**	**55**	**146**	**10.0**	**111**	**1**	**3**	**5**	**14**	**28**	**32**	**39**
GRAND TOTAL	**690**	**14.6**	**183**	**1**	**3**	**9**	**27**	**32**	**39**	**55**	**262**	**8.4**	**88**	**1**	**3**	**5**	**9**	**26**	**29**	**38**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
13-19																				
20-34											2	3.0	8	1	1	3	5	5	5	5
35-49	2	3.5	5	2	2	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
50-64											1	2.0		2	2	2	2	2	2	2
65 +											3	3.3	7	1	1	3	5	6	6	6
ALL AGES	3	2.7	4	1	1	2	4	5	5	5	8	2.6	4	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19	2	3.5	13	1	1	3	6	6	6	6	1	2.0		2	2	2	2	2	2	2
20-34	4	3.5	2	2	2	3	4	5	5	5	1	8.0		8	8	8	8	8	8	8
35-49	2	3.5	5	2	2	3	5	5	5	5										
50-64											2	7.5	13	5	5	7	10	10	10	10
65 +	2	4.5	5	3	3	4	6	6	6	6	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	10	3.7	3	1	2	4	5	6	6	6	6	5.3	10	2	3	4	8	10	10	10
SUBTOTAL	**13**	**3.5**	**3**	**1**	**2**	**3**	**5**	**6**	**6**	**6**	**14**	**3.8**	**7**	**1**	**2**	**3**	**5**	**8**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34	3	1.7	1	1	1	1	2	3	3	3										
35-49	3	2.3	2	1	1	3	3	3	3	3										
50-64	1	3.0		3	3	3	3	3	3	3										
65 +	2	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
ALL AGES	10	2.4	4	1	1	2	3	5	7	7	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	4.5	25	1	1	4	8	8	8	8										
13-19	1	29.0		29	29	29	29	29	29	29	3	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4	1	9.0		9	9	9	9	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	6	7.7	115	1	1	3	8	27	29	29	8	3.4	7	1	2	3	4	8	9	9
SUBTOTAL	**16**	**4.4**	**47**	**1**	**1**	**3**	**4**	**8**	**23**	**29**	**9**	**3.2**	**6**	**1**	**2**	**3**	**4**	**7**	**9**	**9**
GRAND TOTAL	**29**	**4.0**	**27**	**1**	**1**	**3**	**5**	**7**	**9**	**29**	**23**	**3.6**	**7**	**1**	**2**	**3**	**5**	**8**	**9**	**10**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	3	2.3	2	1	1	3	3	3	3	3
13-19	1	1.0		1	1	1	1	1	1	1	4	1.5		1	1	1	2	2	2	2
20-34	8	2.4	4	1	1	2	2	6	7	7	5	2.2	2	1	1	2	3	4	4	4
35-49	8	2.1	2	1	1	2	3	4	5	5	10	1.9	3	1	1	1	3	5	6	6
50-64	7	3.0	1	1	3	3	4	4	4	4	3	4.0	3	3	3	3	5	6	6	6
65 +	10	3.0	4	1	1	3	4	6	8	8	5	3.0	8	1	1	2	4	8	8	8
ALL AGES	35	2.6	3	1	1	2	3	4	6	8	30	2.3	3	1	1	2	3	5	6	8
B. FEMALE																				
0-12 YRS.	5	1.2		1	1	1	1	2	2	2	3	2.0	1	1	1	2	3	3	3	3
13-19	12	2.3	4	1	1	2	3	5	7	7	6	2.0	6	1	1	1	1	6	7	7
20-34	10	2.7	4	1	1	2	3	6	7	7	12	2.4	3	1	1	2	3	5	7	7
35-49	24	3.0	8	1	1	2	4	8	9	12	9	2.2	2	1	1	2	3	4	4	4
50-64	16	2.6	4	1	1	2	3	5	7	8	11	4.0	14	1	2	2	5	10	14	14
65 +	27	3.6	8	1	2	3	5	8	10	11	16	3.5	6	1	2	3	5	6	9	10
ALL AGES	94	2.9	6	1	1	2	3	6	8	12	57	2.9	6	1	1	2	3	6	7	14
SUBTOTAL	**129**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**8**	**11**	**87**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19	4	2.0	4	1	1	1	3	5	5	5	1	2.0		2	2	2	2	2	2	2
20-34	6	2.8	2	1	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
50-64	6	5.5	22	1	2	4	10	12	12	12	1	2.0		2	2	2	2	2	2	2
65 +	12	4.5	16	1	2	4	6	10	14	15	5	4.2	20	1	2	3	5	12	12	12
ALL AGES	30	3.8	13	1	1	2	5	9	12	15	11	3.4	9	1	2	2	4	8	12	12
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	2	4.0		4	4	4	4	4	4	4	5	2.0	1	1	1	2	3	3	3	3
20-34	7	2.7	3	1	1	2	4	6	6	6	7	2.0	1	1	1	2	3	3	3	3
35-49	13	3.5	8	1	2	2	5	8	10	11	16	3.0	3	1	2	3	4	5	7	8
50-64	7	3.7	13	1	1	2	7	9	9	9	7	2.7	1	1	2	3	3	4	4	4
65 +	27	4.9	15	1	2	4	6	12	14	16	13	6.5	28	2	3	4	10	13	19	20
ALL AGES	57	4.1	11	1	2	3	5	9	12	16	48	3.7	11	1	2	3	4	8	11	20
SUBTOTAL	**87**	**4.0**	**11**	**1**	**1**	**3**	**5**	**9**	**12**	**16**	**59**	**3.6**	**11**	**1**	**2**	**3**	**4**	**8**	**11**	**19**
GRAND TOTAL	**216**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**9**	**14**	**146**	**3.1**	**8**	**1**	**1**	**2**	**3**	**6**	**9**	**14**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	6	3.2	4	1	1	3	4	6	6	6	2	4.0	2	3	3	4	5	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
65 +	10	3.7	4	2	2	3	4	7	9	9	8	5.1	4	3	4	5	6	7	8	8
ALL AGES	19	3.2	4	1	2	3	4	6	8	9	13	4.0	5	1	2	4	6	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34											1	1.0		1	1	1	1	1	1	1
35-49											1	3.0		3	3	3	3	3	3	3
50-64	3	2.3	2	1	1	3	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
65 +	7	2.7	5	1	1	2	4	6	7	7	4	6.3	20	3	3	4	9	13	13	13
ALL AGES	11	2.5	3	1	1	2	3	5	7	7	8	4.3	13	1	2	3	4	11	13	13
SUBTOTAL	**30**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	**9**	**21**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**10**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	1.0		1	1	1	1	1	1	1										
35-49	5	2.8	6	1	1	2	4	7	7	7	1	3.0		3	3	3	3	3	3	3
50-64	1	10.0		10	10	10	10	10	10	10	1	5.0		5	5	5	5	5	5	5
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	8	3.3	11	1	1	2	5	9	10	10	3	3.0	4	1	1	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34																				
35-49	4	4.5	6	2	2	4	6	7	7	7	1	1.0		1	1	1	1	1	1	1
50-64	3	4.0	7	2	2	3	6	7	7	7	6	3.2	5	1	1	3	4	7	7	7
65 +	8	6.4	42	2	3	4	6	17	22	22	4	4.5	9	1	2	5	7	7	7	7
ALL AGES	16	5.2	23	2	3	4	6	7	18	22	11	3.5	6	1	1	3	6	7	7	7
SUBTOTAL	**24**	**4.5**	**20**	**1**	**2**	**3**	**6**	**8**	**14**	**22**	**14**	**3.4**	**5**	**1**	**1**	**3**	**5**	**7**	**7**	**7**
GRAND TOTAL	**54**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**22**	**35**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	1.0		1	1	1	1	1	1	1
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	1.4		1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
13-19	1	14.0		14	14	14	14	14	14	14	1	20.0		20	20	20	20	20	20	20
20-34	5	3.4	3	1	2	3	5	5	5	5	4	5.5	23	1	2	4	9	12	12	12
35-49	4	3.5	7	1	1	3	5	7	7	7	3	2.0	1	1	1	2	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2	3	2.7		2	2	3	3	3	3	3
65 +	5	5.4	12	1	2	6	8	10	10	10	3	8.0	39	3	4	6	13	15	15	15
ALL AGES	22	3.8	11	1	1	3	5	8	12	14	16	5.2	31	1	2	3	6	15	18	20
B. FEMALE																				
0-12 YRS.	5	6.0	31	1	2	6	15	91	99 +	99 +	3	4.7	16	1	2	4	8	9	9	9
13-19	3	4.0	4	2	2	4	5	6	6	6	6	2.3	4	1	1	2	3	6	6	6
20-34	13	5.8	33	2	3	3	7	15	21	22										
35-49	10	4.5	5	1	2	5	6	7	8	8	10	3.0	2	2	2	3	3	5	7	7
50-64	5	5.4	6	3	3	6	7	9	9	9	2	3.0	2	2	2	3	4	4	4	4
65 +	5	5.4	7	3	4	5	6	10	10	10	7	5.6	20	1	3	4	6	13	15	15
ALL AGES	41	5.3	16	2	3	4	7	11	18	99 +	28	3.7	9	1	2	3	4	7	10	15
SUBTOTAL	**63**	**4.7**	**15**	**1**	**2**	**4**	**6**	**10**	**14**	**89**	**44**	**4.2**	**17**	**1**	**2**	**3**	**5**	**9**	**15**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0	2	2	2	3	4	4	4	4	2	4.0		4	4	4	4	4	4	4
13-19	2	10.5	113	3	3	10	18	18	18	18	1	39.0		39	39	39	39	39	39	39
20-34	3	3.3	11	1	1	2	6	7	7	7	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	3	12.7	175	5	5	5	22	28	28	28	2	5.0	8	3	3	5	7	7	7	7
ALL AGES	12	6.7	65	1	2	4	6	21	27	28	7	8.9	178	2	3	4	6	33	39	39
B. FEMALE																				
0-12 YRS.	3	5.0	19	2	2	3	8	10	10	10	2	7.0	2	6	6	7	8	8	8	8
13-19											3	16.0	139	3	7	19	24	26	26	26
20-34	12	11.2	133	3	4	7	14	26	41	44	3	9.3	83	1	3	8	16	19	19	19
35-49	11	4.7	13	1	2	4	7	10	13	13	3	17.3	754	1	1	2	37	49	49	49
50-64	5	6.8	57	1	1	4	11	19	19	19	5	2.8	3	1	2	2	4	5	5	5
65 +	10	5.4	9	1	3	6	8	9	9	9	1	2.0		2	2	2	2	2	2	2
ALL AGES	41	7.0	57	1	3	5	9	14	19	44	17	9.3	160	1	2	4	11	25	41	49
SUBTOTAL	**53**	**7.0**	**57**	**1**	**3**	**5**	**8**	**16**	**19**	**44**	**24**	**9.2**	**158**	**1**	**2**	**4**	**8**	**27**	**42**	**49**
GRAND TOTAL	**116**	**5.8**	**35**	**1**	**2**	**4**	**7**	**13**	**18**	**62**	**68**	**6.0**	**71**	**1**	**2**	**3**	**6**	**15**	**21**	**47**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3										
35-49	1	5.0		5	5	5	5	5	5	5										
50-64											1	2.0		2	2	2	2	2	2	2
65 +	2	2.5	1	2	2	2	3	3	3	3										
ALL AGES	4	3.3	1	2	2	3	4	5	5	5	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	1	6.0		6	6	6	6	6	6	6										
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	4	3.5	3	2	2	3	5	6	6	6	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**8**	**3.4**	**2**	**2**	**2**	**3**	**4**	**6**	**6**	**6**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
35-49																				
50-64																				
65 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4	1	6.0		6	6	6	6	6	6	6
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	4.5	5	3	3	4	6	6	6	6
SUBTOTAL	**2**	**6.5**	**13**	**4**	**4**	**6**	**9**	**9**	**9**	**9**	**3**	**4.0**	**3**	**3**	**3**	**3**	**5**	**6**	**6**	**6**
GRAND TOTAL	**10**	**4.0**	**5**	**2**	**3**	**3**	**5**	**7**	**9**	**9**	**5**	**3.4**	**2**	**2**	**2**	**3**	**4**	**6**	**6**	**6**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49																				
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64	1	12.0		12	12	12	12	12	12	12										
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	1	12.0		12	12	12	12	12	12	12	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**8.0**	**32**	**4**	**4**	**8**	**12**	**12**	**12**	**12**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**2**	**8.0**	**32**	**4**	**4**	**8**	**12**	**12**	**12**	**12**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	15.0		15	15	15	15	15	15	15
50-64																				
65 +																				
ALL AGES											1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	2	8.5	61	3	3	8	14	14	14	14										
SUBTOTAL	**2**	**8.5**	**61**	**3**	**3**	**8**	**14**	**14**	**14**	**14**										
GRAND TOTAL	**3**	**6.3**	**45**	**2**	**2**	**3**	**11**	**14**	**14**	**14**	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											2	5.0	2	4	4	5	6	6	6	6
20-34	2	5.5	25	2	2	5	9	9	9	9										
35-49	1	31.0		31	31	31	31	31	31	31										
50-64											1	5.0		5	5	5	5	5	5	5
65 +																				
ALL AGES	3	14.0	229	2	4	9	25	31	31	31	3	5.0	1	4	4	5	6	6	6	6
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19	2	2.0	2	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
20-34	11	13.9	99	3	4	14	23	27	28	28	4	5.3	8	2	3	5	7	9	9	9
35-49	3	16.0	343	2	4	9	30	37	37	37										
50-64	5	2.4	3	1	1	2	3	5	5	5										
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	22	10.0	115	1	3	4	17	27	32	37	6	4.3	8	2	2	3	6	9	9	9
SUBTOTAL	**25**	**10.5**	**121**	**1**	**3**	**5**	**18**	**28**	**32**	**37**	**9**	**4.6**	**5**	**2**	**3**	**4**	**6**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
50-64											1	3.0		3	3	3	3	3	3	3
65 +	2	8.0	32	4	4	8	12	12	12	12	1	8.0		8	8	8	8	8	8	8
ALL AGES	4	5.0	23	1	2	3	8	12	12	12	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-19																				
20-34	2	2.5	1	2	2	2	3	3	3	3										
35-49	6	6.3	29	2	3	4	11	15	15	15	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
65 +	2	3.0	2	2	2	3	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	12	4.5	17	2	2	3	4	12	15	15	4	2.3	2	1	1	2	3	4	4	4
SUBTOTAL	**16**	**4.6**	**17**	**2**	**2**	**3**	**4**	**12**	**14**	**15**	**7**	**3.1**	**6**	**1**	**1**	**3**	**4**	**7**	**8**	**8**
GRAND TOTAL	**41**	**8.2**	**88**	**1**	**2**	**3**	**11**	**24**	**29**	**37**	**16**	**3.9**	**6**	**1**	**2**	**3**	**5**	**8**	**9**	**9**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1	1	9.0		9	9	9	9	9	9	9
ALL AGES	3	4.3	34	1	1	1	8	11	11	11	2	6.0	18	3	3	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	4	12.8	97	4	6	10	19	27	27	27	1	21.0		21	21	21	21	21	21	21
20-34	3	3.7	9	1	1	3	6	7	7	7	2	6.5	61	1	1	6	12	12	12	12
35-49	6	4.5	4	2	2	5	6	7	7	7	1	12.0		12	12	12	12	12	12	12
50-64	2	4.0	2	3	3	4	5	5	5	5	2	2.5	1	2	2	2	3	3	3	3
65 +	2	2.5	1	2	2	2	3	3	3	3	1	9.0		9	9	9	9	9	9	9
ALL AGES	17	6.0	37	2	3	5	7	11	21	27	7	8.6	51	1	2	9	12	19	21	21
SUBTOTAL	**20**	**5.8**	**34**	**1**	**2**	**4**	**7**	**11**	**19**	**27**	**9**	**8.0**	**42**	**1**	**3**	**9**	**12**	**17**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	18.7	228	5	8	16	30	35	35	35										
50-64	3	17.0	223	6	7	11	28	34	34	34	1	6.0		6	6	6	6	6	6	6
65 +																				
ALL AGES	6	17.8	184	5	6	13	34	35	35	35	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19	2	39.0	2048	7	7	39	71	71	71	71	3	3.0	4	1	1	3	4	5	5	5
20-34	6	6.5	30	2	3	5	7	16	17	17										
35-49	4	9.3	27	5	6	7	12	17	17	17	1	1.0		1	1	1	1	1	1	1
50-64	7	15.3	142	1	3	16	25	29	30	30										
65 +	4	14.5	127	6	7	10	21	31	31	31	2	7.5	61	2	2	7	13	13	13	13
ALL AGES	23	13.9	236	2	5	8	17	30	45	71	6	4.2	21	1	1	2	5	12	13	13
SUBTOTAL	**29**	**14.7**	**221**	**2**	**5**	**9**	**19**	**33**	**37**	**71**	**7**	**4.4**	**18**	**1**	**1**	**3**	**6**	**12**	**13**	**13**
GRAND TOTAL	**49**	**11.0**	**163**	**1**	**3**	**7**	**13**	**29**	**34**	**71**	**16**	**6.4**	**34**	**1**	**2**	**4**	**10**	**13**	**19**	**21**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	1	16.0		16	16	16	16	16	16	16	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**2**	**12.0**	**32**	**8**	**8**	**12**	**16**	**16**	**16**	**16**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2										
GRAND TOTAL	3	8.7	48	2	3	8	14	16	16	16	1	3.0		3	3	3	3	3	3	3

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36	1	26.0		26	26	26	26	26	26	26
13-19	6	23.0	497	5	9	11	48	54	55	55	4	34.3	348	10	21	36	47	55	55	55
20-34	2	5.5	5	4	4	5	7	7	7	7	1	3.0		3	3	3	3	3	3	3
35-49											3	5.7	2	4	4	6	7	7	7	7
50-64																				
65 +	1	17.0		17	17	17	17	17	17	17	1	10.0		10	10	10	10	10	10	10
ALL AGES	10	20.2	359	4	7	11	36	51	55	55	10	19.3	323	3	6	10	32	47	55	55
B. FEMALE																				
0-12 YRS.	16	20.8	524	3	4	15	29	39	77	93	11	28.4	774	3	6	19	54	68	82	83
13-19	71	27.7	439	5	13	24	39	75	89	99 +	46	23.2	316	3	10	22	32	41	57	89
20-34	58	21.1	667	1	3	11	32	64	96	99 +	25	17.8	300	3	3	8	32	44	51	54
35-49	11	12.6	143	5	7	9	14	63	95	99 +	7	13.6	249	1	1	6	28	37	38	38
50-64	2	27.0	200	17	17	27	37	37	37	37										
65 +	4	8.5	6	5	7	9	10	10	10	10	1	8.0		8	8	8	8	8	8	8
ALL AGES	162	23.1	512	3	7	16	34	64	93	99 +	90	21.4	364	2	5	15	33	48	57	87
SUBTOTAL	**172**	**23.0**	**499**	**3**	**7**	**16**	**34**	**62**	**92**	**99 +**	**100**	**21.2**	**356**	**3**	**5**	**15**	**33**	**48**	**57**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63										
13-19	7	21.9	357	5	10	16	47	87	99 +	99 +	3	11.0	193	2	2	4	21	27	27	27
20-34	7	26.4	448	3	5	27	47	52	52	52	2	25.0	578	8	8	25	42	42	42	42
35-49																				
50-64																				
65 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	16	26.8	422	3	11	27	51	62	87	99 +	5	16.6	300	2	3	8	31	42	42	42
B. FEMALE																				
0-12 YRS.	6	50.0	988	14	21	49	73	92	94	94	8	34.3	364	12	23	30	44	64	71	71
13-19	91	30.5	580	4	11	29	55	84	99 +	99 +	76	33.0	461	4	15	32	48	59	68	94
20-34	116	23.1	416	3	8	17	35	55	74	99 +	37	26.1	465	4	7	20	37	59	63	87
35-49	51	21.8	499	2	6	14	30	55	77	99 +	15	14.2	73	5	8	14	19	24	31	33
50-64	6	10.2	49	1	5	10	14	20	21	21										
65 +	3	16.7	200	4	6	14	27	32	32	32	2	15.5	113	8	8	15	23	23	23	23
ALL AGES	273	25.5	516	3	8	19	41	69	92	99 +	138	28.9	443	4	13	24	42	57	63	91
SUBTOTAL	**289**	**25.6**	**508**	**3**	**8**	**19**	**41**	**67**	**92**	**99 +**	**143**	**28.5**	**439**	**4**	**11**	**24**	**42**	**57**	**62**	**91**
GRAND TOTAL	**461**	**24.6**	**506**	**3**	**8**	**18**	**38**	**66**	**92**	**99 +**	**243**	**25.5**	**416**	**3**	**8**	**22**	**37**	**55**	**59**	**90**

TOTAL U.S., JANUARY-DECEMBER 1990

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	20.2	960	2	2	8	22	70	99	99+	5	5.6	74	1	1	2	7	21	21	21
13-19	6	25.8	809	1	2	20	40	69	72	72										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	15	22.5	843	2	2	8	33	72	92	99	5	5.6	74	1	1	2	7	21	21	21
B. FEMALE																				
0-12 YRS.	5	7.6	88	1	1	3	13	23	23	23	4	2.5	3	1	1	2	4	5	5	5
13-19	2	9.5	5	8	8	9	11	11	11	11	1	3.0		3	3	3	3	3	3	3
20-34	1	9.0		9	9	9	9	9	9	9										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	9	7.6	49	1	2	8	10	18	23	23	5	2.6	2	1	2	2	3	5	5	5
SUBTOTAL	**24**	**16.9**	**585**	**1**	**2**	**8**	**22**	**43**	**80**	**99**	**10**	**4.1**	**37**	**1**	**2**	**2**	**3**	**13**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	30	23.4	372	3	7	19	32	52	65	76	1	3.0		3	3	3	3	3	3	3
13-19	19	24.6	525	3	11	16	37	47	74	96										
20-34	5	15.8	48	8	10	14	23	23	23	23										
35-49	1	9.0		9	9	9	9	9	9	9										
50-64																				
65 +																				
ALL AGES	55	22.9	386	3	9	18	30	48	63	95	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8										
13-19	2	8.5	113	1	1	8	16	16	16	16										
20-34																				
35-49	1	6.0		6	6	6	6	6	6	6										
50-64																				
65 +																				
ALL AGES	5	6.6	36	1	2	6	10	16	16	16										
SUBTOTAL	**60**	**21.5**	**378**	**3**	**7**	**16**	**29**	**47**	**60**	**94**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**84**	**20.2**	**435**	**2**	**5**	**14**	**26**	**46**	**67**	**98**	**11**	**4.0**	**33**	**1**	**2**	**2**	**3**	**11**	**20**	**21**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	16.0	450	1	1	16	31	31	31	31										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	16.0	450	1	1	16	31	31	31	31										
B. FEMALE																				
0-12 YRS.	2	19.5	265	8	8	19	31	31	31	31	1	3.0		3	3	3	3	3	3	3
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	19.5	265	8	8	19	31	31	31	31	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**17.8**	**240**	**1**	**4**	**19**	**31**	**31**	**31**	**31**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**4**	**17.8**	**240**	**1**	**4**	**19**	**31**	**31**	**31**	**31**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	2.0	2	1	1	2	3	4	4	4	4	1.3		1	1	1	2	2	2	2
13-19	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-49																				
50-64																				
65 +	2	3.5	5	2	2	3	5	5	5	5										
ALL AGES	11	2.1	2	1	1	2	3	4	5	5	6	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	3	2.0	1	1	1	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
13-19																				
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
50-64	3	6.0	39	1	2	4	11	13	13	13										
65 +	1	10.0		10	10	10	10	10	10	10	1	4.0		4	4	4	4	4	4	4
ALL AGES	8	4.8	19	1	2	3	7	12	13	13	3	2.7	2	1	1	3	4	4	4	4
SUBTOTAL	**19**	**3.2**	**10**	**1**	**1**	**2**	**4**	**8**	**12**	**13**	**9**	**1.8**	**1**	**1**	**1**	**1**	**2**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	12.0		12	12	12	12	12	12	12
13-19	1	1.0		1	1	1	1	1	1	1										
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	3	2.0	1	1	1	2	3	3	3	3	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-19	2	5.0	8	3	3	5	7	7	7	7										
20-34											2	2.5	1	2	2	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1										
50-64																				
65 +	3	1.7	1	1	1	1	3	3	3	3										
ALL AGES	8	2.6	5	1	1	2	4	6	7	7	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**11**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**7**	**7**	**3**	**5.7**	**30**	**2**	**2**	**3**	**10**	**12**	**12**	**12**
GRAND TOTAL	**30**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**10**	**13**	**12**	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**11**	**12**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	10.0	213	1	1	3	12	37	38	38	5	15.0	379	1	2	6	25	48	48	48
13-19	7	8.6	76	2	3	6	10	24	27	27										
20-34	5	16.8	255	3	4	10	31	39	39	39	2	27.5	13	25	25	27	30	30	30	30
35-49											1	5.0		5	5	5	5	5	5	5
50-64	1	15.0		15	15	15	15	15	15	15										
65 +	1	10.0		10	10	10	10	10	10	10	3	7.3	11	5	5	6	10	11	11	11
ALL AGES	24	11.2	158	1	3	5	13	36	38	39	11	14.3	212	2	5	6	23	37	47	48
B. FEMALE																				
0-12 YRS.	18	10.2	128	2	3	6	12	28	38	43	7	15.0	160	3	3	16	24	33	35	35
13-19	64	14.7	149	2	5	11	20	35	41	93	24	20.6	289	2	4	20	32	44	52	52
20-34	55	13.9	202	1	3	8	19	31	41	73	13	9.2	83	2	2	3	19	23	25	26
35-49	10	6.0	34	1	2	3	11	15	17	17	5	6.4	21	2	3	6	8	14	14	14
50-64	7	3.7	7	2	2	2	5	8	9	9	1	2.0		2	2	2	2	2	2	2
65 +	4	12.0	216	4	4	5	20	34	34	34	3	14.3	158	2	5	14	24	27	27	27
ALL AGES	156	12.8	159	2	3	8	19	31	41	73	53	15.0	207	2	3	9	25	36	43	52
SUBTOTAL	**182**	**12.6**	**158**	**2**	**3**	**8**	**18**	**31**	**40**	**69**	**64**	**14.9**	**204**	**2**	**3**	**8**	**25**	**35**	**44**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	22.5	481	7	7	22	38	38	38	38	3	27.7	630	8	11	19	47	56	56	56
13-19	7	26.9	418	7	10	20	40	59	63	63	1	22.0		22	22	22	22	22	22	22
20-34	11	19.2	174	5	7	15	28	38	42	42	1	25.0		25	25	25	25	25	25	25
35-49	9	27.3	254	9	18	27	30	51	63	63	2	31.0	128	23	23	31	39	39	39	39
50-64	1	24.0		24	24	24	24	24	24	24										
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	31	23.2	250	5	8	24	30	43	62	63	7	27.4	244	10	20	23	35	53	56	56
B. FEMALE																				
0-12 YRS.	8	28.6	484	4	6	31	46	57	59	59	2	10.5	145	2	2	10	19	19	19	19
13-19	94	23.9	383	3	8	20	36	51	58	86	58	25.9	289	4	11	26	37	54	56	64
20-34	171	18.7	233	3	7	14	27	42	50	64	70	21.3	165	4	11	21	30	38	44	91
35-49	34	15.3	142	2	7	11	22	31	34	53	19	14.9	128	3	5	11	24	31	36	39
50-64	6	19.5	143	11	13	15	20	41	43	43	2	13.5	25	10	10	13	17	17	17	17
65 +	7	6.3	44	2	3	4	6	18	21	21	3	17.7	59	9	12	20	23	24	24	24
ALL AGES	320	19.9	276	3	7	15	28	43	53	76	154	21.9	216	3	10	21	31	41	54	64
SUBTOTAL	**351**	**20.1**	**278**	**3**	**7**	**16**	**29**	**43**	**54**	**74**	**161**	**22.2**	**214**	**4**	**10**	**21**	**31**	**41**	**55**	**63**
GRAND TOTAL	**533**	**17.6**	**247**	**2**	**5**	**13**	**27**	**41**	**50**	**74**	**225**	**20.1**	**222**	**3**	**6**	**20**	**30**	**41**	**51**	**60**

TOTAL U.S., JANUARY-DECEMBER 1990

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34																				
35-49											1	4.0		4	4	4	4	4	4	4
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	3	3.0	3	2	2	2	4	5	5	5	2	2.5	5	1	1	2	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	3.0	3	2	2	2	4	5	5	5	2	2.5	5	1	1	2	4	4	4	4

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	3.1	6	1	2	2	4	7	8	8	2	4.0	8	2	2	4	6	6	6	6
13-19											2	21.0	648	3	3	21	39	39	39	39
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	7	3.1	6	1	2	2	4	7	8	8	4	12.5	315	2	2	4	22	39	39	39
B. FEMALE																				
0-12 YRS.	4	6.8	103	1	1	2	12	22	22	22	1	2.0		2	2	2	2	2	2	2
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	6.8	103	1	1	2	12	22	22	22	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**11**	**4.5**	**37**	**1**	**1**	**2**	**4**	**14**	**21**	**22**	**5**	**10.4**	**258**	**2**	**2**	**3**	**14**	**39**	**39**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	18.1	147	3	6	17	30	34	35	35	3	12.0	39	5	7	14	16	17	17	17
13-19	2	30.0	288	18	18	30	42	42	42	42										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	11	20.3	168	4	9	18	31	38	42	42	3	12.0	39	5	7	14	16	17	17	17
B. FEMALE																				
0-12 YRS.	1	59.0		59	59	59	59	59	59	59	2	25.0	32	21	21	25	29	29	29	29
13-19											1	23.0		23	23	23	23	23	23	23
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	59.0		59	59	59	59	59	59	59	3	24.3	20	21	21	23	27	29	29	29
SUBTOTAL	**12**	**23.5**	**279**	**4**	**11**	**19**	**33**	**47**	**57**	**59**	**6**	**18.2**	**67**	**6**	**14**	**19**	**23**	**28**	**29**	**29**
GRAND TOTAL	**23**	**14.4**	**251**	**1**	**2**	**7**	**22**	**36**	**40**	**59**	**11**	**14.6**	**155**	**2**	**3**	**14**	**22**	**33**	**38**	**39**

TOTAL U.S., JANUARY-DECEMBER 1990

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	6.0	32	2	2	6	10	10	10	10	1	2.0		2	2	2	2	2	2	2
13-19	2	3.0		3	3	3	3	3	3	3	4	6.5	52	1	2	4	11	17	17	17
20-34	17	3.2	9	1	1	3	4	6	11	13	10	3.6	3	1	2	4	5	6	6	6
35-49	14	2.8	5	1	1	2	4	7	7	7	15	2.5	1	1	2	3	3	3	4	4
50-64	8	2.3	1	1	1	2	3	4	4	4	9	4.4	16	1	2	3	5	11	14	14
65 +	4	4.3	6	2	2	4	6	7	7	7	6	6.3	27	1	3	5	9	14	15	15
ALL AGES	47	3.1	7	1	1	2	4	7	8	13	45	4.0	12	1	2	3	5	7	14	17
B. FEMALE																				
0-12 YRS.	9	3.1	3	1	2	3	4	6	7	7	12	4.8	31	1	1	3	7	13	18	19
13-19	13	4.8	31	1	2	3	6	10	20	22	10	2.3	4	1	1	2	3	5	7	7
20-34	70	4.0	11	1	2	3	5	8	11	19	45	3.2	5	1	1	3	4	6	7	13
35-49	44	3.2	6	1	2	2	3	7	9	11	50	4.0	9	1	2	3	5	7	9	17
50-64	30	4.5	22	1	2	3	7	10	11	24	26	4.2	7	2	3	4	5	7	9	15
65 +	16	3.9	9	1	2	3	5	5	11	14	17	4.4	20	1	1	3	6	11	15	17
ALL AGES	182	3.9	12	1	2	3	4	8	11	21	160	3.8	10	1	2	3	5	7	10	17
SUBTOTAL	**229**	**3.7**	**11**	**1**	**2**	**3**	**4**	**7**	**10**	**20**	**205**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**11**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	4.5	5	3	3	4	6	6	6	6	1	6.0		6	6	6	6	6	6	6
13-19											2	2.5	5	1	1	2	4	4	4	4
20-34	7	15.9	258	1	3	4	32	35	35	35	8	7.3	72	2	2	4	8	22	27	27
35-49	6	7.7	59	1	2	4	17	18	18	18	9	2.7	2	1	2	3	3	5	5	5
50-64	5	4.8	10	1	2	6	7	8	8	8	3	3.3	1	3	3	3	4	4	4	4
65 +	6	7.5	10	3	5	8	9	12	12	12	3	6.0	16	2	3	6	9	10	10	10
ALL AGES	26	9.0	98	1	3	5	9	30	33	35	26	4.7	26	1	2	3	5	10	14	27
B. FEMALE																				
0-12 YRS.	3	5.7	4	4	4	5	7	8	8	8	2	5.0	2	4	4	5	6	6	6	6
13-19	8	6.9	78	2	2	3	7	22	28	28	6	7.2	46	2	3	3	16	16	16	16
20-34	26	6.5	35	2	3	4	6	14	23	24	24	3.8	7	1	2	3	6	8	9	10
35-49	30	7.0	64	1	2	4	8	19	27	34	20	4.8	13	2	2	3	6	11	13	15
50-64	17	6.1	20	2	3	5	8	11	17	20	16	3.3	5	2	2	3	4	4	9	11
65 +	22	7.4	58	1	2	6	11	14	24	35	6	5.8	27	2	2	4	8	14	15	15
ALL AGES	106	6.8	46	2	3	4	8	14	24	34	74	4.4	13	2	2	3	5	10	14	16
SUBTOTAL	**132**	**7.2**	**57**	**2**	**3**	**5**	**8**	**16**	**27**	**35**	**100**	**4.5**	**16**	**2**	**2**	**3**	**5**	**10**	**13**	**22**
GRAND TOTAL	361	5.0	30	1	2	3	6	10	14	33	305	4.0	13	1	2	3	5	8	12	17

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.3	15	1	2	7	8	8	8	8	2	8.5	113	1	1	8	16	16	16	16
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	2	2.0	2	1	1	1	3	3	3	3										
35-49	1	5.0		5	5	5	5	5	5	5	2	3.0	2	2	2	3	4	4	4	4
50-64	5	4.6	10	2	3	4	6	10	10	10										
65 +	6	4.7	23	1	2	2	8	12	13	13	4	6.0	1	5	5	6	7	7	7	7
ALL AGES	18	4.6	11	1	2	3	7	9	12	13	8	5.9	21	1	3	5	7	13	16	16
B. FEMALE																				
0-12 YRS.	8	3.4	10	1	1	2	5	9	10	10	3	3.0	1	2	2	3	4	4	4	4
13-19	1	1.0		1	1	1	1	1	1	1	3	5.3	27	1	2	4	9	11	11	11
20-34	3	1.3		1	1	1	2	2	2	2	2	3.0	8	1	1	3	5	5	5	5
35-49	4	4.8	11	2	2	4	7	9	9	9	1	1.0		1	1	1	1	1	1	1
50-64	3	3.0	1	2	2	3	4	4	4	4	1	8.0		8	8	8	8	8	8	8
65 +	6	4.0	7	1	2	3	6	8	8	8	7	4.7	2	2	4	5	6	6	6	6
ALL AGES	25	3.4	7	1	1	2	5	8	9	10	17	4.3	7	1	2	4	6	8	10	11
SUBTOTAL	**43**	**3.9**	**9**	**1**	**2**	**3**	**6**	**8**	**10**	**13**	**25**	**4.8**	**11**	**1**	**2**	**4**	**6**	**8**	**12**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	3	9.0	52	1	3	11	14	15	15	15	2	7.5	85	1	1	7	14	14	14	14
50-64	1	3.0		3	3	3	3	3	3	3	3	15.0	147	4	6	13	24	28	28	28
65 +	5	6.6	8	2	5	8	8	9	9	9	6	3.2	7	1	1	2	4	8	8	8
ALL AGES	10	6.4	22	1	2	7	9	13	15	15	11	7.2	69	1	1	4	12	20	27	28
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-19	1	53.0		53	53	53	53	53	53	53										
20-34	1	19.0		19	19	19	19	19	19	19										
35-49	1	2.0		2	2	2	2	2	2	2	2	3.0		3	3	3	3	3	3	3
50-64	2	8.5	25	5	5	8	12	12	12	12										
65 +	11	6.1	13	2	4	5	8	12	14	14	3	5.7	17	1	2	7	8	9	9	9
ALL AGES	17	9.7	146	2	4	5	10	18	41	53	5	4.6	11	1	2	3	7	9	9	9
SUBTOTAL	**27**	**8.5**	**100**	**2**	**3**	**6**	**10**	**15**	**24**	**53**	**16**	**6.4**	**50**	**1**	**2**	**4**	**8**	**14**	**24**	**28**
GRAND TOTAL	**70**	**5.6**	**49**	**1**	**2**	**4**	**8**	**11**	**14**	**46**	**41**	**5.4**	**27**	**1**	**2**	**4**	**6**	**12**	**15**	**28**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34	4	3.8	4	1	2	4	5	6	6	6	4	2.0	1	1	1	2	3	3	3	3
35-49	6	1.5	1	1	1	1	2	3	3	3	7	2.6	6	1	1	2	3	7	8	8
50-64	3	15.0	291	1	3	10	28	34	34	34	3	1.0		1	1	1	1	1	1	1
65 +	3	1.0		1	1	1	1	1	1	1	8	5.3	8	1	4	5	6	10	11	11
ALL AGES	16	4.5	68	1	1	1	4	10	27	34	23	3.2	7	1	1	2	4	7	9	11
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-19	4	2.3	3	1	1	2	3	5	5	5	5	1.2		1	1	1	2	2	2	2
20-34	5	6.4	32	2	3	4	9	16	16	16	6	1.0		1	1	1	1	1	1	1
35-49	19	3.3	11	1	1	2	4	8	11	13	15	2.5	3	1	1	2	3	5	6	7
50-64	8	3.3	14	1	1	2	4	10	12	12	10	2.4	3	1	1	2	3	5	7	7
65 +	6	2.8	2	2	2	3	3	5	5	5	9	3.0	2	1	2	3	4	5	5	5
ALL AGES	43	3.7	14	1	1	2	5	9	13	16	45	2.2	3	1	1	2	3	4	6	7
SUBTOTAL	**59**	**3.9**	**28**	**1**	**1**	**2**	**5**	**9**	**13**	**32**	**68**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	15.0		15	15	15	15	15	15	15
13-19																				
20-34	9	2.4	3	1	1	2	3	5	6	6	3	1.0		1	1	1	1	1	1	1
35-49	4	6.3	24	1	1	6	10	11	11	11	5	1.8	1	1	1	2	2	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4	2	3.5	1	3	3	3	4	4	4	4
65 +	2	9.0	98	2	2	9	16	16	16	16	1	2.0		2	2	2	2	2	2	2
ALL AGES	16	4.3	19	1	1	3	5	11	14	16	12	3.0	15	1	1	2	3	7	14	15
B. FEMALE																				
0-12 YRS.																				
13-19	2	2.5	1	2	2	2	3	3	3	3										
20-34	10	7.9	58	2	3	5	7	22	23	23	7	5.3	77	1	1	2	4	21	25	25
35-49	9	3.6	11	2	2	2	3	9	12	12	8	2.3	1	1	1	2	3	4	4	4
50-64	6	4.8	50	1	1	2	4	17	19	19	4	3.3	6	1	1	2	5	7	7	7
65 +	1	57.0		57	57	57	57	57	57	57	4	4.3	6	2	2	3	6	8	8	8
ALL AGES	28	7.2	131	2	2	3	6	20	26	57	23	3.7	25	1	1	2	4	7	14	25
SUBTOTAL	**44**	**6.2**	**90**	**1**	**2**	**3**	**6**	**16**	**22**	**57**	**35**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**13**	**25**
GRAND TOTAL	**103**	**4.9**	**55**	**1**	**1**	**2**	**5**	**12**	**17**	**45**	**103**	**2.9**	**10**	**1**	**1**	**2**	**3**	**5**	**8**	**20**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	26.0		26	26	26	26	26	26	26
50-64											1	8.0		8	8	8	8	8	8	8
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	17.0	162	8	8	17	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**	**3**	**12.7**	**136**	**4**	**5**	**8**	**21**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12										
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64	1	6.0		6	6	6	6	6	6	6										
65 +																				
ALL AGES	4	5.5	22	2	2	4	9	12	12	12										
SUBTOTAL	**4**	**5.5**	**22**	**2**	**2**	**4**	**9**	**12**	**12**	**12**										
GRAND TOTAL	**6**	**4.5**	**17**	**1**	**2**	**3**	**6**	**11**	**12**	**12**	**3**	**12.7**	**136**	**4**	**5**	**8**	**21**	**26**	**26**	**26**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	1	26.0		26	26	26	26	26	26	26	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	3	11.3	166	2	3	6	21	26	26	26	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**4**	**9.0**	**132**	**2**	**2**	**4**	**16**	**26**	**26**	**26**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	3.0		3	3	3	3	3	3	3
35-49																				
50-64	1	4.0		4	4	4	4	4	4	4										
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
35-49																				
50-64																				
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**6**	**7.3**	**86**	**2**	**2**	**4**	**6**	**24**	**26**	**26**	**4**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	31.8	990	2	4	33	59	59	59	59	2	12.0	242	1	1	11	23	23	23	23
13-19	3	9.0	192	1	1	1	19	25	25	25	1	31.0		31	31	31	31	31	31	31
20-34	14	5.2	23	2	3	4	5	10	18	20	7	5.4	53	1	1	1	8	18	20	20
35-49	13	8.0	107	1	1	5	11	20	35	38	8	2.6	2	1	1	2	4	5	5	5
50-64	6	5.0	70	1	1	2	3	20	22	22	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
ALL AGES	41	8.8	194	1	1	3	9	23	47	59	20	5.9	73	1	1	2	5	21	27	31
B. FEMALE																				
0-12 YRS.	9	24.4	165	6	17	21	34	40	42	42	3	24.0	93	17	18	20	31	35	35	35
13-19	27	6.6	49	1	2	4	9	19	23	27	6	6.8	54	2	2	4	8	20	21	21
20-34	51	8.6	137	1	2	6	10	16	43	60	9	3.7	10	1	1	4	5	9	10	10
35-49	26	9.1	77	1	2	6	15	22	28	33	9	4.2	9	1	2	3	7	9	10	10
50-64	9	7.8	89	1	1	4	13	24	28	28	6	2.7	5	1	1	2	3	7	7	7
65 +	4	3.3	10	1	1	2	5	8	8	8	7	3.6	3	2	2	3	4	6	7	7
ALL AGES	126	9.2	116	1	2	6	12	22	33	51	40	5.6	47	1	2	3	7	14	20	35
SUBTOTAL	**167**	**9.1**	**134**	**1**	**2**	**5**	**11**	**22**	**34**	**59**	**60**	**5.7**	**54**	**1**	**2**	**3**	**7**	**18**	**22**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	20.2	323	3	7	22	46	95	99+	99+	2	21.5	265	10	10	21	33	33	33	33
13-19	11	11.7	97	2	6	10	13	30	30	30	3	6.0	19	3	3	4	9	11	11	11
20-34	35	10.3	145	2	2	5	13	27	37	52	6	12.8	296	2	4	6	13	44	47	47
35-49	33	8.0	80	1	2	6	10	15	30	43	8	4.0	18	1	1	2	6	11	13	13
50-64	4	9.5	114	2	2	5	16	25	25	25	2	2.0		2	2	2	2	2	2	2
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	88	10.2	123	1	2	7	12	30	38	81	22	8.0	127	1	2	4	10	19	39	47
B. FEMALE																				
0-12 YRS.	13	23.5	251	6	11	17	35	45	53	55	2	15.0	288	3	3	15	27	27	27	27
13-19	47	15.6	161	2	6	10	27	36	42	42	7	5.7	24	1	1	5	8	14	15	15
20-34	84	12.2	156	1	3	9	16	28	39	92	19	5.3	26	1	2	4	7	12	18	21
35-49	52	11.9	128	2	3	8	18	28	36	52	9	7.9	79	1	2	3	14	23	27	27
50-64	10	5.7	49	1	2	4	6	16	25	25	1	21.0		21	21	21	21	21	21	21
65 +	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	207	13.3	158	2	4	9	19	32	42	65	39	6.8	52	1	2	4	8	19	24	27
SUBTOTAL	**295**	**12.3**	**151**	**2**	**3**	**8**	**17**	**31**	**41**	**67**	**61**	**7.3**	**76**	**1**	**2**	**4**	**8**	**18**	**27**	**45**
GRAND TOTAL	**462**	**11.2**	**146**	**1**	**3**	**7**	**15**	**29**	**38**	**59**	**121**	**6.5**	**66**	**1**	**2**	**3**	**7**	**18**	**25**	**38**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	3	5.3	15	1	2	7	8	8	8	8	1	1.0		1	1	1	1	1	1	1
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	5	4.2	10	1	2	3	7	8	8	8	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	3	13.7	103	2	6	18	20	21	21	21										
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	4	11.0	98	2	2	10	19	21	21	21										
SUBTOTAL	**9**	**7.2**	**55**	**1**	**2**	**3**	**10**	**20**	**21**	**21**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	22.0		22	22	22	22	22	22	22										
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	2	11.5	221	1	1	11	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	2.0	1	1	1	2	3	3	3	3										
35-49	1	9.0		9	9	9	9	9	9	9										
50-64																				
65 +																				
ALL AGES	4	3.8	12	1	1	2	6	9	9	9										
SUBTOTAL	**6**	**6.3**	**68**	**1**	**1**	**2**	**9**	**21**	**22**	**22**										
GRAND TOTAL	**15**	**6.9**	**55**	**1**	**2**	**3**	**9**	**21**	**22**	**22**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16	1	2.0		2	2	2	2	2	2	2
13-19	4	9.8	55	2	5	8	14	20	20	20										
20-34																				
35-49	6	2.2	2	1	1	2	3	4	4	4	4	2.8		2	2	3	3	3	3	3
50-64	5	2.4	4	1	1	2	3	6	6	6										
65 +	1	3.0		3	3	3	3	3	3	3	3	2.3	1	2	2	2	3	3	3	3
ALL AGES	17	4.9	31	1	1	3	6	15	19	20	8	2.5		2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-19	3	6.7	26	1	3	8	10	11	11	11	1	1.0		1	1	1	1	1	1	1
20-34	9	4.1	36	1	2	2	3	13	20	20	1	9.0		9	9	9	9	9	9	9
35-49	10	3.5	6	1	2	3	5	7	8	8	4	1.8		1	1	2	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
65 +	4	2.0	1	1	1	2	3	3	3	3	4	9.0	79	2	3	6	14	22	22	22
ALL AGES	29	3.7	16	1	2	3	3	8	11	20	13	4.6	33	1	2	2	5	12	20	22
SUBTOTAL	**46**	**4.2**	**21**	**1**	**2**	**3**	**4**	**9**	**17**	**20**	**21**	**3.8**	**21**	**1**	**2**	**2**	**3**	**8**	**15**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	9.0		9	9	9	9	9	9	9	1	25.0		25	25	25	25	25	25	25
20-34	4	4.3	6	2	2	4	6	7	7	7	2	3.5	1	3	3	3	4	4	4	4
35-49																				
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	5	5.2	10	2	2	6	7	9	9	9	4	8.5	122	2	2	3	14	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-19	2	7.0	2	6	6	7	8	8	8	8	1	3.0		3	3	3	3	3	3	3
20-34	5	9.0	44	2	3	9	15	17	17	17	1	3.0		3	3	3	3	3	3	3
35-49	9	18.0	150	3	6	17	27	35	35	35	3	3.7	2	2	2	4	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4	2	3.5	1	3	3	3	4	4	4	4
65 +	4	7.0	22	2	3	7	11	11	11	11	1	6.0		6	6	6	6	6	6	6
ALL AGES	21	12.0	102	2	4	9	17	29	34	35	8	3.8	1	2	3	4	5	6	6	6
SUBTOTAL	**26**	**10.7**	**91**	**2**	**4**	**7**	**15**	**25**	**34**	**35**	**12**	**5.3**	**40**	**2**	**3**	**4**	**5**	**12**	**23**	**25**
GRAND TOTAL	**72**	**6.5**	**56**	**1**	**2**	**3**	**8**	**17**	**23**	**35**	**33**	**4.4**	**27**	**2**	**2**	**3**	**4**	**7**	**20**	**25**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	11.5	130	1	4	10	14	20	35	56	1	1.0		1	1	1	1	1	1	1
13-19	296	7.8	76	1	2	5	10	18	24	53	44	5.9	47	1	2	4	8	13	24	34
20-34	498	4.8	19	1	2	3	6	11	13	24	64	4.3	19	1	1	3	6	9	11	28
35-49	277	5.9	31	1	2	4	8	12	16	28	41	4.8	25	1	1	3	6	10	12	28
50-64	69	5.7	27	1	2	4	8	14	17	24	13	3.9	9	1	2	3	5	8	11	12
65 +	60	8.8	43	3	4	7	11	18	23	29	9	7.6	103	1	2	4	7	24	34	34
ALL AGES	1225	6.1	42	1	2	4	8	13	19	30	172	4.9	32	1	1	3	6	9	13	33
B. FEMALE																				
0-12 YRS.	32	10.0	100	1	2	7	16	26	40	99 +	5	12.6	93	1	4	13	21	23	23	23
13-19	680	8.8	75	1	3	6	12	20	26	41	84	5.5	23	1	2	4	7	13	16	21
20-34	760	5.0	20	1	2	4	7	11	14	20	115	4.5	38	1	2	3	5	8	12	36
35-49	412	6.1	31	1	2	4	8	14	17	25	63	4.3	15	1	2	3	5	11	13	19
50-64	115	7.3	33	2	3	6	9	14	18	31	23	4.0	15	1	1	3	5	8	12	18
65 +	102	9.7	58	2	3	9	14	21	25	34	27	6.6	30	2	3	5	8	15	18	25
ALL AGES	2101	6.9	47	1	2	5	9	15	20	34	317	5.0	29	1	2	3	6	12	15	24
SUBTOTAL	**3326**	**6.6**	**45**	**1**	**2**	**4**	**9**	**14**	**20**	**32**	**489**	**5.0**	**29**	**1**	**2**	**3**	**6**	**11**	**14**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	27	20.1	168	6	12	18	27	36	51	54	4	21.0	139	4	13	25	29	29	29	29
13-19	349	10.1	110	1	3	7	14	24	31	52	32	7.1	28	1	4	6	9	16	18	21
20-34	946	6.6	37	1	3	5	8	14	18	30	94	5.2	26	1	2	3	7	12	17	26
35-49	534	6.6	37	1	2	5	8	15	19	28	53	5.9	47	1	1	3	9	13	18	39
50-64	123	8.5	64	1	3	6	12	19	23	44	18	6.5	25	2	3	4	9	14	18	20
65 +	61	11.8	151	3	4	10	16	20	29	74	10	10.5	196	1	3	5	12	31	48	48
ALL AGES	2040	7.7	60	1	3	5	10	16	23	38	211	6.3	46	1	2	4	8	14	19	34
B. FEMALE																				
0-12 YRS.	28	15.7	89	4	10	13	21	30	33	38	5	17.8	203	4	7	11	31	36	36	36
13-19	538	10.3	105	1	3	7	14	23	30	48	55	6.8	41	1	3	5	8	14	24	30
20-34	1067	7.3	46	1	3	5	9	15	20	35	114	6.7	42	1	2	5	9	15	20	32
35-49	578	7.8	46	2	3	6	11	17	21	33	86	8.5	114	1	3	5	11	18	25	63
50-64	123	8.3	43	3	4	7	11	15	22	35	23	5.6	67	1	2	3	6	10	21	41
65 +	84	11.4	79	3	5	9	15	23	28	49	17	10.1	70	3	4	7	12	22	30	34
ALL AGES	2418	8.4	63	2	3	6	11	18	24	39	300	7.5	71	1	3	5	10	16	25	40
SUBTOTAL	**4458**	**8.0**	**63**	**1**	**3**	**6**	**11**	**17**	**23**	**38**	**511**	**7.0**	**61**	**1**	**2**	**4**	**9**	**15**	**21**	**39**
GRAND TOTAL	**7784**	**7.4**	**56**	**1**	**3**	**5**	**10**	**16**	**22**	**36**	**1000**	**6.0**	**47**	**1**	**2**	**4**	**7**	**13**	**19**	**34**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-19	14	9.5	107	1	3	4	16	28	31	32	2	8.0	2	7	7	8	9	9	9	9
20-34	6	8.5	60	1	2	7	11	21	22	22	3	4.0	4	2	2	4	5	6	6	6
35-49	11	8.2	27	2	3	8	12	15	17	17	2	5.5	25	2	2	5	9	9	9	9
50-64	3	13.7	257	2	3	7	26	32	32	32										
65 +	5	5.6	11	1	4	5	8	10	10	10	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	40	9.3	77	1	3	6	12	25	30	32	9	5.1	8	2	3	4	7	9	9	9
B. FEMALE																				
0-12 YRS.	2	18.0	242	7	7	18	29	29	29	29										
13-19	29	10.6	140	2	3	6	15	26	35	53	8	6.4	72	1	1	2	9	21	25	25
20-34	23	7.0	20	3	4	5	12	14	14	14	8	3.1	4	1	2	3	4	6	7	7
35-49	20	8.5	109	2	2	4	8	24	32	40	6	7.3	49	1	3	6	9	19	20	20
50-64	8	7.0	28	1	3	5	11	15	16	16	3	3.0	4	1	1	3	4	5	5	5
65 +	13	11.8	213	3	4	9	13	24	52	58	6	7.5	133	2	3	3	3	28	31	31
ALL AGES	95	9.3	105	2	3	6	13	20	29	56	31	5.6	52	1	2	3	6	15	25	31
SUBTOTAL	**135**	**9.3**	**96**	**2**	**3**	**6**	**13**	**22**	**29**	**54**	**40**	**5.5**	**42**	**1**	**2**	**3**	**7**	**11**	**22**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	32.3	63	18	30	35	37	39	40	40										
13-19	15	17.5	198	3	9	13	23	42	49	52	1	9.0		9	9	9	9	9	9	9
20-34	29	5.6	11	1	3	6	7	10	11	14	7	5.7	9	2	4	6	8	9	9	9
35-49	19	7.2	51	1	2	3	10	19	24	25	4	4.8	9	2	2	4	7	9	9	9
50-64	3	8.3	17	6	6	6	11	13	13	13	1	21.0		21	21	21	21	21	21	21
65 +	4	17.5	80	9	10	16	24	29	29	29	1	2.0		2	2	2	2	2	2	2
ALL AGES	77	11.5	128	2	3	7	14	29	36	49	14	6.5	26	2	3	5	9	11	19	21
B. FEMALE																				
0-12 YRS.	3	32.3	412	14	18	29	48	54	54	54										
13-19	33	16.4	200	4	6	12	21	40	46	64	8	13.5	131	3	4	10	22	31	34	34
20-34	49	7.9	44	2	3	7	10	16	26	29	12	5.2	45	2	2	3	4	13	24	26
35-49	37	10.7	50	2	5	10	17	20	22	23	8	5.8	24	1	3	4	8	14	15	15
50-64	5	7.2	83	1	2	3	11	23	23	23	2	8.0	32	4	4	8	12	12	12	12
65 +	9	11.0	68	4	5	8	18	24	26	26	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	136	11.4	111	2	4	8	16	23	28	55	32	7.6	65	2	3	4	10	21	26	34
SUBTOTAL	**213**	**11.4**	**117**	**2**	**4**	**8**	**15**	**26**	**35**	**53**	**46**	**7.2**	**53**	**2**	**3**	**4**	**9**	**19**	**24**	**34**
GRAND TOTAL	**348**	**10.6**	**109**	**2**	**3**	**7**	**14**	**24**	**32**	**53**	**86**	**6.4**	**48**	**1**	**3**	**4**	**8**	**15**	**24**	**33**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	13.6	105	3	6	11	19	28	54	99 +	3	4.3	11	2	2	3	7	8	8	8
13-19	114	10.7	180	1	2	6	14	29	37	68	19	8.8	52	2	4	6	14	21	23	24
20-34	166	5.7	29	1	2	4	8	11	15	28	30	5.5	49	1	2	4	6	12	15	37
35-49	101	5.9	41	1	2	4	8	13	16	37	12	5.2	32	1	1	3	8	14	18	19
50-64	27	6.3	29	1	3	5	8	15	18	22	3	2.7	4	1	1	2	4	5	5	5
65 +	29	10.0	47	3	4	7	14	18	22	32	6	5.3	12	1	2	6	8	9	9	9
ALL AGES	462	7.7	80	1	2	5	9	17	27	42	73	6.2	41	1	2	4	8	15	19	34
B. FEMALE																				
0-12 YRS.	22	19.2	267	8	10	15	21	35	54	80	4	15.8	204	3	3	14	28	31	31	31
13-19	195	9.9	105	1	2	6	14	24	28	49	21	7.7	78	1	2	3	13	24	25	26
20-34	234	5.6	23	1	2	4	8	12	15	22	25	4.7	14	1	2	4	6	10	14	15
35-49	145	5.4	19	1	2	4	7	12	14	17	25	6.3	12	2	4	6	9	11	13	15
50-64	66	6.6	31	1	2	5	9	13	15	31	11	4.6	32	1	1	2	6	13	19	20
65 +	56	9.9	68	2	4	7	13	21	27	40	11	8.9	52	2	4	7	11	21	26	26
ALL AGES	718	7.6	64	1	2	5	10	17	23	36	97	6.7	43	1	2	4	8	15	24	29
SUBTOTAL	**1180**	**7.6**	**71**	**1**	**2**	**5**	**10**	**17**	**24**	**41**	**170**	**6.5**	**42**	**1**	**2**	**4**	**8**	**15**	**22**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	35	20.2	227	4	8	19	28	49	59	99 +	7	26.1	426	9	12	19	32	61	68	68
13-19	125	10.0	84	1	3	7	15	23	27	42	15	10.6	114	2	5	6	13	31	36	38
20-34	318	6.8	54	1	2	4	9	15	19	33	30	8.0	37	1	3	7	11	17	22	25
35-49	168	6.4	28	1	3	5	8	13	18	22	13	9.5	88	2	4	5	14	24	30	32
50-64	43	10.2	109	2	3	8	14	23	30	52	7	5.6	47	2	2	3	4	18	21	21
65 +	21	8.4	38	2	4	7	11	18	22	23	6	6.2	22	1	3	5	8	13	14	14
ALL AGES	710	8.2	73	1	3	6	11	19	24	43	78	10.0	115	2	3	7	12	22	32	60
B. FEMALE																				
0-12 YRS.	18	16.2	138	3	6	15	27	30	37	41	6	24.7	249	13	14	19	27	52	55	55
13-19	172	10.7	103	2	4	7	15	22	32	51	21	8.4	59	2	4	6	10	23	27	30
20-34	406	7.2	46	2	3	5	9	14	20	30	43	6.6	34	1	2	5	8	15	19	27
35-49	209	7.4	37	2	3	6	10	17	20	29	28	6.8	24	2	3	6	8	15	18	18
50-64	55	9.1	37	2	4	8	14	16	21	27	12	9.5	54	3	4	9	12	18	27	29
65 +	43	10.2	52	2	5	8	15	20	23	33	5	7.6	5	6	6	6	9	11	11	11
ALL AGES	903	8.4	58	2	3	6	11	19	22	40	115	8.2	62	2	3	6	10	18	24	39
SUBTOTAL	**1613**	**8.3**	**65**	**2**	**3**	**6**	**11**	**19**	**23**	**41**	**193**	**9.0**	**82**	**2**	**3**	**6**	**11**	**20**	**27**	**48**
GRAND TOTAL	**2793**	**8.0**	**68**	**1**	**3**	**6**	**10**	**18**	**23**	**41**	**363**	**7.8**	**65**	**1**	**3**	**5**	**10**	**18**	**24**	**37**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	13.1	48	2	9	14	16	24	26	26	2	6.0	8	4	4	6	8	8	8	8
13-19	56	11.7	167	2	4	7	14	27	46	61	13	7.2	19	3	3	7	9	15	16	16
20-34	24	5.3	81	1	1	3	4	9	26	44										
35-49	9	6.7	21	2	3	6	11	13	14	14	2	7.5	13	5	5	7	10	10	10	10
50-64	1	11.0		11	11	11	11	11	11	11										
65 +	3	3.7	21	1	1	1	7	9	9	9										
ALL AGES	112	9.9	120	1	3	7	13	21	30	57	17	7.1	15	3	4	7	9	14	16	16
B. FEMALE																				
0-12 YRS.	7	17.6	140	1	9	15	27	34	35	35	2	14.5	85	8	8	14	21	21	21	21
13-19	71	13.1	193	1	4	10	17	26	53	66	12	8.1	21	2	4	8	11	14	17	17
20-34	8	5.1	11	1	2	4	8	9	10	10	2	6.0		6	6	6	6	6	6	6
35-49	4	5.5	41	1	2	3	9	15	15	15	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2										
65 +	3	12.7	184	2	3	8	23	28	28	28										
ALL AGES	95	12.2	170	1	3	9	16	28	34	65	17	8.2	28	1	5	7	11	16	20	21
SUBTOTAL	**207**	**11.0**	**142**	**1**	**3**	**7**	**14**	**23**	**33**	**61**	**34**	**7.6**	**22**	**3**	**4**	**7**	**10**	**15**	**17**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	21.4	143	2	13	23	31	36	37	37	2	31.0	1352	5	5	31	57	57	57	57
13-19	42	13.9	242	1	4	8	18	28	49	76	8	4.6	2	3	4	5	6	6	6	6
20-34	26	7.1	36	1	2	6	10	17	18	19	2	4.0	8	2	2	4	6	6	6	6
35-49	13	4.5	14	1	1	4	6	9	13	14	3	7.3	3	6	6	7	8	9	9	9
50-64																				
65 +	4	7.8	60	1	2	5	12	19	19	19										
ALL AGES	101	11.9	163	1	3	8	17	27	35	68	15	8.6	182	3	4	5	6	9	45	57
B. FEMALE																				
0-12 YRS.	6	21.7	182	10	14	18	22	45	48	48	2	12.5	5	11	11	12	14	14	14	14
13-19	53	13.3	240	2	4	8	17	34	59	99	3	13.0	301	2	2	4	26	33	33	33
20-34	12	6.5	137	1	1	3	6	18	39	43	4	2.8	4	1	1	2	4	5	5	5
35-49	6	4.5	6	2	3	4	5	9	9	9	4	4.8	6	1	3	5	6	7	7	7
50-64	1	11.0		11	11	11	11	11	11	11										
65 +	1	14.0		14	14	14	14	14	14	14	1	1.0		1	1	1	1	1	1	1
ALL AGES	79	12.2	209	2	3	7	15	31	46	94	14	6.8	72	1	1	4	7	16	29	33
SUBTOTAL	**180**	**12.0**	**183**	**1**	**3**	**7**	**16**	**29**	**42**	**79**	**29**	**7.7**	**126**	**1**	**3**	**5**	**6**	**13**	**34**	**57**
GRAND TOTAL	**387**	**11.5**	**160**	**1**	**3**	**7**	**15**	**27**	**36**	**65**	**63**	**7.7**	**68**	**2**	**4**	**6**	**9**	**14**	**18**	**54**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	45	19.9	254	4	9	18	28	52	99 +	99 +	2	8.5	113	1	1	8	16	16	16	16
13-19	172	11.7	132	1	3	8	16	28	40	55	16	13.5	96	2	4	11	23	25	27	28
20-34	94	5.1	16	1	2	4	7	10	13	20	15	4.5	83	1	1	2	4	5	29	37
35-49	59	5.5	26	1	2	4	8	12	15	29	4	5.0	23	1	2	3	8	12	12	12
50-64	10	6.2	25	1	2	5	10	13	15	15	1	2.0		2	2	2	2	2	2	2
65 +	11	8.4	66	1	2	4	13	20	27	28	2	4.5	13	2	2	4	7	7	7	7
ALL AGES	391	9.9	118	1	3	7	13	25	36	93	40	8.3	91	1	2	4	12	24	27	37
B. FEMALE																				
0-12 YRS.	35	17.9	198	5	7	16	25	35	41	70	2	17.0	392	3	3	17	31	31	31	31
13-19	294	11.4	96	2	5	8	16	23	29	48	36	13.6	108	1	4	12	20	28	31	38
20-34	134	5.7	62	1	2	4	7	12	17	40	17	5.4	16	1	2	4	8	11	14	15
35-49	72	5.8	28	1	2	4	7	13	15	27	12	4.4	11	1	2	3	7	9	9	9
50-64	16	4.8	24	1	1	3	7	8	16	20	3	2.7	2	1	1	3	4	4	4	4
65 +	28	14.8	346	3	5	10	16	26	52	96	2	4.5	1	4	4	4	5	5	5	5
ALL AGES	579	9.8	107	2	3	6	14	22	28	48	72	9.5	86	1	3	6	14	25	29	37
SUBTOTAL	**970**	**9.8**	**112**	**1**	**3**	**6**	**14**	**23**	**29**	**57**	**112**	**9.1**	**87**	**1**	**2**	**5**	**13**	**25**	**28**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	43	25.7	355	8	14	21	32	59	68	83	4	9.3	24	5	5	8	13	16	16	16
13-19	200	12.1	127	2	4	8	18	28	35	52	19	5.6	45	1	1	2	7	18	21	22
20-34	255	6.5	45	1	2	5	8	13	19	34	16	8.0	48	2	3	5	12	16	24	27
35-49	128	7.3	49	2	3	5	9	16	19	42	23	5.6	19	1	2	4	7	14	14	14
50-64	17	7.6	24	2	4	7	11	15	16	17	2	6.0	18	3	3	6	9	9	9	9
65 +	11	7.9	50	2	3	6	10	20	25	25	3	7.7	12	4	5	8	10	11	11	11
ALL AGES	654	9.7	114	2	3	6	12	23	32	55	67	6.5	33	1	2	5	9	14	17	26
B. FEMALE																				
0-12 YRS.	23	16.7	89	3	9	16	23	32	33	33	1	21.0		21	21	21	21	21	21	21
13-19	249	11.2	114	2	4	8	15	27	35	42	33	11.1	158	1	3	7	14	26	43	54
20-34	232	7.2	52	1	2	5	9	16	21	36	25	7.7	188	2	3	5	7	10	27	72
35-49	129	8.1	47	2	4	6	11	17	21	34	11	4.2	10	1	2	4	5	9	12	12
50-64	22	8.1	26	3	4	7	11	16	18	19	6	8.8	84	1	3	6	10	24	26	26
65 +	19	10.3	61	2	4	9	15	22	25	27	1	5.0		5	5	5	5	5	5	5
ALL AGES	674	9.3	79	2	3	7	12	21	30	39	77	8.9	141	1	3	5	10	21	29	67
SUBTOTAL	**1328**	**9.5**	**96**	**2**	**3**	**6**	**12**	**22**	**31**	**45**	**144**	**7.8**	**91**	**1**	**2**	**5**	**10**	**17**	**24**	**55**
GRAND TOTAL	**2298**	**9.6**	**103**	**2**	**3**	**6**	**13**	**22**	**30**	**50**	**256**	**8.4**	**89**	**1**	**2**	**5**	**10**	**21**	**27**	**45**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	18.9	417	3	6	14	26	67	90	99+	3	6.7	30	1	2	7	11	12	12	12
13-19	32	14.1	370	1	3	5	19	36	64	80	4	4.0	3	2	2	4	5	6	6	6
20-34	21	5.2	38	1	2	3	5	13	21	27	7	7.3	52	2	2	3	11	19	21	21
35-49	12	6.4	25	1	3	5	8	14	17	18	3	6.3	25	3	3	4	10	12	12	12
50-64	1	1.0		1	1	1	1	1	1	1										
65 +	2	2.0	2	1	1	2	3	3	3	3	1	5.0		5	5	5	5	5	5	5
ALL AGES	83	11.2	253	1	3	5	15	27	64	93	18	6.2	27	2	2	4	9	12	18	21
B. FEMALE																				
0-12 YRS.	28	24.3	325	3	10	23	29	41	68	77	4	3.8	14	1	1	2	6	9	9	9
13-19	53	14.2	358	2	3	7	14	50	66	72	16	5.6	23	2	3	4	6	12	18	20
20-34	79	10.6	119	1	3	7	14	29	32	55	10	4.6	27	1	1	3	5	13	18	18
35-49	61	12.4	172	1	3	6	20	28	37	57	9	10.2	116	2	3	5	13	29	34	34
50-64	5	15.8	112	3	10	14	21	32	32	32	1	3.0		3	3	3	3	3	3	3
65 +	4	13.8	116	7	8	9	20	30	30	30	3	4.3	1	4	4	4	5	5	5	5
ALL AGES	230	13.7	227	1	3	8	20	31	42	68	43	6.0	43	1	2	4	7	14	20	34
SUBTOTAL	**313**	**13.0**	**236**	**1**	**3**	**7**	**18**	**30**	**52**	**74**	**61**	**6.1**	**37**	**1**	**2**	**4**	**7**	**13**	**20**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	50	33.8	493	8	21	29	42	64	78	95	6	21.5	255	8	8	15	35	46	47	47
13-19	37	18.6	310	2	5	17	34	66	99+	99+	15	5.8	20	1	2	5	9	13	14	14
20-34	57	8.7	96	1	3	6	11	21	25	57	3	11.7	49	4	6	13	17	18	18	18
35-49	55	10.4	79	2	3	9	14	22	33	39	7	6.7	47	1	2	5	8	19	21	21
50-64	8	16.9	253	3	4	14	24	41	48	48										
65 +																				
ALL AGES	207	17.3	326	2	4	11	25	42	60	99+	31	9.6	103	1	3	6	13	19	34	47
B. FEMALE																				
0-12 YRS.	38	30.1	571	4	17	29	56	99+	99+	99+	8	19.9	436	1	4	15	28	55	63	63
13-19	129	17.6	279	3	6	12	28	42	62	99+	25	9.9	85	3	4	8	12	21	29	44
20-34	195	14.4	251	2	5	9	18	29	49	89	25	11.7	148	3	4	8	13	23	40	57
35-49	141	11.7	128	2	3	8	15	26	37	50	12	11.9	286	2	3	4	12	43	52	54
50-64	11	12.1	100	2	4	8	22	27	29	29	4	8.5	30	4	4	7	12	16	16	16
65 +	4	9.5	38	1	5	11	14	15	15	15										
ALL AGES	518	15.5	263	2	5	11	21	38	59	99+	74	11.8	173	2	3	8	14	25	43	62
SUBTOTAL	**725**	**16.0**	**282**	**2**	**5**	**11**	**22**	**39**	**60**	**99+**	**105**	**11.2**	**151**	**2**	**3**	**7**	**14**	**23**	**40**	**60**
GRAND TOTAL	**1038**	**15.1**	**270**	**2**	**4**	**9**	**21**	**37**	**59**	**99+**	**166**	**9.3**	**115**	**2**	**3**	**5**	**12**	**20**	**34**	**57**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	18.7	300	1	3	14	34	44	48	48	2	7.5	41	3	3	7	12	12	12	12
13-19	55	7.9	169	1	1	3	10	27	67	99+	9	3.7	23	1	1	2	4	12	16	16
20-34	55	3.8	13	1	1	2	5	9	10	19	8	3.6	9	1	1	3	5	8	9	9
35-49	32	4.4	23	1	1	3	6	9	10	25	3	2.0	1	1	1	2	3	3	3	3
50-64	2	3.5	13	1	1	3	6	6	6	6										
65 +	11	5.8	13	1	3	5	9	11	11	11										
ALL AGES	166	6.4	97	1	1	3	8	14	32	96	22	3.8	15	1	1	2	4	10	14	16
B. FEMALE																				
0-12 YRS.	9	13.1	146	2	4	10	32	99+	99+	99+										
13-19	102	6.7	50	1	1	4	9	17	23	28	11	1.6	1	1	1	1	2	3	3	3
20-34	70	3.1	7	1	1	2	4	7	9	12	19	4.3	27	1	1	3	5	7	16	24
35-49	49	3.9	11	1	1	3	5	8	11	17	8	5.0	14	1	2	4	7	11	12	12
50-64	11	4.7	12	1	3	5	6	9	13	13	2	8.5	13	6	6	8	11	11	11	11
65 +	12	9.6	43	4	5	8	11	22	23	23	3	16.3	535	3	3	3	33	43	43	43
ALL AGES	253	5.4	37	1	1	3	7	14	22	34	43	4.8	52	1	1	3	5	9	16	43
SUBTOTAL	**419**	**5.8**	**61**	**1**	**1**	**3**	**7**	**14**	**23**	**85**	**65**	**4.4**	**40**	**1**	**1**	**3**	**5**	**9**	**13**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	16.4	201	2	11	11	41	99+	99+	99+	1	17.0		17	17	17	17	17	17	17
13-19	64	9.6	93	2	3	6	13	22	26	53	2	6.0	32	2	2	6	10	10	10	10
20-34	93	5.9	33	1	2	4	8	14	16	29	19	3.8	14	1	1	3	5	7	12	17
35-49	56	5.4	21	1	2	4	7	12	16	21	8	4.6	7	1	3	4	6	8	9	9
50-64	16	7.4	32	2	3	6	11	17	19	20	3	8.3	33	2	4	10	12	13	13	13
65 +	11	7.5	17	3	5	6	10	14	14	14	1	20.0		20	20	20	20	20	20	20
ALL AGES	249	7.3	55	1	3	5	10	17	22	56	34	5.4	25	1	2	4	7	13	17	20
B. FEMALE																				
0-12 YRS.	10	10.8	119	3	4	5	15	28	37	37										
13-19	102	11.0	197	1	3	6	15	26	39	98	14	4.1	23	1	1	2	4	12	14	14
20-34	126	5.7	42	1	2	3	7	13	19	31	16	8.1	107	1	3	4	8	28	34	36
35-49	66	6.5	50	1	2	4	8	18	23	30	7	4.7	14	2	2	3	8	11	11	11
50-64	19	9.5	76	1	3	7	13	16	29	38	4	7.5	25	2	4	7	11	14	14	14
65 +	13	11.5	99	4	6	8	13	23	38	41	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	336	8.1	101	1	2	4	10	20	27	49	43	6.0	53	1	2	4	8	14	20	36
SUBTOTAL	**585**	**7.7**	**82**	**1**	**2**	**5**	**10**	**18**	**25**	**52**	**77**	**5.8**	**39**	**1**	**2**	**4**	**7**	**14**	**17**	**34**
GRAND TOTAL	**1004**	**6.9**	**74**	**1**	**2**	**4**	**9**	**17**	**23**	**60**	**142**	**5.1**	**41**	**1**	**2**	**3**	**6**	**12**	**16**	**37**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-19	1	53.0		53	53	53	53	53	53	53										
20-34	1	9.0		9	9	9	9	9	9	9										
35-49																				
50-64	2	9.5	1	9	9	9	10	10	10	10										
65 +											2	12.0	72	6	6	12	18	18	18	18
ALL AGES	5	17.0	411	4	8	9	21	53	53	53	2	12.0	72	6	6	12	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64	2	3.0	2	2	2	3	4	4	4	4										
65 +	1	14.0		14	14	57	99 +	99 +	99 +	99 +										
ALL AGES	4	6.3	27	2	3	5	35	99 +	99 +	99 +										
SUBTOTAL	**9**	**12.2**	**249**	**3**	**4**	**9**	**14**	**76**	**99 +**	**99 +**	**2**	**12.0**	**72**	**6**	**6**	**12**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	84.0		84	84	84	84	84	84	84										
13-19	1	17.0		17	17	17	17	17	17	17										
20-34																				
35-49	2	37.5	1301	12	12	37	63	63	63	63										
50-64																				
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	5	37.2	1160	10	11	17	68	84	84	84										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	19.0		19	19	19	19	19	19	19										
50-64																				
65 +	1	11.0		11	11	11	11	11	11	11	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	2	15.0	32	11	11	15	19	19	19	19	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**7**	**30.9**	**893**	**10**	**11**	**17**	**52**	**80**	**84**	**84**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**16**	**20.4**	**581**	**4**	**8**	**11**	**27**	**80**	**94**	**99 +**	**4**	**8.0**	**46**	**3**	**4**	**5**	**12**	**18**	**18**	**18**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	23.8	117	12	14	21	32	41	42	42	1	50.0		50	50	50	50	50	50	50
13-19	11	27.5	882	1	2	13	45	78	80	80	1	29.0		29	29	29	29	29	29	29
20-34	32	13.2	123	2	4	11	19	38	42	99+	4	16.0	10	12	13	16	18	19	19	19
35-49	15	13.7	112	4	7	10	25	88	99+	99+	5	10.4	43	3	7	10	13	21	21	21
50-64	22	15.8	243	4	6	11	16	38	53	67	4	15.3	149	1	7	14	23	31	31	31
65 +	37	12.4	110	2	5	13	17	20	22	60	8	9.1	38	3	5	8	12	19	21	21
ALL AGES	129	15.7	214	2	6	13	20	40	59	99+	23	14.3	124	3	7	12	19	29	38	50
B. FEMALE																				
0-12 YRS.	4	25.3	428	1	8	28	42	44	44	44										
13-19	9	21.1	334	1	6	15	32	50	51	51	3	17.7	168	5	8	17	27	31	31	31
20-34	17	14.8	259	2	7	12	21	88	99+	99+	3	9.7	45	2	4	12	14	15	15	15
35-49	18	12.3	94	4	5	11	15	20	35	44	3	12.0	169	4	4	5	21	27	27	27
50-64	11	7.1	35	2	3	5	12	16	20	20	4	5.3	32	1	1	4	9	13	13	13
65 +	43	14.6	126	3	7	13	20	27	43	49	12	13.2	424	3	4	6	12	34	71	77
ALL AGES	102	14.4	168	2	5	12	19	41	48	99+	25	11.9	243	2	4	6	15	27	42	77
SUBTOTAL	**231**	**15.1**	**194**	**2**	**6**	**13**	**20**	**41**	**49**	**99+**	**48**	**13.0**	**185**	**2**	**5**	**9**	**16**	**28**	**33**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	30.0	278	14	15	26	40	55	64	67	1	3.0		3	3	3	3	3	3	3
13-19	21	14.6	77	4	11	13	17	25	35	40	1	11.0		11	11	11	11	11	11	11
20-34	50	13.7	52	4	9	13	18	23	24	32	3	10.3	122	3	3	5	18	23	23	23
35-49	31	15.8	106	6	9	15	18	32	39	44	5	8.0	49	1	2	8	13	18	18	18
50-64	21	14.9	187	5	7	11	15	29	46	65	3	13.7	119	5	6	10	22	26	26	26
65 +	27	14.0	111	5	8	12	16	25	32	55	7	9.9	81	1	2	8	16	24	25	25
ALL AGES	166	16.0	130	5	9	14	19	30	39	64	20	9.8	66	1	3	8	15	24	25	26
B. FEMALE																				
0-12 YRS.																				
13-19	9	16.3	330	3	5	8	21	48	57	57										
20-34	26	19.6	277	3	8	15	25	37	55	77	2	2.0	2	1	1	2	3	3	3	3
35-49	9	13.4	66	4	8	13	16	26	30	30	3	18.0	147	7	9	16	27	31	31	31
50-64	5	10.2	24	2	9	11	13	15	15	15										
65 +	32	14.2	142	3	7	13	17	21	48	56	10	9.0	64	2	3	7	11	20	29	29
ALL AGES	81	15.9	189	3	8	13	18	35	50	71	15	9.9	85	2	3	7	12	29	30	31
SUBTOTAL	**247**	**15.9**	**151**	**4**	**8**	**14**	**19**	**31**	**40**	**65**	**35**	**9.8**	**73**	**2**	**3**	**8**	**12**	**25**	**28**	**31**
GRAND TOTAL	**478**	**15.5**	**172**	**3**	**7**	**13**	**19**	**35**	**45**	**93**	**83**	**11.7**	**138**	**2**	**4**	**9**	**16**	**26**	**31**	**68**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	49	2.1	17	1	1	1	2	3	4	30	51	2.1	8	1	1	1	2	3	7	20
13-19	39	4.3	209	1	1	2	3	4	5	92	48	4.6	99	1	1	2	3	8	18	50
20-34	84	4.1	17	1	1	3	5	9	13	21	53	3.3	15	1	1	2	4	6	11	19
35-49	41	6.0	107	1	2	3	6	15	19	63	23	2.6	3	1	1	2	3	5	7	8
50-64	24	5.2	20	1	3	4	6	12	15	18	12	3.8	7	1	2	3	5	7	10	11
65 +	17	7.1	37	1	3	4	12	15	20	22	16	5.1	29	1	2	4	5	8	19	24
ALL AGES	254	4.4	63	1	1	2	4	9	15	30	203	3.4	33	1	1	2	3	6	9	36
B. FEMALE																				
0-12 YRS.	33	1.8	4	1	1	1	2	3	8	9	28	1.6	1	1	1	1	2	3	4	4
13-19	23	2.4	4	1	1	2	3	4	7	10	17	2.9	5	1	1	3	3	6	8	9
20-34	54	4.2	35	1	2	3	5	8	10	42	38	4.1	14	1	1	3	6	9	11	18
35-49	39	5.9	44	1	2	3	8	14	24	26	30	4.5	15	1	2	3	5	11	13	17
50-64	20	3.1	2	1	2	3	4	5	6	8	19	2.6	2	1	1	2	3	5	6	7
65 +	31	5.5	57	2	2	4	5	9	11	44	33	6.6	111	1	3	4	7	10	13	63
ALL AGES	200	4.0	30	1	1	3	4	8	11	35	165	4.0	31	1	1	3	4	8	10	18
SUBTOTAL	**454**	**4.2**	**49**	**1**	**1**	**2**	**4**	**9**	**14**	**30**	**368**	**3.6**	**32**	**1**	**1**	**2**	**4**	**7**	**10**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	3.0	1	2	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
13-19	3	15.0	547	1	1	2	32	42	42	42	4	2.8	1	2	2	3	3	4	4	4
20-34	31	8.3	238	1	2	4	10	16	19	87	10	2.7	2	1	2	2	4	5	5	5
35-49	11	16.8	423	1	2	4	29	46	64	66	12	3.1	5	1	1	2	5	7	7	7
50-64	9	13.1	151	2	4	6	21	33	37	37	4	3.0	7	1	1	2	5	7	7	7
65 +	6	22.0	1186	3	8	8	13	84	92	92	4	11.8	116	6	6	7	17	28	28	28
ALL AGES	63	11.9	340	1	2	5	13	30	50	91	35	3.9	21	1	2	2	5	7	7	28
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
13-19	2	15.0	338	2	2	15	28	28	28	28	1	5.0		5	5	5	5	5	5	5
20-34	6	3.7	4	2	2	3	5	7	7	7	5	2.2	1	1	2	2	3	3	3	3
35-49	12	5.8	31	1	2	5	6	13	21	22	1	4.0		4	4	4	4	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3	1	6.0		6	6	6	6	6	6	6
65 +	8	9.5	144	3	5	6	15	76	99 +	99 +	11	6.5	13	2	2	7	10	11	11	11
ALL AGES	32	6.5	66	2	2	5	6	23	37	99 +	20	5.2	10	2	2	4	7	10	11	11
SUBTOTAL	**95**	**10.1**	**252**	**1**	**2**	**5**	**10**	**28**	**41**	**96**	**55**	**4.3**	**18**	**1**	**2**	**3**	**6**	**7**	**11**	**27**
GRAND TOTAL	**549**	**5.2**	**89**	**1**	**1**	**3**	**5**	**11**	**18**	**63**	**423**	**3.7**	**31**	**1**	**1**	**2**	**4**	**7**	**10**	**25**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	19.0		19	19	19	19	19	19	19
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3	1	18.0		18	18	18	18	18	18	18
35-49	3	14.0	111	4	6	13	22	25	25	25	3	9.7	5	7	8	10	11	12	12	12
50-64	4	15.8	242	2	3	12	28	36	36	36	1	3.0		3	3	3	3	3	3	3
65 +	8	6.6	12	3	4	6	8	12	13	13	4	10.3	8	6	8	11	12	13	13	13
ALL AGES	16	10.1	90	2	4	6	13	24	33	36	10	11.0	25	4	7	11	13	18	19	19
B. FEMALE																				
0-12 YRS.											1	10.0		10	10	10	10	10	10	10
13-19																				
20-34	2	59.0		59	59	59	59	59	59	59										
35-49	2	6.5	13	4	4	6	9	9	9	9										
50-64	4	8.8		8	8	9	9	10	10	10	1	8.0		8	8	8	8	8	8	8
65 +	8	9.0	35	3	5	7	13	18	19	19	4	8.3	46	2	4	6	12	18	18	18
ALL AGES	16	14.9	314	4	6	8	13	55	59	59	6	8.5	29	2	6	7	10	17	18	18
SUBTOTAL	**32**	**12.5**	**201**	**3**	**5**	**8**	**13**	**28**	**56**	**59**	**16**	**10.1**	**25**	**3**	**6**	**10**	**12**	**18**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	16.7	23	11	13	19	20	20	20	20										
20-34	2	51.0	2048	19	19	51	83	83	83	83	1	2.0		2	2	2	2	2	2	2
35-49	3	8.7	7	7	7	7	11	12	12	12										
50-64	1	8.0		8	8	8	8	8	8	8										
65 +	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
ALL AGES	10	19.7	520	7	8	12	19	51	83	83	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19	1	23.0		23	23	23	23	23	23	23										
20-34	1	21.0		21	21	21	21	21	21	21										
35-49	1	15.0		15	15	15	15	15	15	15										
50-64	2	7.5	5	6	6	7	9	9	9	9	1	5.0		5	5	5	5	5	5	5
65 +	8	9.3	14	4	6	9	12	14	14	14										
ALL AGES	13	11.4	34	5	7	10	14	21	23	23	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**23**	**15.0**	**249**	**6**	**8**	**11**	**18**	**21**	**44**	**83**	**3**	**3.0**	**3**	**2**	**2**	**2**	**4**	**5**	**5**	**5**
GRAND TOTAL	**55**	**13.5**	**220**	**4**	**6**	**9**	**15**	**23**	**53**	**82**	**19**	**8.9**	**30**	**2**	**5**	**8**	**12**	**18**	**19**	**19**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	41.0		41	41	70	99+	99+	99+	99+	1	2.0		2	2	2	2	2	2	2
13-19	4	17.8	576	1	2	8	33	53	53	53	2	4.5	1	4	4	4	5	5	5	5
20-34	14	11.1	159	1	5	7	11	28	44	48	3	9.0	37	2	4	12	13	13	13	13
35-49	21	8.4	53	1	3	5	14	19	24	25	5	5.2	9	3	3	4	7	10	10	10
50-64	17	9.0	47	1	4	8	11	19	25	28	8	11.3	148	3	4	6	14	33	39	39
65 +	118	10.9	144	2	4	8	14	21	32	92	70	9.5	61	3	4	7	12	17	26	39
ALL AGES	175	10.8	136	2	4	8	14	23	36	97	89	9.2	63	3	4	7	12	17	26	39
B. FEMALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31	1	2.0		2	2	2	2	2	2	2
13-19	3	8.7	68	2	3	6	15	18	18	18										
20-34	3	6.7	41	2	2	4	11	14	14	14										
35-49	5	15.0	135	1	5	14	25	29	29	29										
50-64	23	13.6	233	3	4	7	18	42	53	54	6	9.0	14	3	7	9	12	13	13	13
65 +	179	12.0	177	2	5	8	15	23	37	93	125	9.8	103	3	4	6	13	23	51	99+
ALL AGES	214	12.2	178	2	4	8	15	24	38	86	132	9.7	99	3	4	6	13	22	48	99+
SUBTOTAL	**389**	**11.5**	**161**	**2**	**4**	**8**	**14**	**24**	**37**	**94**	**221**	**9.5**	**84**	**3**	**4**	**7**	**12**	**21**	**37**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	84.0		84	84	84	84	84	84	84										
13-19	5	18.4	82	5	13	18	25	29	29	29	1	8.0		8	8	8	8	8	8	8
20-34	16	16.3	312	1	7	10	15	48	57	61	4	15.0	109	4	8	13	22	29	29	29
35-49	23	8.9	89	2	3	6	9	20	32	42	7	17.0	708	3	4	9	10	64	77	77
50-64	30	13.7	123	3	5	12	23	33	43	99+	9	10.9	280	2	4	5	8	37	55	55
65 +	73	13.3	238	3	5	9	14	29	50	89	31	12.3	183	4	6	7	14	32	53	55
ALL AGES	148	13.6	229	3	5	8	16	31	49	98	52	12.8	246	3	5	7	12	31	55	77
B. FEMALE																				
0-12 YRS.																				
13-19	2	20.0	2	19	19	20	21	21	21	21										
20-34	5	8.6	35	3	4	6	15	15	15	15	1	1.0		1	1	1	1	1	1	1
35-49	10	9.7	112	1	3	7	11	27	35	35	2	2.5	1	2	2	2	3	3	3	3
50-64	27	13.2	100	3	6	10	19	28	35	37	2	1.5	1	1	1	1	2	2	2	2
65 +	105	13.0	88	3	7	11	17	26	29	71	38	7.5	33	2	4	6	10	15	26	99+
ALL AGES	149	12.7	91	3	6	11	18	26	31	48	43	6.8	33	2	3	5	9	14	26	99+
SUBTOTAL	**297**	**13.2**	**158**	**3**	**5**	**9**	**17**	**28**	**39**	**91**	**95**	**10.1**	**157**	**2**	**4**	**7**	**10**	**25**	**49**	**89**
GRAND TOTAL	**686**	**12.3**	**158**	**2**	**5**	**8**	**15**	**26**	**37**	**94**	**316**	**9.7**	**105**	**3**	**4**	**7**	**12**	**21**	**38**	**99+**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	30.4	249	12	23	28	35	48	58	86	4	1.5		1	1	1	2	2	2	2
13-19	103	12.2	189	1	3	8	14	30	42	68	16	8.8	119	1	1	2	19	28	29	29
20-34	107	6.8	78	1	2	4	8	15	23	51	45	6.8	38	1	1	6	11	16	21	22
35-49	102	7.8	64	1	2	6	10	17	24	42	20	7.6	72	1	2	4	10	17	27	36
50-64	51	7.8	36	1	3	6	11	19	21	22	22	5.9	30	1	3	4	6	17	19	19
65 +	82	12.5	106	2	6	10	18	26	34	49	20	10.2	156	1	3	5	13	30	43	46
ALL AGES	470	10.6	134	1	3	7	14	25	32	55	127	7.4	70	1	1	4	11	19	22	41
B. FEMALE																				
0-12 YRS.	24	22.0	117	8	13	21	29	37	41	44	4	2.0	2	1	1	2	3	4	4	4
13-19	143	14.1	241	1	3	8	21	35	51	64	24	6.8	74	1	1	3	10	20	25	31
20-34	243	7.9	72	1	2	5	11	20	25	33	87	5.3	35	1	1	3	7	13	18	27
35-49	190	8.2	66	1	3	6	11	20	25	36	69	4.7	30	1	2	3	6	11	15	86
50-64	114	9.3	53	2	3	8	14	20	24	30	43	4.7	35	1	1	3	5	10	13	36
65 +	162	12.5	128	2	6	9	16	27	32	59	58	5.9	22	2	3	5	7	11	15	27
ALL AGES	876	10.4	117	1	3	7	14	24	31	56	285	5.3	34	1	2	3	6	12	17	32
SUBTOTAL	**1346**	**10.4**	**124**	**1**	**3**	**7**	**14**	**25**	**31**	**56**	**412**	**5.9**	**46**	**1**	**2**	**4**	**7**	**15**	**20**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	45	29.0	211	8	21	30	37	47	87	99 +	2	3.0		3	3	3	3	3	3	3
13-19	174	18.0	329	2	6	13	26	40	61	94	12	8.8	56	2	3	8	11	19	27	28
20-34	262	9.4	96	1	3	6	12	21	27	44	47	8.7	110	1	2	4	12	26	32	46
35-49	197	8.6	74	1	3	6	12	21	24	39	34	8.7	92	1	2	3	14	26	28	32
50-64	58	11.4	62	3	5	9	15	25	27	30	10	6.7	45	1	2	4	7	18	22	22
65 +	51	14.7	162	3	7	12	17	28	41	62	18	9.8	63	3	4	7	14	24	26	27
ALL AGES	787	12.7	179	2	4	8	17	29	37	81	123	8.6	85	1	2	4	12	24	28	42
B. FEMALE																				
0-12 YRS.	29	26.1	259	4	14	28	40	48	67	99 +	2	19.5	481	4	4	19	35	35	35	35
13-19	234	16.9	233	2	6	13	24	36	50	89	21	4.1	8	1	2	3	5	9	10	10
20-34	319	9.3	71	1	3	7	13	22	26	40	63	6.4	69	1	2	3	7	17	23	46
35-49	301	10.6	89	1	3	8	15	24	25	47	56	5.3	29	1	2	4	7	12	15	28
50-64	70	12.2	130	2	4	8	19	27	40	51	16	7.6	61	1	2	5	10	19	26	29
65 +	101	14.4	159	3	6	11	19	28	46	59	26	5.4	16	2	3	5	6	13	15	16
ALL AGES	1054	12.5	143	2	4	9	18	27	37	60	184	5.9	46	1	2	4	7	14	18	33
SUBTOTAL	**1841**	**12.6**	**158**	**2**	**4**	**9**	**18**	**28**	**37**	**68**	**307**	**7.0**	**63**	**1**	**2**	**4**	**9**	**17**	**26**	**37**
GRAND TOTAL	**3187**	**11.7**	**144**	**1**	**3**	**8**	**16**	**27**	**35**	**62**	**719**	**6.4**	**53**	**1**	**2**	**4**	**8**	**16**	**22**	**36**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	24	23.7	537	2	9	15	32	61	81	85	4	37.3	492	20	24	29	50	70	70	70
13-19	54	13.7	109	3	6	11	19	26	33	56	6	10.2	80	3	3	7	15	25	26	26
20-34	8	9.4	66	3	4	7	10	23	28	28										
35-49	5	6.4	14	3	4	4	10	11	11	11										
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	92	15.4	235	3	5	11	19	32	43	82	10	21.0	406	3	5	17	29	50	70	70
B. FEMALE																				
0-12 YRS.	10	10.4	39	4	5	9	15	20	21	21	1	2.0		2	2	2	2	2	2	2
13-19	7	13.0	39	6	8	12	18	21	22	22										
20-34	2	9.0	8	7	7	9	11	11	11	11										
35-49																				
50-64																				
65 +																				
ALL AGES	19	11.2	35	4	7	10	16	21	22	22	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**111**	**14.7**	**202**	**3**	**6**	**10**	**19**	**29**	**42**	**81**	**11**	**19.3**	**397**	**2**	**4**	**15**	**28**	**46**	**68**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	48	25.2	314	6	12	28	39	69	99 +	99 +	13	54.5	630	20	34	60	66	93	95	95
13-19	76	22.6	426	3	7	19	33	62	91	99 +	11	20.4	324	2	7	17	30	49	59	60
20-34	2	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
35-49											1	6.0		6	6	6	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7										
65 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	128	23.1	379	3	9	21	35	61	99	99 +	26	36.3	793	6	12	33	60	76	93	95
B. FEMALE																				
0-12 YRS.	9	20.6	236	1	11	19	31	43	49	49	4	19.5	160	2	10	22	28	31	31	31
13-19	18	20.4	383	2	7	15	29	55	57	57										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	27	20.5	321	1	7	15	30	53	56	57	4	19.5	160	2	10	22	28	31	31	31
SUBTOTAL	**155**	**22.7**	**366**	**3**	**9**	**19**	**35**	**56**	**95**	**99 +**	**30**	**34.1**	**731**	**4**	**12**	**28**	**60**	**70**	**93**	**95**
GRAND TOTAL	**266**	**19.4**	**311**	**3**	**7**	**14**	**29**	**47**	**72**	**99 +**	**41**	**30.1**	**675**	**3**	**8**	**21**	**45**	**66**	**84**	**95**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	10.5	25	7	7	10	14	14	14	14	1	1.0		1	1	1	1	1	1	1
13-19	7	14.4	179	5	6	8	18	38	42	42										
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4										
50-64																				
65 +																				
ALL AGES	10	12.6	133	4	5	8	14	31	42	42	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	5	5.0	35	1	1	1	9	14	14	14	1	1.0		1	1	1	1	1	1	1
13-19	7	11.4	25	5	8	10	15	18	19	19										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	12	8.8	36	1	3	9	14	16	19	19	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**22**	**10.5**	**80**	**1**	**5**	**8**	**14**	**19**	**29**	**42**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	21.0	98	14	14	21	28	28	28	28	1	17.0		17	17	17	17	17	17	17
13-19	9	15.3	77	4	10	14	20	28	32	32	2	18.5	85	12	12	18	25	25	25	25
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	11	16.4	75	6	11	14	22	30	32	32	3	18.0	43	12	13	17	23	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-19	10	14.9	259	1	5	9	13	44	46	46	2	17.0	162	8	8	17	26	26	26	26
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	11	13.6	252	1	3	9	13	44	46	46	2	17.0	162	8	8	17	26	26	26	26
SUBTOTAL	**22**	**15.0**	**158**	**2**	**8**	**12**	**19**	**35**	**44**	**46**	**5**	**17.6**	**62**	**8**	**11**	**17**	**25**	**26**	**26**	**26**
GRAND TOTAL	**44**	**12.8**	**120**	**1**	**5**	**10**	**15**	**28**	**42**	**46**	**7**	**12.9**	**106**	**1**	**3**	**12**	**23**	**26**	**26**	**26**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	16.9	198	1	5	15	29	37	41	42	1	5.0		5	5	5	5	5	5	5
13-19	51	14.9	197	4	6	11	18	42	52	99	6	8.0	21	2	3	9	10	14	14	14
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	66	15.4	193	3	5	11	21	41	50	94	7	7.6	18	2	3	9	10	13	14	14
B. FEMALE																				
0-12 YRS.	2	13.5	41	9	9	13	18	18	18	18										
13-19	31	18.0	258	2	8	15	22	34	62	70	3	11.7	29	6	7	12	16	17	17	17
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	33	17.7	245	2	8	15	21	34	59	70	3	11.7	29	6	7	12	16	17	17	17
SUBTOTAL	**99**	**16.2**	**208**	**3**	**6**	**12**	**21**	**36**	**51**	**85**	**10**	**8.8**	**23**	**2**	**5**	**9**	**12**	**15**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	22.7	220	5	15	20	35	75	99 +	99 +	1	9.0		9	9	9	9	9	9	9
13-19	104	20.9	373	4	7	17	29	59	85	99 +	2	10.5	181	1	1	10	20	20	20	20
20-34	2	7.5	85	1	1	7	14	14	14	14										
35-49																				
50-64																				
65 +																				
ALL AGES	115	20.8	357	3	7	17	29	58	88	99 +	3	10.0	91	1	3	9	17	20	20	20
B. FEMALE																				
0-12 YRS.	5	24.6	1110	7	8	10	31	84	84	84	1	4.0		4	4	4	4	4	4	4
13-19	64	22.8	388	3	6	18	36	57	60	81	4	11.0	47	6	6	8	15	21	21	21
20-34	1	7.0		7	7	7	7	7	7	7										
35-49																				
50-64																				
65 +																				
ALL AGES	70	22.7	422	3	7	15	34	57	60	84	5	9.6	45	4	5	7	13	21	21	21
SUBTOTAL	**185**	**21.5**	**381**	**3**	**7**	**17**	**33**	**58**	**80**	**99 +**	**8**	**9.8**	**51**	**2**	**5**	**8**	**15**	**21**	**21**	**21**
GRAND TOTAL	**284**	**19.6**	**328**	**3**	**7**	**14**	**29**	**49**	**65**	**99 +**	**18**	**9.2**	**34**	**2**	**5**	**9**	**12**	**19**	**21**	**21**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	31	20.0	323	2	9	16	35	40	83	99 +	4	10.8	29	3	7	12	14	16	16	16
13-19	74	19.4	198	2	9	18	32	42	60	99 +	3	8.7	3	7	7	8	10	11	11	11
20-34	32	10.0	71	1	4	10	13	22	38	99 +	4	8.5	26	4	4	7	12	15	15	15
35-49	16	7.5	42	2	3	6	9	18	22	24	3	4.0	3	3	3	3	5	6	6	6
50-64	5	8.8	82	4	4	5	10	25	25	25										
65 +	2	12.5	221	2	2	12	23	23	23	23										
ALL AGES	160	16.0	199	2	5	12	24	38	48	99 +	14	8.2	21	3	4	7	11	15	16	16
B. FEMALE																				
0-12 YRS.	5	22.2	173	7	9	25	34	35	35	35	1	22.0		22	22	22	22	22	22	22
13-19	16	7.1	16	3	5	7	11	75	99 +	99 +	1	15.0		15	15	15	15	15	15	15
20-34	16	15.8	168	3	10	14	17	23	49	60										
35-49	8	8.1	30	1	4	7	12	16	17	17										
50-64	7	19.3	292	3	7	10	30	45	49	49										
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	53	12.9	136	3	6	10	16	34	57	99 +	2	18.5	25	15	15	18	22	22	22	22
SUBTOTAL	**213**	**15.2**	**185**	**2**	**5**	**12**	**23**	**38**	**49**	**99 +**	**16**	**9.5**	**32**	**3**	**4**	**9**	**14**	**16**	**20**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	47	28.0	451	7	13	24	40	77	95	99 +	1	15.0		15	15	15	15	15	15	15
13-19	146	20.7	233	6	10	17	27	41	53	83	7	13.4	196	2	3	10	19	37	41	41
20-34	68	11.9	187	1	4	8	14	24	50	67	5	4.8	7	1	2	6	7	7	7	7
35-49	24	12.3	55	5	7	9	17	22	27	31	4	2.3	1	1	1	2	3	4	4	4
50-64	2	15.5	13	13	13	15	18	18	18	18										
65 +	6	9.2	20	5	6	7	12	16	17	17										
ALL AGES	293	18.9	265	4	8	14	25	41	55	98	17	8.4	102	1	2	6	10	21	34	41
B. FEMALE																				
0-12 YRS.	7	27.9	308	7	14	32	38	53	56	56	1	41.0		41	41	41	41	41	41	41
13-19	40	19.3	218	5	11	17	27	35	93	99 +	3	21.0	181	10	12	17	31	36	36	36
20-34	14	8.4	25	3	3	8	13	14	15	15	4	13.5	50	6	9	12	18	23	23	23
35-49	6	12.7	59	5	6	11	17	24	25	25	4	8.8	38	3	3	8	14	16	16	16
50-64	1	10.0		10	10	10	10	10	10	10										
65 +	1	12.0		12	12	12	12	12	12	12	1	3.0		3	3	3	3	3	3	3
ALL AGES	69	17.1	196	4	7	15	25	34	55	99 +	13	15.1	143	3	5	12	18	37	40	41
SUBTOTAL	**362**	**18.5**	**254**	**4**	**8**	**14**	**25**	**41**	**56**	**99 +**	**30**	**11.3**	**127**	**2**	**3**	**7**	**15**	**29**	**41**	**41**
GRAND TOTAL	**575**	**17.3**	**230**	**3**	**7**	**14**	**24**	**39**	**54**	**99 +**	**46**	**10.7**	**92**	**2**	**3**	**8**	**15**	**22**	**37**	**41**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	15.5	127	3	10	13	20	34	38	38										
13-19	7	8.3	45	2	3	6	14	18	19	19										
20-34	1	54.0		54	54	54	54	54	54	54										
35-49																				
50-64																				
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	17	14.3	190	2	6	11	17	35	48	54										
B. FEMALE																				
0-12 YRS.																				
13-19	7	18.0	232	1	4	18	28	40	43	43	1	2.0		2	2	2	2	2	2	2
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	7	18.0	232	1	4	18	28	40	43	43	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**24**	**15.4**	**195**	**2**	**5**	**11**	**20**	**38**	**46**	**54**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	22.2	425	4	8	20	29	57	57	57										
13-19	10	9.1	22	3	5	8	14	15	16	16										
20-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-49	1	12.0		12	12	12	12	12	12	12										
50-64																				
65 +																				
ALL AGES	17	12.8	160	3	5	10	15	20	44	57	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19	17	16.4	144	4	6	14	26	30	41	47	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64																				
65 +	1	82.0		82	82	82	82	82	82	82										
ALL AGES	19	19.2	368	4	5	14	27	40	66	82	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**36**	**16.2**	**272**	**4**	**5**	**12**	**19**	**30**	**54**	**82**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**60**	**15.9**	**237**	**3**	**5**	**12**	**19**	**34**	**50**	**79**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	10.0	123	1	2	4	21	27	30	31	6	5.2	47	1	2	3	4	17	19	19
13-19	22	16.7	166	2	8	16	24	30	42	53	7	8.0	57	2	3	8	8	21	24	24
20-34	8	8.6	11	5	6	8	11	13	13	13	1	7.0		7	7	7	7	7	7	7
35-49	5	4.4	1	3	4	4	5	6	6	6										
50-64											1	4.0		4	4	4	4	4	4	4
65 +	3	14.0	100	4	6	14	21	24	24	24										
ALL AGES	52	12.3	124	2	4	8	20	28	31	53	15	6.5	44	2	2	4	8	19	23	24
B. FEMALE																				
0-12 YRS.	7	20.1	670	1	2	4	47	57	57	57	2	1.0		1	1	1	1	1	1	1
13-19	15	8.0	39	2	3	7	11	16	22	24	2	5.5	5	4	4	5	7	7	7	7
20-34	4	3.3	4	1	1	3	5	5	5	5	1	13.0		13	13	13	13	13	13	13
35-49	2	4.5	25	1	1	4	8	8	8	8										
50-64																				
65 +																				
ALL AGES	28	10.1	208	1	2	5	10	22	57	57	5	5.2	25	1	1	4	8	13	13	13
SUBTOTAL	**80**	**11.6**	**151**	**1**	**3**	**7**	**17**	**27**	**32**	**57**	**20**	**6.2**	**38**	**1**	**2**	**4**	**8**	**16**	**21**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	10.3	110	1	1	6	19	25	31	32	3	18.7	375	2	5	14	33	40	40	40
13-19	27	16.4	147	5	7	10	27	35	38	45	3	26.7	912	1	5	19	50	60	60	60
20-34	7	6.9	25	3	3	5	11	15	15	15	1	1.0		1	1	1	1	1	1	1
35-49											1	1.0		1	1	1	1	1	1	1
50-64																				
65 +																				
ALL AGES	46	13.3	131	2	5	9	20	31	36	45	8	17.3	481	1	1	8	29	54	60	60
B. FEMALE																				
0-12 YRS.	2	12.5	13	10	10	12	15	15	15	15	1	8.0		8	8	8	8	8	8	8
13-19	16	14.3	108	2	6	11	25	28	31	32	4	17.3	108	5	9	17	25	30	30	30
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	1	11.0		11	11	11	11	11	11	11										
50-64	2	4.0	18	1	1	4	7	7	7	7										
65 +	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
ALL AGES	23	12.1	93	1	5	11	17	28	30	32	6	13.5	102	4	5	11	20	29	30	30
SUBTOTAL	**69**	**12.9**	**117**	**1**	**5**	**10**	**20**	**30**	**32**	**43**	**14**	**15.6**	**304**	**1**	**2**	**11**	**20**	**42**	**56**	**60**
GRAND TOTAL	**149**	**12.2**	**135**	**1**	**4**	**9**	**18**	**28**	**32**	**57**	**34**	**10.1**	**163**	**1**	**2**	**5**	**14**	**25**	**38**	**60**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	72	15.3	215	1	3	11	26	34	52	94	7	4.9	34	1	1	2	6	15	17	17
13-19	103	14.7	200	2	5	10	20	35	52	80	14	5.3	35	1	2	3	7	11	20	23
20-34	14	8.3	213	1	2	4	6	16	49	58										
35-49	3	6.7	26	1	3	8	10	11	11	11	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4										
65 +	4	4.3	27	1	1	2	7	12	12	12										
ALL AGES	198	14.0	204	1	4	9	20	34	51	86	22	5.0	32	1	1	3	7	12	19	23
B. FEMALE																				
0-12 YRS.	19	16.2	450	1	2	8	21	51	70	75	2	1.0		1	1	1	1	1	1	1
13-19	81	13.5	109	2	6	12	19	27	32	51	7	7.7	23	2	4	7	10	15	16	16
20-34	6	7.5	12	4	5	7	8	13	14	14	1	1.0		1	1	1	1	1	1	1
35-49	3	22.3	803	6	6	6	43	55	55	55										
50-64																				
65 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	110	13.8	176	2	5	10	19	30	34	68	10	5.7	26	1	1	5	8	13	16	16
SUBTOTAL	**308**	**13.9**	**194**	**2**	**4**	**10**	**20**	**32**	**50**	**74**	**32**	**5.2**	**29**	**1**	**1**	**3**	**7**	**12**	**17**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	64	23.6	226	5	10	25	41	45	58	99 +	3	45.7	570	18	28	59	60	60	60	60
13-19	159	17.9	256	3	6	14	25	37	51	89	18	12.6	284	1	2	5	15	33	55	67
20-34	5	6.0	8	1	5	7	7	8	8	8	1	2.0		2	2	2	2	2	2	2
35-49	3	3.3	5	1	2	4	5	5	5	5	3	2.0	1	1	1	2	3	3	3	3
50-64											1	3.0		3	3	3	3	3	3	3
65 +	5	5.6	9	1	4	6	7	9	9	9										
ALL AGES	236	18.8	248	3	7	14	28	42	50	99 +	26	14.4	389	1	2	4	18	57	61	67
B. FEMALE																				
0-12 YRS.	22	25.2	231	4	13	29	35	45	52	53	7	33.4	774	3	9	30	60	69	70	70
13-19	131	17.3	229	3	6	13	25	41	49	83	11	16.7	218	2	4	12	30	38	43	43
20-34	4	6.8	25	2	3	5	10	14	14	14	3	2.3	6	1	1	1	4	5	5	5
35-49											1	6.0		6	6	6	6	6	6	6
50-64																				
65 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	157	18.1	235	3	7	14	28	42	50	78	23	19.3	427	1	4	10	31	53	65	70
SUBTOTAL	**393**	**18.5**	**243**	**3**	**7**	**14**	**28**	**42**	**50**	**99 +**	**49**	**16.7**	**405**	**1**	**2**	**8**	**25**	**55**	**63**	**70**
GRAND TOTAL	**701**	**16.5**	**226**	**2**	**5**	**12**	**25**	**39**	**50**	**93**	**81**	**12.2**	**285**	**1**	**2**	**5**	**14**	**35**	**59**	**69**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	23.1	105	11	14	26	32	41	80	99+										
13-19	6	18.0	153	2	10	17	25	36	37	37										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	22	21.7	117	10	14	21	30	38	62	99+										
B. FEMALE																				
0-12 YRS.	7	16.6	222	2	6	14	18	41	47	47										
13-19	8	16.1	78	8	9	14	21	30	33	33	1	29.0		29	29	29	29	29	29	29
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	15	16.3	135	3	8	14	18	33	43	47	1	29.0		29	29	29	29	29	29	29
SUBTOTAL	**37**	**19.5**	**129**	**8**	**13**	**18**	**28**	**37**	**45**	**99+**	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	36	22.5	128	12	14	19	29	40	47	53	3	31.3	163	20	22	29	41	45	45	45
13-19	18	15.4	59	6	8	17	21	25	27	29										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	54	20.1	117	7	14	18	27	31	43	53	3	31.3	163	20	22	29	41	45	45	45
B. FEMALE																				
0-12 YRS.	17	19.6	86	10	14	17	27	30	38	42	4	26.8	423	9	11	21	42	55	55	55
13-19	6	31.7	417	8	15	28	56	56	56	56										
20-34	1	11.0		11	11	11	11	11	11	11										
35-49																				
50-64																				
65 +																				
ALL AGES	24	22.3	183	9	14	18	28	43	56	56	4	26.8	423	9	11	21	42	55	55	55
SUBTOTAL	**78**	**20.8**	**135**	**7**	**14**	**18**	**27**	**33**	**47**	**56**	**7**	**28.7**	**274**	**10**	**15**	**29**	**41**	**53**	**55**	**55**
GRAND TOTAL	**115**	**20.4**	**131**	**8**	**14**	**18**	**27**	**37**	**46**	**71**	**8**	**28.8**	**231**	**10**	**17**	**29**	**37**	**52**	**55**	**55**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	15.0	8	13	13	15	17	17	17	17										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	15.0	8	13	13	15	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**2**	**15.0**	**8**	**13**	**13**	**15**	**17**	**17**	**17**	**17**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.0	50	21	21	26	31	31	31	31										
13-19	2	7.0		7	7	7	7	7	7	7										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	16.5	137	7	7	14	26	31	31	31										
B. FEMALE																				
0-12 YRS.	2	7.5	41	3	3	7	12	12	12	12										
13-19	3	24.7	208	10	17	32	69	99 +	99 +	99 +										
20-34																				
35-49	1	21.0		21	21	21	21	21	21	21										
50-64																				
65 +																				
ALL AGES	6	18.3	166	4	10	21	35	88	99 +	99 +										
SUBTOTAL	**10**	**17.6**	**138**	**5**	**8**	**21**	**29**	**63**	**97**	**99 +**										
GRAND TOTAL	**12**	**17.2**	**113**	**5**	**9**	**17**	**26**	**51**	**91**	**99 +**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	138	25.0	297	7	13	22	38	66	99+	99+	11	28.1	703	3	12	23	29	77	83	84
13-19	108	17.9	214	3	8	14	24	34	47	73	5	18.0	202	2	3	27	28	30	30	30
20-34											1	22.0		22	22	22	22	22	22	22
35-49																				
50-64																				
65 +																				
ALL AGES	246	21.9	271	4	11	19	30	51	74	99+	17	24.8	510	2	10	23	28	64	80	84
B. FEMALE																				
0-12 YRS.	76	22.1	204	7	13	21	28	45	72	99+	8	16.0	150	5	6	12	24	36	39	39
13-19	116	16.3	170	3	7	13	21	35	39	69	13	13.0	66	3	5	12	22	23	23	23
20-34	2	10.5	61	5	5	10	16	16	16	16	1	16.0		16	16	16	16	16	16	16
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	195	18.4	191	4	9	15	26	38	46	99+	22	14.2	91	4	5	13	22	25	32	39
SUBTOTAL	**441**	**20.3**	**240**	**4**	**9**	**17**	**28**	**44**	**65**	**99+**	**39**	**18.8**	**294**	**3**	**6**	**16**	**26**	**30**	**57**	**84**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	299	28.6	262	11	20	28	36	49	64	99+	35	44.1	560	18	25	38	61	82	88	92
13-19	200	20.5	203	4	10	19	28	40	50	72	21	9.9	97	2	3	7	10	27	34	38
20-34																				
35-49											1	98.0		98	98	98	98	98	98	98
50-64																				
65 +																				
ALL AGES	499	25.4	251	7	14	23	32	47	60	99+	57	32.4	730	4	8	25	54	73	87	98
B. FEMALE																				
0-12 YRS.	119	26.6	215	11	17	23	36	48	62	99+	13	36.8	554	17	19	30	47	67	91	97
13-19	213	18.1	223	4	8	14	25	38	48	71	26	13.8	81	4	5	13	19	24	32	37
20-34	1	28.0		28	28	28	28	28	28	28										
35-49																				
50-64																				
65 +																				
ALL AGES	333	21.2	234	5	9	18	28	42	53	81	39	21.5	347	5	8	18	24	44	57	97
SUBTOTAL	**832**	**23.7**	**249**	**6**	**12**	**21**	**31**	**45**	**57**	**99**	**96**	**28.0**	**596**	**5**	**8**	**20**	**39**	**63**	**82**	**98**
GRAND TOTAL	**1273**	**22.5**	**250**	**6**	**11**	**21**	**30**	**44**	**61**	**99+**	**135**	**25.3**	**526**	**4**	**8**	**19**	**31**	**60**	**80**	**97**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	29.5	519	12	16	21	42	63	63	63										
13-19	1	2.0		2	2	2	2	2	2	2										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	24.0	541	2	9	21	32	63	63	63										
B. FEMALE																				
0-12 YRS.																				
13-19	7	13.7	115	1	6	10	21	30	32	32										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	7	13.7	115	1	6	10	21	30	32	32										
SUBTOTAL	**12**	**18.0**	**287**	**1**	**7**	**14**	**22**	**41**	**60**	**63**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	4.5	10	1	2	4	7	8	8	8										
13-19	2	2.5	5	1	1	2	4	4	4	4										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	6	3.8	8	1	1	3	6	8	8	8										
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-19	7	6.9	37	1	1	6	12	16	16	16										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	8	8.5	54	1	2	7	15	19	20	20										
SUBTOTAL	**14**	**6.5**	**38**	**1**	**1**	**5**	**8**	**16**	**19**	**20**										
GRAND TOTAL	**26**	**11.8**	**180**	**1**	**2**	**8**	**17**	**22**	**38**	**63**										

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	168	21.2	357	2	9	15	28	48	62	96	11	12.1	122	1	3	10	17	29	37	38
13-19	28	22.6	287	3	12	17	36	42	55	69	2	6.0	50	1	1	6	11	11	11	11
20-34	1	8.0		8	8	8	8	8	8	8										
35-49	1	7.0		7	7	7	7	7	7	7										
50-64																				
65 +																				
ALL AGES	198	21.3	342	2	9	15	29	46	62	95	13	11.2	111	1	1	10	14	26	36	38
B. FEMALE																				
0-12 YRS.	20	22.0	246	3	11	17	29	48	53	54	1	44.0		44	44	44	44	44	44	44
13-19	3	13.7	1	13	13	14	14	14	14	14										
20-34	1	27.0		27	27	27	27	27	27	27										
35-49																				
50-64																				
65 +																				
ALL AGES	24	21.1	216	3	12	15	28	44	53	54	1	44.0		44	44	44	44	44	44	44
SUBTOTAL	**222**	**21.2**	**331**	**2**	**9**	**15**	**29**	**44**	**61**	**93**	**14**	**13.5**	**180**	**1**	**1**	**10**	**18**	**39**	**43**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	404	28.4	314	10	17	26	34	56	70	99 +	19	24.2	474	2	4	15	43	57	61	63
13-19	101	20.6	183	6	11	19	28	40	58	99 +	8	20.3	157	4	9	20	30	37	39	39
20-34	6	10.0	82	1	2	8	17	22	23	23	1	5.0		5	5	5	5	5	5	5
35-49	1	9.0		9	9	9	9	9	9	9										
50-64	1	6.0		6	6	6	6	6	6	6										
65 +																				
ALL AGES	513	26.5	302	9	15	24	33	53	69	99 +	28	22.4	372	2	5	17	36	53	59	63
B. FEMALE																				
0-12 YRS.	66	29.2	248	11	21	28	44	74	99 +	99 +	2	18.5	181	9	9	18	28	28	28	28
13-19	28	21.4	175	7	9	21	29	31	47	61	2	29.0	32	25	25	29	33	33	33	33
20-34	2	50.0	3042	11	30	89	97	99 +	99 +	99 +										
35-49																				
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	96	27.3	278	8	18	27	39	67	99 +	99 +	5	19.4	175	2	7	25	29	33	33	33
SUBTOTAL	**609**	**26.7**	**294**	**9**	**16**	**24**	**34**	**56**	**73**	**99 +**	**33**	**21.9**	**339**	**2**	**5**	**19**	**33**	**51**	**58**	**63**
GRAND TOTAL	**631**	**25.2**	**311**	**7**	**13**	**22**	**32**	**53**	**69**	**99 +**	**47**	**19.4**	**302**	**1**	**4**	**13**	**32**	**44**	**55**	**63**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	14.0		14	14	14	14	14	14	14										
GRAND TOTAL	1	14.0		14	14	14	14	14	14	14										

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS												HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS											
				PERCENTILES												PERCENTILES								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH			TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH		
1. PSYCH PRIN, NO 2ND PSYCH DX																								
A. MALE																								
0-12 YRS.	2	15.0	8	13	13	15	17	17	17	17														
13-19																								
20-34																								
35-49	1	1.0		1	1	1	1	1	1	1														
50-64																								
65 +																								
ALL AGES	3	10.3	70	1	4	13	16	17	17	17														
B. FEMALE																								
0-12 YRS.													1	1.0		1	1	1	1	1	1	1		
13-19																								
20-34																								
35-49																								
50-64																								
65 +																								
ALL AGES													1	1.0		1	1	1	1	1	1	1		
SUBTOTAL	3	10.3	70	1	4	13	16	17	17	17			1	1.0		1	1	1	1	1	1	1		
2. PSYCH PRIN, 2ND PSYCH DX(S)																								
A. MALE																								
0-12 YRS.																								
13-19																								
20-34																								
35-49																								
50-64																								
65 +																								
ALL AGES																								
B. FEMALE																								
0-12 YRS.																								
13-19																								
20-34																								
35-49																								
50-64																								
65 +																								
ALL AGES																								
SUBTOTAL																								
GRAND TOTAL	3	10.3	70	1	4	13	16	17	17	17			1	1.0		1	1	1	1	1	1	1		

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	2	4.5	13	2	2	4	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-19	2	29.5	85	23	23	29	36	36	36	36										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	29.5	85	23	23	29	36	36	36	36										
SUBTOTAL	**4**	**17.0**	**241**	**2**	**4**	**15**	**29**	**36**	**36**	**36**										
GRAND TOTAL	**5**	**14.0**	**226**	**2**	**2**	**7**	**26**	**36**	**36**	**36**										

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49											1	9.0		9	9	9	9	9	9	9
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	5.0	32	1	1	5	9	9	9	9
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-19	1	58.0		58	58	58	58	58	58	58										
20-34																				
35-49																				
50-64																				
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	32.5	1301	7	7	32	58	58	58	58	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**3**	**22.3**	**963**	**2**	**3**	**7**	**45**	**58**	**58**	**58**	**3**	**4.3**	**18**	**1**	**1**	**3**	**7**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**4**	**18.0**	**715**	**2**	**3**	**6**	**32**	**58**	**58**	**58**	**3**	**4.3**	**18**	**1**	**1**	**3**	**7**	**9**	**9**	**9**

Appendix

Appendix A: Table 1

HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[1]

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			TOTAL		
	U.S.[2] Total	LOS Sample	% of U.S.[3] Total	U.S. Total	LOS Sample	% of U.S. Total	U.S.	LOS Sample	% of U.S.
All Hospitals	1,423	346	24.3	3,986	588	14.8	5,409	934	17.3
Control									
Public	234	46	19.7	1,245	144	11.6	1,479	190	12.8
Private	1,183	294	24.9	2,737	440	16.1	3,920	734	18.7
Unavailable	6	6		4	4	100.0	10	10	
Bedsize									
< 100 Beds	135	37	27.4	2,551	349	13.7	2,686	386	14.4
100-199	328	82	25.0	812	121	14.9	1,140	203	17.8
200-299	336	76	22.6	365	60	16.4	701	136	19.4
300-399	248	57	23.0	149	38	25.5	397	95	23.9
400-499	149	39	26.2	60	12	20.0	209	51	24.4
500+	227	55	24.2	48	7	14.6	275	62	22.5
Unavailable				1	1		1	1	
Teaching Intensity									
Low	785	184	23.4	3,614	502	13.9	4,399	686	15.6
Medium	408	113	27.7	307	66	21.5	715	179	25.0
High	230	49	21.3	63	18	28.6	293	67	22.9
Unavailable				2	2		2	2	
Location									
Rural	286	70	24.5	2,239	295	13.2	2,525	365	14.5
Urban	1,137	276	24.3	1,747	293	16.8	2,884	569	19.7

---

[1] Hospitals with average stay less than 30 days.

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 LOS sample is compared to the universe of hospitals in 1989.

Appendix A: Table 2

HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx [1]	% [2]
All Hospitals	346	100.0	187,461	100.0
Control				
Public	46	13.3	22,453	12.0
Private	294	85.0	162,877	86.9
Unavailable	6	1.7	2,131	1.1
Bedsize				
< 100 Beds	37	10.7	6,031	3.2
100-199	82	23.7	31,930	17.0
200-299	76	22.0	34,823	18.6
300-399	57	16.5	39,541	21.1
400-499	39	11.3	28,821	15.4
500+	55	15.9	46,315	24.7
Teaching Intensity				
Low	184	53.2	78,560	41.9
Medium	113	32.7	75,030	40.0
High	49	14.2	33,871	18.1
Location				
Rural	70	20.2	23,686	12.6
Urban	276	79.8	163,775	87.4

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Appendix A: Table 3

HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx[1]	%[2]
All Hospitals	588	100.0	54,023	100.0
Control				
Public	144	24.5	8,552	15.8
Private	440	74.8	43,188	79.9
Unavailable	4	.7	2,283	4.2
Bedsize				
< 100 Beds	349	59.4	13,344	24.7
100-199	121	20.6	14,430	26.7
200-299	60	10.2	10,098	18.7
300-399	38	6.5	6,817	12.6
400-499	12	2.0	4,990	9.2
500+	7	1.2	2,647	4.9
Unavailable	1	.2	1,697	3.1
Teaching Intensity				
Low	502	85.4	36,544	67.6
Medium	66	11.2	11,333	21.0
High	18	3.1	4,445	8.2
Unavailable	2	0.3	1,701	3.1
Location				
Rural	295	50.2	11,831	21.9
Urban	293	49.8	42,192	78.1

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Hospitals With or Without a Psychiatric Unit or Beds

Nonfederal, short-term general hospitals that reported a psychiatric unit or beds are included in the hospitals with psychiatric unit/beds category.[1] Nonfederal, short-term general hospitals that did not indicate having a psychiatric unit or beds are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories can, however, offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, long-term psychiatric hospitalization, or partial hospitalization.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[2] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by Accreditation Council for Graduate Medical Education (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

Control: Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment not-for-profit and investor-owned (for-profit) facilities.

---

[1] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[2] Phillip, P.J., and Hai, Abdul, An Index of Programs for Hospitals, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

APPENDIX D

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes	**2**
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25
293.82	Organic hallucinosis syndrome	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50
296.90	Unspecified affective psychosis	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.4	Psychogenic paranoid psychosis	61
298.8	Other and unspecified reactive psychosis	62
298.9	Unspecified psychosis	63
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	64
299.8	Other specified early childhood psychoses	65
299.9	Unspecified childhood psychosis	66
300	**Neurotic disorders**	
300.0	Anxiety states	67
300.00	Anxiety state, unspecified	67
300.01	Panic disorder	67
300.02	Generalized anxiety disorder	67
300.09	Other anxiety states	67
300.1	Hysteria	68
300.10	Hysteria, unspecified	68
300.11	Conversion disorder	68
300.12	Psychogenic amnesia	68
300.13	Psychogenic fugue	68
300.14	Multiple personality	68
300.15	Dissociative disorder or reaction, unspecified	68
300.16	Factitious illness with psychological symptoms	68
300.19	Other and unspecified factitious illness	68
300.2	Phobic disorders	69
300.20	Phobia, unspecified	69
300.21	Agoraphobia with panic attacks	69
300.22	Agoraphobia without mention of panic attacks	69
300.23	Social phobia	69
300.29	Other isolated or simple phobias	69
300.3	Obsessive-compulsive disorders	70
300.4	Neurotic depression	71
300.5	Neurasthenia	72
300.6	Depersonalization syndrome	73
300.7	Hypochondriasis	74
300.8	Other neurotic disorders	75

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
300.81	Somatization disorder	75
300.89	Other neurotic disorders	75
300.9	Unspecified neurotic disorder	76
301	**Personality disorders**	
301.0	Paranoid personality disorder	77
301.1	Affective personality disorder	78
301.10	Affective personality disorder, unspecified	78
301.11	Chronic hypomanic personality disorder	78
301.12	Chronic depressive personality disorder	78
301.13	Cyclothymic disorder	78
301.2	Schizoid personality disorder	79
301.20	Schizoid personality disorder, unspecified	79
301.21	Introverted personality	79
301.22	Schizotypal personality	79
301.3	Explosive personality disorder	80
301.4	Compulsive personality disorder	81
301.5	Histrionic personality disorder	82
301.50	Histrionic personality disorder, unspecified	82
301.51	Chronic factitious illness with physical symptoms	82
301.59	Other histrionic personality disorder	82
301.6	Dependent personality disorder	83
301.7	Antisocial personality disorder	84
301.8	Other personality disorders	85
301.81	Narcissistic personality	85
301.82	Avoidant personality	85
301.83	Borderline personality	85
301.84	Passive-aggressive personality	85
301.89	Other personality disorders	85
301.9	Unspecified personality disorder	86
302	**Sexual deviations and disorders**	
302.0	Homosexuality	87
302.1	Zoophilia	88
302.2	Pedophilia	89
302.3	Transvestism	90
302.4	Exhibitionism	91
302.5	Trans-sexualism	92
302.50	Trans-sexualism with unspecified sexual history	92
302.51	Trans-sexualism with asexual history	92
302.52	Trans-sexualism with homosexual history	92
302.53	Trans-sexualism with heterosexual history	92
302.6	Disorders of psychosexual identity	93
302.7	Psychosexual dysfunction	94
302.70	Psychosexual dysfunction, unspecified	94
302.71	Psychosexual dysfunction with inhibited sexual desire	94
302.72	Psychosexual dysfunction with inhibited sexual excitement	94
302.73	Psychosexual dysfunction with inhibited female orgasm	94
302.74	Psychosexual dysfunction with inhibited male orgasm	94
302.75	Psychosexual dysfunction with premature ejaculation	94
302.76	Psychosexual dysfunction with functional dyspareunia	94
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	94
302.8	Other specified psychosexual disorders	95
302.81	Fetishism	95

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
302.82	Voyeurism	95
302.83	Sexual masochism	95
302.84	Sexual sadism	95
302.85	Gender identity disorder of adolescent or adult life	95
302.89	Other specified psychosexual disorders	95
302.9	Unspecified psychosexual disorder	96
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
303.0	Acute alcoholic intoxication	97
303.9	Other and unspecified alcohol dependence	98
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
304.0	Opioid type dependence	99
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	100
304.2	Cocaine dependence	101
304.3	Cannabis dependence	102
304.4	Amphetamine and other psychostimulant dependence	103
304.5	Hallucinogen dependence	104
304.6	Other specified drug dependence	105
304.7	Combinations of opioid type drug with any other drug dependence	106
304.8	Combinations of drug dependence excluding opioid type drug	107
304.9	Unspecified drug dependence	108
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
305.0	Alcohol abuse	109
305.1	Tobacco use disorder	110
305.2	Cannabis abuse	111
305.3	Hallucinogen abuse	112
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	113
305.5	Opioid abuse	114
305.6	Cocaine abuse	115
305.7	Amphetamine or related acting sympathomimetic abuse	116
305.8	Antidepressant type abuse	117
305.9	Other, mixed, or unspecified drug abuse	118
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	119
306.1	Respiratory malfunction arising from mental factors	120
306.2	Cardiovascular malfunction arising from mental factors	121

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
306.3	Skin disorder arising from mental factors	122
306.4	Gastrointestinal malfunction arising from mental factors	123
306.5	Genitourinary malfunction arising from mental factors	124
306.50	Psychogenic genitourinary malfunction, unspecified	124
306.51	Psychogenic vaginismus	124
306.52	Psychogenic dysmenorrhea	124
306.53	Psychogenic dysuria	124
306.59	Other genitourinary malfunction arising from mental factors	124
306.6	Endocrine disorder arising from mental factors	125
306.7	Disorder of organs of special sense arising from mental factors	126
306.8	Other specified psychophysiological malfunction	127
306.9	Unspecified psychophysiological malfunction	128
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	129
307.1	Anorexia nervosa	130
307.2	Tics	131
307.20	Tic disorder, unspecified	131
307.21	Transient tic disorder of childhood	131
307.22	Chronic motor tic disorder	131
307.23	Gilles de la Tourette's disorder	131
307.3	Stereotyped repetitive movements	132
307.4	Specific disorders of sleep of nonorganic origin	133
307.40	Nonorganic sleep disorder, unspecified	133
307.41	Transient disorder of initiating or maintaining sleep	133
307.42	Persistent disorder of initiating or maintaining sleep	133
307.43	Transient disorder of initiating or maintaining wakefulness	133
307.44	Persistent disorder of initiating or maintaining wakefulness	133
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	133
307.46	Somnambulism or night terrors	133
307.47	Other dysfunctions of sleep stages or arousal from sleep	133
307.48	Repetitive intrusions of sleep	133
307.49	Other specific disorders of sleep of nonorganic origin	133
307.5	Other and unspecified disorders of eating	134
307.50	Eating disorder, unspecified	134
307.51	Bulimia	134
307.52	Pica	134
307.53	Psychogenic rumination	134
307.54	Psychogenic vomiting	134
307.59	Other disorders of eating	134
307.6	Enuresis	135
307.7	Encopresis	136
307.8	Psychalgia	137
307.80	Psychogenic pain, site unspecified	137
307.81	Tension headache	137
307.89	Other psychalgia	137
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	138
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	139
308.1	Predominant disturbance of consciousness	140
308.2	Predominant psychomotor disturbance	141
308.3	Other acute reactions to stress	142
308.4	Mixed disorders as reaction to stress	143

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
308.9	Unspecified acute reaction to stress	144
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	145
309.1	Adjustment reaction with prolonged depressive reaction	146
309.2	Adjustment reaction with predominant disturbance of other emotions	147
309.21	Separation anxiety disorder	147
309.22	Emancipation disorder of adolescence and early adult life	147
309.23	Specific academic or work inhibition	147
309.24	Adjustment reaction with anxious mood	147
309.28	Adjustment reaction with mixed emotional features	147
309.29	Other adjustment reactions with predominant disturbance of other emotions	147
309.3	Adjustment reaction with predominant disturbance of conduct	148
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	149
309.8	Other specified adjustment reactions	150
309.81	Prolonged posttraumatic stress disorder	150
309.82	Adjustment reaction with physical symptoms	150
309.83	Adjustment reaction with withdrawal	150
309.89	Other specified adjustment reactions	150
309.9	Unspecified adjustment reaction	151
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	152
310.1	Organic personality syndrome	153
310.2	Postconcussion syndrome	154
310.8	Other specified nonpsychotic mental disorders following organic brain damage	155
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	156
311	**Depressive disorder, not elsewhere classified**	**157**
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	158
312.1	Undersocialized conduct disorder, unaggressive type	159
312.2	Socialized conduct disorder	160
312.3	Disorders of impulse control, not elsewhere classified	161
312.30	Impulse control disorder, unspecified	161
312.31	Pathological gambling	161
312.32	Kleptomania	161
312.33	Pyromania	161
312.34	Intermittent explosive disorder	161
312.35	Isolated explosive disorder	161
312.39	Other disorders of impulse control	161
312.4	Mixed disturbance of conduct and emotions	162
312.8	Other specified disturbances of conduct, not elsewhere classified	163
312.9	Unspecified disturbance of conduct	164
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	165

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	166
313.21	Shyness disorder of childhood	166
313.22	Introverted disorder of childhood	166
313.23	Elective mutism specific to childhood and adolescence	166
313.8	Other or mixed emotional disturbances of childhood or adolescence	167
313.81	Oppositional disorder of childhood or adolescence	167
313.82	Identity disorder of childhood or adolescence	167
313.83	Academic underachievement disorder of childhood or adolescence	167
313.89	Other emotional disturbances of childhood or adolescence	167
313.9	Unspecified emotional disturbance of childhood or adolescence	168
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	169
314.00	Attention deficit disorder of childhood without mention of hyperactivity	169
314.01	Attention deficit disorder of childhood with hyperactivity	169
314.1	Hyperkinesis of childhood with developmental delay	170
314.2	Hyperkinetic conduct disorder of childhood	171
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	172
314.9	Unspecified hyperkinetic syndrome of childhood	173

APPENDIX E

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	167
Acute alcoholic intoxication	303.0	97
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0 - 308.9	139-144
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0 - 309.9	145-151
Adjustment reaction with anxious mood	309.24	147
Adjustment reaction with brief depressive reaction	309.0	145
Adjustment reaction with mixed emotional features	309.28	147
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	149
Adjustment reaction with physical symptoms	309.82	150
Adjustment reaction with predominant disturbance of other emotions	309.2	147
Adjustment reaction with predominant disturbance of conduct	309.3	148
Adjustment reaction with prolonged depressive reaction	309.1	146
Adjustment reaction with withdrawal	309.83	150
Affective personality disorder	301.1	78
Affective personality disorder, unspecified	301.10	78
Affective psychoses	296.0 - 296.9	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	69
Agoraphobia without mention of panic attacks	300.22	69
Alcohol abuse	305.0	109
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0 - 303.9	97-98
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0 - 291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	103
Amphetamine or related acting sympathomimetic abuse	305.7	116
Anorexia nervosa	307.1	130
Antidepressant type abuse	305.8	117
Antisocial personality disorder	301.7	84
Anxiety state, unspecified	300.00	67
Anxiety states	300.0	67
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	169
Attention deficit disorder of childhood without mention of hyperactivity	314.00	169
Attention deficit disorder of childhood with hyperactivity	314.01	169
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	85
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	100
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	113
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	85
Bulimia	307.51	134
Cannabis abuse	305.2	111
Cannabis dependence	304.3	102
Cardiovascular malfunction arising from mental factors	306.2	121
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	78
Chronic factitious illness with physical symptoms	301.51	82
Chronic hypomanic personality disorder	301.11	78
Chronic motor tic disorder	307.22	131
Cocaine abuse	305.6	115
Cocaine dependence	304.2	101
Combinations of drug dependence excluding opioid type drug	304.8	107
Combinations of opioid type drug with any other drug dependence	304.7	106
Compulsive personality disorder	301.4	81
Conversion disorder	300.11	68
Cyclothymic disorder	301.13	78
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	83
Depersonalization syndrome	300.6	73
Depressive disorder, not elsewhere classified	311	157
Depressive type psychosis	298.0	57
Disorder of organs of special sense arising from mental factors	306.7	126
Disorders of impulse control, not elsewhere classified	312.3	161
Disorders of psychosexual identity	302.6	93
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	68
Disturbance of conduct, not elsewhere classified	312.0 - 312.9	158-164
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0 - 313.9	165-168
Drug dependence	304.0 - 304.9	99-108
Fifth-digit subclassification for use with 304:		

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0 - 292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	134
Elective mutism specific to childhood and adolescence	313.23	166
Emancipation disorder of adolescence and early adult life	309.22	147
Encopresis	307.7	136
Endocrine disorder arising from mental factors	306.6	125
Enuresis	307.6	135
Excitative type psychosis	298.1	58
Exhibitionism	302.4	91
Explosive personality disorder	301.3	80
Factitious illness with psychological symptoms	300.16	68
Fetishism	302.81	95
Frontal lobe syndrome	310.0	152
Gastrointestinal malfunction arising from mental factors	306.4	123
Gender identity disorder of adolescent or adult life	302.85	95
Generalized anxiety disorder	300.02	67
Genitourinary malfunction arising from mental factors	306.5	124
Gilles de la Tourette's disorder	307.23	131
Hallucinogen abuse	305.3	112
Hallucinogen dependence	304.5	104
Histrionic personality disorder	301.5	82
Histrionic personality disorder, unspecified	301.50	82
Homosexuality	302.0	87
Hyperkinesis of childhood with developmental delay	314.1	170
Hyperkinetic conduct disorder of childhood	314.2	171
Hyperkinetic syndrome of childhood	314.0 - 314.9	169-173
Hypochondriasis	300.7	74
Hysteria	300.1	68
Hysteria, unspecified	300.10	68
Identity disorder of childhood or adolescence	313.82	167
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	161
Infantile autism	299.0	64
Intermittent explosive disorder	312.34	161
Introverted disorder of childhood	313.22	166
Introverted personality	301.21	79
Isolated explosive disorder	312.35	161

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Kleptomania	312.32	161
Latent schizophrenia	295.5	36
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Mixed disorders as reaction to stress	308.4	143
Mixed disturbance of conduct and emotions	312.4	162
Multiple personality	300.14	68
Musculoskeletal malfunction arising from mental factors	306.0	119
Narcissistic personality	301.81	85
Neurasthenia	300.5	72
Neurotic depression	300.4	71
Neurotic disorders	300.0 - 300.9	67-76
Nondependent abuse of drugs Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	305.0 - 305.9	109-118
Nonorganic sleep disorder, unspecified	307.40	133
Obsessive-compulsive disorders	300.3	70
Opioid abuse	305.5	114
Opioid type dependence	304.0	99
Oppositional disorder of childhood or adolescence	313.81	167
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	153
Other acute reactions to stress	308.3	142
Other adjustment reactions with predominant disturbance of other emotions	309.29	147
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	98
Other and unspecified disorders of eating	307.5	134
Other and unspecified factitious illness	300.19	68
Other and unspecified reactive psychosis	298.8	62
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	138
Other anxiety states	300.09	67
Other disorders of eating	307.59	134
Other disorders of impulse control	312.39	161
Other dysfunctions of sleep stages or arousal from sleep	307.47	133
Other emotional disturbances of childhood or adolescence	313.89	167
Other genitourinary malfunction arising from mental factors	306.59	124
Other histrionic personality disorder	301.59	82
Other isolated or simple phobias	300.29	69
Other manic-depressive psychosis	296.89	49

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Other neurotic disorders	300.8	75
Other neurotic disorders	300.89	75
Other nonorganic psychoses	298.0 - 298.9	57-63
Other or mixed emotional disturbances of childhood or adolescence	313.8	167
Other organic psychotic conditions (chronic)	294.0 - 294.9	27-30
Other personality disorders	301.8	85
Other personality disorders	301.89	85
Other psychalgia	307.89	137
Other specific disorders of sleep of nonorganic origin	307.49	133
Other specified adjustment reactions	309.8	150
Other specified adjustment reactions	309.89	150
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	163
Other specified drug dependence	304.6	105
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	65
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	172
Other specified nonpsychotic mental disorders following organic brain damage	310.8	155
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	127
Other specified psychosexual disorders	302.8	95
Other specified psychosexual disorders	302.89	95
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	118
Overanxious disorder specific to childhood and adolescence	313.0	165
Panic disorder	300.01	67
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	77
Paranoid state, simple	297.0	51
Paranoid states	297.0 - 297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	85
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	161
Pedophilia	302.2	89
Persistent disorder of initiating or maintaining sleep	307.42	133
Persistent disorder of initiating or maintaining wakefulness	307.44	133
Personality disorders	301.0 - 301.9	77-86
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	133
Phobia, unspecified	300.20	69
Phobic disorders	300.2	69
Physiological malfunction arising from mental factors	306.0 - 306.9	119-128
Pica	307.52	134
Postconcussion syndrome	310.2	154
Predominant disturbance of consciousness	308.1	140

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Predominant disturbance of emotions	308.0	139
Predominant psychomotor disturbance	308.2	141
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	150
Psychalgia	307.8	137
Psychogenic amnesia	300.12	68
Psychogenic dysmenorrhea	306.52	124
Psychogenic dysuria	306.53	124
Psychogenic fugue	300.13	68
Psychogenic genitourinary malfunction, unspecified	306.50	124
Psychogenic pain, site unspecified	307.80	137
Psychogenic paranoid psychosis	298.4	61
Psychogenic rumination	307.53	134
Psychogenic vaginismus	306.51	124
Psychogenic vomiting	307.54	134
Psychoses with origin specific to childhood	299.0 - 299.9	64-66
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	94
Psychosexual dysfunction with inhibited sexual desire	302.71	94
Psychosexual dysfunction with inhibited sexual excitement	302.72	94
Psychosexual dysfunction with inhibited female orgasm	302.73	94
Psychosexual dysfunction with inhibited male orgasm	302.74	94
Psychosexual dysfunction with premature ejaculation	302.75	94
Psychosexual dysfunction with functional dyspareunia	302.76	94
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	94
Psychosexual dysfunction, unspecified	302.70	94
Pyromania	312.33	161
Reactive confusion	298.2	59
Repetitive intrusions of sleep	307.48	133
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	120
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	79
Schizoid personality disorder, unspecified	301.20	79
Schizophrenic disorders	295.0 - 295.9	31-39
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	79
Senile and presenile organic psychotic conditions	290.0 - 290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	166
Separation anxiety disorder	309.21	147
Sexual deviations and disorders	302.0 - 302.9	87-96
Sexual masochism	302.83	95
Sexual sadism	302.84	95
Shared paranoid disorder	297.3	54
Shyness disorder of childhood	313.21	166
Simple type schizophrenia	295.0	31
Skin disorder arising from mental factors	306.3	122
Social phobia	300.23	69
Socialized conduct disorder	312.2	160
Somatization disorder	300.81	75
Somnambulism or night terrors	307.46	133
Special symptoms or syndromes, not elsewhere classified	307.0 - 307.9	129-138
Specific academic or work inhibition	309.23	147
Specific disorders of sleep of nonorganic origin	307.4	133
Specific nonpsychotic mental disorders due to organic brain damage	310.0 - 310.9	152-156
Stammering and stuttering	307.0	129
Stereotyped repetitive movements	307.3	132
Subacute delirium	293.1	24
Tension headache	307.81	137
Tic disorder, unspecified	307.20	131
Tics	307.2	131
Tobacco use disorder	305.1	110
Trans-sexualism	302.5	92
Trans-sexualism with asexual history	302.51	92
Trans-sexualism with heterosexual history	302.53	92
Trans-sexualism with homosexual history	302.52	92
Trans-sexualism with unspecified sexual history	302.50	92
Transient disorder of initiating or maintaining sleep	307.41	133
Transient disorder of initiating or maintaining wakefulness	307.43	133
Transient organic psychotic conditions	293.0 - 293.9	23-26
Transient tic disorder of childhood	307.21	131
Transvestism	302.3	90
Undersocialized conduct disorder, aggressive type	312.0	158
Undersocialized conduct disorder, unaggressive type	312.1	159
Unspecified acute reaction to stress	308.9	144
Unspecified adjustment reaction	309.9	151
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	66
Unspecified disturbance of conduct	312.9	164
Unspecified drug dependence	304.9	108
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	168
Unspecified hyperkinetic syndrome of childhood	314.9	173
Unspecified neurotic disorder	300.9	76
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	156

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	86
Unspecified psychophysiological malfunction	306.9	128
Unspecified psychosexual disorder	302.9	96
Unspecified psychosis	298.9	63
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26
Voyeurism	302.82	95
Zoophilia	302.1	88

APPENDIX F

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[1] It was developed in response to a need expressed by medical records administrators for a standardized means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal Agencies). This crosswalk has been specifically developed to facilitate such coding and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association and is available through the APA Office of Research.

INSTRUCTIONS FOR USING THE CROSSWALK

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances, discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content" and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*; *ICD-9-CM* is the more inclusive system. However, since one of its primary purposes is to serve as a complete list of medical terms to assist in the coding of medical records, there are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not in *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote One (following the Crosswalk) for general notes about the crosswalk.

---

[1] American Psychiatric Association: *Diagnostic and Statistical Manual of Mental Disorders, Third Edition, Revised*. Washington, D.C., 1987.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R **Code**	***ICD-9-CM*** **Code**	**Narrative** *ICD-9-CM*, **plus [*DSM-III-R*]**	**Footnotes**
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R **Code**	***ICD-9-CM*** **Code**	**Narrative** ***ICD-9-CM*****, plus [*****DSM-III-R*****]**	**Footnotes**
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor **or** verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

B4Vc-25-a

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
Western Region, 1990

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
Western Region, 1990

Healthcare Knowledge Resources
Ann Arbor, Michigan
November, 1991

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the Psychiatric Length of Stay by Diagnosis series:

Psychiatric Length of Stay by Diagnosis, United States, 1990
ISSN 0898-0543

Psychiatric Length of Stay by Diagnosis, Northeastern Region, 1990
ISSN 0898-0527

Psychiatric Length of Stay by Diagnosis, North Central Region, 1990
ISSN 0898-249X

Psychiatric Length of Stay by Diagnosis, Southern Region, 1990
ISSN 0898-0519

Psychiatric Length of Stay by Diagnosis, Western Region, 1990
ISSN 0898-0535

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1990 through December 31, 1990. Neither CPHA nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

CONTENTS

Introduction v

Description of the Database vi
  Source of the Data
  Data Quality
  Hospital Characteristics

Organization of the Tables viii
  Diagnosis Classification Categories
  Hospital Service Type
  Patient Data Stratification

Explanation of the Statistics x
  Total Number of Patients
  Average Length of Stay
  Variance
  Percentiles
  Subtotal and Grand Total

Using the Tables xi

Psychiatric Length of Stay Tables 1

Appendix A
  1990 Hospital Characteristics 165
    Table 1: Universe of Hospitals
    Table 2: Hospitals With Psychiatric Units
    Table 3: Hospitals Without Psychiatric Units

Appendix B
  Description of Hospital Characteristics 168

Appendix C
  State Inclusions By Region 169

Appendix D
  Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 170

Appendix E
  Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 178

Appendix F
  Crosswalk From *DSM-III-R* to *ICD-9-CM* 186

ACKNOWLEDGEMENTS

1990 PSYCHIATRIC LENGTH OF STAY BY DIAGNOSIS

PROJECT TEAM:

Jennifer Goewey, Publication Specialist
Carol Dingeldey, Publication Specialist
Linda E. Vanek, Manager, Normative Products
Helen Garcia, Programmer Analyst
Jan Sweet, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources.

We offer a special thank-you to the following individuals for their assistance:

Joyce Beach, Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, software, and magnetic media. The Psychiatric Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States during 1990. This book is one volume in a set of five books. The complete set is the latest in a series of publications on psychiatric length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1990 series.

In addition to *Psychiatric Length of Stay by Diagnosis*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

SOURCE OF THE DATA

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.

2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.

5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

HOSPITAL CHARACTERISTICS

Data chosen for inclusion in the Psychiatric Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Indiana Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in the tables in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

ORGANIZATION OF THE TABLES

DIAGNOSIS CLASSIFICATION CATEGORIES

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*[1], updated as of October 1, 1990. This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix D lists, in numerical order, the *ICD-9-CM* diagnosis codes in the tables, their accompanying description, and the page number of the table. Appendix E lists, in alphabetical order, the *ICD-9-CM* psychiatric diagnoses description and accompanying numerical codes along with the page number of the table. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included in Appendix F.)

HOSPITAL SERVICE TYPE

The tables are also categorized by hospital service unit.[2] The divisions are:

a. **Hospitals with a psychiatric unit/beds** – nonfederal, short-term general hospitals reporting a psychiatric unit or beds set-up.

b. **Hospitals without a psychiatric unit/beds** – nonfederal, short-term general hospitals that do not report a psychiatric unit or beds set-up.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, long-term psychiatric hospitalization, or partial hospitalization.

PATIENT DATA STRATIFICATION

The psychiatric length of stay data are stratified into two patient groups, by sex, and by six age ranges. The age categories have been collapsed from the seven groups previously presented to six. This provides a more accurate breakdown of adolescent, teen, young adult, middle and senior adult length of stay patterns.

Patient Groups

Patients in the tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that, after study, explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code only (*ICD-9-CM* 290-314.9) or patients having the specified psychiatric principal diagnosis code and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table as their only diagnosis. Alternatively, a patient with the same principal psychiatric diagnosis and a secondary diagnosis of diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1990.

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9).

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

0-12 (includes newborns)
13-19
20-34
35-49
50-64
65+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF THE STATISTICS

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

TOTAL NUMBER OF PATIENTS

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

AVERAGE LENGTH OF STAY

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day; the day of discharge is not included. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

VARIANCE

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

DISTRIBUTION PERCENTILES

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

SUBTOTAL AND GRAND TOTAL

The subtotal represents the total patients in each of the two patient groups. The Grand Total represents the total number of patients in the specified psychiatric diagnosis category within one of the two hospital service type categories.

USING THE TABLES

The Psychiatric Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Appendix at the back of the book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Length of Stay tables; the *ICD-9-CM* diagnosis code number follows the English title of each table.

Step 3: Find the appropriate portion of the table for review:

- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	34	8.6	92	2	2	6	10	14	30	49	25	10.0	87	2	5	7	13	26	30	41
ALL AGES	34	8.6	92	2	2	6	10	14	30	49	25	10.0	87	2	5	7	13	26	30	41
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	58	8.4	128	1	3	5	11	15	19	76	41	10.2	194	2	3	6	12	20	28	85
ALL AGES	59	8.4	125	1	3	5	11	15	19	75	41	10.2	194	2	3	6	12	20	28	85
SUBTOTAL	**93**	**8.5**	**111**	**2**	**3**	**5**	**10**	**14**	**23**	**66**	**66**	**10.2**	**150**	**2**	**3**	**6**	**13**	**21**	**29**	**78**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	8	10.1	17	5	8	11	13	67	99 +	99 +	13	7.2	40	2	3	5	9	19	20	20
ALL AGES	8	10.1	17	5	8	11	13	67	99 +	99 +	13	7.2	40	2	3	5	9	19	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	17	12.8	216	2	5	7	12	41	49	51	5	8.2	40	3	4	5	13	18	18	18
ALL AGES	17	12.8	216	2	5	7	12	41	49	51	5	8.2	40	3	4	5	13	18	18	18
SUBTOTAL	**25**	**12.0**	**149**	**3**	**6**	**9**	**12**	**43**	**61**	**99 +**	**18**	**7.4**	**39**	**2**	**3**	**5**	**11**	**19**	**20**	**20**
GRAND TOTAL	**118**	**9.2**	**121**	**2**	**4**	**6**	**11**	**18**	**35**	**85**	**84**	**9.6**	**127**	**2**	**3**	**6**	**12**	**20**	**26**	**70**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	28.0	469	3	12	40	41	41	41	41	1	3.0		3	3	3	3	3	3	3
35-49	3	12.3	106	5	6	8	20	24	24	24	1	15.0		15	15	15	15	15	15	15
50-64	8	5.0	44	1	1	2	6	17	20	20	5	16.8	387	2	5	22	87	99 +	99 +	99 +
65 +	102	10.3	141	2	4	7	13	21	26	72	78	11.3	152	2	4	7	16	25	35	95
ALL AGES	116	10.5	145	2	4	6	13	23	33	68	85	11.6	160	2	4	7	17	29	52	99 +
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	14.0		14	14	14	14	14	14	14	1	9.0		9	9	9	9	9	9	9
50-64	10	7.4	32	2	4	7	13	51	96	99 +	6	5.8	21	2	3	4	10	13	13	13
65 +	119	8.3	39	3	5	7	10	16	19	35	95	10.3	101	3	4	8	16	55	99 +	99 +
ALL AGES	130	8.3	38	3	5	7	10	16	19	47	102	10.0	97	3	4	8	15	46	99 +	99 +
SUBTOTAL	**246**	**9.3**	**90**	**2**	**4**	**7**	**12**	**19**	**26**	**57**	**187**	**10.7**	**126**	**2**	**4**	**7**	**16**	**40**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	10.0		10	10	10	10	10	10	10										
50-64											1	4.0		4	4	4	4	4	4	4
65 +	18	7.9	26	2	5	7	12	14	18	20	20	14.1	220	3	4	8	19	35	50	60
ALL AGES	19	8.1	23	2	5	7	12	14	17	20	21	13.6	215	3	4	7	19	34	49	60
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	11.0	98	4	4	11	18	18	18	18										
35-49																				
50-64	5	8.0	14	5	5	7	10	14	14	14										
65 +	22	11.0	52	2	5	10	17	23	24	25	15	14.0	242	3	4	6	23	44	46	47
ALL AGES	29	10.5	45	3	5	10	15	22	23	25	15	14.0	242	3	4	6	23	44	46	47
SUBTOTAL	**48**	**9.5**	**38**	**2**	**5**	**9**	**13**	**19**	**23**	**25**	**36**	**13.8**	**218**	**3**	**4**	**6**	**19**	**39**	**46**	**60**
GRAND TOTAL	**294**	**9.4**	**80**	**2**	**4**	**7**	**12**	**19**	**24**	**49**	**223**	**11.2**	**141**	**2**	**4**	**7**	**16**	**40**	**99 +**	**99 +**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	12.0		12	12	12	12	12	12	12										
65 +	26	9.1	31	3	7	8	11	20	21	23	10	9.7	55	3	5	8	11	21	28	28
ALL AGES	27	9.2	30	3	7	8	11	19	21	23	10	9.7	55	3	5	8	11	21	28	28
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	9.0		9	9	9	9	9	9	9										
65 +	47	11.4	63	5	8	9	13	16	29	44	28	13.5	106	6	7	10	14	32	40	41
ALL AGES	48	11.3	63	5	8	9	13	16	28	44	28	13.5	106	6	7	10	14	32	40	41
SUBTOTAL	**75**	**10.5**	**53**	**5**	**7**	**9**	**12**	**17**	**22**	**44**	**38**	**12.5**	**93**	**4**	**6**	**10**	**14**	**29**	**38**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	8	17.5	71	12	12	14	19	32	37	37	2	6.0	2	5	5	6	7	7	7	7
ALL AGES	8	17.5	71	12	12	14	19	32	37	37	2	6.0	2	5	5	6	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	21	12.4	52	6	8	11	14	18	29	39	9	12.7	55	3	8	13	17	23	25	25
ALL AGES	21	12.4	52	6	8	11	14	18	29	39	9	12.7	55	3	8	13	17	23	25	25
SUBTOTAL	**29**	**13.8**	**60**	**7**	**9**	**13**	**15**	**20**	**37**	**39**	**11**	**11.5**	**51**	**3**	**7**	**8**	**16**	**23**	**25**	**25**
GRAND TOTAL	**104**	**11.5**	**55**	**5**	**7**	**10**	**13**	**18**	**24**	**43**	**49**	**12.3**	**82**	**4**	**7**	**9**	**15**	**27**	**34**	**41**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	8.0		8	8	8	8	8	8	8										
65 +	55	8.8	23	3	6	8	11	14	19	24	31	6.5	27	2	2	5	11	13	15	23
ALL AGES	56	8.8	23	3	6	8	11	14	19	24	31	6.5	27	2	2	5	11	13	15	23
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	16.0		16	16	16	16	16	16	16										
65 +	102	8.3	27	2	4	7	11	15	18	24	55	6.5	38	2	3	5	7	10	18	41
ALL AGES	103	8.4	27	2	4	7	12	15	18	24	55	6.5	38	2	3	5	7	10	18	41
SUBTOTAL	**159**	**8.5**	**26**	**3**	**5**	**8**	**11**	**15**	**18**	**24**	**86**	**6.5**	**34**	**2**	**3**	**5**	**8**	**12**	**16**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	12.5	1	12	12	12	13	13	13	13										
65 +	15	9.5	52	2	4	9	13	14	26	30	8	5.3	10	2	3	4	7	10	11	11
ALL AGES	17	9.9	46	2	5	9	13	14	25	30	8	5.3	10	2	3	4	7	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	9.0		9	9	9	9	9	9	9										
65 +	23	9.9	47	2	5	10	13	18	25	29	7	16.3	262	3	5	10	30	41	42	42
ALL AGES	24	9.9	45	3	5	9	12	18	25	29	7	16.3	262	3	5	10	30	41	42	42
SUBTOTAL	**41**	**9.9**	**44**	**2**	**5**	**9**	**13**	**17**	**26**	**30**	**15**	**10.4**	**150**	**2**	**3**	**6**	**11**	**37**	**41**	**42**
GRAND TOTAL	**200**	**8.8**	**29**	**3**	**5**	**8**	**12**	**15**	**19**	**27**	**101**	**7.1**	**51**	**2**	**3**	**5**	**9**	**12**	**19**	**42**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	8.0	91	2	2	3	15	19	19	19	1	7.0		7	7	7	7	7	7	7
50-64	9	14.7	152	5	8	12	16	35	45	45	6	17.8	286	1	6	11	37	41	41	41
65 +	69	9.7	119	3	5	8	11	18	23	98	43	8.3	56	3	4	6	10	14	16	49
ALL AGES	81	10.2	121	3	5	8	12	19	23	96	50	9.4	87	2	5	7	11	15	37	49
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	9.0		9	9	9	9	9	9	9
50-64	8	9.4	46	3	4	7	14	20	21	21	1	1.0		1	1	1	1	1	1	1
65 +	55	8.7	50	3	5	7	10	15	22	41	45	8.9	61	2	4	7	11	22	26	37
ALL AGES	63	8.8	49	3	5	7	11	18	22	40	47	8.7	60	2	4	7	11	21	26	37
SUBTOTAL	**144**	**9.6**	**89**	**3**	**5**	**7**	**11**	**19**	**23**	**90**	**97**	**9.1**	**73**	**2**	**4**	**7**	**11**	**17**	**27**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	13.0		13	13	13	13	13	13	13										
50-64	4	8.0	29	3	3	7	12	14	14	14	3	20.3	578	5	6	8	38	48	48	48
65 +	12	13.2	66	2	8	13	17	23	30	31	7	10.1	126	3	3	6	12	30	34	34
ALL AGES	17	11.9	57	2	5	13	15	19	27	31	10	13.2	236	3	4	6	14	41	48	48
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	3	6.3	47	1	2	4	11	14	14	14										
65 +	24	14.7	87	8	10	12	15	25	36	49	16	9.9	68	2	4	7	14	19	29	34
ALL AGES	27	13.8	87	4	9	12	15	23	34	49	16	9.9	68	2	4	7	14	19	29	34
SUBTOTAL	**44**	**13.1**	**74**	**3**	**9**	**13**	**15**	**21**	**31**	**49**	**26**	**11.2**	**128**	**3**	**4**	**7**	**14**	**32**	**37**	**48**
GRAND TOTAL	**188**	**10.4**	**88**	**3**	**5**	**9**	**13**	**20**	**24**	**73**	**123**	**9.5**	**85**	**2**	**4**	**7**	**11**	**18**	**34**	**48**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	15.0		15	15	15	15	15	15	15	1	34.0		34	34	34	34	34	34	34
ALL AGES	1	15.0		15	15	15	15	15	15	15	1	34.0		34	34	34	34	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	6.0		6	6	6	6	6	6	6
ALL AGES											1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**	**2**	**20.0**	**392**	**6**	**6**	**20**	**34**	**34**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**	**2**	**20.0**	**392**	**6**	**6**	**20**	**34**	**34**	**34**	**34**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	7.0		7	7	7	7	7	7	7	3	8.7	68	2	3	6	15	18	18	18
ALL AGES	1	7.0		7	7	7	7	7	7	7	3	8.7	68	2	3	6	15	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**2**	**7.5**	**1**	**7**	**7**	**7**	**8**	**8**	**8**	**8**	**3**	**8.7**	**68**	**2**	**3**	**6**	**15**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	29.0		29	29	29	29	29	29	29
ALL AGES											1	29.0		29	29	29	29	29	29	29
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**
GRAND TOTAL	**3**	**9.0**	**7**	**7**	**7**	**8**	**11**	**12**	**12**	**12**	**4**	**13.8**	**148**	**2**	**4**	**12**	**23**	**29**	**29**	**29**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	16	3.9	14	1	2	3	4	9	13	15	11	4.6	7	1	2	5	6	8	10	10
35-49	34	4.6	8	1	2	4	6	7	10	15	19	2.6	7	1	1	1	3	7	9	9
50-64	9	4.7	8	1	3	4	6	9	10	10	7	5.7	9	2	3	5	9	9	9	9
65 +	6	4.2	3	3	3	3	6	7	7	7	8	7.1	18	2	3	6	10	13	14	14
ALL AGES	66	4.4	9	1	2	4	6	8	10	15	45	4.4	11	1	1	4	6	9	10	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-49	5	3.4	9	1	1	2	6	8	8	8	6	7.0	40	2	2	4	15	15	15	15
50-64	1	5.0		5	5	5	5	5	5	5	3	3.3	2	2	2	4	4	4	4	4
65 +	2	5.0	8	3	3	5	7	7	7	7										
ALL AGES	9	3.8	7	1	2	3	6	8	8	8	10	5.4	27	2	2	3	5	15	15	15
SUBTOTAL	**75**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**15**	**55**	**4.6**	**14**	**1**	**2**	**4**	**6**	**10**	**13**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	62	5.4	29	2	3	4	6	9	11	36	38	4.7	29	1	2	3	6	9	11	32
35-49	109	4.7	18	1	2	4	6	9	15	21	72	5.3	110	1	2	4	5	8	14	73
50-64	39	6.3	16	3	3	6	7	12	17	17	38	7.7	88	2	2	4	10	19	28	47
65 +	16	8.6	48	2	3	6	12	20	23	25	19	7.4	26	2	4	7	9	15	18	20
ALL AGES	226	5.5	23	2	3	4	7	10	17	23	167	6.0	77	1	2	4	7	12	16	44
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3										
20-34	11	5.6	18	2	3	4	7	13	15	15	4	10.0	77	3	3	7	16	22	22	22
35-49	10	4.3	11	1	3	3	5	9	12	12	21	6.6	62	2	3	4	7	17	29	33
50-64	2	3.0		3	3	3	3	3	3	3	12	4.4	20	2	2	3	5	9	17	18
65 +	3	6.0	37	2	2	3	10	13	13	13	5	8.4	28	3	4	7	14	14	14	14
ALL AGES	27	4.9	14	2	3	3	6	12	13	15	42	6.5	47	2	3	4	7	15	23	33
SUBTOTAL	**253**	**5.4**	**22**	**2**	**3**	**4**	**7**	**10**	**16**	**23**	**209**	**6.1**	**71**	**2**	**2**	**4**	**7**	**13**	**18**	**39**
GRAND TOTAL	**328**	**5.1**	**20**	**1**	**3**	**4**	**6**	**10**	**15**	**21**	**264**	**5.8**	**59**	**1**	**2**	**4**	**6**	**11**	**16**	**33**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4										
35-49	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
50-64											1	10.0		10	10	10	10	10	10	10
65 +	3	11.0	4	9	9	11	12	13	13	13	2	11.0	8	9	9	11	13	13	13	13
ALL AGES	5	8.0	19	3	4	9	11	13	13	13	4	9.5	8	6	7	9	11	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**5**	**8.0**	**19**	**3**	**4**	**9**	**11**	**13**	**13**	**13**	**4**	**9.5**	**8**	**6**	**7**	**9**	**11**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	9.3	18	6	6	8	12	14	14	14	2	1.5	1	1	1	1	2	2	2	2
35-49	7	4.7	5	1	3	5	6	7	7	7	6	12.7	98	5	6	9	16	29	31	31
50-64	4	12.8	74	2	8	17	41	99+	99+	99+	7	7.7	10	4	5	8	10	12	13	13
65 +	2	29.5	925	8	8	29	51	51	51	51	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	16	10.7	146	2	5	7	15	45	83	99+	17	8.2	51	2	4	6	10	15	26	31
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-49											1	6.0		6	6	6	6	6	6	6
50-64																				
65 +											3	13.0	12	9	10	15	15	15	15	15
ALL AGES	1	4.0		4	4	4	4	4	4	4	5	9.2	36	1	5	9	15	15	15	15
SUBTOTAL	**17**	**10.3**	**140**	**2**	**5**	**7**	**14**	**42**	**80**	**99+**	**22**	**8.5**	**45**	**2**	**4**	**6**	**12**	**15**	**22**	**31**
GRAND TOTAL	**22**	**9.8**	**110**	**3**	**4**	**7**	**12**	**28**	**68**	**99+**	**26**	**8.6**	**40**	**2**	**5**	**7**	**12**	**15**	**19**	**31**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4										
50-64	5	9.4	97	1	3	6	14	26	26	26	5	8.0	37	2	3	5	14	15	15	15
65 +	7	12.9	80	6	7	10	15	29	32	32	4	13.0	59	3	7	14	19	20	20	20
ALL AGES	14	10.2	80	2	4	8	10	27	31	32	10	9.4	49	2	3	8	15	19	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	7.0		7	7	7	7	7	7	7	3	11.0	57	3	5	12	16	18	18	18
ALL AGES	1	7.0		7	7	7	7	7	7	7	3	11.0	57	3	5	12	16	18	18	18
SUBTOTAL	**15**	**10.0**	**75**	**2**	**5**	**7**	**10**	**26**	**30**	**32**	**13**	**9.8**	**46**	**2**	**3**	**11**	**16**	**19**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
35-49	5	6.6	62	1	1	4	10	20	20	20	8	4.8	30	1	2	3	4	14	18	18
50-64	16	7.2	32	1	4	6	9	14	21	24	13	11.6	80	4	6	7	16	27	28	28
65 +	12	11.3	33	4	6	12	15	20	21	21	13	13.8	84	4	7	12	21	24	32	34
ALL AGES	34	8.4	39	1	4	7	13	19	21	24	35	10.6	79	2	4	7	17	23	28	34
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											3	9.7	91	1	3	8	17	20	20	20
35-49	3	12.3	74	6	7	9	19	22	22	22	4	9.0	54	3	3	7	14	19	19	19
50-64	3	22.7	132	12	14	21	31	35	35	35	5	6.8	41	2	2	3	12	16	16	16
65 +	8	16.3	122	3	8	13	25	33	35	35	5	14.4	101	4	8	13	18	31	31	31
ALL AGES	14	16.8	111	6	9	13	23	35	35	35	17	10.1	66	2	3	10	14	20	27	31
SUBTOTAL	**48**	**10.8**	**74**	**2**	**5**	**8**	**14**	**23**	**28**	**35**	**52**	**10.4**	**74**	**2**	**4**	**7**	**16**	**22**	**28**	**34**
GRAND TOTAL	**63**	**10.6**	**73**	**2**	**4**	**8**	**14**	**23**	**29**	**35**	**65**	**10.3**	**67**	**2**	**4**	**7**	**16**	**21**	**27**	**34**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	6.0		6	6	6	6	6	6	6
20-34	3	2.0	1	1	1	2	3	3	3	3	5	3.0	3	1	2	3	4	5	5	5
35-49	7	2.1	1	1	1	2	3	4	4	4	5	5.4	5	3	3	6	7	8	8	8
50-64	3	2.0	1	1	1	2	3	3	3	3	1	5.0		5	5	5	5	5	5	5
65 +																				
ALL AGES	13	2.1	1	1	1	2	3	3	4	4	12	4.4	5	2	3	4	6	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4										
65 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**14**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**13**	**4.2**	**5**	**2**	**3**	**4**	**6**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	16	3.4	4	1	2	3	5	6	7	8	12	6.9	78	1	2	2	9	23	27	28
35-49	30	4.9	34	2	2	3	4	10	13	32	18	4.8	5	2	3	4	7	8	9	9
50-64	6	10.8	133	3	5	7	8	31	34	34	9	5.9	28	1	2	4	9	14	16	16
65 +	4	10.8	66	2	4	10	17	20	20	20	4	6.5	4	4	5	7	8	8	8	8
ALL AGES	56	5.5	41	2	2	4	6	12	18	34	43	5.8	29	2	2	4	8	11	18	28
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	4.5	13	2	2	4	7	7	7	7										
35-49	11	4.1	10	1	2	3	4	9	13	13	13	10.6	333	1	2	4	8	36	60	66
50-64	3	6.7	40	3	3	3	11	14	14	14	3	4.7	2	3	3	5	6	6	6	6
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	17	4.4	14	1	2	3	5	12	14	14	16	9.5	272	1	2	4	6	27	55	66
SUBTOTAL	**73**	**5.2**	**35**	**2**	**2**	**3**	**6**	**12**	**15**	**34**	**59**	**6.8**	**94**	**1**	**2**	**4**	**7**	**13**	**25**	**63**
GRAND TOTAL	**87**	**4.8**	**30**	**1**	**2**	**3**	**5**	**8**	**14**	**33**	**72**	**6.3**	**79**	**1**	**2**	**4**	**7**	**11**	**20**	**58**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
35-49																				
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	2	2.0	2	1	1	2	3	3	3	3										
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
ALL AGES	4	3.0	8	1	1	2	5	7	7	7	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	7.0		7	7	7	7	7	7	7										
35-49	1	1.0		1	1	1	1	1	1	1										
50-64	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
65 +																				
ALL AGES	4	5.5	9	1	3	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**8**	**4.3**	**9**	**1**	**1**	**5**	**7**	**7**	**7**	**7**	**2**	**6.0**	**2**	**5**	**5**	**6**	**7**	**7**	**7**	**7**
GRAND TOTAL	**8**	**4.3**	**9**	**1**	**1**	**5**	**7**	**7**	**7**	**7**	**2**	**6.0**	**2**	**5**	**5**	**6**	**7**	**7**	**7**	**7**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	35	3.1	8	1	1	2	4	7	11	13	30	3.4	5	1	2	3	5	7	7	9
35-49	58	4.1	80	1	1	2	3	5	11	64	49	3.5	13	1	2	3	4	5	8	24
50-64	31	6.5	284	1	1	3	6	9	11	96	21	3.1	5	1	2	3	4	6	8	10
65 +	8	4.8	5	2	3	4	6	8	9	9	12	7.7	31	2	3	6	12	16	17	17
ALL AGES	133	4.4	103	1	1	3	4	7	11	73	112	3.9	12	1	2	3	4	7	11	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	5	2.4		2	2	2	3	3	3	3	9	2.2	1	1	2	2	3	4	4	4
35-49	6	3.5	2	1	3	4	4	5	5	5	13	3.1	2	1	1	4	4	5	5	5
50-64	2	5.0	2	4	4	5	6	6	6	6	8	4.3	6	2	2	3	6	8	9	9
65 +	4	4.5	19	2	2	3	7	11	11	11	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	17	3.6	5	2	2	3	4	6	9	11	32	3.1	3	1	2	3	4	5	7	9
SUBTOTAL	**150**	**4.3**	**92**	**1**	**1**	**3**	**4**	**7**	**11**	**68**	**144**	**3.7**	**11**	**1**	**2**	**3**	**4**	**7**	**10**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2	4	18.5	108	3	12	23	24	25	25	25
20-34	99	3.9	19	1	1	2	5	8	11	24	108	8.4	88	1	2	3	14	27	28	29
35-49	223	4.2	20	1	2	3	5	8	12	25	185	5.7	39	1	2	3	6	14	21	29
50-64	103	5.7	107	1	2	3	5	10	21	60	101	6.7	51	1	2	4	7	19	26	29
65 +	31	5.1	46	2	2	3	4	8	23	34	47	9.2	67	2	3	6	13	20	29	35
ALL AGES	457	4.5	42	1	2	3	5	8	13	28	445	7.0	60	1	2	4	8	21	28	29
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	29	5.2	30	1	2	3	6	14	20	21	36	8.2	87	2	2	3	14	26	28	29
35-49	51	4.3	22	1	2	3	5	11	14	25	74	6.7	53	1	2	3	8	20	23	28
50-64	37	4.9	31	1	2	3	6	9	14	32	28	8.8	77	2	2	5	13	25	26	28
65 +	18	7.8	110	1	2	4	8	26	36	38	18	8.5	75	2	4	5	7	25	30	31
ALL AGES	135	5.1	38	1	2	3	5	11	17	34	156	7.6	68	1	2	4	9	22	27	29
SUBTOTAL	**592**	**4.7**	**40**	**1**	**2**	**3**	**5**	**9**	**15**	**30**	**601**	**7.2**	**62**	**1**	**2**	**4**	**8**	**21**	**28**	**29**
GRAND TOTAL	**742**	**4.6**	**51**	**1**	**2**	**3**	**5**	**8**	**13**	**31**	**745**	**6.5**	**54**	**1**	**2**	**3**	**7**	**20**	**26**	**29**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	3.5	5	2	2	3	5	5	5	5	1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**3**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	4	2.3	3	1	1	2	3	5	5	5										
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	2	5.5	25	2	2	5	9	9	9	9										
ALL AGES	8	3.3	8	1	1	2	5	8	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	2	6.5	25	3	3	6	10	10	10	10										
50-64	2	14.0	32	10	10	14	18	18	18	18										
65 +																				
ALL AGES	5	8.6	42	2	3	10	12	18	18	18										
SUBTOTAL	**13**	**5.3**	**26**	**1**	**2**	**3**	**9**	**12**	**17**	**18**										
GRAND TOTAL	**16**	**4.8**	**23**	**1**	**1**	**3**	**7**	**10**	**16**	**18**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
13-19											1	5.0		5	5	5	5	5	5	5
20-34	5	3.2	4	1	2	3	4	6	6	6										
35-49	3	2.3	2	1	1	3	3	3	3	3	3	2.7		2	2	3	3	3	3	3
50-64	2	3.5	5	2	2	3	5	5	5	5	2	2.5	1	2	2	2	3	3	3	3
65 +	2	2.0		2	2	2	2	2	2	2										
ALL AGES	13	2.8	2	1	2	2	3	5	6	6	7	2.9	1	2	2	3	3	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	5	5.6	11	2	2	7	8	9	9	9	1	2.0		2	2	2	2	2	2	2
35-49	6	3.3	3	1	2	4	4	5	5	5	2	5.0	18	2	2	5	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2	2	5.5	25	2	2	5	9	9	9	9
65 +	5	3.8	5	2	2	3	5	7	7	7	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	17	4.1	6	2	2	4	6	8	9	9	7	4.1	10	2	2	2	7	9	9	9
SUBTOTAL	**30**	**3.5**	**5**	**1**	**2**	**3**	**5**	**7**	**8**	**9**	**14**	**3.5**	**5**	**2**	**2**	**3**	**4**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											11	23.4	64	12	19	25	29	32	34	34
20-34	13	6.8	65	1	2	5	7	20	27	29	38	13.3	109	1	4	10	23	28	28	29
35-49	11	4.3	8	1	2	4	6	8	11	11	23	7.1	57	1	3	4	7	21	25	28
50-64	4	3.3	10	1	1	2	5	8	8	8	2	2.0	2	1	1	2	3	3	3	3
65 +	4	7.3	31	3	3	6	11	15	15	15	1	5.0		5	5	5	5	5	5	5
ALL AGES	32	5.5	35	1	2	4	7	12	18	29	75	12.4	113	1	3	6	23	28	29	33
B. FEMALE																				
0-12 YRS.																				
13-19											1	33.0		33	33	33	33	33	33	33
20-34	18	5.7	18	1	3	4	8	12	14	15	38	10.9	115	1	2	5	21	28	28	29
35-49	12	10.4	167	3	3	4	10	33	42	44	18	10.1	104	2	3	6	11	30	33	34
50-64	3	7.3	35	3	3	5	12	14	14	14	8	11.3	105	2	3	6	20	27	29	29
65 +	7	7.1	34	2	3	5	10	17	18	18	7	12.4	43	4	7	13	17	20	21	21
ALL AGES	40	7.5	66	2	3	4	10	14	23	44	72	11.2	106	1	3	6	20	28	29	34
SUBTOTAL	**72**	**6.6**	**52**	**1**	**3**	**4**	**8**	**14**	**18**	**41**	**147**	**11.8**	**109**	**1**	**3**	**6**	**21**	**28**	**29**	**34**
GRAND TOTAL	**102**	**5.7**	**40**	**1**	**2**	**4**	**7**	**11**	**16**	**36**	**161**	**11.1**	**105**	**1**	**3**	**6**	**21**	**28**	**29**	**34**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											3	1.0		1	1	1	1	1	1	1
13-19	3	1.3		1	1	1	2	2	2	2										
20-34	7	4.0	21	1	1	3	4	12	14	14	2	11.5	181	2	2	11	21	21	21	21
35-49	1	2.0		2	2	2	2	2	2	2										
50-64	1	11.0		11	11	11	11	11	11	11	5	4.2	20	1	2	3	5	12	12	12
65 +	8	2.3	1	1	1	2	3	4	5	5	4	4.0	5	2	2	3	5	7	7	7
ALL AGES	20	3.2	11	1	1	2	3	8	12	14	14	4.5	32	1	1	2	4	13	19	21
B. FEMALE																				
0-12 YRS.	3	1.7		1	1	2	2	2	2	2										
13-19	2	2.0		2	2	2	2	2	2	2										
20-34	4	6.8	10	3	4	6	9	11	11	11	3	12.3	219	1	2	7	23	29	29	29
35-49											1	4.0		4	4	4	4	4	4	4
50-64																				
65 +	11	4.5	3	2	3	4	6	7	8	8	3	3.3	3	2	2	3	4	5	5	5
ALL AGES	20	4.3	6	2	2	4	6	8	9	11	7	7.3	95	1	2	4	6	25	29	29
SUBTOTAL	**40**	**3.7**	**9**	**1**	**2**	**3**	**5**	**8**	**11**	**14**	**21**	**5.4**	**51**	**1**	**2**	**3**	**5**	**16**	**25**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	7	2.1	2	1	1	2	3	4	4	4	6	3.8	9	1	1	3	7	8	8	8
20-34	32	4.3	17	1	2	3	6	9	11	20	10	7.9	55	1	3	6	9	21	24	24
35-49	7	3.1	5	2	2	2	4	7	8	8	2	4.0	8	2	2	4	6	6	6	6
50-64	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2	3	3.3	1	3	3	3	4	4	4	4
ALL AGES	48	3.9	13	1	2	3	5	9	10	20	22	5.5	32	1	2	4	6	12	20	24
B. FEMALE																				
0-12 YRS.																				
13-19	1	10.0		10	10	10	10	10	10	10										
20-34	10	4.0	15	1	1	3	4	11	12	12	5	4.0	9	1	2	3	5	9	9	9
35-49	5	4.6	12	2	2	3	7	10	10	10										
50-64																				
65 +	5	11.0	44	5	6	8	17	20	20	20	2	8.5	5	7	7	8	10	10	10	10
ALL AGES	21	6.1	28	1	2	4	10	14	18	20	7	5.3	11	1	3	4	8	10	10	10
SUBTOTAL	**69**	**4.6**	**18**	**1**	**2**	**3**	**6**	**10**	**12**	**20**	**29**	**5.5**	**26**	**1**	**3**	**4**	**7**	**10**	**18**	**24**
GRAND TOTAL	**109**	**4.3**	**15**	**1**	**2**	**3**	**5**	**10**	**11**	**20**	**50**	**5.5**	**35**	**1**	**2**	**3**	**7**	**11**	**21**	**29**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL											**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	8.0	8	6	6	8	10	10	10	10										
50-64																				
65 +																				
ALL AGES	2	8.0	8	6	6	8	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	7.0	2	6	6	7	8	8	8	8										
35-49	1	15.0		15	15	15	15	15	15	15										
50-64	1	5.0		5	5	5	5	5	5	5										
65 +																				
ALL AGES	4	8.5	20	5	5	7	11	15	15	15										
SUBTOTAL	**6**	**8.3**	**15**	**5**	**6**	**7**	**10**	**14**	**15**	**15**										
GRAND TOTAL	**6**	**8.3**	**15**	**5**	**6**	**7**	**10**	**14**	**15**	**15**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	4.0		4	4	4	4	4	4	4
20-34	4	3.3	6	1	1	3	5	6	6	6	2	4.0	8	2	2	4	6	6	6	6
35-49	4	3.0	3	1	1	3	4	5	5	5	2	7.0	2	6	6	7	8	8	8	8
50-64	4	3.3	1	2	2	3	4	5	5	5	8	3.1	5	1	1	2	5	7	7	7
65 +	21	5.2	8	2	4	5	6	9	12	13	36	5.7	20	2	3	4	8	13	15	15
ALL AGES	33	4.5	7	2	2	4	5	7	11	13	49	5.2	17	1	2	4	6	13	14	15
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19																				
20-34	5	3.4	5	2	2	2	5	7	7	7										
35-49	6	2.5	2	1	1	2	4	4	4	4	7	3.3	8	1	1	2	4	8	9	9
50-64	6	4.7	4	2	3	4	6	8	8	8	9	4.1	6	1	2	4	6	8	8	8
65 +	27	4.8	13	1	2	4	6	10	12	15	34	5.0	11	1	2	4	6	9	13	14
ALL AGES	45	4.2	10	1	2	4	5	8	11	15	50	4.6	10	1	2	4	6	9	11	14
SUBTOTAL	**78**	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**11**	**14**	**99**	**4.9**	**13**	**1**	**2**	**4**	**6**	**11**	**13**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	23	5.2	34	1	2	3	7	13	20	23	4	6.5	34	1	2	5	11	14	14	14
35-49	4	3.0	7	1	1	2	5	7	7	7	4	7.3	27	3	3	6	11	14	14	14
50-64	2	4.0	2	3	3	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
65 +	9	5.6	10	2	3	5	7	10	12	12	17	5.5	13	2	2	5	8	9	12	14
ALL AGES	38	5.0	23	1	2	3	7	12	16	23	26	5.8	17	1	2	4	9	13	14	14
B. FEMALE																				
0-12 YRS.																				
13-19	4	10.5	20	7	7	9	13	17	17	17										
20-34	7	5.9	66	1	2	3	5	20	24	24	5	4.0	4	2	3	3	6	6	6	6
35-49	9	5.9	15	2	3	5	9	12	13	13	5	17.0	788	2	2	6	23	67	67	67
50-64	11	5.3	20	2	3	4	5	14	15	15	5	5.2	8	2	3	4	7	9	9	9
65 +	25	8.8	86	2	3	5	13	18	30	42	15	5.7	12	2	3	5	7	11	13	14
ALL AGES	56	7.4	55	2	3	5	10	15	22	41	30	7.2	137	2	3	5	7	10	14	67
SUBTOTAL	**94**	**6.4**	**44**	**2**	**2**	**4**	**8**	**14**	**18**	**35**	**56**	**6.6**	**79**	**2**	**3**	**5**	**8**	**11**	**14**	**64**
GRAND TOTAL	**172**	**5.5**	**28**	**1**	**2**	**4**	**6**	**12**	**15**	**26**	**155**	**5.5**	**38**	**1**	**2**	**4**	**7**	**11**	**14**	**15**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	1.0		1	1	1	1	1	1	1	1	27.0		27	27	27	27	27	27	27
20-34	2	7.0	50	2	2	7	12	12	12	12	10	7.1	43	1	2	5	8	18	21	21
35-49											5	5.0	12	1	2	5	7	10	10	10
50-64	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
ALL AGES	6	3.2	19	1	1	2	2	11	12	12	18	7.2	52	1	2	5	8	19	25	27
B. FEMALE																				
0-12 YRS.																				
13-19											1	35.0		35	35	35	35	35	35	35
20-34	2	4.0		4	4	4	4	4	4	4	5	20.8	1209	5	5	5	25	83	83	83
35-49	1	3.0		3	3	3	3	3	3	3	2	6.5	13	4	4	6	9	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3	2	3.5	13	1	1	3	6	6	6	6
65 +	9	7.3	26	2	4	7	9	15	18	18	2	17.5	421	3	3	17	32	32	32	32
ALL AGES	13	6.2	20	3	3	4	8	12	17	18	12	16.2	568	2	4	6	20	49	78	83
SUBTOTAL	**19**	**5.2**	**21**	**1**	**2**	**4**	**8**	**12**	**15**	**18**	**30**	**10.8**	**266**	**1**	**3**	**5**	**9**	**29**	**35**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	4	3.5	14	1	1	2	6	9	9	9	1	1.0		1	1	1	1	1	1	1
20-34	9	3.9	17	1	1	3	4	11	14	14	14	13.4	179	3	5	7	15	39	42	43
35-49	4	2.3	1	1	1	2	3	3	3	3	7	11.9	190	2	3	6	14	36	41	41
50-64																				
65 +	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
ALL AGES	18	3.4	11	1	1	3	3	8	12	14	23	12.0	168	2	4	6	14	39	42	43
B. FEMALE																				
0-12 YRS.																				
13-19	1	9.0		9	9	9	9	9	9	9	3	2.3	1	2	2	2	3	3	3	3
20-34	4	7.3	16	2	4	8	10	11	11	11	10	8.6	27	3	5	6	13	15	16	16
35-49	3	2.0	1	1	1	2	3	3	3	3	1	6.0		6	6	6	6	6	6	6
50-64	1	8.0		8	8	8	8	8	8	8										
65 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	9	5.8	15	1	2	6	9	11	11	11	15	6.7	26	2	2	5	11	15	16	16
SUBTOTAL	**27**	**4.2**	**13**	**1**	**1**	**3**	**6**	**10**	**11**	**14**	**38**	**9.9**	**117**	**2**	**3**	**6**	**13**	**24**	**40**	**43**
GRAND TOTAL	**46**	**4.6**	**16**	**1**	**2**	**3**	**7**	**11**	**12**	**18**	**68**	**10.3**	**180**	**2**	**3**	**6**	**12**	**28**	**39**	**76**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19											2	1.0		1	1	1	1	1	1	1
20-34	5	4.0	9	1	2	3	5	9	9	9	2	5.0	32	1	1	5	9	9	9	9
35-49	9	5.0	27	1	2	4	5	13	18	18	9	3.0	2	1	2	3	4	5	6	6
50-64	11	7.4	69	1	3	4	7	23	27	27	14	4.6	22	1	2	3	5	12	17	18
65 +	54	5.8	14	2	3	5	8	11	13	18	60	4.9	15	2	2	4	6	9	10	25
ALL AGES	79	5.8	22	1	3	4	8	12	16	25	88	4.5	15	1	2	4	6	9	10	23
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-19	3	2.7	2	1	1	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
20-34	7	3.6	10	1	1	2	7	8	8	8	4	2.3	2	1	1	2	3	4	4	4
35-49	4	2.0	1	1	1	2	3	3	3	3	5	3.0	5	1	1	3	4	6	6	6
50-64	15	8.4	60	3	3	5	11	22	26	28	4	6.3	83	1	1	2	11	20	20	20
65 +	71	4.7	9	2	2	4	6	8	11	16	71	4.1	9	1	2	3	5	8	9	16
ALL AGES	102	4.9	19	1	2	4	6	9	14	25	86	4.0	11	1	2	3	5	8	10	19
SUBTOTAL	**181**	**5.3**	**20**	**1**	**3**	**4**	**7**	**10**	**14**	**25**	**174**	**4.3**	**13**	**1**	**2**	**3**	**6**	**8**	**10**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-19											1	1.0		1	1	1	1	1	1	1
20-34	5	4.2	24	1	1	1	7	12	12	12	1	5.0		5	5	5	5	5	5	5
35-49	6	10.5	109	1	3	6	21	25	26	26	3	3.7	2	2	2	4	5	5	5	5
50-64	7	6.1	11	3	4	5	8	11	12	12	2	2.0	2	1	1	2	3	3	3	3
65 +	20	7.1	18	2	4	6	9	14	16	17	16	3.8	11	1	1	3	5	7	12	14
ALL AGES	39	7.1	30	1	3	6	9	14	19	26	23	3.6	8	1	1	3	5	6	9	14
B. FEMALE																				
0-12 YRS.																				
13-19											1	10.0		10	10	10	10	10	10	10
20-34	2	6.5	13	4	4	6	9	9	9	9										
35-49	8	9.9	134	1	3	5	16	29	30	30	1	27.0		27	27	27	27	27	27	27
50-64	4	4.0	9	1	1	3	6	8	8	8	11	4.4	12	1	2	3	6	10	12	12
65 +	30	6.6	22	1	2	5	10	13	14	15	18	4.7	3	2	4	5	6	7	7	7
ALL AGES	44	7.0	39	1	3	5	10	13	19	30	31	5.5	22	1	3	5	6	9	12	27
SUBTOTAL	**83**	**7.0**	**35**	**1**	**3**	**5**	**10**	**14**	**18**	**29**	**54**	**4.6**	**18**	**1**	**2**	**4**	**6**	**8**	**12**	**26**
GRAND TOTAL	**264**	**5.8**	**26**	**1**	**3**	**4**	**7**	**13**	**15**	**27**	**228**	**4.4**	**14**	**1**	**2**	**4**	**6**	**8**	**10**	**21**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	21.0		21	21	21	21	21	21	21
50-64											1	3.0		3	3	3	3	3	3	3
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	12.0	162	3	3	12	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	2	6.5	61	1	1	6	12	12	12	12	3	3.0	3	2	2	2	4	5	5	5
SUBTOTAL	**3**	**6.0**	**31**	**1**	**1**	**5**	**10**	**12**	**12**	**12**	**5**	**6.6**	**66**	**2**	**2**	**3**	**9**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	7.0		7	7	7	7	7	7	7										
50-64	1	12.0		12	12	12	12	12	12	12										
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	2	9.5	13	7	7	9	12	12	12	12	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	5.0		5	5	5	5	5	5	5
35-49																				
50-64																				
65 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**2**	**9.5**	**13**	**7**	**7**	**9**	**12**	**12**	**12**	**12**	**2**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**5**	**7.4**	**22**	**1**	**4**	**7**	**12**	**12**	**12**	**12**	**7**	**6.1**	**45**	**2**	**2**	**5**	**5**	**18**	**21**	**21**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	11.0	127	4	4	5	19	24	24	24										
20-34	11	5.9	61	1	1	5	7	17	27	28	2	9.5	5	8	8	9	11	11	11	11
35-49	5	27.6	347	11	11	27	39	56	56	56	2	4.5	25	1	1	4	8	8	8	8
50-64	3	6.0	1	5	5	6	7	7	7	7	3	25.7	574	8	10	16	44	53	53	53
65 +	21	11.2	139	2	4	8	16	20	37	55	8	5.5	11	2	3	4	9	10	10	10
ALL AGES	43	11.4	161	1	4	7	15	27	41	56	15	9.9	159	2	3	8	10	16	44	53
B. FEMALE																				
0-12 YRS.																				
13-19	3	10.0	103	1	3	8	18	21	21	21										
20-34	7	6.9	7	4	5	6	8	11	12	12	2	14.5	1	14	14	14	15	15	15	15
35-49	6	12.0	111	3	7	8	15	30	32	32	2	5.5	1	5	5	5	6	6	6	6
50-64	8	12.9	150	2	5	11	14	33	41	41	2	12.0	50	7	7	12	17	17	17	17
65 +	23	9.3	15	4	6	9	13	14	15	15	13	5.9	18	2	3	5	8	12	15	16
ALL AGES	47	10.0	50	3	6	8	13	15	23	41	19	7.4	25	2	3	6	10	16	17	17
SUBTOTAL	**90**	**10.6**	**104**	**2**	**5**	**8**	**13**	**22**	**32**	**56**	**34**	**8.5**	**83**	**2**	**3**	**7**	**10**	**16**	**17**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	11.0	79	4	5	8	18	21	21	21	2	10.0	32	6	6	10	14	14	14	14
20-34	11	9.5	46	3	4	8	13	21	21	21	4	13.5	276	1	4	7	23	38	38	38
35-49	14	15.9	285	2	6	10	21	38	57	62	6	23.0	963	2	7	10	70	97	99 +	99 +
50-64	7	7.4	56	1	3	4	9	20	23	23	3	12.0	133	3	4	8	21	25	25	25
65 +	13	15.8	242	2	4	11	22	37	53	57	2	5.0	8	3	3	5	7	7	7	7
ALL AGES	48	12.9	172	2	4	9	18	30	37	62	17	15.2	413	2	6	8	25	69	93	99 +
B. FEMALE																				
0-12 YRS.	4	49.5	610	30	33	41	66	85	85	85										
13-19	4	9.3	4	6	8	10	11	11	11	11										
20-34	12	8.7	75	2	3	4	12	23	28	29	6	8.8	38	1	3	10	13	16	16	16
35-49	13	12.9	101	2	4	11	18	26	35	37	3	2.3	1	2	2	2	3	3	3	3
50-64	10	11.9	49	2	7	13	17	21	24	24	3	26.3	488	5	10	25	43	49	49	49
65 +	20	15.7	85	6	8	14	21	32	33	34	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	63	14.9	186	3	6	11	19	32	36	80	14	11.1	164	2	3	7	13	27	44	49
SUBTOTAL	**111**	**14.0**	**180**	**2**	**5**	**10**	**19**	**32**	**36**	**71**	**31**	**13.3**	**297**	**2**	**3**	**7**	**15**	**41**	**80**	**99 +**
GRAND TOTAL	**201**	**12.5**	**148**	**2**	**5**	**9**	**15**	**28**	**34**	**59**	**65**	**10.8**	**187**	**2**	**3**	**7**	**13**	**25**	**50**	**97**

TRANSIENT ORG MENTAL NOS (293.9)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-49	1	9.0		9	9	9	9	9	9	9	3	5.0		5	5	5	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
65 +	7	6.0	31	2	2	3	11	15	15	15	11	4.8	11	1	2	4	8	9	11	11
ALL AGES	10	6.0	25	1	2	4	9	14	15	15	16	4.4	9	1	2	4	6	8	10	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	1.5	1	1	1	1	2	2	2	2	1	35.0		35	35	35	35	35	35	35
35-49	1	8.0		8	8	8	8	8	8	8	1	6.0		6	6	6	6	6	6	6
50-64											1	15.0		15	15	15	15	15	15	15
65 +	8	6.5	99	2	2	3	4	23	31	31	5	5.8	22	2	2	4	9	13	13	13
ALL AGES	11	5.7	74	1	2	3	5	17	30	31	8	10.6	121	2	3	7	14	29	35	35
SUBTOTAL	**21**	**5.9**	**48**	**1**	**2**	**3**	**8**	**14**	**22**	**31**	**24**	**6.5**	**51**	**1**	**2**	**5**	**8**	**13**	**21**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	3	3.7	2	2	2	4	5	5	5	5										
35-49	1	4.0		4	4	4	4	4	4	4										
50-64	1	6.0		6	6	6	6	6	6	6										
65 +	3	8.7	57	2	3	7	14	17	17	17	1	6.0		6	6	6	6	6	6	6
ALL AGES	8	5.9	23	2	3	5	6	14	17	17	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	1	4.0		4	4	4	4	4	4	4										
35-49	3	13.0	13	10	10	12	16	17	17	17										
50-64	1	4.0		4	4	4	4	4	4	4										
65 +	2	4.0		4	4	4	4	4	4	4	3	5.0	7	3	3	4	7	8	8	8
ALL AGES	8	7.0	29	2	4	4	11	15	17	17	3	5.0	7	3	3	4	7	8	8	8
SUBTOTAL	**16**	**6.4**	**25**	**2**	**4**	**4**	**8**	**16**	**17**	**17**	**4**	**5.3**	**4**	**3**	**3**	**5**	**7**	**8**	**8**	**8**
GRAND TOTAL	**37**	**6.1**	**37**	**2**	**2**	**4**	**8**	**15**	**17**	**31**	**28**	**6.3**	**44**	**1**	**2**	**5**	**8**	**12**	**17**	**35**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	1.0		1	1	1	1	1	1	1
65 +											2	6.0	32	2	2	6	10	10	10	10
ALL AGES											3	4.3	25	1	1	2	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											2	5.5	41	1	1	5	10	10	10	10
65 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6	2	5.5	41	1	1	5	10	10	10	10
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**	**5**	**4.8**	**23**	**1**	**1**	**2**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	1.0		1	1	1	1	1	1	1
50-64											1	2.0		2	2	2	2	2	2	2
65 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	1	13.0		13	13	13	13	13	13	13	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	6.0		6	6	6	6	6	6	6										
50-64																				
65 +	1	34.0		34	34	34	34	34	34	34										
ALL AGES	2	20.0	392	6	6	20	34	34	34	34										
SUBTOTAL	**3**	**17.7**	**211**	**6**	**8**	**13**	**29**	**34**	**34**	**34**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**4**	**14.8**	**174**	**6**	**6**	**10**	**23**	**34**	**34**	**34**	**7**	**3.9**	**17**	**1**	**1**	**2**	**8**	**10**	**10**	**10**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	8.0	2	7	7	8	9	9	9	9										
35-49	2	7.5	1	7	7	7	8	8	8	8	3	26.7	608	4	9	23	45	53	53	53
50-64	6	7.8	51	2	3	5	10	20	21	21	3	7.0	9	4	5	7	9	10	10	10
65 +	10	5.2	26	1	2	5	7	51	96	99 +	8	17.0	554	3	4	6	22	59	69	69
ALL AGES	20	6.5	27	1	3	7	8	19	56	99 +	14	16.9	439	3	4	7	23	55	66	69
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	10.5	41	6	6	10	15	15	15	15										
35-49	1	16.0		16	16	16	16	16	16	16										
50-64											2	24.0	800	4	4	24	44	44	44	44
65 +	7	10.3	10	6	8	11	11	15	16	16	5	10.0	14	4	8	11	12	14	14	14
ALL AGES	10	10.9	15	6	7	11	15	16	16	16	7	14.0	189	4	6	11	13	38	44	44
SUBTOTAL	**30**	**8.0**	**26**	**2**	**4**	**7**	**11**	**17**	**21**	**99 +**	**21**	**16.0**	**342**	**3**	**4**	**9**	**16**	**48**	**60**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	7.0		7	7	7	7	7	7	7										
50-64	2	18.5	13	16	16	18	21	21	21	21	4	26.5	190	9	16	28	37	41	41	41
65 +	3	16.0	399	3	4	6	31	39	39	39	2	12.0	18	9	9	12	15	15	15	15
ALL AGES	6	15.3	181	3	6	11	21	37	39	39	6	21.7	172	9	9	19	33	40	41	41
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	11.0		11	11	11	11	11	11	11
35-49																				
50-64	2	12.0	32	8	8	12	16	16	16	16										
65 +	5	11.0	24	4	7	13	15	15	15	15	1	10.0		10	10	10	10	10	10	10
ALL AGES	7	11.3	21	5	8	13	15	16	16	16	2	10.5	1	10	10	10	11	11	11	11
SUBTOTAL	**13**	**13.2**	**89**	**4**	**7**	**13**	**16**	**25**	**36**	**39**	**8**	**18.9**	**150**	**9**	**10**	**13**	**28**	**39**	**41**	**41**
GRAND TOTAL	**43**	**9.5**	**51**	**3**	**5**	**8**	**15**	**18**	**27**	**99 +**	**29**	**16.8**	**283**	**4**	**5**	**10**	**23**	**43**	**54**	**69**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27	2	8.0	98	1	1	8	15	15	15	15
13-19																				
20-34	1	4.0		4	4	4	4	4	4	4	8	21.5	795	4	5	6	39	67	68	68
35-49	4	12.5	66	1	7	14	17	20	20	20	5	20.4	223	8	10	20	44	94	99+	99+
50-64	3	3.0	12	1	1	1	6	7	7	7	1	4.0		4	4	4	4	4	4	4
65 +	10	10.2	23	4	6	10	15	17	18	18	5	14.6	29	8	9	17	18	21	21	21
ALL AGES	19	10.1	51	1	4	10	15	19	24	27	21	17.5	361	4	6	11	21	67	81	99+
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	12.5	13	10	10	12	15	15	15	15
35-49	1	6.0		6	6	6	6	6	6	6										
50-64											2	13.5	265	2	2	13	25	25	25	25
65 +	10	14.7	437	4	5	7	13	45	73	73	5	18.2	437	2	4	9	30	53	53	53
ALL AGES	11	13.9	400	4	5	7	12	39	70	73	9	15.9	260	2	4	10	23	42	53	53
SUBTOTAL	**30**	**11.5**	**173**	**2**	**5**	**8**	**15**	**19**	**27**	**73**	**30**	**17.0**	**322**	**3**	**5**	**10**	**22**	**58**	**68**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	36.0		36	36	36	36	36	36	36										
13-19	1	9.0		9	9	9	9	9	9	9										
20-34	5	10.4	24	5	6	9	15	16	16	16	1	21.0		21	21	21	21	21	21	21
35-49	2	16.0	128	8	8	16	24	24	24	24										
50-64	3	9.0	31	3	5	10	13	14	14	14	3	41.7	670	19	23	36	61	70	70	70
65 +	7	17.1	213	4	8	15	17	42	48	48	2	18.5	265	7	7	18	30	30	30	30
ALL AGES	20	15.6	143	4	7	14	17	36	42	48	6	30.5	473	8	19	25	36	67	70	70
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-19											2	27.0	128	19	19	27	35	35	35	35
20-34	1	11.0		11	11	11	11	11	11	11	3	11.7	33	5	7	14	15	16	16	16
35-49											2	11.5	113	4	4	11	19	19	19	19
50-64	4	12.3	81	2	6	11	18	24	24	24	4	34.5	1438	5	9	22	60	89	89	89
65 +	6	16.8	192	6	11	12	16	41	44	44	4	18.8	234	3	10	21	54	99+	99+	99+
ALL AGES	12	14.7	114	4	10	12	15	30	42	44	15	21.7	469	4	9	17	33	84	97	99+
SUBTOTAL	**32**	**15.3**	**127**	**5**	**8**	**13**	**16**	**36**	**43**	**48**	**21**	**24.2**	**464**	**5**	**12**	**19**	**35**	**76**	**93**	**99+**
GRAND TOTAL	**62**	**13.4**	**152**	**4**	**6**	**11**	**15**	**25**	**39**	**70**	**51**	**20.0**	**384**	**4**	**6**	**15**	**27**	**66**	**86**	**99+**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	18.0		18	18	18	18	18	18	18										
35-49	3	33.0	1099	6	10	23	58	70	70	70	2	14.5	181	5	5	14	24	24	24	24
50-64	2	9.0	8	7	7	9	11	11	11	11	1	6.0		6	6	6	6	6	6	6
65 +	6	7.8	40	2	3	5	14	17	17	17	3	7.3	15	3	4	9	10	10	10	10
ALL AGES	12	15.2	341	3	5	9	17	37	65	70	6	9.5	57	3	5	7	10	23	24	24
B. FEMALE																				
0-12 YRS.																				
13-19	1	11.0		11	11	11	11	11	11	11										
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
50-64	2	9.5	61	4	4	9	15	15	15	15	1	33.0		33	33	33	33	33	33	33
65 +	3	9.3	59	1	3	11	15	16	16	16	6	7.8	14	2	6	8	11	12	12	12
ALL AGES	7	8.4	41	1	2	11	14	16	16	16	8	10.8	90	3	6	8	11	27	33	33
SUBTOTAL	**19**	**12.7**	**233**	**1**	**4**	**11**	**16**	**21**	**49**	**70**	**14**	**10.2**	**72**	**3**	**6**	**8**	**11**	**25**	**31**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34	3	6.0	19	3	3	4	9	11	11	11	1	4.0		4	4	4	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7	2	6.0	8	4	4	6	8	8	8	8
50-64											1	11.0		11	11	11	11	11	11	11
65 +	3	12.0	57	4	6	13	17	19	19	19	1	2.0		2	2	2	2	2	2	2
ALL AGES	8	7.9	35	2	3	6	12	17	19	19	5	5.8	13	2	3	4	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	11.0	32	7	7	11	15	15	15	15										
65 +	3	13.3	99	2	6	18	19	20	20	20	1	20.0		20	20	20	20	20	20	20
ALL AGES	5	12.4	58	2	6	15	18	20	20	20	1	20.0		20	20	20	20	20	20	20
SUBTOTAL	**13**	**9.6**	**46**	**2**	**4**	**7**	**16**	**19**	**20**	**20**	**6**	**8.2**	**44**	**2**	**4**	**6**	**11**	**19**	**20**	**20**
GRAND TOTAL	**32**	**11.4**	**156**	**2**	**4**	**9**	**16**	**19**	**23**	**70**	**20**	**9.6**	**61**	**3**	**5**	**7**	**11**	**22**	**28**	**33**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64	1	18.0		18	18	18	18	18	18	18										
65 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49																				
50-64											1	12.0		12	12	12	12	12	12	12
65 +											2	5.5	13	3	3	5	8	8	8	8
ALL AGES											4	6.0	25	1	2	5	10	12	12	12
SUBTOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**	**5**	**5.4**	**20**	**1**	**2**	**3**	**9**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	5.3	1	5	5	5	6	6	6	6										
50-64																				
65 +																				
ALL AGES	3	5.3	1	5	5	5	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	24.0		24	24	24	24	24	24	24										
50-64																				
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	2	17.0	98	10	10	17	24	24	24	24										
SUBTOTAL	**5**	**10.0**	**66**	**5**	**5**	**6**	**13**	**24**	**24**	**24**										
GRAND TOTAL	**6**	**11.3**	**64**	**5**	**5**	**8**	**18**	**23**	**24**	**24**	**5**	**5.4**	**20**	**1**	**2**	**3**	**9**	**12**	**12**	**12**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	9	8.2	30	4	5	6	9	18	20	20	7	13.4	27	7	9	15	16	20	21	21
35-49	7	10.0	49	2	4	12	17	18	18	18	3	42.7	922	19	22	32	66	77	77	77
50-64	3	7.0	48	3	3	3	12	15	15	15										
65 +																				
ALL AGES	20	8.5	35	3	4	6	14	18	19	20	10	22.2	422	7	11	16	21	54	77	77
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	5	21.0	1030	1	2	5	33	77	77	77	3	25.7	183	15	16	21	36	41	41	41
35-49	9	24.6	630	8	10	15	26	65	88	88	9	18.0	205	4	6	12	30	39	41	41
50-64	6	17.2	20	10	14	18	21	21	21	21	1	30.0		30	30	30	30	30	30	30
65 +																				
ALL AGES	20	21.5	497	4	9	15	23	53	82	88	13	20.7	186	5	7	21	32	41	41	41
SUBTOTAL	**40**	**15.0**	**302**	**3**	**5**	**11**	**19**	**25**	**53**	**88**	**23**	**21.3**	**277**	**6**	**9**	**16**	**29**	**41**	**54**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	11	14.6	122	4	5	13	21	33	35	35	1	4.0		4	4	4	4	4	4	4
35-49	5	16.6	243	2	5	9	30	38	38	38										
50-64																				
65 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	17	15.8	140	3	6	13	25	34	37	38	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	4	16.5	25	9	14	19	19	19	19	19	2	6.0	8	4	4	6	8	8	8	8
35-49	4	10.0	17	7	7	8	12	16	16	16										
50-64											1	13.0		13	13	13	13	13	13	13
65 +											1	20.0		20	20	20	20	20	20	20
ALL AGES	8	13.3	28	7	8	13	19	19	19	19	4	11.3	46	4	6	10	16	20	20	20
SUBTOTAL	**25**	**15.0**	**103**	**4**	**7**	**13**	**20**	**31**	**36**	**38**	**5**	**9.8**	**46**	**4**	**4**	**8**	**15**	**20**	**20**	**20**
GRAND TOTAL	**65**	**15.0**	**223**	**3**	**6**	**11**	**19**	**28**	**36**	**86**	**28**	**19.3**	**251**	**5**	**8**	**15**	**25**	**40**	**45**	**77**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	27.0		27	27	27	27	27	27	27										
20-34	10	9.7	35	1	5	9	15	17	17	17	2	13.0	50	8	8	13	18	18	18	18
35-49	4	6.3	10	4	4	5	8	11	11	11										
50-64	1	7.0		7	7	7	7	7	7	7										
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	17	9.2	49	1	4	7	14	17	24	27	2	13.0	50	8	8	13	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21	1	11.0		11	11	11	11	11	11	11
20-34	3	13.0	91	7	7	8	20	24	24	24										
35-49	5	6.8	23	1	2	8	10	13	13	13	4	15.3	250	1	6	11	25	38	38	38
50-64	1	8.0		8	8	8	8	8	8	8										
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	11	9.6	52	2	5	8	12	22	24	24	5	14.4	193	1	8	11	18	38	38	38
SUBTOTAL	**28**	**9.4**	**48**	**2**	**4**	**8**	**13**	**20**	**24**	**27**	**7**	**14.0**	**137**	**2**	**9**	**11**	**16**	**34**	**38**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	8.0	50	3	3	8	13	13	13	13	1	38.0		38	38	38	38	38	38	38
35-49																				
50-64											1	8.0		8	8	8	8	8	8	8
65 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	3	14.3	147	3	5	13	23	27	27	27	2	23.0	450	8	8	23	38	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	6	14.3	61	4	7	15	20	24	24	24										
35-49	1	16.0		16	16	16	16	16	16	16										
50-64	1	33.0		33	33	33	33	33	33	33										
65 +	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
ALL AGES	9	15.6	89	4	6	16	21	29	33	33	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**12**	**15.3**	**91**	**4**	**6**	**15**	**22**	**29**	**32**	**33**	**3**	**17.7**	**309**	**7**	**7**	**8**	**30**	**38**	**38**	**38**
GRAND TOTAL	**40**	**11.2**	**65**	**2**	**5**	**9**	**16**	**24**	**27**	**33**	**10**	**15.1**	**164**	**4**	**8**	**11**	**18**	**38**	**38**	**38**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-19	23	15.4	222	2	5	10	21	43	47	47	8	3.4	7	1	1	2	5	7	8	8
20-34	419	11.2	122	2	4	8	14	25	35	62	225	13.9	157	3	5	11	18	31	41	99 +
35-49	280	10.5	123	2	4	7	13	21	32	71	139	16.6	290	3	6	12	20	38	64	99 +
50-64	55	11.0	108	2	5	8	14	20	24	57	23	18.3	372	3	7	12	22	60	82	99 +
65 +	10	10.3	62	1	2	8	17	21	22	22	7	12.0	72	3	5	9	20	24	25	25
ALL AGES	788	11.1	122	2	4	8	14	23	35	64	402	14.8	216	3	5	11	19	35	51	99 +
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-19	7	8.7	91	3	3	4	12	25	28	28	4	12.8	51	2	8	15	17	18	18	18
20-34	149	12.8	153	2	6	9	16	30	48	99 +	85	13.6	181	2	4	10	19	28	47	93
35-49	210	11.8	138	2	4	8	15	22	32	63	110	16.5	261	3	5	11	21	38	45	81
50-64	106	15.0	157	3	7	10	21	34	42	56	44	18.9	188	6	9	16	27	43	80	99 +
65 +	61	14.8	100	5	8	13	20	27	34	57	24	13.3	116	4	7	10	16	26	37	50
ALL AGES	534	13.0	142	3	5	9	17	28	37	63	267	15.6	210	3	6	12	22	34	46	96
SUBTOTAL	**1322**	**11.9**	**130**	**2**	**5**	**8**	**15**	**26**	**36**	**63**	**669**	**15.1**	**214**	**3**	**6**	**11**	**20**	**35**	**49**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	15	10.1	156	2	4	7	9	18	44	53	2	22.5	545	6	6	22	39	39	39	39
20-34	260	9.6	114	2	4	7	11	21	28	53	78	13.5	212	2	4	8	18	30	45	96
35-49	161	9.9	166	2	3	6	11	20	27	75	65	14.8	217	3	5	10	20	33	41	83
50-64	32	13.3	236	3	5	8	17	24	56	71	10	12.2	137	1	3	8	19	31	35	35
65 +	3	12.3	198	1	2	8	23	28	28	28	5	15.4	120	5	6	12	26	28	28	28
ALL AGES	471	10.0	141	2	3	7	11	21	28	75	160	14.1	206	2	4	10	20	31	42	88
B. FEMALE																				
0-12 YRS.																				
13-19	4	12.3	47	2	8	15	16	17	17	17	1	3.0		3	3	3	3	3	3	3
20-34	67	11.0	96	3	5	7	13	26	30	49	25	11.4	229	1	3	7	14	39	76	99 +
35-49	62	11.0	67	2	5	9	15	23	28	38	27	10.4	64	2	5	10	14	23	27	34
50-64	31	13.9	103	3	8	11	18	25	27	53	13	17.6	391	3	5	12	22	43	69	75
65 +	14	24.4	476	4	6	19	37	51	74	81	9	12.6	61	4	8	11	16	25	27	27
ALL AGES	178	12.6	125	3	5	10	17	25	35	52	75	12.2	173	2	4	9	14	27	39	93
SUBTOTAL	**649**	**10.7**	**138**	**2**	**4**	**7**	**13**	**23**	**29**	**74**	**235**	**13.5**	**195**	**2**	**4**	**9**	**18**	**30**	**42**	**90**
GRAND TOTAL	**1971**	**11.5**	**133**	**2**	**4**	**8**	**14**	**24**	**34**	**67**	**904**	**14.7**	**209**	**3**	**5**	**11**	**20**	**34**	**46**	**99 +**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-19	3	20.7	295	2	7	24	33	36	36	36										
20-34	15	12.3	97	3	4	8	16	32	33	33	11	17.7	222	4	7	10	27	41	46	47
35-49	6	7.7	77	1	2	3	19	19	19	19	1	6.0		6	6	6	6	6	6	6
50-64	2	13.0	98	6	6	13	20	20	20	20	1	15.0		15	15	15	15	15	15	15
65 +																				
ALL AGES	27	12.0	109	2	3	8	19	30	33	36	13	16.6	195	4	6	10	24	39	45	47
B. FEMALE																				
0-12 YRS.																				
13-19	4	11.0	15	6	8	11	14	15	15	15	1	13.0		13	13	13	13	13	13	13
20-34	9	10.2	10	5	7	12	13	13	13	13	5	10.0	25	2	8	10	13	15	15	15
35-49	13	7.6	58	1	2	7	10	18	26	28	4	10.3	62	1	4	10	16	20	20	20
50-64	4	20.8	198	6	11	18	30	40	40	40	3	4.3	18	1	1	3	7	9	9	9
65 +	3	3.3	1	3	3	3	4	4	4	4	1	7.0		7	7	7	7	7	7	7
ALL AGES	33	9.9	66	2	4	8	13	18	27	40	14	8.9	31	1	3	9	13	15	19	20
SUBTOTAL	**60**	**10.9**	**84**	**2**	**4**	**8**	**15**	**22**	**32**	**40**	**27**	**12.6**	**121**	**2**	**6**	**10**	**15**	**28**	**38**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	60.0		60	60	60	60	60	60	60										
13-19	6	29.8	706	3	5	28	54	59	60	60										
20-34	7	15.3	88	6	8	11	25	28	28	28	3	4.7		4	4	5	5	5	5	5
35-49	3	29.0	1143	8	9	11	54	68	68	68										
50-64																				
65 +																				
ALL AGES	17	25.5	524	5	8	11	49	60	65	68	3	4.7		4	4	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19	5	20.0	135	7	9	20	31	33	33	33										
20-34	5	11.6	133	3	3	9	17	31	31	31	1	24.0		24	24	24	24	24	24	24
35-49	4	6.0	5	4	4	6	8	8	8	8										
50-64																				
65 +	2	11.5	25	8	8	11	15	15	15	15										
ALL AGES	16	12.8	105	3	6	9	17	31	32	33	1	24.0		24	24	24	24	24	24	24
SUBTOTAL	**33**	**19.3**	**354**	**4**	**7**	**10**	**28**	**55**	**60**	**68**	**4**	**9.5**	**94**	**4**	**4**	**5**	**15**	**24**	**24**	**24**
GRAND TOTAL	**93**	**13.9**	**193**	**2**	**5**	**9**	**17**	**32**	**46**	**65**	**31**	**12.2**	**116**	**2**	**5**	**9**	**15**	**26**	**37**	**47**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	9.0		9	9	9	9	9	9	9										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	3	5.0	19	2	2	3	8	10	10	10										
SUBTOTAL	**4**	**6.0**	**17**	**2**	**2**	**6**	**9**	**10**	**10**	**10**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**5**	**5.0**	**18**	**1**	**2**	**3**	**9**	**10**	**10**	**10**										

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	12	11.4	144	2	3	8	12	34	39	40	1	4.0		4	4	4	4	4	4	4
20-34	87	11.7	156	2	4	7	17	23	39	65	26	8.3	56	1	3	5	13	22	23	26
35-49	75	9.9	116	3	4	6	10	21	33	57	24	10.8	194	2	4	7	11	18	52	59
50-64	16	16.8	140	3	7	11	27	33	37	39	5	15.2	307	4	4	4	26	44	44	44
65 +	7	10.3	46	2	6	10	14	21	22	22	1	10.0		10	10	10	10	10	10	10
ALL AGES	197	11.4	135	2	4	7	15	25	38	59	57	9.9	131	2	4	6	12	22	38	58
B. FEMALE																				
0-12 YRS.																				
13-19	4	5.8	23	3	3	4	8	13	13	13										
20-34	73	13.2	259	2	4	7	16	28	50	88	23	8.0	37	2	4	6	11	17	21	24
35-49	73	10.6	65	3	5	8	14	21	27	38	20	13.3	281	3	4	6	17	31	56	72
50-64	41	10.1	64	2	5	8	12	21	27	35	9	13.7	79	4	7	10	20	27	29	29
65 +	18	9.4	20	6	6	9	11	16	19	21	8	9.0	51	3	3	5	16	19	19	19
ALL AGES	209	11.2	129	2	5	8	14	22	30	63	60	10.8	127	3	4	6	15	21	27	69
SUBTOTAL	**406**	**11.3**	**132**	**2**	**4**	**7**	**14**	**23**	**33**	**60**	**117**	**10.4**	**127**	**2**	**4**	**6**	**14**	**22**	**28**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	7.3	58	2	2	4	13	16	16	16	1	10.0		10	10	10	10	10	10	10
20-34	74	8.9	71	2	4	6	12	21	25	42	11	14.5	114	3	6	13	20	32	36	36
35-49	33	10.2	98	3	4	8	11	23	27	50	16	9.3	64	3	3	6	14	20	26	29
50-64	8	14.3	173	5	6	8	19	37	42	42	4	9.3	22	4	5	9	13	15	15	15
65 +	6	14.7	93	4	5	13	25	27	27	27	2	18.5	313	6	6	18	31	31	31	31
ALL AGES	124	9.9	84	2	4	7	12	23	27	46	34	11.5	85	3	5	8	16	29	31	36
B. FEMALE																				
0-12 YRS.																				
13-19	2	47.0		47	47	47	47	47	47	47										
20-34	48	7.4	48	2	3	5	9	15	22	34	12	10.5	161	1	2	5	15	31	40	42
35-49	29	12.0	48	4	7	10	16	23	26	28	4	12.5	94	4	4	11	20	24	24	24
50-64	20	10.9	33	3	7	10	15	17	22	26	1	8.0		8	8	8	8	8	8	8
65 +	12	14.3	403	4	5	9	11	35	71	77										
ALL AGES	111	10.7	109	3	4	8	14	20	27	59	17	10.8	130	1	3	8	16	26	37	42
SUBTOTAL	**235**	**10.2**	**97**	**2**	**4**	**7**	**13**	**22**	**27**	**48**	**51**	**11.3**	**97**	**2**	**4**	**8**	**16**	**28**	**31**	**42**
GRAND TOTAL	**641**	**10.9**	**119**	**2**	**4**	**7**	**14**	**23**	**31**	**53**	**168**	**10.6**	**119**	**2**	**4**	**7**	**15**	**23**	**29**	**57**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	41.0		41	41	41	41	41	41	41										
13-19	20	21.9	295	4	10	19	22	51	61	64	1	13.0		13	13	13	13	13	13	13
20-34	133	11.8	145	2	5	8	15	24	30	68	42	17.8	217	3	5	14	28	36	45	63
35-49	79	11.5	85	3	5	8	16	28	33	37	43	18.2	419	3	5	13	23	43	62	96
50-64	16	8.9	37	3	5	7	12	16	23	26	8	17.3	152	4	9	16	21	37	43	43
65 +	2	14.0	18	11	11	14	17	17	17	17										
ALL AGES	252	12.6	142	3	5	9	17	25	37	63	94	17.9	296	3	6	13	24	38	48	91
B. FEMALE																				
0-12 YRS.																				
13-19	9	15.1	117	5	7	14	19	33	36	36	2	21.5	545	5	5	21	38	38	38	38
20-34	111	12.2	97	3	5	9	16	26	34	47	50	16.0	259	2	6	12	20	36	44	89
35-49	138	12.6	160	3	5	9	14	27	43	79	57	22.2	488	5	7	14	28	65	79	99 +
50-64	74	12.8	110	4	7	10	17	22	29	67	16	13.5	78	5	7	11	17	27	34	36
65 +	27	15.2	89	7	10	13	17	29	33	50	5	14.2	25	9	10	14	17	22	22	22
ALL AGES	359	12.8	122	3	6	10	16	27	35	66	130	18.4	337	3	7	12	24	43	71	98
SUBTOTAL	**611**	**12.7**	**131**	**3**	**6**	**9**	**16**	**26**	**35**	**63**	**224**	**18.2**	**318**	**3**	**6**	**13**	**24**	**42**	**52**	**96**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	16.0	50	11	11	16	21	21	21	21										
13-19	10	21.2	640	5	8	10	19	64	86	86	2	12.0	128	4	4	12	20	20	20	20
20-34	94	12.9	132	2	5	9	17	25	39	61	38	14.3	222	3	7	11	18	25	39	86
35-49	61	10.3	94	2	5	7	13	18	34	53	26	13.2	127	3	5	9	18	34	38	39
50-64	19	11.6	128	4	5	7	17	19	37	52	5	12.8	61	5	6	13	17	25	25	25
65 +	3	23.7	295	5	10	27	36	39	39	39										
ALL AGES	189	12.5	152	3	5	9	16	26	40	61	71	13.8	166	3	5	11	18	26	38	77
B. FEMALE																				
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4										
13-19	14	13.6	294	2	4	5	14	42	55	59										
20-34	96	12.8	140	3	5	9	17	27	36	63	51	14.1	212	2	4	8	21	37	52	99
35-49	100	8.5	50	2	4	6	11	20	26	30	32	16.7	202	3	6	15	25	29	32	74
50-64	39	11.4	78	2	5	10	16	23	30	41	7	18.0	369	2	3	15	22	50	57	57
65 +	27	12.5	58	4	7	10	16	26	27	32	5	12.0	26	6	9	10	16	19	19	19
ALL AGES	278	11.0	100	3	4	7	15	24	29	52	95	15.1	208	3	4	10	22	34	51	88
SUBTOTAL	**467**	**11.6**	**122**	**3**	**5**	**8**	**15**	**24**	**32**	**55**	**166**	**14.5**	**191**	**3**	**5**	**10**	**20**	**33**	**41**	**84**
GRAND TOTAL	**1078**	**12.2**	**127**	**3**	**5**	**9**	**16**	**25**	**34**	**60**	**390**	**16.6**	**268**	**3**	**5**	**12**	**23**	**37**	**48**	**93**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	20.0		20	20	20	20	20	20	20										
20-34	13	8.9	31	1	5	9	13	16	17	17	7	5.0	28	1	1	3	8	14	15	15
35-49	7	7.3	17	1	4	7	10	12	13	13	3	3.7	8	2	2	2	6	7	7	7
50-64											1	3.0		3	3	3	3	3	3	3
65 +																				
ALL AGES	21	8.9	31	1	5	9	13	16	18	20	11	4.5	19	1	1	3	6	11	15	15
B. FEMALE																				
0-12 YRS.																				
13-19											1	7.0		7	7	7	7	7	7	7
20-34	8	6.9	22	2	3	6	10	14	15	15	1	18.0		18	18	18	18	18	18	18
35-49	7	5.1	25	1	3	3	5	14	16	16	3	8.0	37	4	4	5	12	15	15	15
50-64	9	13.3	111	3	7	11	18	30	37	37	2	8.0	18	5	5	8	11	11	11	11
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	24	8.8	65	2	3	7	11	17	25	37	8	8.5	31	3	4	6	13	17	18	18
SUBTOTAL	**45**	**8.8**	**49**	**2**	**3**	**8**	**12**	**17**	**20**	**37**	**19**	**6.2**	**26**	**1**	**2**	**5**	**9**	**15**	**17**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	40.0		40	40	40	40	40	40	40										
20-34	4	15.3	159	2	4	15	26	28	28	28	1	6.0		6	6	6	6	6	6	6
35-49	4	8.8	69	2	4	6	14	21	21	21										
50-64	1	4.0		4	4	4	4	4	4	4	1	14.0		14	14	14	14	14	14	14
65 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	10	14.0	176	2	4	7	24	34	40	40	3	7.3	38	2	3	6	12	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	4	11.5	36	5	7	11	16	19	19	19	1	5.0		5	5	5	5	5	5	5
35-49	8	11.9	18	5	10	13	15	16	16	16										
50-64																				
65 +																				
ALL AGES	13	11.2	23	4	8	13	14	17	19	19	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**23**	**12.4**	**87**	**3**	**5**	**11**	**16**	**25**	**32**	**40**	**4**	**6.8**	**25**	**2**	**3**	**5**	**10**	**14**	**14**	**14**
GRAND TOTAL	**68**	**10.0**	**64**	**2**	**4**	**9**	**14**	**20**	**24**	**39**	**23**	**6.3**	**25**	**1**	**2**	**5**	**9**	**15**	**16**	**18**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	7.0		7	7	7	7	7	7	7
13-19	18	14.0	76	5	9	14	16	27	35	38	5	21.8	183	6	15	25	38	94	99 +	99 +
20-34	89	11.4	96	3	5	8	14	25	30	51	87	20.7	358	4	7	15	31	58	75	99 +
35-49	48	11.0	87	2	5	8	15	23	34	39	57	16.4	252	3	6	14	21	33	40	94
50-64	14	8.8	33	2	5	8	13	16	20	21	15	20.1	222	3	8	18	30	38	50	54
65 +	3	5.3	9	2	3	7	7	7	7	7	2	28.0	1250	3	3	28	53	53	53	53
ALL AGES	172	11.3	84	2	5	8	14	23	30	39	167	19.2	308	4	7	15	28	45	70	99 +
B. FEMALE																				
0-12 YRS.																				
13-19	4	17.5	367	5	6	9	28	46	46	46	3	19.7	120	8	11	21	28	30	30	30
20-34	44	12.2	148	3	5	8	18	25	36	64	52	17.1	261	3	8	13	22	40	48	99 +
35-49	61	8.6	84	2	3	7	12	16	19	57	38	19.2	311	3	7	15	22	42	76	99 +
50-64	19	12.1	82	2	6	10	16	27	32	32	19	19.6	204	3	7	15	31	41	44	44
65 +	10	11.9	52	6	9	9	13	23	31	31	7	14.0	254	2	4	9	16	42	48	48
ALL AGES	138	10.7	110	2	4	8	14	21	32	60	119	18.1	257	3	8	14	23	41	48	99 +
SUBTOTAL	**310**	**11.0**	**96**	**2**	**5**	**8**	**14**	**22**	**32**	**52**	**286**	**18.7**	**288**	**3**	**7**	**15**	**26**	**43**	**61**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	16	11.8	46	3	7	10	17	23	24	24	5	9.4	42	3	5	8	12	20	20	20
20-34	39	12.6	264	1	3	7	15	24	51	82	38	16.5	241	3	5	11	23	45	51	52
35-49	24	7.0	24	1	3	6	11	15	15	16	19	21.4	709	3	6	12	23	67	91	98
50-64	4	5.8	23	3	3	4	8	13	13	13	2	23.5	265	12	12	23	35	35	35	35
65 +	2	7.5	41	3	3	7	12	12	12	12										
ALL AGES	85	10.4	143	1	3	7	13	20	24	73	64	17.6	363	3	5	11	23	44	51	96
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-19	7	11.0	173	2	2	6	15	34	38	38										
20-34	34	9.5	95	3	3	6	11	18	38	41	8	14.4	513	2	3	5	14	53	69	69
35-49	18	7.1	12	3	5	6	10	12	13	14	12	14.3	140	2	5	10	23	33	36	37
50-64	10	20.5	595	8	9	10	17	60	86	86	4	16.0	69	7	10	15	21	27	27	27
65 +	4	11.0	89	3	3	9	18	23	23	23	3	39.3	1168	7	21	55	87	99 +	99 +	99 +
ALL AGES	74	10.6	155	3	4	8	11	18	37	75	27	17.3	360	2	5	12	27	59	77	99 +
SUBTOTAL	**159**	**10.5**	**148**	**2**	**4**	**7**	**13**	**20**	**32**	**80**	**91**	**17.5**	**359**	**3**	**5**	**11**	**24**	**44**	**67**	**99**
GRAND TOTAL	**469**	**10.8**	**114**	**2**	**5**	**8**	**14**	**22**	**32**	**59**	**377**	**18.5**	**301**	**3**	**7**	**14**	**26**	**43**	**61**	**99 +**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	9.0	8	7	7	9	11	11	11	11										
20-34	3	7.7	49	1	2	7	13	15	15	15										
35-49	5	11.8	98	2	6	9	17	28	28	28	2	6.5	25	3	3	6	10	10	10	10
50-64	4	8.0	11	6	6	7	10	13	13	13	1	7.0		7	7	7	7	7	7	7
65 +	4	9.0	24	3	6	9	12	15	15	15										
ALL AGES	18	9.3	39	2	6	8	13	15	23	28	3	6.7	12	3	4	7	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19	2	5.0	32	1	1	5	9	9	9	9										
20-34	5	3.6	7	1	1	4	5	7	7	7	2	20.0	288	8	8	20	32	32	32	32
35-49	6	8.2	30	2	5	7	10	17	18	18	1	4.0		4	4	4	4	4	4	4
50-64	3	8.7	24	4	5	8	12	14	14	14	1	7.0		7	7	7	7	7	7	7
65 +	3	19.7	54	11	14	24	24	24	24	24	1	4.0		4	4	4	4	4	4	4
ALL AGES	19	8.5	50	1	4	7	11	21	24	24	5	11.0	141	4	4	7	14	32	32	32
SUBTOTAL	**37**	**8.9**	**43**	**1**	**5**	**7**	**12**	**17**	**24**	**28**	**8**	**9.4**	**89**	**3**	**4**	**7**	**9**	**25**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	22.0	98	15	15	22	29	29	29	29										
20-34	2	14.0		14	14	14	14	14	14	14										
35-49	2	14.5	365	1	1	14	28	28	28	28										
50-64	1	6.0		6	6	6	6	6	6	6										
65 +																				
ALL AGES	7	15.3	107	2	8	14	25	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
20-34	8	6.9	15	2	3	6	11	12	12	12										
35-49	5	7.6	25	3	4	6	10	16	16	16										
50-64	4	6.8	11	2	4	7	9	10	10	10										
65 +	3	12.3	126	4	5	8	21	25	25	25	1	22.0		22	22	22	22	22	22	22
ALL AGES	21	7.6	30	2	4	7	10	14	20	25	2	12.0	200	2	2	12	22	22	22	22
SUBTOTAL	**28**	**9.5**	**58**	**2**	**4**	**7**	**13**	**22**	**28**	**29**	**2**	**12.0**	**200**	**2**	**2**	**12**	**22**	**22**	**22**	**22**
GRAND TOTAL	**65**	**9.2**	**48**	**2**	**4**	**7**	**12**	**16**	**26**	**29**	**10**	**9.9**	**93**	**2**	**4**	**7**	**10**	**27**	**32**	**32**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	20.3	301	1	5	22	35	35	35	35										
20-34	4	11.8	14	7	8	12	15	15	15	15										
35-49	2	9.0	8	7	7	9	11	11	11	11										
50-64	1	4.0		4	4	4	4	4	4	4										
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	12	13.3	119	3	7	10	15	35	35	35										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	5	19.6	138	4	8	27	28	30	30	30	2	2.5	5	1	1	2	4	4	4	4
35-49	5	11.8	68	2	6	13	16	24	24	24										
50-64	5	7.4	20	3	4	5	11	14	14	14	1	1.0		1	1	1	1	1	1	1
65 +	4	21.3	359	5	8	16	34	48	48	48										
ALL AGES	19	14.7	143	3	5	11	23	29	40	48	3	2.0	3	1	1	1	3	4	4	4
SUBTOTAL	**31**	**14.2**	**129**	**3**	**6**	**10**	**20**	**32**	**35**	**48**	**3**	**2.0**	**3**	**1**	**1**	**1**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	2	37.0		37	37	37	37	37	37	37										
35-49	4	13.3	65	3	8	13	18	23	23	23	1	11.0		11	11	11	11	11	11	11
50-64	1	29.0		29	29	29	29	29	29	29										
65 +	2	16.5	85	10	10	16	23	23	23	23										
ALL AGES	10	19.4	152	4	10	18	29	37	37	37	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	1	13.0		13	13	13	13	13	13	13	1	3.0		3	3	3	3	3	3	3
20-34	3	5.0	7	3	3	4	7	8	8	8										
35-49	3	9.0	25	4	5	9	13	14	14	14	1	35.0		35	35	35	35	35	35	35
50-64	1	5.0		5	5	5	5	5	5	5										
65 +																				
ALL AGES	8	7.5	18	3	4	6	11	14	14	14	2	19.0	512	3	3	19	35	35	35	35
SUBTOTAL	**18**	**14.1**	**125**	**3**	**5**	**11**	**23**	**34**	**37**	**37**	**3**	**16.3**	**279**	**3**	**5**	**11**	**29**	**35**	**35**	**35**
GRAND TOTAL	**49**	**14.1**	**127**	**3**	**5**	**10**	**21**	**33**	**37**	**48**	**6**	**9.2**	**173**	**1**	**1**	**3**	**11**	**33**	**35**	**35**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	23.4	451	6	9	13	44	87	99 +	99 +	2	8.5	61	3	3	8	14	14	14	14
13-19	73	10.3	72	2	4	8	15	24	34	99 +	8	8.4	35	2	4	7	11	18	20	20
20-34	98	6.1	37	1	3	4	8	13	18	34	26	8.3	79	1	2	5	9	24	29	33
35-49	132	8.9	49	2	4	7	12	20	24	29	24	9.0	127	1	2	5	14	18	33	53
50-64	73	10.9	76	3	4	9	14	24	29	41	18	15.4	422	5	8	11	15	17	55	96
65 +	79	12.5	83	2	5	11	18	23	31	41	24	16.8	256	3	5	12	22	35	51	72
ALL AGES	474	10.0	87	2	4	7	14	22	30	71	102	11.8	193	2	4	8	15	24	33	83
B. FEMALE																				
0-12 YRS.	16	16.6	68	6	12	14	23	26	31	33	2	26.0	50	21	21	26	31	31	31	31
13-19	139	14.8	263	2	4	10	19	38	44	94	21	13.2	167	1	4	9	18	32	42	52
20-34	248	8.8	78	2	3	6	12	21	28	48	50	10.8	76	3	5	8	14	18	21	56
35-49	238	9.1	61	1	3	7	13	21	24	34	71	12.5	231	2	4	7	14	30	46	74
50-64	130	10.6	62	2	5	8	14	22	24	38	25	16.9	293	1	4	11	27	49	54	59
65 +	172	18.5	268	4	8	14	22	43	57	88	47	11.2	69	4	5	10	15	20	28	43
ALL AGES	943	11.9	147	2	4	8	15	25	34	60	216	12.5	161	3	5	8	15	29	38	65
SUBTOTAL	**1417**	**11.3**	**127**	**2**	**4**	**8**	**15**	**24**	**33**	**61**	**318**	**12.3**	**171**	**2**	**4**	**8**	**15**	**26**	**36**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	56	29.8	288	8	17	29	39	56	58	73	3	16.7	100	6	9	18	24	26	26	26
13-19	162	15.0	188	3	6	11	20	30	44	72	20	11.4	129	2	3	6	15	27	37	44
20-34	203	8.0	73	1	3	5	10	18	25	40	40	13.4	212	1	3	8	19	32	45	66
35-49	225	10.2	70	2	4	8	14	22	27	38	45	9.5	47	2	4	8	14	20	22	28
50-64	84	14.8	257	3	5	11	18	28	50	85	16	10.6	62	2	4	9	14	23	27	28
65 +	75	11.9	57	3	6	11	17	23	27	32	17	7.7	57	2	2	4	15	20	22	23
ALL AGES	805	12.6	156	2	4	9	17	28	36	67	141	10.9	111	2	3	7	15	23	29	51
B. FEMALE																				
0-12 YRS.	32	25.3	240	8	12	25	37	46	50	61	6	14.3	126	4	6	9	28	29	29	29
13-19	244	16.7	195	3	7	13	22	35	47	73	42	17.0	157	4	7	13	27	36	39	49
20-34	432	11.1	119	2	4	7	14	25	30	50	76	10.7	66	2	4	9	16	22	27	32
35-49	335	11.7	102	3	4	9	17	28	31	44	76	9.5	51	2	4	8	14	20	24	29
50-64	126	14.2	199	3	6	10	17	28	50	71	17	9.1	66	2	3	5	12	22	27	29
65 +	112	15.5	91	5	9	14	20	29	34	48	31	9.9	71	1	3	8	14	21	28	35
ALL AGES	1281	13.4	145	3	5	10	18	29	38	59	248	11.3	84	2	4	9	16	26	29	38
SUBTOTAL	**2086**	**13.1**	**149**	**2**	**5**	**9**	**18**	**28**	**38**	**61**	**389**	**11.1**	**95**	**2**	**4**	**8**	**15**	**25**	**29**	**43**
GRAND TOTAL	**3503**	**12.3**	**143**	**2**	**4**	**9**	**17**	**27**	**36**	**61**	**707**	**11.7**	**128**	**2**	**4**	**8**	**15**	**26**	**32**	**57**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	15.7	96	5	10	13	21	31	36	36										
13-19	39	14.3	129	2	7	11	21	30	40	49	6	12.8	118	3	5	8	26	27	27	27
20-34	60	8.5	40	1	4	6	12	20	21	26	29	12.3	102	3	5	9	16	28	35	42
35-49	76	12.9	185	2	4	9	16	26	31	81	24	13.3	116	3	6	11	18	26	36	49
50-64	50	11.8	85	2	3	10	17	26	30	39	10	14.6	83	3	6	16	22	25	27	27
65 +	81	16.5	147	5	9	14	21	29	39	66	17	14.9	133	3	6	12	21	31	40	44
ALL AGES	315	13.1	127	2	5	11	18	26	32	56	86	13.4	107	3	5	10	18	28	32	47
B. FEMALE																				
0-12 YRS.	11	12.4	19	8	9	12	15	46	92	99 +										
13-19	76	13.4	147	3	7	11	15	26	43	65	12	9.1	49	2	2	9	14	18	21	21
20-34	183	10.7	97	2	4	7	15	23	29	45	65	14.2	121	4	6	12	18	32	37	49
35-49	265	11.4	139	2	4	9	14	23	29	71	67	12.9	156	2	4	11	18	26	36	71
50-64	153	12.2	95	3	5	10	16	24	35	46	25	12.7	63	3	8	12	17	27	48	99 +
65 +	241	16.6	114	5	9	14	22	30	36	54	56	14.2	104	4	6	11	21	29	36	47
ALL AGES	929	12.9	121	3	5	10	17	26	35	53	225	13.4	116	2	5	12	18	27	36	56
SUBTOTAL	**1244**	**12.9**	**124**	**3**	**5**	**10**	**17**	**26**	**34**	**53**	**311**	**13.4**	**113**	**3**	**5**	**11**	**18**	**27**	**35**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	63	16.4	132	8	11	13	16	33	45	61	1	45.0		45	45	45	45	45	45	45
13-19	129	15.2	142	5	9	12	17	31	40	84	18	10.1	108	2	4	6	13	30	36	36
20-34	174	8.9	55	2	4	7	11	16	21	45	46	10.8	162	2	3	6	15	24	28	77
35-49	237	10.2	73	2	4	7	14	21	29	37	65	9.7	85	1	3	7	14	22	28	43
50-64	73	13.5	122	3	5	11	17	29	40	48	15	9.6	22	5	6	8	13	17	17	17
65 +	52	14.7	109	4	8	12	17	32	41	44	11	11.5	18	6	8	11	14	17	21	21
ALL AGES	728	11.9	102	3	5	9	15	24	33	50	156	10.4	105	2	4	7	14	22	29	45
B. FEMALE																				
0-12 YRS.	29	14.4	169	7	9	12	14	20	31	76	1	15.0		15	15	15	15	15	15	15
13-19	194	15.8	167	4	7	12	21	32	42	75	23	14.1	92	3	6	11	24	27	28	28
20-34	462	11.8	119	2	4	9	16	26	34	59	112	10.8	83	2	4	8	14	23	27	48
35-49	546	12.0	109	2	5	9	16	26	32	47	124	11.3	117	2	4	8	15	22	38	58
50-64	175	12.8	137	3	6	9	17	24	32	67	47	10.1	67	2	5	7	13	20	30	38
65 +	166	16.3	140	6	8	12	22	36	39	60	29	20.3	160	4	9	22	33	36	43	45
ALL AGES	1572	13.0	129	3	5	10	17	28	36	62	336	11.9	108	2	5	9	16	25	34	49
SUBTOTAL	**2300**	**12.7**	**119**	**3**	**5**	**10**	**16**	**28**	**35**	**59**	**492**	**11.4**	**108**	**2**	**4**	**8**	**15**	**24**	**31**	**47**
GRAND TOTAL	**3544**	**12.8**	**120**	**3**	**5**	**10**	**16**	**27**	**35**	**56**	**803**	**12.2**	**110**	**2**	**5**	**9**	**16**	**26**	**35**	**49**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	22.7	30	18	19	21	27	29	29	29										
13-19	20	17.2	174	3	8	14	20	40	47	52	5	20.8	236	4	6	21	35	38	38	38
20-34	91	10.4	64	2	5	9	13	20	26	44	67	16.0	155	4	7	13	23	39	43	91
35-49	91	11.0	104	2	4	8	14	22	30	57	54	14.5	246	3	5	11	17	25	57	82
50-64	53	11.9	86	3	6	9	16	26	30	41	24	16.7	215	5	8	14	18	28	55	70
65 +	34	13.0	89	4	9	11	14	23	35	45	6	11.7	78	6	6	7	18	26	27	27
ALL AGES	292	11.8	92	3	5	9	15	23	30	47	156	15.6	192	4	6	13	21	36	45	82
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-19	15	12.4	75	1	7	11	17	26	27	28	4	33.0	21	28	30	32	36	39	39	39
20-34	123	10.0	57	3	4	8	13	19	25	37	105	15.5	148	4	7	14	19	31	45	79
35-49	203	10.9	69	3	6	9	13	21	27	39	147	13.7	152	3	6	12	16	27	38	71
50-64	114	13.5	164	4	7	11	16	23	33	88	100	17.4	206	4	8	13	23	36	48	70
65 +	75	14.7	92	4	7	14	20	29	33	42	15	14.7	128	3	6	11	17	35	38	39
ALL AGES	531	11.9	91	3	6	10	15	23	29	43	371	15.5	166	4	7	13	19	32	43	70
SUBTOTAL	**823**	**11.8**	**93**	**3**	**6**	**10**	**15**	**23**	**30**	**44**	**527**	**15.5**	**174**	**4**	**6**	**13**	**20**	**32**	**43**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	27.3	466	12	13	19	41	59	59	59										
13-19	7	14.6	281	3	5	7	15	44	51	51	6	26.7	425	4	9	23	42	57	59	59
20-34	56	11.4	75	3	5	9	16	25	29	40	45	14.4	58	4	8	15	20	22	24	38
35-49	43	10.0	51	3	4	8	13	18	28	30	21	17.3	316	3	4	11	23	38	57	76
50-64	27	15.4	305	3	4	11	19	33	56	82	15	13.6	100	3	5	9	22	30	31	31
65 +	16	10.9	62	2	4	10	14	22	28	31	2	18.5	265	7	7	18	30	30	30	30
ALL AGES	153	12.2	130	3	5	9	15	25	31	59	89	15.9	154	4	7	14	21	30	38	69
B. FEMALE																				
0-12 YRS.	2	8.5	41	4	4	8	13	13	13	13										
13-19	2	13.0	8	11	11	13	15	15	15	15	1	15.0		15	15	15	15	15	15	15
20-34	63	10.9	51	3	5	9	14	22	24	31	30	19.0	136	5	8	17	27	40	41	42
35-49	57	11.3	89	2	4	8	19	23	30	45	33	13.7	104	4	6	9	22	28	30	43
50-64	43	13.2	105	3	5	10	18	30	35	40	13	11.6	73	2	4	13	19	24	26	26
65 +	14	16.5	68	6	9	16	21	28	31	32	3	18.3	192	8	9	13	29	34	34	34
ALL AGES	181	12.0	78	3	5	10	18	24	30	39	80	15.5	118	4	7	13	23	29	40	43
SUBTOTAL	**334**	**12.1**	**101**	**3**	**5**	**9**	**16**	**25**	**31**	**51**	**169**	**15.7**	**136**	**4**	**7**	**13**	**21**	**30**	**39**	**56**
GRAND TOTAL	**1157**	**11.9**	**95**	**3**	**6**	**9**	**15**	**23**	**30**	**46**	**696**	**15.5**	**166**	**4**	**7**	**13**	**20**	**32**	**42**	**71**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	16.5	181	7	7	16	26	26	26	26										
13-19											3	19.0	373	2	5	15	34	40	40	40
20-34	31	11.7	61	4	6	9	15	22	31	33	7	16.9	199	5	7	13	21	41	46	46
35-49	23	12.3	158	3	4	10	15	26	38	60	6	10.0	40	1	6	10	12	19	20	20
50-64	17	13.1	54	5	6	11	19	23	25	26	1	11.0		11	11	11	11	11	11	11
65 +	10	13.8	33	7	10	13	16	23	24	24	3	10.3	15	6	7	12	13	13	13	13
ALL AGES	83	12.5	83	4	6	10	16	25	26	51	20	13.9	128	3	7	11	16	31	43	46
B. FEMALE																				
0-12 YRS.																				
13-19	3	8.0	7	6	6	7	10	11	11	11	1	6.0		6	6	6	6	6	6	6
20-34	51	7.6	32	2	3	7	11	15	18	29	18	9.4	52	3	5	6	12	21	27	29
35-49	71	12.6	134	3	4	8	18	28	33	62	21	7.8	39	2	4	6	10	15	24	28
50-64	43	11.0	44	4	7	9	13	21	24	34	15	16.5	187	5	9	12	19	37	50	54
65 +	51	15.9	123	5	9	14	18	31	42	59	8	14.9	157	3	7	12	18	36	42	42
ALL AGES	219	11.8	96	3	5	9	15	23	31	48	63	11.2	101	3	5	8	13	25	32	52
SUBTOTAL	**302**	**12.0**	**92**	**3**	**6**	**10**	**15**	**23**	**29**	**51**	**83**	**11.8**	**108**	**3**	**6**	**9**	**14**	**25**	**38**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-19	2	6.0		6	6	6	6	6	6	6	1	8.0		8	8	8	8	8	8	8
20-34	36	8.3	61	1	3	7	10	15	26	39	13	11.5	52	1	7	11	15	23	24	24
35-49	31	11.2	55	3	5	10	17	21	23	31	12	11.9	85	2	4	9	18	25	30	31
50-64	16	11.0	45	5	6	12	16	78	99 +	99 +	7	13.7	69	4	6	15	21	23	23	23
65 +	5	10.8	76	2	4	7	19	22	22	22	2	16.0	98	9	9	16	23	23	23	23
ALL AGES	91	10.1	61	2	5	7	15	22	31	99 +	35	12.2	64	2	6	10	19	23	24	31
B. FEMALE																				
0-12 YRS.																				
13-19	10	18.6	150	3	7	18	28	35	36	36	3	5.3	15	1	2	7	8	8	8	8
20-34	63	9.0	63	2	3	6	13	19	25	40	14	12.4	334	3	4	5	14	23	62	73
35-49	64	11.8	90	3	5	9	15	24	34	43	19	7.8	70	2	3	6	9	15	29	38
50-64	36	15.5	112	4	7	13	23	30	34	44	5	7.8	45	1	4	7	10	19	19	19
65 +	13	17.1	101	7	10	13	25	31	37	38	2	19.0	162	10	10	19	28	28	28	28
ALL AGES	186	12.3	97	3	5	10	16	27	32	43	43	9.7	151	2	3	6	11	18	31	73
SUBTOTAL	**277**	**11.6**	**85**	**2**	**5**	**9**	**16**	**26**	**32**	**44**	**78**	**10.8**	**113**	**2**	**4**	**8**	**14**	**23**	**26**	**63**
GRAND TOTAL	**579**	**11.8**	**89**	**3**	**5**	**10**	**15**	**25**	**31**	**44**	**161**	**11.3**	**110**	**2**	**5**	**8**	**14**	**23**	**30**	**53**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	6	15.8	369	2	3	9	19	50	53	53	1	20.0		20	20	20	20	20	20	20
20-34	27	7.4	26	1	3	7	9	16	18	19	8	8.3	23	2	4	7	13	14	15	15
35-49	21	10.8	39	2	7	11	13	20	23	24	9	8.4	39	3	4	7	10	19	22	22
50-64	9	14.8	35	7	12	14	19	23	26	26	2	11.0	18	8	8	11	14	14	14	14
65 +	7	13.4	51	7	8	11	19	24	25	25	2	9.5	41	5	5	9	14	14	14	14
ALL AGES	70	10.7	65	2	6	9	14	19	24	48	22	9.2	32	3	5	7	14	17	21	22
B. FEMALE																				
0-12 YRS.	1	68.0		68	68	68	68	68	68	68										
13-19	12	20.9	325	5	7	17	39	65	93	99 +	4	27.8	361	8	14	25	41	53	53	53
20-34	41	10.2	84	2	4	8	13	22	33	40	11	10.0	47	3	4	8	15	21	21	21
35-49	59	13.8	175	4	6	11	15	28	45	72	17	12.9	276	4	5	6	11	43	57	61
50-64	30	9.9	54	2	5	7	14	21	25	28	14	18.6	270	5	9	12	23	43	58	62
65 +	23	14.3	67	6	8	15	18	27	33	33	6	17.5	248	7	9	10	21	45	48	48
ALL AGES	166	13.2	147	3	6	10	16	29	38	73	52	15.5	234	4	6	10	19	43	53	62
SUBTOTAL	**236**	**12.4**	**125**	**3**	**6**	**10**	**15**	**25**	**36**	**69**	**74**	**13.6**	**182**	**4**	**6**	**9**	**15**	**30**	**50**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	42.5	545	26	26	42	59	59	59	59										
13-19	10	12.9	71	5	7	12	14	25	34	34	1	21.0		21	21	21	21	21	21	21
20-34	34	10.5	77	2	4	9	12	23	26	42	11	14.1	123	3	6	11	18	32	38	39
35-49	27	15.5	174	3	5	12	20	38	40	48	9	16.3	449	2	4	9	18	50	70	70
50-64	14	14.4	150	3	3	11	27	34	35	35	2	29.5	481	14	14	29	45	45	45	45
65 +	5	15.2	35	8	9	17	20	21	21	21	2	29.5	1105	6	6	29	53	53	53	53
ALL AGES	92	13.8	136	3	5	11	19	34	38	54	25	17.6	299	3	6	13	21	45	57	70
B. FEMALE																				
0-12 YRS.																				
13-19	8	19.0	330	3	4	14	29	49	54	54	2	9.0	72	3	3	9	15	15	15	15
20-34	41	8.5	48	2	4	7	11	18	21	35	9	12.4	110	4	5	7	17	30	35	35
35-49	46	14.3	165	3	5	10	19	29	50	51	17	15.9	190	3	6	14	19	35	48	55
50-64	21	13.0	129	4	6	11	16	24	39	54	11	16.5	120	4	7	15	23	32	39	40
65 +	12	18.1	283	7	9	12	18	42	63	67	1	17.0		17	17	17	17	17	17	17
ALL AGES	128	12.9	148	3	5	10	16	27	38	57	40	15.0	136	3	6	14	19	32	38	55
SUBTOTAL	**220**	**13.2**	**145**	**3**	**5**	**10**	**17**	**29**	**38**	**56**	**65**	**16.0**	**197**	**3**	**6**	**14**	**20**	**36**	**47**	**68**
GRAND TOTAL	**456**	**12.8**	**134**	**3**	**5**	**10**	**16**	**27**	**37**	**59**	**139**	**14.7**	**189**	**3**	**6**	**10**	**18**	**34**	**50**	**63**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	6	22.5	652	1	2	12	48	59	60	60	2	14.0	242	3	3	14	25	25	25	25
20-34	28	7.3	37	2	3	6	8	17	21	28	7	9.4	27	3	6	9	11	17	19	19
35-49	24	9.4	45	3	4	8	13	20	23	28	10	12.5	159	1	5	7	17	34	39	39
50-64	14	10.1	38	4	5	9	16	18	20	21	4	16.5	92	8	9	14	24	29	29	29
65 +	5	7.6	4	5	6	8	9	10	10	10	2	9.0	50	4	4	9	14	14	14	14
ALL AGES	77	9.7	91	2	4	7	11	20	25	57	25	12.1	97	3	5	9	17	29	32	39
B. FEMALE																				
0-12 YRS.	2	22.5	685	4	4	22	41	41	41	41										
13-19	8	17.0	143	5	7	13	30	32	32	32	1	8.0		8	8	8	8	8	8	8
20-34	33	9.5	52	3	4	7	14	20	25	26	16	13.8	128	3	7	10	18	27	41	47
35-49	40	10.5	80	2	4	9	14	22	24	49	9	9.6	113	1	3	7	13	27	35	35
50-64	24	9.7	44	2	6	9	12	17	22	33	6	8.8	40	1	5	7	14	18	18	18
65 +	17	14.2	145	6	8	10	14	32	45	51	3	6.7	10	3	4	8	9	9	9	9
ALL AGES	124	11.2	86	3	4	9	14	23	31	50	35	11.1	96	2	5	8	14	23	33	47
SUBTOTAL	**201**	**10.6**	**89**	**3**	**4**	**8**	**14**	**21**	**29**	**50**	**60**	**11.5**	**96**	**2**	**5**	**8**	**15**	**26**	**32**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	31.3	143	22	22	27	37	52	56	56										
13-19	13	18.6	138	7	11	15	28	34	44	46	1	8.0		8	8	8	8	8	8	8
20-34	36	9.4	146	1	4	7	13	18	21	72	8	10.5	226	3	3	5	9	36	47	47
35-49	29	7.1	52	1	2	5	9	14	25	33	10	13.0	110	3	4	11	17	28	38	38
50-64	5	10.6	59	2	6	8	16	22	22	22	2	10.0	98	3	3	10	17	17	17	17
65 +	5	12.0	50	7	7	7	18	22	22	22	3	15.7	119	7	8	12	24	28	28	28
ALL AGES	96	12.0	149	2	5	8	15	28	33	65	24	12.0	132	3	4	8	16	29	41	47
B. FEMALE																				
0-12 YRS.																				
13-19	15	23.5	214	10	12	21	28	52	53	54										
20-34	41	12.0	196	2	4	8	15	24	47	69	9	6.7	35	1	3	5	7	17	21	21
35-49	43	8.3	35	2	4	7	11	19	21	23	17	7.7	29	3	4	6	9	14	21	24
50-64	18	10.3	36	3	6	10	13	20	22	22	1	1.0		1	1	1	1	1	1	1
65 +	13	25.5	275	9	15	22	33	56	61	62	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	130	13.2	163	3	5	10	16	26	40	63	29	7.0	29	2	4	6	8	13	21	24
SUBTOTAL	**226**	**12.7**	**156**	**2**	**5**	**8**	**16**	**27**	**39**	**64**	**53**	**9.3**	**79**	**3**	**4**	**6**	**11**	**19**	**27**	**47**
GRAND TOTAL	**427**	**11.7**	**126**	**2**	**4**	**8**	**15**	**24**	**33**	**57**	**113**	**10.5**	**88**	**3**	**4**	**8**	**13**	**23**	**30**	**47**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	31.3	283	12	19	41	41	41	41	41	2	7.5	1	7	7	7	8	8	8	8
20-34	12	4.8	17	1	2	3	7	11	14	14	6	4.2	5	1	3	4	6	7	7	7
35-49	11	10.6	63	2	7	8	13	24	28	28	2	14.0	98	7	7	14	21	21	21	21
50-64	7	6.7	14	1	3	8	9	11	11	11	1	7.0		7	7	7	7	7	7	7
65 +	6	11.5	72	6	7	8	13	26	28	28	1	7.0		7	7	7	7	7	7	7
ALL AGES	39	9.9	94	2	3	8	11	25	35	41	12	6.8	25	2	4	7	7	12	20	21
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-19	5	9.8	33	3	5	9	15	17	17	17	1	7.0		7	7	7	7	7	7	7
20-34	22	12.7	269	3	4	8	13	24	46	80	3	5.0	13	1	2	6	7	8	8	8
35-49	18	5.9	13	1	2	6	8	11	12	13	6	5.8	20	2	2	5	9	12	12	12
50-64	10	11.7	103	2	3	8	16	28	33	33	3	6.3	22	1	3	9	9	9	9	9
65 +	6	26.5	695	5	10	13	51	66	68	68	7	9.3	41	3	3	11	13	18	19	19
ALL AGES	62	11.7	202	2	4	8	13	23	40	79	20	7.1	24	1	2	7	10	13	16	19
SUBTOTAL	**101**	**11.0**	**160**	**2**	**3**	**8**	**13**	**23**	**36**	**74**	**32**	**7.0**	**23**	**2**	**3**	**7**	**9**	**13**	**18**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.0		14	14	14	14	14	14	14										
13-19	13	5.8	14	1	2	6	9	11	11	11	3	11.7		11	11	11	13	13	13	13
20-34	24	8.0	54	1	3	6	10	17	23	31	6	9.2	97	2	5	6	8	27	29	29
35-49	11	9.5	86	1	3	8	14	23	31	32	7	6.3	46	1	2	4	9	18	20	20
50-64	3	7.7	2	6	6	8	9	9	9	9	2	9.0	32	5	5	9	13	13	13	13
65 +	7	15.7	40	6	11	18	19	23	24	24	2	16.0	50	11	11	16	21	21	21	21
ALL AGES	60	8.9	51	1	3	7	12	18	22	32	20	9.2	54	2	4	7	12	20	25	29
B. FEMALE																				
0-12 YRS.	2	81.0		81	81	81	81	81	81	81										
13-19	8	14.3	333	1	2	6	22	46	52	52	2	10.0	32	6	6	10	14	14	14	14
20-34	17	9.4	59	1	4	8	12	20	27	31	5	5.4	4	2	4	6	7	7	7	7
35-49	27	15.6	103	4	8	14	19	26	36	50	12	8.7	31	2	4	8	12	15	19	20
50-64	12	8.4	52	2	4	7	10	16	27	29	1	12.0		12	12	12	12	12	12	12
65 +	15	13.1	89	3	7	10	16	28	31	32	1	2.0		2	2	2	2	2	2	2
ALL AGES	81	14.3	218	3	6	10	18	30	41	81	21	7.9	24	2	4	6	12	14	17	20
SUBTOTAL	**141**	**12.0**	**153**	**2**	**5**	**9**	**16**	**25**	**32**	**81**	**41**	**8.5**	**39**	**2**	**4**	**6**	**12**	**16**	**21**	**29**
GRAND TOTAL	**242**	**11.6**	**155**	**2**	**4**	**8**	**14**	**24**	**32**	**80**	**73**	**7.8**	**33**	**2**	**3**	**7**	**11**	**14**	**20**	**27**

AFFECT PSYCHOSES NEC/NOS (296.9)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	36.0		36	36	36	36	36	36	36
20-34	1	14.0		14	14	14	14	14	14	14										
35-49	3	6.0	19	3	3	4	9	11	11	11	2	21.0	98	14	14	21	28	28	28	28
50-64	1	3.0		3	3	3	3	3	3	3	2	15.0		15	15	15	15	15	15	15
65 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	6	8.0	27	3	3	7	13	14	14	14	5	21.6	98	14	15	15	30	36	36	36
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	3	8.7	19	4	5	9	12	13	13	13	1	11.0		11	11	11	11	11	11	11
35-49	4	3.5	6	1	1	3	5	6	6	6	4	9.8	137	1	2	5	17	27	27	27
50-64	3	8.0	93	1	2	4	15	19	19	19										
65 +	2	7.5	41	3	3	7	12	12	12	12										
ALL AGES	12	6.6	31	1	2	5	10	15	18	19	5	10.0	104	1	3	7	15	27	27	27
SUBTOTAL	**18**	**7.1**	**28**	**1**	**3**	**5**	**12**	**14**	**17**	**19**	**10**	**15.8**	**127**	**2**	**7**	**14**	**27**	**32**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	18.7	342	1	5	17	33	38	38	38										
20-34	6	5.0	14	2	3	4	6	11	12	12	1	11.0		11	11	11	11	11	11	11
35-49	3	4.0	3	3	3	3	5	6	6	6	2	5.5	41	1	1	5	10	10	10	10
50-64	2	10.0	32	6	6	10	14	14	14	14										
65 +																				
ALL AGES	14	8.4	96	2	3	5	12	19	34	38	3	7.3	31	1	3	10	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	4	19.0	330	7	8	11	29	46	46	46										
20-34	9	8.7	31	2	4	9	11	17	20	20	1	1.0		1	1	1	1	1	1	1
35-49	4	6.3	61	1	1	3	11	18	18	18	1	2.0		2	2	2	2	2	2	2
50-64	2	6.0		6	6	6	6	6	6	6	3	9.3	53	1	4	13	14	14	14	14
65 +	3	11.3	58	6	6	8	17	20	20	20	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	22	10.2	95	2	5	8	13	20	31	46	7	5.9	30	1	1	4	11	14	14	14
SUBTOTAL	**36**	**9.5**	**93**	**2**	**3**	**6**	**12**	**20**	**33**	**46**	**10**	**6.3**	**28**	**1**	**1**	**5**	**11**	**13**	**14**	**14**
GRAND TOTAL	**54**	**8.7**	**72**	**2**	**3**	**6**	**12**	**18**	**20**	**46**	**20**	**11.1**	**96**	**1**	**3**	**10**	**14**	**27**	**32**	**36**

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											2	7.5	85	1	1	7	14	14	14	14
20-34	4	17.3	818	1	1	4	33	60	60	60	1	10.0		10	10	10	10	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1	3	12.0	19	7	9	14	15	15	15	15
50-64	2	2.5	5	1	1	2	4	4	4	4	1	3.0		3	3	3	3	3	3	3
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	8	9.9	414	1	1	3	6	44	60	60	7	9.1	33	1	4	10	14	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	12.0	18	9	9	12	15	15	15	15	3	12.7	19	8	9	13	16	17	17	17
35-49	6	9.2	78	2	3	4	19	22	22	22	1	15.0		15	15	15	15	15	15	15
50-64	5	12.0	83	3	4	12	17	26	26	26	2	4.5	5	3	3	4	6	6	6	6
65 +	3	8.7		8	8	8	10	10	10	10	1	1.0		1	1	1	1	1	1	1
ALL AGES	16	10.3	52	3	4	9	14	22	25	26	7	9.0	38	1	4	8	14	17	17	17
SUBTOTAL	**24**	**10.2**	**160**	**1**	**3**	**6**	**13**	**22**	**36**	**60**	**14**	**9.1**	**32**	**1**	**3**	**9**	**14**	**15**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	6.0		6	6	6	6	6	6	6
20-34	6	9.5	37	2	4	9	16	17	17	17	2	21.5	685	3	3	21	40	40	40	40
35-49	4	5.3	2	4	4	5	6	7	7	7	2	37.5	481	22	22	37	53	53	53	53
50-64	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
65 +	2	11.0	2	10	10	11	12	12	12	12										
ALL AGES	13	7.9	24	3	4	7	10	16	17	17	6	21.3	446	3	4	14	40	52	53	53
B. FEMALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3	1	10.0		10	10	10	10	10	10	10
20-34																				
35-49	2	6.0		6	6	6	6	6	6	6										
50-64											2	16.0	2	15	15	16	17	17	17	17
65 +	6	13.0	47	5	8	11	21	21	21	21	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	9	10.3	47	4	6	8	16	21	21	21	5	9.8	40	3	4	10	15	17	17	17
SUBTOTAL	**22**	**8.9**	**33**	**3**	**4**	**7**	**12**	**18**	**21**	**21**	**11**	**16.1**	**274**	**3**	**4**	**10**	**21**	**45**	**52**	**53**
GRAND TOTAL	**46**	**9.6**	**97**	**2**	**4**	**7**	**12**	**21**	**23**	**60**	**25**	**12.2**	**143**	**3**	**4**	**10**	**15**	**22**	**43**	**53**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	1.0		1	1	1	1	1	1	1										
65 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	14.0		14	14	14	14	14	14	14
ALL AGES											1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**10.0**	**32**	**6**	**6**	**10**	**14**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	1	15.0		15	15	15	15	15	15	15										
SUBTOTAL	**2**	**10.0**	**50**	**5**	**5**	**10**	**15**	**15**	**15**	**15**										
GRAND TOTAL	**3**	**7.0**	**52**	**1**	**2**	**5**	**12**	**15**	**15**	**15**	**2**	**10.0**	**32**	**6**	**6**	**10**	**14**	**14**	**14**	**14**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	33.0		33	33	33	33	33	33	33
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	33.0		33	33	33	33	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											1	33.0		33	33	33	33	33	33	33
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	33.0		33	33	33	33	33	33	33

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	17.0		17	17	17	17	17	17	17										
20-34	1	22.0		22	22	22	22	22	22	22										
35-49																				
50-64																				
65 +																				
ALL AGES	2	19.5	13	17	17	19	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	2	2.5	5	1	1	2	4	4	4	4										
65 +	2	4.5	5	3	3	4	6	6	6	6	1	3.0		3	3	3	3	3	3	3
ALL AGES	4	3.5	4	1	2	3	5	6	6	6	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**8.8**	**74**	**1**	**3**	**5**	**17**	**21**	**22**	**22**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	22.0		22	22	22	22	22	22	22										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	2	12.0	200	2	2	12	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**2**	**12.0**	**200**	**2**	**2**	**12**	**22**	**22**	**22**	**22**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**8**	**9.6**	**84**	**1**	**2**	**5**	**19**	**22**	**22**	**22**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	9.8	120	2	3	5	16	26	26	26	7	5.1	8	2	3	4	7	9	10	10
35-49	6	6.5	23	2	2	6	7	14	15	15	3	9.0	76	3	3	5	15	19	19	19
50-64	2	5.5	5	4	4	5	7	7	7	7										
65 +	7	9.7	19	5	7	10	12	16	17	17	1	8.0		8	8	8	8	8	8	8
ALL AGES	19	8.3	36	2	4	7	10	16	22	26	11	6.5	22	2	3	5	8	14	19	19
B. FEMALE																				
0-12 YRS.																				
13-19											1	30.0		30	30	30	30	30	30	30
20-34	13	7.3	26	2	4	7	9	15	18	19	8	4.3	10	1	1	4	6	9	10	10
35-49	12	6.1	39	1	2	4	8	16	21	22	2	4.0	8	2	2	4	6	6	6	6
50-64	5	6.8	14	1	4	7	10	10	10	10	3	3.0	4	1	1	3	4	5	5	5
65 +	14	15.4	235	2	4	9	29	42	47	49	5	7.8	7	5	5	9	10	11	11	11
ALL AGES	44	9.5	106	2	3	7	11	23	33	49	19	6.3	43	1	2	5	8	11	21	30
SUBTOTAL	**63**	**9.1**	**85**	**2**	**4**	**7**	**10**	**20**	**29**	**48**	**30**	**6.4**	**34**	**1**	**3**	**5**	**8**	**11**	**19**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	4.0	3	2	3	5	5	5	5	5										
20-34	11	8.6	27	2	4	8	12	15	17	17	2	4.5	13	2	2	4	7	7	7	7
35-49	8	4.9	23	2	2	3	6	13	16	16	4	14.3	196	2	4	10	24	34	34	34
50-64	2	20.5	481	5	5	20	36	36	36	36	1	2.0		2	2	2	2	2	2	2
65 +	4	13.5	36	8	10	12	17	22	22	22										
ALL AGES	28	8.6	58	2	3	6	12	17	23	36	7	9.7	134	2	2	7	12	30	34	34
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	7	6.0	17	1	3	6	8	12	13	13	2	2.0		2	2	2	2	2	2	2
35-49	9	8.7	12	4	7	8	10	14	16	16	3	5.7	25	1	2	5	9	11	11	11
50-64	4	16.8	193	5	6	13	27	36	36	36	1	13.0		13	13	13	13	13	13	13
65 +	15	14.8	200	3	7	12	16	42	49	52	5	8.4	62	2	3	7	11	22	22	22
ALL AGES	35	11.7	122	3	6	8	13	19	40	52	11	6.9	40	1	2	5	10	17	22	22
SUBTOTAL	**63**	**10.3**	**95**	**2**	**4**	**8**	**12**	**18**	**36**	**51**	**18**	**8.0**	**73**	**2**	**2**	**6**	**11**	**20**	**29**	**34**
GRAND TOTAL	**126**	**9.7**	**90**	**2**	**4**	**7**	**12**	**19**	**31**	**50**	**48**	**7.0**	**48**	**2**	**2**	**5**	**8**	**14**	**23**	**34**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	16.0		16	16	16	16	16	16	16	1	12.0		12	12	12	12	12	12	12
35-49	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
50-64	1	20.0		20	20	20	20	20	20	20	1	12.0		12	12	12	12	12	12	12
65 +	2	27.0		27	27	27	27	27	27	27	2	12.5	61	7	7	12	18	18	18	18
ALL AGES	5	19.8	59	9	14	20	27	27	27	27	5	10.6	29	4	6	12	14	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19											3	5.0	37	1	1	2	9	12	12	12
20-34	2	11.5	13	9	9	11	14	14	14	14	4	7.3	20	4	4	5	10	14	14	14
35-49	2	10.0	98	3	3	10	17	17	17	17	1	5.0		5	5	5	5	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7	3	7.7	69	1	2	5	14	17	17	17
65 +	2	7.5	61	2	2	7	13	13	13	13	1	11.0		11	11	11	11	11	11	11
ALL AGES	7	9.3	32	2	4	9	14	16	17	17	12	6.9	28	1	3	5	11	15	17	17
SUBTOTAL	**12**	**13.7**	**67**	**3**	**8**	**13**	**18**	**27**	**27**	**27**	**17**	**8.0**	**30**	**1**	**4**	**6**	**12**	**16**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	1	10.0		10	10	10	10	10	10	10	2	2.0	2	1	1	2	3	3	3	3
50-64											1	3.0		3	3	3	3	3	3	3
65 +	1	8.0		8	8	8	8	8	8	8	1	11.0		11	11	11	11	11	11	11
ALL AGES	4	7.8	2	6	6	7	9	10	10	10	4	4.5	20	1	2	3	7	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	1	17.0		17	17	17	17	17	17	17	3	11.7	71	2	5	15	17	18	18	18
20-34	1	3.0		3	3	3	3	3	3	3	3	5.3	15	1	2	7	8	8	8	8
35-49	1	11.0		11	11	11	11	11	11	11	1	28.0		28	28	28	28	28	28	28
50-64	7	15.6	40	7	13	14	22	23	23	23										
65 +	2	13.0	8	11	11	13	15	15	15	15	2	17.5	181	8	8	17	27	27	27	27
ALL AGES	12	13.8	38	4	11	14	17	23	23	23	9	12.7	99	1	6	8	20	28	28	28
SUBTOTAL	**16**	**12.3**	**36**	**5**	**7**	**12**	**16**	**22**	**23**	**23**	**13**	**10.2**	**86**	**1**	**3**	**8**	**16**	**27**	**28**	**28**
GRAND TOTAL	**28**	**12.9**	**48**	**4**	**8**	**13**	**17**	**23**	**27**	**27**	**30**	**8.9**	**54**	**1**	**3**	**7**	**12**	**18**	**27**	**28**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	2	5.0	18	2	2	5	8	8	8	8	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	8.5	13	6	6	8	11	11	11	11	1	8.0		8	8	8	8	8	8	8
35-49											1	3.0		3	3	3	3	3	3	3
50-64											2	10.5	181	1	1	10	20	20	20	20
65 +	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
ALL AGES	3	7.3	11	5	5	6	10	11	11	11	5	7.4	56	1	2	5	11	20	20	20
SUBTOTAL	**5**	**6.4**	**11**	**2**	**4**	**6**	**9**	**11**	**11**	**11**	**6**	**6.8**	**48**	**1**	**3**	**4**	**8**	**19**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											2	5.0	2	4	4	5	6	6	6	6
35-49											2	10.0	50	5	5	10	15	15	15	15
50-64											1	6.0		6	6	6	6	6	6	6
65 +	2	22.0		22	22	22	22	22	22	22										
ALL AGES	2	22.0		22	22	22	22	22	22	22	5	7.2	20	4	5	6	8	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	2	11.0	32	7	7	11	15	15	15	15	4	3.8	3	1	2	4	5	5	5	5
35-49	3	5.0	3	3	4	6	6	6	6	6	2	5.5	5	4	4	5	7	7	7	7
50-64																				
65 +	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
ALL AGES	6	6.3	19	3	4	6	7	14	15	15	8	4.0	3	2	3	4	5	6	7	7
SUBTOTAL	**8**	**10.6**	**63**	**3**	**5**	**7**	**18**	**22**	**22**	**22**	**13**	**5.2**	**11**	**2**	**4**	**5**	**6**	**9**	**14**	**15**
GRAND TOTAL	**13**	**9.0**	**45**	**3**	**5**	**6**	**12**	**22**	**22**	**22**	**19**	**5.7**	**21**	**2**	**3**	**5**	**6**	**12**	**18**	**20**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49											1	1.0		1	1	1	1	1	1	1
50-64	1	7.0		7	7	7	7	7	7	7										
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	1	7.0		7	7	7	7	7	7	7	3	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**4**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	10.0		10	10	10	10	10	10	10										
35-49																				
50-64	1	3.0		3	3	3	3	3	3	3										
65 +	2	3.5	13	1	1	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	4	5.0	15	1	2	4	8	10	10	10	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**5.0**	**15**	**1**	**2**	**4**	**8**	**10**	**10**	**10**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**5**	**5.4**	**12**	**1**	**2**	**6**	**8**	**10**	**10**	**10**	**5**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	5.0	2	4	4	5	6	6	6	6										
35-49	2	7.5	41	3	3	7	12	12	12	12										
50-64																				
65 +	2	15.5	365	2	2	15	29	29	29	29	1	14.0		14	14	14	14	14	14	14
ALL AGES	6	9.3	106	2	3	5	12	27	29	29	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	2.0		2	2	2	2	2	2	2
35-49	3	9.3	45	5	5	6	14	17	17	17	2	8.5	85	2	2	8	15	15	15	15
50-64	1	9.0		9	9	9	9	9	9	9										
65 +	2	10.0	8	8	8	10	12	12	12	12	3	8.0	27	2	4	11	11	11	11	11
ALL AGES	6	9.5	20	5	6	8	12	16	17	17	6	7.2	34	2	2	7	11	15	15	15
SUBTOTAL	**12**	**9.4**	**57**	**3**	**4**	**7**	**12**	**21**	**28**	**29**	**7**	**8.1**	**36**	**2**	**2**	**11**	**13**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3										
35-49	1	12.0		12	12	12	12	12	12	12										
50-64																				
65 +	3	6.0	13	3	3	5	9	10	10	10	1	2.0		2	2	2	2	2	2	2
ALL AGES	5	6.6	17	3	3	5	10	12	12	12	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	5	8.2	19	3	6	8	10	15	15	15	1	9.0		9	9	9	9	9	9	9
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
ALL AGES	7	7.6	13	3	5	7	8	14	15	15	2	8.0	2	7	7	8	9	9	9	9
SUBTOTAL	**12**	**7.2**	**14**	**3**	**4**	**7**	**9**	**13**	**15**	**15**	**3**	**6.0**	**13**	**2**	**3**	**7**	**8**	**9**	**9**	**9**
GRAND TOTAL	**24**	**8.3**	**35**	**3**	**4**	**7**	**11**	**15**	**21**	**29**	**10**	**7.5**	**27**	**2**	**2**	**8**	**11**	**14**	**15**	**15**

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	4.0		4	4	4	4	4	4	4										
20-34	10	4.2	6	2	2	4	5	8	8	8	8	6.5	59	2	2	4	6	19	25	25
35-49	10	7.5	25	2	4	6	12	14	15	15	6	6.0	12	4	4	5	6	12	13	13
50-64	3	6.7	32	2	3	5	11	13	13	13										
65 +	3	9.7	51	5	5	6	15	18	18	18	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	27	6.3	21	2	3	5	8	14	15	18	16	6.1	32	2	4	5	6	12	21	25
B. FEMALE																				
0-12 YRS.																				
13-19	5	9.4	49	1	4	8	16	18	18	18	1	5.0		5	5	5	5	5	5	5
20-34	14	5.9	18	2	3	5	8	12	15	16	7	7.1	20	2	4	7	8	14	16	16
35-49	21	6.9	36	2	3	6	8	11	20	30	6	5.3	8	1	4	5	7	9	9	9
50-64	5	7.6	52	1	2	7	11	19	19	19	1	6.0		6	6	6	6	6	6	6
65 +	2	4.0	8	2	2	4	6	6	6	6	4	6.3	1	5	5	6	7	8	8	8
ALL AGES	47	6.8	31	2	3	6	8	14	18	30	19	6.2	10	3	5	6	7	9	13	16
SUBTOTAL	**74**	**6.6**	**27**	**2**	**3**	**5**	**8**	**14**	**17**	**27**	**35**	**6.2**	**19**	**2**	**4**	**6**	**7**	**9**	**15**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	3.5	5	2	2	3	5	5	5	5										
20-34	9	6.4	5	4	5	6	8	9	10	10	2	4.5	13	2	2	4	7	7	7	7
35-49	8	6.6	17	1	4	6	10	12	12	12	1	8.0		8	8	8	8	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4	1	15.0		15	15	15	15	15	15	15
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	21	5.9	10	2	4	6	8	11	12	12	4	8.0	29	2	4	7	11	15	15	15
B. FEMALE																				
0-12 YRS.	2	13.0		13	13	13	13	13	13	13										
13-19	5	12.6	88	1	4	16	19	24	24	24	2	6.0		6	6	6	6	6	6	6
20-34	8	4.8	18	1	1	3	8	11	12	12	3	6.3	26	1	2	7	10	11	11	11
35-49	17	8.4	67	2	3	6	8	20	29	33	5	9.4	87	1	2	5	17	23	23	23
50-64	2	22.5	545	6	6	22	39	39	39	39	1	4.0		4	4	4	4	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	35	9.1	81	2	3	6	13	21	31	39	11	7.5	43	1	3	6	10	18	23	23
SUBTOTAL	**56**	**7.9**	**56**	**2**	**3**	**6**	**9**	**17**	**23**	**39**	**15**	**7.6**	**37**	**1**	**3**	**6**	**10**	**15**	**21**	**23**
GRAND TOTAL	**130**	**7.2**	**39**	**2**	**3**	**6**	**8**	**15**	**18**	**34**	**50**	**6.6**	**24**	**2**	**4**	**6**	**7**	**14**	**16**	**25**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	35.2	255	10	31	35	51	51	51	51	1	1.0		1	1	1	1	1	1	1
13-19	7	23.0	517	2	3	16	39	55	59	59	9	11.9	59	2	5	15	17	22	23	23
20-34	98	10.4	74	1	3	8	15	22	29	37	61	6.6	45	1	2	4	8	15	17	39
35-49	63	6.6	47	1	3	5	8	14	24	92	38	10.0	65	2	4	7	16	19	28	32
50-64	34	6.7	33	1	2	4	10	14	20	23	16	10.9	188	1	4	8	15	50	85	99 +
65 +	74	7.2	38	1	3	6	10	15	17	32	57	5.9	27	1	2	5	7	13	17	24
ALL AGES	282	9.1	88	1	3	6	12	21	31	51	182	7.7	59	1	3	5	11	17	21	53
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	1	6.0		6	6	6	6	6	6	6
13-19	13	12.4	42	6	7	10	16	23	25	25	5	7.8	103	1	1	3	13	25	25	25
20-34	65	9.6	52	2	4	8	14	19	26	31	55	8.1	118	1	3	5	8	19	23	68
35-49	65	6.7	29	1	3	5	10	15	19	21	34	7.4	57	1	3	5	10	15	19	41
50-64	39	8.5	45	1	3	6	12	19	22	27	27	8.7	58	2	3	6	12	24	25	26
65 +	118	9.2	79	2	3	6	12	21	28	41	128	5.9	18	2	3	4	8	12	13	21
ALL AGES	302	8.7	58	2	3	6	12	19	24	33	250	6.9	52	2	3	5	8	14	19	39
SUBTOTAL	**584**	**8.9**	**73**	**2**	**3**	**6**	**12**	**19**	**26**	**40**	**432**	**7.2**	**56**	**1**	**3**	**5**	**9**	**16**	**20**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	35.7	287	15	18	36	52	52	52	52										
13-19	26	15.3	171	3	4	13	19	37	40	46	2	25.5	1201	1	1	25	50	50	50	50
20-34	66	9.6	113	2	3	6	13	31	44	99 +	34	13.2	159	4	5	11	15	30	60	99 +
35-49	34	6.8	52	2	3	5	8	13	15	42	16	12.9	363	2	6	8	12	20	63	82
50-64	14	5.4	8	2	3	5	8	9	10	10	11	5.7	51	1	2	3	6	15	25	26
65 +	33	8.0	32	1	4	7	11	15	21	23	16	7.4	22	3	4	6	10	14	17	19
ALL AGES	180	10.3	124	2	3	6	13	27	40	85	79	11.3	177	3	4	7	13	24	42	95
B. FEMALE																				
0-12 YRS.	1	32.0		32	32	66	99 +	99 +	99 +	99 +	1	5.0		5	5	5	5	5	5	5
13-19	12	24.0	505	6	8	18	27	64	77	79	3	37.3	1374	1	10	36	65	75	75	75
20-34	51	9.1	62	2	3	6	14	20	21	37	22	11.0	94	1	4	7	15	28	31	34
35-49	34	8.5	72	2	3	7	10	17	31	38	20	7.2	72	2	3	5	7	14	27	40
50-64	19	9.1	53	1	2	5	15	20	21	22	12	19.3	529	4	5	8	32	48	77	82
65 +	39	10.6	179	2	4	7	13	20	24	82	35	8.2	105	2	3	4	11	21	23	54
ALL AGES	156	10.6	141	2	4	7	14	21	33	82	93	11.0	206	2	3	5	14	29	36	79
SUBTOTAL	**336**	**10.5**	**130**	**2**	**3**	**7**	**14**	**23**	**37**	**84**	**172**	**11.1**	**192**	**2**	**4**	**6**	**14**	**28**	**36**	**82**
GRAND TOTAL	**920**	**9.5**	**94**	**2**	**3**	**6**	**13**	**21**	**31**	**53**	**604**	**8.3**	**97**	**2**	**3**	**5**	**10**	**18**	**25**	**69**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4										
13-19																				
20-34											1	4.0		4	4	4	4	4	4	4
35-49																				
50-64																				
65 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5	1	9.0		9	9	9	9	9	9	9
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**3**	**3.3**	**5**	**1**	**2**	**4**	**5**	**5**	**5**	**5**	**3**	**5.3**	**11**	**3**	**3**	**4**	**8**	**9**	**9**	**9**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	32.9	134	17	29	35	45	99 +	99 +	99 +										
13-19	2	13.0	18	10	10	13	16	16	16	16	1	18.0		18	18	18	18	18	18	18
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	13	29.8	172	13	20	35	42	99 +	99 +	99 +	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.	6	35.0	377	7	28	35	46	60	62	62										
13-19	1	7.0		7	7	7	7	7	7	7										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	7	31.0	426	5	12	28	45	59	62	62										
SUBTOTAL	**20**	**30.3**	**238**	**9**	**18**	**32**	**42**	**73**	**99 +**	**99 +**	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	36.1	828	3	20	28	40	94	94	94										
13-19	1	83.0		83	83	83	83	83	83	83										
20-34	2	11.0	32	7	7	11	15	15	15	15										
35-49																				
50-64																				
65 +																				
ALL AGES	17	35.9	891	4	17	28	46	92	94	94										
B. FEMALE																				
0-12 YRS.	2	30.0	162	21	21	30	39	39	39	39	1	19.0		19	19	19	19	19	19	19
13-19	1	14.0		14	14	14	14	14	14	14										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	24.7	164	14	16	21	34	39	39	39	1	19.0		19	19	19	19	19	19	19
SUBTOTAL	**20**	**34.3**	**779**	**5**	**16**	**28**	**39**	**88**	**94**	**94**	**1**	**19.0**		**19**	**19**	**19**	**19**	**19**	**19**	**19**
GRAND TOTAL	**40**	**32.3**	**500**	**7**	**18**	**29**	**42**	**86**	**96**	**99 +**	**2**	**18.5**	**1**	**18**	**18**	**18**	**19**	**19**	**19**	**19**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	31.0	3	30	30	30	32	33	33	33										
13-19	1	5.0		5	5	5	5	5	5	5										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	24.5	171	5	17	30	32	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**4**	**24.5**	**171**	**5**	**17**	**30**	**32**	**33**	**33**	**33**										
GRAND TOTAL	**5**	**22.0**	**160**	**5**	**10**	**30**	**31**	**33**	**33**	**33**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	14.0		14	14	14	14	14	14	14	2	9.0	128	1	1	9	17	17	17	17
13-19	3	1.3		1	1	1	2	2	2	2	2	2.0		2	2	2	2	2	2	2
20-34	12	4.7	25	1	2	4	5	10	19	20	4	1.0		1	1	1	1	1	1	1
35-49	19	4.6	38	1	1	2	7	11	20	26	17	1.9	2	1	1	1	3	4	5	6
50-64	12	2.9	8	1	1	2	4	8	8	8	12	3.7	7	1	1	3	6	7	9	9
65 +	7	5.7	5	2	4	7	7	8	8	8	12	2.0	1	1	1	2	3	3	4	4
ALL AGES	55	4.5	25	1	1	3	7	9	14	26	49	2.6	8	1	1	2	3	6	7	17
B. FEMALE																				
0-12 YRS.	2	16.5	481	1	1	16	32	32	32	32										
13-19	4	1.8		1	1	2	2	2	2	2										
20-34	26	6.2	41	1	2	4	8	13	21	28	14	3.9	11	1	2	3	5	8	12	13
35-49	30	3.9	33	1	1	2	4	8	12	31	21	2.4	6	1	1	2	3	5	8	11
50-64	18	4.8	30	1	1	2	6	14	16	18	28	3.0	13	1	1	2	3	5	7	20
65 +	35	5.6	40	1	2	3	5	18	22	24	28	3.3	7	1	1	3	4	11	99 +	99 +
ALL AGES	115	5.2	42	1	1	3	6	14	19	31	91	3.1	9	1	1	2	4	7	12	99 +
SUBTOTAL	**170**	**5.0**	**36**	**1**	**1**	**3**	**6**	**13**	**18**	**30**	**140**	**2.9**	**9**	**1**	**1**	**2**	**3**	**6**	**10**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	12.5	41	8	8	12	17	17	17	17	1	5.0		5	5	5	5	5	5	5
20-34	15	7.8	49	2	3	5	11	20	24	25	8	4.9	31	1	1	3	5	14	18	18
35-49	17	7.2	34	1	2	6	10	14	20	23	8	5.4	48	1	2	2	6	18	21	21
50-64	8	8.4	30	4	5	7	9	17	21	21	1	1.0		1	1	1	1	1	1	1
65 +	7	8.9	69	2	5	5	11	23	26	26	4	8.5	139	1	1	3	15	26	26	26
ALL AGES	49	8.0	41	2	4	6	10	19	23	26	22	5.5	50	1	2	3	5	19	23	26
B. FEMALE																				
0-12 YRS.	3	39.7	404	28	28	28	54	63	63	63										
13-19	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
20-34	36	5.7	33	1	2	4	7	14	20	24	19	8.8	85	1	2	4	14	25	28	28
35-49	35	7.2	61	1	2	3	10	15	28	30	28	4.0	31	1	1	2	4	7	22	24
50-64	17	9.8	83	1	1	9	13	27	29	29	11	3.9	14	1	2	2	6	10	13	13
65 +	25	9.7	91	3	3	7	10	21	36	36	24	5.4	86	1	1	3	6	9	21	47
ALL AGES	117	8.4	94	1	2	5	11	23	29	45	84	5.4	58	1	2	3	6	13	23	41
SUBTOTAL	**166**	**8.3**	**78**	**1**	**2**	**5**	**11**	**21**	**28**	**36**	**106**	**5.5**	**55**	**1**	**2**	**3**	**6**	**15**	**23**	**36**
GRAND TOTAL	**336**	**6.6**	**60**	**1**	**2**	**4**	**8**	**15**	**24**	**33**	**246**	**4.0**	**30**	**1**	**1**	**2**	**4**	**9**	**18**	**48**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	3.5	8	1	1	3	6	6	6	6	2	1.0		1	1	1	1	1	1	1
13-19	2	2.5	1	2	2	2	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
20-34	5	4.4	7	2	3	4	5	9	9	9	10	3.4	12	1	2	2	3	8	13	13
35-49	11	4.5	14	1	1	4	8	10	11	11	6	2.7	2	1	1	2	4	5	5	5
50-64	3	4.0	27	1	1	1	8	10	10	10	3	3.0	1	2	2	3	4	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
ALL AGES	26	4.1	11	1	1	3	6	9	10	11	24	3.0	6	1	1	2	3	5	9	13
B. FEMALE																				
0-12 YRS.	5	1.8	1	1	1	2	2	3	3	3	4	1.8	1	1	1	2	2	3	3	3
13-19	18	3.4	6	1	2	3	4	6	9	11	12	2.3	2	1	1	2	3	5	6	6
20-34	56	6.8	65	1	2	3	8	18	24	41	21	3.9	8	1	2	3	5	8	10	12
35-49	34	7.1	138	1	1	3	7	31	52	99 +	20	5.7	48	1	2	4	6	11	22	32
50-64	8	6.4	32	1	2	4	11	15	16	16	4	3.3	14	1	1	2	5	9	9	9
65 +	5	5.2	38	1	2	3	7	16	16	16	11	6.5	121	1	2	3	6	20	37	39
ALL AGES	126	6.1	71	1	2	3	7	16	24	68	72	4.4	35	1	2	3	5	8	12	37
SUBTOTAL	**152**	**5.8**	**61**	**1**	**1**	**3**	**6**	**14**	**23**	**58**	**96**	**4.0**	**29**	**1**	**1**	**3**	**5**	**7**	**11**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	6.5	41	2	2	6	11	11	11	11	1	2.0		2	2	2	2	2	2	2
13-19	3	3.0		3	3	3	3	3	3	3										
20-34	8	4.5	23	1	1	2	6	13	15	15	7	5.7	4	4	4	5	6	9	10	10
35-49	13	6.5	80	2	2	3	6	18	31	34	2	3.0		3	3	3	3	3	3	3
50-64	4	9.0	24	3	5	10	13	13	13	13	1	14.0		14	14	14	14	14	14	14
65 +	2	4.0	2	3	3	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
ALL AGES	32	5.8	43	1	2	3	7	13	15	34	12	5.3	12	2	3	4	6	11	14	14
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-19	2	20.5	613	3	3	20	38	38	38	38	4	6.5	73	1	1	3	12	19	19	19
20-34	92	13.0	275	2	4	7	15	27	50	90	24	7.5	63	2	3	5	8	22	29	30
35-49	77	12.2	200	1	3	7	16	38	60	99 +	11	7.2	47	2	3	4	7	20	22	22
50-64	8	8.4	67	1	2	6	12	22	25	25	5	10.4	51	2	3	13	15	19	19	19
65 +	4	4.0	9	1	1	4	6	7	7	7	4	5.5	16	2	2	4	8	11	11	11
ALL AGES	183	12.4	229	2	3	7	15	32	51	96	49	7.4	51	1	3	5	9	19	22	30
SUBTOTAL	**215**	**11.4**	**207**	**2**	**3**	**6**	**14**	**27**	**43**	**93**	**61**	**7.0**	**44**	**2**	**3**	**5**	**8**	**19**	**21**	**30**
GRAND TOTAL	**367**	**9.1**	**153**	**1**	**2**	**5**	**12**	**22**	**38**	**90**	**157**	**5.2**	**36**	**1**	**2**	**3**	**6**	**12**	**19**	**32**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	24.5	145	16	16	24	33	33	33	33										
35-49											1	11.0		11	11	11	11	11	11	11
50-64																				
65 +																				
ALL AGES	2	24.5	145	16	16	24	33	33	33	33	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	35.0		35	35	35	35	35	35	35	1	4.0		4	4	4	4	4	4	4
35-49	3	5.7	30	2	2	3	10	12	12	12	1	9.0		9	9	9	9	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1	3	3.0	7	1	1	2	5	6	6	6
65 +	3	8.0	49	1	3	8	13	15	15	15										
ALL AGES	8	9.6	134	1	2	5	13	29	35	35	5	4.4	10	1	1	4	7	9	9	9
SUBTOTAL	**10**	**12.6**	**159**	**1**	**2**	**10**	**16**	**34**	**35**	**35**	**6**	**5.5**	**16**	**1**	**2**	**5**	**9**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	6	5.8	18	1	3	5	7	12	13	13	1	4.0		4	4	4	4	4	4	4
35-49	3	13.3	99	2	6	18	19	20	20	20	1	11.0		11	11	11	11	11	11	11
50-64	1	6.0		6	6	6	6	6	6	6										
65 +																				
ALL AGES	10	8.1	45	1	3	6	13	19	20	20	2	7.5	25	4	4	7	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	2	4.5	13	2	2	4	7	7	7	7										
20-34	5	18.6	180	3	9	14	31	35	35	35	2	4.0	18	1	1	4	7	7	7	7
35-49	6	12.2	49	2	8	13	18	19	19	19										
50-64	3	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
65 +	1	35.0		35	35	35	35	35	35	35	1	16.0		16	16	16	16	16	16	16
ALL AGES	17	13.6	117	2	7	10	18	34	35	35	4	7.0	42	1	2	5	11	16	16	16
SUBTOTAL	**27**	**11.6**	**94**	**2**	**4**	**7**	**18**	**28**	**35**	**35**	**6**	**7.2**	**30**	**1**	**4**	**6**	**11**	**15**	**16**	**16**
GRAND TOTAL	**37**	**11.8**	**109**	**1**	**3**	**8**	**17**	**32**	**35**	**35**	**12**	**6.3**	**22**	**1**	**3**	**5**	**10**	**13**	**16**	**16**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	4	12.3	195	2	4	7	20	33	33	33										
35-49																				
50-64																				
65 +																				
ALL AGES	4	12.3	195	2	4	7	20	33	33	33										
B. FEMALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-19																				
20-34	4	7.0	23	3	4	5	10	14	14	14	3	14.7	85	4	8	19	20	21	21	21
35-49	2	4.5	1	4	4	4	5	5	5	5										
50-64											1	27.0		27	27	27	27	27	27	27
65 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	7	9.9	107	3	4	5	12	28	32	32	5	17.0	75	4	11	19	22	27	27	27
SUBTOTAL	**11**	**10.7**	**126**	**3**	**4**	**6**	**12**	**32**	**33**	**33**	**5**	**17.0**	**75**	**4**	**11**	**19**	**22**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	4	18.5	235	2	5	19	31	33	33	33	1	9.0		9	9	9	9	9	9	9
20-34	5	10.0	16	6	7	8	13	16	16	16	2	2.0	2	1	1	2	3	3	3	3
35-49	3	29.7	139	20	21	26	39	43	43	43										
50-64	2	7.0	18	4	4	7	10	10	10	10										
65 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	15	16.3	142	4	8	12	24	33	40	43	3	4.3	18	1	1	3	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	2	12.0	50	7	7	12	17	17	17	17	1	4.0		4	4	4	4	4	4	4
20-34	2	22.5	313	10	10	22	35	35	35	35	1	27.0		27	27	27	27	27	27	27
35-49	5	7.2	44	2	2	4	12	17	17	17	3	7.7	21	5	5	5	11	13	13	13
50-64	5	13.2	81	6	7	10	18	28	28	28	2	16.0	72	10	10	16	22	22	22	22
65 +	4	21.5	158	7	11	23	32	33	33	33	1	4.0		4	4	4	4	4	4	4
ALL AGES	18	14.3	114	3	7	11	17	32	34	35	8	11.3	77	4	4	8	17	25	27	27
SUBTOTAL	**33**	**15.2**	**124**	**3**	**7**	**11**	**21**	**33**	**35**	**43**	**11**	**9.4**	**68**	**2**	**4**	**5**	**12**	**24**	**27**	**27**
GRAND TOTAL	**44**	**14.1**	**125**	**3**	**6**	**10**	**19**	**33**	**34**	**43**	**16**	**11.8**	**78**	**3**	**4**	**9**	**20**	**26**	**27**	**27**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	27	26.9	201	10	15	28	34	45	51	61	2	12.0	18	9	9	12	15	15	15	15
13-19	32	17.4	392	1	3	11	25	64	69	99 +	3	8.7	79	3	3	4	15	19	19	19
20-34	35	4.6	20	1	2	3	6	8	17	21	3	7.3	61	1	2	5	13	16	16	16
35-49	20	5.3	35	1	2	3	6	12	19	26	10	5.5	21	1	2	4	8	12	16	16
50-64	8	7.5	48	1	2	4	14	17	18	18	4	3.5	6	1	1	3	5	6	6	6
65 +	7	7.7	35	1	3	6	13	16	17	17	10	5.3	9	1	3	5	8	10	11	11
ALL AGES	129	12.9	228	1	3	7	18	34	45	75	32	6.1	23	1	2	5	8	15	16	19
B. FEMALE																				
0-12 YRS.	9	20.7	202	5	8	21	28	43	47	47	2	5.5	25	2	2	5	9	9	9	9
13-19	99	11.3	167	2	3	8	15	23	51	99 +	11	10.2	42	4	6	9	13	19	25	26
20-34	67	5.0	19	1	2	4	7	10	14	22	14	4.2	14	1	2	3	5	10	13	14
35-49	51	7.0	35	1	3	6	9	16	21	29	18	5.0	9	1	3	4	7	10	11	11
50-64	19	5.0	22	1	1	4	7	13	16	16	5	2.8	6	1	1	2	3	7	7	7
65 +	30	6.8	46	1	3	4	7	14	25	31	17	7.2	34	2	3	5	11	17	18	19
ALL AGES	275	8.4	94	1	3	6	10	19	26	73	67	6.1	25	1	2	5	9	14	16	25
SUBTOTAL	**404**	**9.8**	**142**	**1**	**3**	**6**	**13**	**24**	**36**	**73**	**99**	**6.1**	**24**	**1**	**2**	**5**	**8**	**14**	**16**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	123	29.2	180	13	21	29	37	47	59	99 +										
13-19	187	19.1	358	2	6	14	28	44	60	99	14	14.0	101	1	8	14	19	29	31	31
20-34	110	7.6	92	1	2	4	8	18	26	46	10	9.5	135	1	1	3	19	29	30	30
35-49	84	7.1	34	1	3	6	10	16	17	28	17	6.5	99	1	2	3	5	26	33	34
50-64	21	6.9	54	1	2	4	9	18	26	27	2	14.5	113	7	7	14	22	22	22	22
65 +	14	11.1	82	2	4	7	18	26	28	28	3	4.0	7	2	2	3	6	7	7	7
ALL AGES	539	16.5	266	2	4	11	26	40	50	96	46	9.6	107	1	2	4	18	29	31	34
B. FEMALE																				
0-12 YRS.	44	32.0	374	11	21	29	37	51	69	99	3	26.7	100	15	19	32	33	33	33	33
13-19	249	16.7	273	3	6	12	23	37	49	95	31	13.7	80	4	7	12	21	26	32	33
20-34	193	7.8	52	1	3	5	11	17	24	35	33	7.1	33	2	3	5	9	16	21	24
35-49	150	7.1	45	2	3	5	9	14	17	38	28	6.8	26	2	3	5	9	16	17	18
50-64	40	7.9	31	3	4	7	11	15	20	26	7	9.7	27	5	6	8	13	18	19	19
65 +	35	11.5	163	2	4	8	13	24	48	49	12	10.3	210	1	2	5	9	33	48	51
ALL AGES	711	12.5	193	2	4	8	15	30	39	77	114	9.8	77	2	4	7	13	24	27	40
SUBTOTAL	**1250**	**14.2**	**229**	**2**	**4**	**9**	**20**	**35**	**44**	**91**	**160**	**9.8**	**84**	**1**	**3**	**7**	**14**	**25**	**30**	**34**
GRAND TOTAL	**1654**	**13.1**	**212**	**2**	**3**	**8**	**17**	**33**	**43**	**88**	**259**	**8.4**	**64**	**1**	**3**	**6**	**11**	**19**	**26**	**33**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	5.3	17	3	3	3	8	10	10	10	1	3.0		3	3	3	3	3	3	3
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	3	5.3	17	3	3	3	8	10	10	10	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**4**	**4.3**	**15**	**1**	**2**	**3**	**7**	**10**	**10**	**10**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	7.0		7	7	7	7	7	7	7										
50-64	2	10.0	2	9	9	10	11	11	11	11										
65 +																				
ALL AGES	3	9.0	4	7	7	9	10	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
35-49	2	8.5	113	1	1	8	16	16	16	16										
50-64	1	5.0		5	5	5	5	5	5	5										
65 +																				
ALL AGES	4	6.0	47	1	1	3	10	16	16	16	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**7**	**7.3**	**27**	**1**	**3**	**7**	**10**	**15**	**16**	**16**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**11**	**6.2**	**23**	**1**	**2**	**5**	**10**	**13**	**16**	**16**	**4**	**2.5**		**2**	**2**	**2**	**3**	**3**	**3**	**3**

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	5.0		5	5	5	5	5	5	5										
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	2	3.0	8	1	1	3	5	5	5	5										
SUBTOTAL	**2**	**3.0**	**8**	**1**	**1**	**3**	**5**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	7.0		7	7	7	7	7	7	7
35-49																				
50-64	1	7.0		7	7	7	7	7	7	7										
65 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											2	15.5	365	2	2	15	29	29	29	29
50-64																				
65 +	3	11.0	12	9	9	9	14	15	15	15										
ALL AGES	3	11.0	12	9	9	9	14	15	15	15	2	15.5	365	2	2	15	29	29	29	29
SUBTOTAL	**4**	**10.0**	**12**	**7**	**8**	**9**	**12**	**15**	**15**	**15**	**3**	**12.7**	**205**	**2**	**3**	**7**	**23**	**29**	**29**	**29**
GRAND TOTAL	**6**	**7.7**	**21**	**1**	**5**	**8**	**9**	**14**	**15**	**15**	**3**	**12.7**	**205**	**2**	**3**	**7**	**23**	**29**	**29**	**29**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	29.0		29	29	29	29	29	29	29
20-34	2	2.5	1	2	2	2	3	3	3	3										
35-49	3	2.3	2	1	1	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
50-64	4	7.0	27	1	3	7	11	13	13	13										
65 +																				
ALL AGES	9	4.4	17	1	2	3	6	11	13	13	2	15.5	365	2	2	15	29	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-19	1	6.0		6	6	6	6	6	6	6	2	6.0	18	3	3	6	9	9	9	9
20-34	13	2.8	5	1	2	2	3	7	7	7										
35-49	1	7.0		7	7	7	7	7	7	7	3	4.3	2	3	3	5	5	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3	1	15.0		15	15	15	15	15	15	15
65 +	1	2.0		2	2	2	2	2	2	2	1	11.0		11	11	11	11	11	11	11
ALL AGES	18	3.1	5	1	2	2	5	7	7	7	7	7.3	20	3	4	5	10	14	15	15
SUBTOTAL	**27**	**3.6**	**8**	**1**	**2**	**2**	**5**	**7**	**10**	**13**	**9**	**9.1**	**74**	**2**	**3**	**5**	**12**	**23**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49	3	3.3	6	2	2	2	5	6	6	6										
50-64	1	4.0		4	4	4	4	4	4	4	1	13.0		13	13	13	13	13	13	13
65 +	2	2.5	5	1	1	2	4	4	4	4	1	10.0		10	10	10	10	10	10	10
ALL AGES	7	3.7	5	1	2	4	6	7	7	7	2	11.5	5	10	10	11	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	6	9.3	89	3	4	6	8	26	28	28										
35-49	3	10.3	53	2	5	14	15	15	15	15	2	27.0	722	8	8	27	46	46	46	46
50-64	7	6.0	22	2	4	5	6	14	16	16	1	15.0		15	15	15	15	15	15	15
65 +	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	17	7.8	47	2	4	5	10	16	24	28	4	18.3	360	4	6	11	30	46	46	46
SUBTOTAL	**24**	**6.6**	**37**	**2**	**3**	**5**	**7**	**15**	**20**	**28**	**6**	**16.0**	**231**	**4**	**8**	**11**	**15**	**43**	**46**	**46**
GRAND TOTAL	**51**	**5.0**	**24**	**1**	**2**	**3**	**6**	**11**	**15**	**28**	**15**	**11.9**	**136**	**3**	**4**	**9**	**14**	**29**	**42**	**46**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-19	4	2.5	6	1	1	2	4	6	6	6	9	1.4	1	1	1	1	2	3	3	3
20-34	13	2.3	2	1	1	3	3	4	6	6	10	3.7	20	1	1	1	9	11	12	12
35-49	14	8.0	151	1	2	4	7	23	42	47	7	5.9	123	1	1	2	3	25	31	31
50-64	7	5.3	16	2	3	4	5	12	14	14	2	1.5	1	1	1	1	2	2	2	2
65 +	7	3.7	4	1	2	4	6	6	6	6	10	5.5	40	1	2	3	8	16	20	20
ALL AGES	50	4.4	50	1	1	3	5	7	14	47	39	3.9	37	1	1	2	3	11	17	31
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
13-19	7	4.4	48	1	1	2	3	17	20	20	10	2.7	3	1	1	2	4	5	6	6
20-34	12	3.2	12	1	2	2	3	7	13	14	9	2.6	5	1	1	2	3	6	8	8
35-49	6	2.0	2	1	1	1	2	5	5	5	10	4.4	19	1	1	2	7	11	12	12
50-64	5	3.8	6	1	2	4	5	7	7	7	8	4.9	16	1	3	4	5	12	14	14
65 +	14	4.7	21	1	2	3	4	10	17	19	8	5.9	27	1	2	4	8	14	16	16
ALL AGES	45	3.9	18	1	2	3	4	9	15	20	46	4.0	14	1	1	3	5	10	12	16
SUBTOTAL	**95**	**4.2**	**34**	**1**	**1**	**3**	**4**	**7**	**14**	**35**	**85**	**4.0**	**24**	**1**	**1**	**2**	**4**	**11**	**13**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	2	3.0		3	3	3	3	3	3	3
13-19	11	5.4	27	1	2	3	9	14	16	16	25	4.4	18	1	1	3	6	10	14	19
20-34	42	3.3	20	1	1	2	3	7	13	24	49	2.6	7	1	1	2	3	6	8	13
35-49	35	3.5	23	1	2	2	4	6	7	29	22	2.8	7	1	1	2	4	8	9	9
50-64	11	3.2	3	1	2	3	4	6	6	6	9	4.9	17	1	1	4	9	11	12	12
65 +	2	4.0	18	1	1	4	7	7	7	7	7	5.1	14	2	2	3	8	11	11	11
ALL AGES	102	3.6	19	1	1	2	4	7	11	26	114	3.4	11	1	1	2	5	9	11	15
B. FEMALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5	2	8.0	32	4	4	8	12	12	12	12
13-19	9	8.4	107	1	1	3	12	24	32	32	15	6.1	48	1	2	2	9	17	22	24
20-34	31	3.0	5	1	1	3	4	5	8	11	39	3.7	9	1	2	3	5	8	10	13
35-49	22	4.4	30	1	1	2	6	10	17	25	30	3.7	21	1	1	2	4	7	9	25
50-64	4	3.3	4	1	1	3	5	6	6	6	3	4.7	9	2	2	4	7	8	8	8
65 +	5	2.0	1	1	1	2	3	3	3	3	7	4.9	9	2	2	4	7	10	10	10
ALL AGES	73	4.1	26	1	1	2	4	10	12	30	96	4.3	19	1	1	3	6	9	12	25
SUBTOTAL	**175**	**3.8**	**22**	**1**	**1**	**2**	**4**	**7**	**12**	**28**	**210**	**3.8**	**15**	**1**	**1**	**2**	**5**	**9**	**11**	**21**
GRAND TOTAL	**270**	**3.9**	**26**	**1**	**1**	**2**	**4**	**7**	**13**	**28**	**295**	**3.9**	**17**	**1**	**1**	**2**	**5**	**9**	**12**	**22**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
ALL AGES	2	3.0	8	1	1	2	5	5	5	5	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	5.0		5	5	5	5	5	5	5
65 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**2**	**3.0**	**8**	**1**	**1**	**2**	**5**	**5**	**5**	**5**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7										
50-64																				
65 +	1	33.0		33	33	33	33	33	33	33										
ALL AGES	3	15.0	244	5	5	7	26	33	33	33	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**11.8**	**203**	**2**	**3**	**6**	**20**	**33**	**33**	**33**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**6**	**8.8**	**146**	**1**	**2**	**5**	**7**	**30**	**33**	**33**	**3**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**5**

AFFECTIVE PERSONALITY (301.1)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	2	6.0		6	6	6	6	6	6	6										
20-34	1	14.0		14	14	14	14	14	14	14	1	4.0		4	4	4	4	4	4	4
35-49	2	21.0	128	13	13	21	29	29	29	29										
50-64																				
65 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	5	13.6	88	6	6	13	18	29	29	29	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	**5**	**13.6**	**88**	**6**	**6**	**13**	**18**	**29**	**29**	**29**	**2**	**5.0**	**2**	**4**	**4**	**5**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	4	3.8	4	1	2	4	5	6	6	6										
35-49	1	7.0		7	7	7	7	7	7	7										
50-64											1	4.0		4	4	4	4	4	4	4
65 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	6	3.8	7	1	1	4	6	7	7	7	2	5.5	5	4	4	5	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19	2	17.5	481	2	2	17	33	33	33	33										
20-34	3	4.7	16	1	2	4	8	9	9	9	1	4.0		4	4	4	4	4	4	4
35-49	2	14.0	8	12	12	14	16	16	16	16										
50-64																				
65 +																				
ALL AGES	7	11.0	124	1	2	9	15	30	33	33	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**13**	**7.7**	**78**	**1**	**2**	**5**	**10**	**19**	**30**	**33**	**3**	**5.0**	**3**	**4**	**4**	**4**	**6**	**7**	**7**	**7**
GRAND TOTAL	**18**	**9.3**	**84**	**1**	**3**	**6**	**13**	**25**	**31**	**33**	**5**	**5.0**	**2**	**4**	**4**	**4**	**6**	**7**	**7**	**7**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2	4	9.0	105	2	2	5	15	24	24	24
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	3	18.0	721	2	2	3	37	49	49	49	4	9.0	105	2	2	5	15	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	13.7	15	9	11	16	16	16	16	16	1	12.0		12	12	12	12	12	12	12
50-64																				
65 +											1	20.0		20	20	20	20	20	20	20
ALL AGES	3	13.7	15	9	11	16	16	16	16	16	2	16.0	32	12	12	16	20	20	20	20
SUBTOTAL	**6**	**15.8**	**302**	**2**	**3**	**12**	**16**	**46**	**49**	**49**	**6**	**11.3**	**83**	**2**	**3**	**9**	**20**	**24**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	5	2.8	7	1	1	1	5	7	7	7	2	6.0	50	1	1	6	11	11	11	11
35-49	2	9.5	85	3	3	9	16	16	16	16										
50-64																				
65 +																				
ALL AGES	8	4.3	27	1	1	2	5	13	16	16	2	6.0	50	1	1	6	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5	1	9.0		9	9	9	9	9	9	9
20-34	2	16.0		16	16	16	16	16	16	16	1	4.0		4	4	4	4	4	4	4
35-49																				
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	4	9.5	59	1	3	10	16	16	16	16	2	6.5	13	4	4	6	9	9	9	9
SUBTOTAL	**12**	**6.0**	**40**	**1**	**1**	**3**	**11**	**16**	**16**	**16**	**4**	**6.3**	**20**	**1**	**2**	**6**	**10**	**11**	**11**	**11**
GRAND TOTAL	**18**	**9.3**	**137**	**1**	**1**	**4**	**16**	**16**	**36**	**49**	**10**	**9.3**	**60**	**1**	**3**	**8**	**12**	**22**	**24**	**24**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-19	1	12.0		12	34	99+	99+	99+	99+	99+	2	18.0	512	2	2	18	34	34	34	34
20-34	4	2.5	2	1	1	2	3	4	4	4										
35-49	3	11.0	61	6	6	7	17	20	20	20										
50-64	1	4.0		4	4	4	4	4	4	4										
65 +																				
ALL AGES	11	5.9	31	2	3	4	14	99+	99+	99+	2	18.0	512	2	2	18	34	34	34	34
B. FEMALE																				
0-12 YRS.	2	32.0		32	32	32	32	32	32	32										
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	1	24.0		24	24	24	24	24	24	24										
50-64																				
65 +																				
ALL AGES	4	22.3	212	1	12	28	32	32	32	32										
SUBTOTAL	**15**	**10.3**	**123**	**1**	**3**	**6**	**26**	**86**	**99+**	**99+**	**2**	**18.0**	**512**	**2**	**2**	**18**	**34**	**34**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	6.7	96	1	1	18	99+	99+	99+	99+										
20-34	1	6.0		6	6	6	6	6	6	6	3	2.3	1	2	2	2	3	3	3	3
35-49	1	18.0		18	18	18	18	18	18	18	1	1.0		1	1	1	1	1	1	1
50-64																				
65 +																				
ALL AGES	5	8.8	75	1	2	18	79	99+	99+	99+	4	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19	2	11.5	41	7	7	11	16	16	16	16										
20-34											1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	18	1	1	4	7	7	7	7	1	2.0		2	2	2	2	2	2	2
50-64																				
65 +																				
ALL AGES	4	7.8	37	1	4	7	12	16	16	16	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**9**	**8.3**	**53**	**1**	**2**	**7**	**18**	**99+**	**99+**	**99+**	**6**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**24**	**9.5**	**95**	**1**	**3**	**7**	**22**	**99+**	**99+**	**99+**	**8**	**5.9**	**129**	**1**	**1**	**2**	**3**	**25**	**34**	**34**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	7.0		7	7	7	7	7	7	7										
35-49																				
50-64																				
65 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	19.0		19	19	19	19	19	19	19										
35-49																				
50-64																				
65 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
SUBTOTAL	**2**	**13.0**	**72**	**7**	**7**	**13**	**19**	**19**	**19**	**19**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
50-64	1	23.0		23	23	23	23	23	23	23										
65 +																				
ALL AGES	2	12.5	221	2	2	12	23	23	23	23	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-19	1	21.0		21	21	21	21	21	21	21										
20-34	2	12.5	61	7	7	12	18	18	18	18	1	5.0		5	5	5	5	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5										
50-64	1	1.0		1	1	1	1	1	1	1										
65 +																				
ALL AGES	5	10.4	75	1	4	7	19	21	21	21	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**7**	**11.0**	**88**	**1**	**3**	**7**	**20**	**23**	**23**	**23**	**2**	**6.5**	**5**	**5**	**5**	**6**	**8**	**8**	**8**	**8**
GRAND TOTAL	**9**	**11.4**	**77**	**1**	**4**	**7**	**19**	**22**	**23**	**23**	**2**	**6.5**	**5**	**5**	**5**	**6**	**8**	**8**	**8**	**8**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
35-49	3	11.7	280	1	1	3	24	31	31	31	2	4.0	18	1	1	4	7	7	7	7
50-64																				
65 +											2	2.0		2	2	2	2	2	2	2
ALL AGES	5	10.0	149	1	2	5	15	31	31	31	6	2.5	5	1	1	2	2	7	7	7
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51	2	15.5	421	1	1	15	30	30	30	30
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-49											1	3.0		3	3	3	3	3	3	3
50-64											1	6.0		6	6	6	6	6	6	6
65 +																				
ALL AGES	2	26.0	1250	1	1	26	51	51	51	51	5	8.4	149	1	2	3	12	30	30	30
SUBTOTAL	**7**	**14.6**	**368**	**1**	**2**	**5**	**26**	**47**	**51**	**51**	**11**	**5.2**	**72**	**1**	**1**	**2**	**5**	**16**	**29**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	4	3.3	6	2	2	2	5	7	7	7	1	6.0		6	6	6	6	6	6	6
35-49	2	14.5	113	7	7	14	22	22	22	22										
50-64	2	4.0	18	1	1	3	7	7	7	7	2	9.5	1	9	9	9	10	10	10	10
65 +	1	11.0		11	11	11	11	11	11	11	1	11.0		11	11	11	11	11	11	11
ALL AGES	9	6.8	44	1	2	7	8	18	22	22	5	7.8	11	3	5	9	10	11	11	11
SUBTOTAL	**10**	**6.4**	**40**	**1**	**2**	**5**	**7**	**16**	**22**	**22**	**5**	**7.8**	**11**	**3**	**5**	**9**	**10**	**11**	**11**	**11**
GRAND TOTAL	**17**	**9.8**	**177**	**1**	**2**	**5**	**10**	**29**	**44**	**51**	**16**	**6.0**	**52**	**1**	**2**	**3**	**8**	**11**	**24**	**30**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	6.0	18	3	3	6	9	9	9	9										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	3	4.7	14	2	2	3	7	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	7.0		7	7	7	7	7	7	7										
50-64	1	7.0		7	7	7	7	7	7	7										
65 +																				
ALL AGES	2	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**5**	**5.6**	**9**	**2**	**3**	**7**	**8**	**9**	**9**	**9**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	5.0		5	5	5	5	5	5	5										
20-34	2	11.5	1	11	11	11	12	12	12	12										
35-49	1	5.0		5	5	5	5	5	5	5										
50-64	1	24.0		24	24	24	24	24	24	24										
65 +																				
ALL AGES	5	11,4	60	5	5	11	15	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	4.0	8	2	2	4	6	6	6	6										
35-49	1	7.0		7	7	7	7	7	7	7										
50-64	2	4.5	5	3	3	4	6	6	6	6										
65 +																				
ALL AGES	5	4.8	5	2	3	6	6	7	7	7										
SUBTOTAL	**10**	**8.1**	**41**	**2**	**5**	**6**	**11**	**18**	**24**	**24**										
GRAND TOTAL	**15**	**7.3**	**30**	**2**	**4**	**6**	**9**	**12**	**21**	**24**										

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
20-34	3	1.7		1	1	2	2	2	2	2	3	2.7		2	2	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6	1	10.0		10	10	10	10	10	10	10
50-64																				
65 +																				
ALL AGES	6	2.5	3	1	2	2	2	6	6	6	5	3.8	13	1	2	3	5	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-19											1	7.0		7	7	7	7	7	7	7
20-34											2	3.5	5	2	2	3	5	5	5	5
35-49																				
50-64																				
65 +																				
ALL AGES											3	4.7	6	2	3	5	6	7	7	7
SUBTOTAL	**6**	**2.5**	**3**	**1**	**2**	**2**	**2**	**6**	**6**	**6**	**8**	**4.1**	**10**	**1**	**2**	**3**	**6**	**9**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	7	4.1	5	2	3	3	5	8	8	8	5	6.2	89	1	1	3	8	23	23	23
20-34	8	2.6	12	1	1	1	2	9	11	11	3	1.7		1	1	2	2	2	2	2
35-49	5	4.8	28	1	2	3	6	14	14	14	2	12.0	128	4	4	12	20	20	20	20
50-64																				
65 +																				
ALL AGES	20	3.7	13	1	1	3	4	9	12	14	10	6.0	68	1	1	2	4	21	23	23
B. FEMALE																				
0-12 YRS.																				
13-19	2	2.0	2	1	1	2	3	3	3	3										
20-34	4	5.0	4	4	4	4	6	8	8	8										
35-49	1	60.0		60	60	60	60	60	60	60										
50-64																				
65 +																				
ALL AGES	7	12.0	452	1	3	4	7	50	60	60										
SUBTOTAL	**27**	**5.9**	**127**	**1**	**1**	**3**	**4**	**10**	**21**	**60**	**10**	**6.0**	**68**	**1**	**1**	**2**	**4**	**21**	**23**	**23**
GRAND TOTAL	**33**	**5.2**	**106**	**1**	**2**	**3**	**4**	**9**	**14**	**60**	**18**	**5.2**	**40**	**1**	**2**	**3**	**5**	**17**	**22**	**23**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	10.8	125	1	4	7	17	27	27	27	2	3.5	1	3	3	3	4	4	4	4
20-34	12	5.7	46	1	2	4	6	13	24	26	8	3.8	15	1	1	2	6	10	11	11
35-49	6	8.7	53	2	3	6	13	20	21	21	4	13.3	104	3	4	13	22	24	24	24
50-64	2	6.5	25	3	3	6	10	10	10	10										
65 +	1	7.0		7	7	7	7	7	7	7	1	6.0		6	6	53	99 +	99 +	99 +	99 +
ALL AGES	25	7.3	54	1	3	5	8	21	26	27	15	6.4	49	1	2	4	10	24	77	99 +
B. FEMALE																				
0-12 YRS.																				
13-19	10	7.1	57	1	1	3	17	18	19	19	4	3.5	6	1	2	3	5	7	7	7
20-34	48	6.4	48	1	2	4	7	14	20	33	13	5.3	39	1	2	3	6	16	21	22
35-49	27	8.0	60	1	3	5	10	21	26	26	4	12.0	149	2	2	9	21	28	28	28
50-64	4	4.0	3	2	2	4	5	6	6	6	2	4.0	2	3	3	4	5	5	5	5
65 +	3	7.7	114	1	1	2	15	20	20	20	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	92	6.9	51	1	2	4	8	18	21	33	25	5.9	48	1	2	3	6	15	23	28
SUBTOTAL	**117**	**7.0**	**51**	**1**	**2**	**4**	**8**	**18**	**24**	**33**	**40**	**6.1**	**47**	**1**	**2**	**3**	**7**	**21**	**26**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	53.0		53	53	53	53	53	53	53										
13-19	5	4.0	9	1	1	4	7	7	7	7	4	5.3	14	1	2	5	8	9	9	9
20-34	29	7.5	84	1	2	4	9	21	32	37	13	3.7	4	1	2	3	5	6	7	7
35-49	9	3.4	7	1	2	3	4	8	10	10	5	4.6	8	1	2	4	7	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
65 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	47	8.5	155	1	2	3	9	25	39	53	23	4.1	6	1	3	3	6	8	9	9
B. FEMALE -																				
0-12 YRS.																				
13-19	24	14.1	492	1	2	4	13	37	73	88	1	33.0		33	33	33	33	33	33	33
20-34	94	6.6	45	1	2	4	9	15	23	31	18	8.4	167	1	1	4	9	20	42	55
35-49	26	4.7	10	1	2	4	7	9	10	12	8	3.5	7	1	2	3	4	8	9	9
50-64	1	2.0		2	2	2	2	2	2	2										
65 +	3	14.0	108	2	6	20	20	20	20	20										
ALL AGES	148	7.6	119	1	2	4	9	17	27	67	27	7.9	141	1	2	3	9	21	36	55
SUBTOTAL	**195**	**7.8**	**127**	**1**	**2**	**4**	**9**	**18**	**31**	**61**	**50**	**6.2**	**81**	**1**	**2**	**3**	**7**	**10**	**22**	**55**
GRAND TOTAL	**312**	**7.5**	**98**	**1**	**2**	**4**	**8**	**18**	**26**	**53**	**90**	**6.1**	**66**	**1**	**2**	**3**	**7**	**15**	**24**	**82**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19	7	2.7	12	1	1	1	3	9	10	10	1	13.0		13	13	13	13	13	13	13
20-34	3	1.7	1	1	1	1	2	3	3	3	2	2.0	2	1	1	2	3	3	3	3
35-49	2	4.0	8	2	2	4	6	6	6	6										
50-64	3	4.0	27	1	1	1	8	10	10	10										
65 +																				
ALL AGES	15	2.9	11	1	1	1	4	10	10	10	4	4.8	30	1	1	2	8	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-19	2	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
20-34	4	5.0	15	2	2	4	8	10	10	10	5	4.4	4	2	3	4	6	7	7	7
35-49	2	5.5	5	4	4	5	7	7	7	7	5	8.6	72	2	3	6	12	23	23	23
50-64	2	1.5	1	1	1	1	2	2	2	2	1	16.0		16	16	16	16	16	16	16
65 +																				
ALL AGES	10	3.8	9	1	2	2	6	8	10	10	12	7.1	40	2	3	5	8	18	22	23
SUBTOTAL	**25**	**3.3**	**9**	**1**	**1**	**2**	**5**	**10**	**10**	**10**	**16**	**6.5**	**37**	**2**	**2**	**4**	**8**	**16**	**21**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	61.0		61	61	61	61	61	61	61										
13-19	2	5.5	1	5	5	5	6	6	6	6										
20-34	11	3.7	20	1	1	2	4	10	15	16	2	1.5	1	1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4	2	6.0		6	6	6	6	6	6	6
50-64	2	4.0	8	2	2	4	6	6	6	6										
65 +																				
ALL AGES	18	10.3	353	1	1	4	6	47	61	61	4	3.8	6	1	1	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-19	4	6.5	3	5	5	6	8	9	9	9	2	21.0	242	10	10	21	32	32	32	32
20-34	11	3.5	14	1	1	2	3	10	13	13	3	6.0	48	2	2	2	11	14	14	14
35-49											4	9.5	18	5	6	9	12	15	15	15
50-64	1	5.0		5	5	5	5	5	5	5										
65 +											2	6.0	2	5	5	6	7	7	7	7
ALL AGES	16	4.4	11	1	2	3	6	9	12	13	11	10.0	72	2	5	8	13	22	31	32
SUBTOTAL	**34**	**7.5**	**196**	**1**	**2**	**4**	**6**	**13**	**52**	**61**	**15**	**8.3**	**61**	**2**	**3**	**6**	**10**	**15**	**28**	**32**
GRAND TOTAL	**59**	**5.7**	**120**	**1**	**1**	**3**	**6**	**10**	**15**	**61**	**31**	**7.4**	**47**	**2**	**2**	**6**	**10**	**15**	**23**	**32**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	6.0		6	6	6	6	6	6	6										
20-34											2	10.5	5	9	9	10	12	12	12	12
35-49																				
50-64																				
65 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	2	10.5	5	9	9	10	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**	**2**	**10.5**	**5**	**9**	**9**	**10**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	10.3	3	9	9	10	11	12	12	12	1	4.0		4	4	4	4	4	4	4
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
50-64																				
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	5	8.2	14	2	6	9	10	12	12	12	2	4.5	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**5**	**8.2**	**14**	**2**	**6**	**9**	**10**	**12**	**12**	**12**	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**6**	**7.8**	**13**	**2**	**6**	**8**	**10**	**12**	**12**	**12**	**4**	**7.5**	**14**	**4**	**4**	**7**	**10**	**12**	**12**	**12**

EXHIBITIONISM (302.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	5.0		5	5	5	5	5	5	5
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											1	5.0		5	5	5	5	5	5	5
GRAND TOTAL											1	5.0		5	5	5	5	5	5	5

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											10	4.8	1	4	4	4	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2										
50-64											4	6.0	5	4	4	6	8	8	8	8
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	14	5.1	3	4	4	4	6	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											68	8.4	4	9	9	9	9	9	9	9
35-49											88	8.2	6	4	9	9	9	9	9	10
50-64											20	7.7	9	2	9	9	9	10	10	10
65 +																				
ALL AGES											176	8.2	6	3	9	9	9	9	9	10
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**190**	**8.0**	**5**	**4**	**9**	**9**	**9**	**9**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**190**	**8.0**	**5**	**4**	**9**	**9**	**9**	**9**	**9**	**10**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.											1	17.0		17	17	17	17	17	17	17
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	17.0		17	17	17	17	17	17	17
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

WESTERN REGION, JANUARY-DECEMBER 1990

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
50-64	4	1.3		1	1	1	2	2	2	2	3	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
ALL AGES	6	1.7	1	1	1	1	2	4	4	4	5	1.6	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	6	1.7	1	1	1	1	2	4	4	4	5	1.6	1	1	1	1	2	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	14.0		14	14	14	14	14	14	14										
20-34																				
35-49																				
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	2	7.5	85	1	1	7	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	2	7.5	85	1	1	7	14	14	14	14										
GRAND TOTAL	8	3.1	21	1	1	1	3	11	14	14	5	1.6	1	1	1	1	2	3	3	3

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	3.0		3	3	3	3	3	3	3										
35-49																				
50-64																				
65 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34																				
35-49											1	20.0		20	20	20	20	20	20	20
50-64																				
65 +																				
ALL AGES											2	11.5	145	3	3	11	20	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											2	11.5	145	3	3	11	20	20	20	20
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3	3	8.7	96	3	3	3	16	20	20	20

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	82.0		82	82	82	82	82	82	82										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	82.0		82	82	82	82	82	82	82										
SUBTOTAL	**1**	**82.0**		**82**	**82**	**82**	**82**	**82**	**82**	**82**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49																				
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**2**	**43.5**	**2965**	**5**	**5**	**43**	**82**	**82**	**82**	**82**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	6	5.8	81	1	1	2	4	22	24	24	8	1.6	1	1	1	1	2	3	3	3
20-34	80	3.3	22	1	1	2	3	7	9	27	51	3.9	34	1	1	2	3	11	20	27
35-49	142	3.0	16	1	1	2	3	6	9	28	85	4.2	29	1	1	2	4	9	15	29
50-64	75	4.6	36	1	2	3	5	7	24	28	47	5.1	32	1	1	3	7	12	18	28
65 +	40	5.1	17	1	2	4	6	9	15	21	25	6.8	72	1	2	3	8	20	28	29
ALL AGES	343	3.7	23	1	1	2	4	7	13	27	216	4.5	36	1	1	2	4	12	20	29
B. FEMALE																				
0-12 YRS.																				
13-19	4	1.8	1	1	1	1	2	3	3	3	4	1.8	2	1	1	1	3	4	4	4
20-34	25	3.4	39	1	1	2	3	5	14	32	12	1.6	1	1	1	1	2	3	4	4
35-49	35	3.7	20	1	1	2	4	6	15	23	50	6.0	52	1	2	4	6	19	25	28
50-64	26	4.8	43	1	2	3	4	11	24	28	11	2.6	5	1	1	2	3	6	9	9
65 +	12	4.6	23	1	2	3	6	11	17	18	7	6.3	29	2	3	5	7	16	18	18
ALL AGES	102	3.9	30	1	1	2	4	7	17	30	84	4.8	37	1	1	3	5	11	24	28
SUBTOTAL	**445**	**3.8**	**24**	**1**	**1**	**2**	**4**	**7**	**13**	**28**	**300**	**4.6**	**36**	**1**	**1**	**2**	**5**	**11**	**20**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	13	11.1	169	1	2	5	14	36	40	41	9	6.0	74	1	1	1	9	21	21	21
20-34	161	7.0	103	1	1	3	7	22	29	32	134	10.6	109	1	2	5	21	28	28	32
35-49	229	5.2	42	1	2	3	5	11	22	30	206	9.8	92	1	3	5	19	27	28	31
50-64	130	5.4	29	1	2	3	6	14	17	28	84	7.4	65	2	2	4	8	22	28	28
65 +	61	9.8	96	2	3	6	13	24	31	42	58	9.7	84	2	3	6	12	27	28	34
ALL AGES	595	6.3	66	1	2	3	7	17	27	34	491	9.5	92	1	2	5	18	27	28	31
B. FEMALE																				
0-12 YRS.																				
13-19	13	7.5	204	1	1	1	4	39	41	41	9	14.0	171	1	2	8	27	30	30	30
20-34	67	6.2	65	1	2	3	6	21	27	31	48	11.5	128	1	2	5	23	28	29	32
35-49	101	5.1	45	1	2	3	6	10	22	35	92	7.7	73	1	2	4	9	23	28	29
50-64	34	7.9	85	1	3	4	9	27	29	34	31	9.0	77	2	3	6	11	25	28	28
65 +	35	12.6	92	2	5	9	19	29	30	30	35	9.5	79	2	2	6	14	26	30	31
ALL AGES	250	7.0	75	1	2	3	8	22	29	38	215	9.3	92	1	2	5	15	28	28	31
SUBTOTAL	**845**	**6.5**	**69**	**1**	**2**	**3**	**7**	**19**	**28**	**35**	**706**	**9.5**	**91**	**1**	**2**	**5**	**16**	**27**	**28**	**31**
GRAND TOTAL	**1290**	**5.6**	**55**	**1**	**2**	**3**	**6**	**15**	**24**	**32**	**1006**	**8.0**	**80**	**1**	**2**	**4**	**10**	**26**	**28**	**30**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	30	25.0	229	8	17	25	29	34	43	89	17	22.7	242	3	5	28	31	41	49	53
20-34	175	17.0	132	2	5	19	28	29	35	42	136	14.8	120	2	3	17	26	28	29	31
35-49	261	15.7	149	2	5	14	27	29	34	46	260	13.2	112	2	3	10	25	28	29	30
50-64	151	17.1	130	2	6	18	28	29	32	48	128	13.2	111	2	3	10	21	28	29	34
65 +	71	13.5	97	2	5	13	24	28	28	31	106	15.2	91	3	6	14	26	28	29	32
ALL AGES	688	16.5	143	2	5	15	27	29	34	45	647	14.1	116	2	3	14	26	28	29	32
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-19	24	28.0	339	4	16	29	35	43	58	87	6	19.5	78	4	17	22	25	27	27	27
20-34	82	13.9	110	2	4	11	24	28	31	34	57	13.4	139	1	3	6	27	29	29	31
35-49	63	16.0	115	3	6	14	27	29	35	36	88	12.3	102	2	3	8	22	28	29	30
50-64	47	12.6	78	2	5	11	19	26	28	30	61	14.9	124	2	3	14	26	29	31	35
65 +	36	14.9	101	3	6	15	22	29	30	35	52	16.9	100	3	7	16	28	28	30	31
ALL AGES	253	15.7	142	2	5	14	26	29	34	43	264	14.2	116	2	3	14	26	28	29	32
SUBTOTAL	**941**	**16.3**	**142**	**2**	**5**	**15**	**27**	**29**	**34**	**44**	**911**	**14.1**	**117**	**2**	**3**	**14**	**26**	**28**	**29**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	10.0	64	2	6	14	59	99 +	99 +	99 +	2	42.0		42	42	42	42	42	42	42
13-19	88	25.4	275	3	11	28	38	52	79	99 +	70	26.2	196	5	15	28	41	42	43	49
20-34	488	16.0	123	2	6	15	25	29	32	44	277	17.1	102	3	6	21	27	29	29	32
35-49	447	13.3	103	2	4	11	21	28	29	35	265	12.4	111	2	3	7	22	28	29	32
50-64	168	13.8	103	3	4	11	24	28	29	36	86	13.1	98	3	4	11	22	28	29	33
65 +	75	12.2	108	3	4	9	20	27	31	45	48	12.8	66	3	5	13	21	24	28	30
ALL AGES	1269	15.2	131	2	5	13	25	29	35	53	748	15.6	129	2	4	15	26	29	31	42
B. FEMALE																				
0-12 YRS.																				
13-19	61	22.9	195	5	11	28	35	53	99 +	99 +	35	28.7	159	13	22	28	42	42	44	58
20-34	203	15.5	128	2	5	14	27	29	35	42	114	14.2	99	3	5	13	23	28	29	31
35-49	165	13.9	104	3	5	11	23	28	30	39	101	14.0	115	2	4	11	26	28	30	31
50-64	68	10.6	87	2	3	6	18	26	29	35	48	11.7	99	2	3	7	21	28	29	34
65 +	44	13.5	90	4	5	12	20	28	29	40	24	14.7	129	2	5	14	23	29	34	43
ALL AGES	541	15.1	128	3	5	13	27	30	36	99 +	322	15.4	133	3	4	14	26	29	31	43
SUBTOTAL	**1810**	**15.2**	**129**	**2**	**5**	**13**	**25**	**29**	**35**	**54**	**1070**	**15.5**	**131**	**2**	**4**	**15**	**26**	**29**	**31**	**42**
GRAND TOTAL	**2751**	**15.5**	**136**	**2**	**5**	**14**	**26**	**29**	**34**	**50**	**1981**	**14.9**	**124**	**2**	**4**	**14**	**26**	**28**	**30**	**42**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	10	11.7	161	1	1	6	26	31	35	35	12	6.8	53	2	2	5	6	22	23	23
35-49	11	10.5	102	2	3	5	16	28	29	29	18	9.2	88	2	3	5	13	28	29	29
50-64	2	28.0	18	25	25	28	31	31	31	31	1	33.0		33	33	33	33	33	33	33
65 +	2	13.5	113	6	6	13	21	21	21	21	3	9.0	19	6	6	7	12	14	14	14
ALL AGES	25	12.6	131	1	3	7	25	29	32	35	34	9.0	84	2	3	5	13	27	29	33
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	8	5.9	80	1	1	2	7	22	26	26	16	8.1	76	1	3	4	11	26	28	28
35-49	8	11.5	129	3	4	6	15	31	37	37	7	4.1	10	1	1	6	6	8	8	8
50-64																				
65 +	2	6.5	41	2	2	6	11	11	11	11										
ALL AGES	18	8.4	97	1	2	4	12	23	33	37	24	6.7	56	1	2	4	7	16	28	28
SUBTOTAL	**43**	**10.9**	**117**	**1**	**3**	**6**	**17**	**28**	**32**	**37**	**58**	**8.1**	**72**	**1**	**3**	**5**	**10**	**26**	**28**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	3.0		3	3	3	3	3	3	3	1	21.0		21	21	21	21	21	21	21
20-34	36	10.7	77	2	3	6	18	26	28	28	35	11.7	79	3	4	8	20	27	29	29
35-49	51	10.1	86	3	4	7	12	22	31	50	42	12.2	98	3	4	8	22	28	29	30
50-64	8	7.1	38	1	4	6	7	17	21	21	7	15.3	129	2	3	21	25	27	27	27
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	97	9.9	78	2	4	6	13	22	28	42	85	12.3	92	3	4	8	21	28	29	30
B. FEMALE																				
0-12 YRS.																				
13-19	1	6.0		6	6	6	6	6	6	6										
20-34	37	8.2	61	2	3	6	8	18	28	36	28	15.0	168	2	4	10	27	34	40	41
35-49	35	12.0	73	4	6	8	18	25	29	31	22	13.9	114	3	5	9	25	28	29	30
50-64	7	14.0	85	5	6	10	21	28	29	29	2	20.5	85	14	14	20	27	27	27	27
65 +	2	5.0	2	4	4	5	6	6	6	6	1	8.0		8	8	8	8	8	8	8
ALL AGES	82	10.2	70	2	5	7	15	25	29	34	53	14.6	138	3	5	10	27	31	34	41
SUBTOTAL	**179**	**10.0**	**74**	**2**	**4**	**7**	**13**	**24**	**28**	**35**	**138**	**13.2**	**110**	**3**	**4**	**9**	**22**	**28**	**30**	**40**
GRAND TOTAL	**222**	**10.2**	**82**	**2**	**4**	**7**	**15**	**26**	**29**	**36**	**196**	**11.7**	**103**	**2**	**4**	**7**	**21**	**28**	**29**	**37**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	17.0	200	7	7	17	27	27	27	27	2	11.5	85	5	5	11	18	18	18	18
35-49											2	8.5	61	3	3	8	14	14	14	14
50-64	1	4.0		4	4	4	4	4	4	4	1	18.0		18	18	18	18	18	18	18
65 +	2	15.0	162	6	6	15	24	24	24	24	2	14.0		14	14	14	14	14	14	14
ALL AGES	5	13.6	120	4	5	7	25	27	27	27	7	12.3	35	3	7	14	17	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	12.0		12	12	12	12	12	12	12	2	14.5	365	1	1	14	28	28	28	28
35-49	3	5.0	27	2	2	2	9	11	11	11	3	4.3	1	4	4	4	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9	1	17.0		17	17	17	17	17	17	17
65 +																				
ALL AGES	6	8.0	23	2	2	10	12	12	12	12	6	9.8	111	1	4	5	17	27	28	28
SUBTOTAL	**11**	**10.5**	**69**	**2**	**4**	**9**	**12**	**25**	**27**	**27**	**13**	**11.2**	**64**	**3**	**4**	**14**	**17**	**20**	**27**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	5	13.0	168	3	5	7	19	35	35	35	4	16.3	109	3	8	17	24	28	28	28
35-49	14	11.3	62	1	5	9	17	22	25	26	8	17.3	87	6	10	15	26	30	31	31
50-64	1	11.0		11	11	11	11	11	11	11	5	14.4	143	2	4	11	26	28	28	28
65 +	2	14.0	2	13	13	14	15	15	15	15	2	10.5	5	9	9	10	12	12	12	12
ALL AGES	22	11.9	72	2	6	10	15	23	30	35	19	15.6	89	3	9	14	26	28	30	31
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19																				
20-34	10	9.3	66	1	4	7	11	23	27	27	3	15.7	120	3	7	21	22	23	23	23
35-49	17	12.8	92	4	5	10	18	29	30	31	10	16.2	139	1	4	17	28	30	31	31
50-64	8	23.5	26	16	20	23	28	29	30	30	1	5.0		5	5	5	5	5	5	5
65 +	13	18.3	143	9	9	12	28	33	44	47	4	8.0	14	3	5	8	10	12	12	12
ALL AGES	48	15.4	106	4	7	11	24	29	30	47	19	13.2	105	2	4	12	22	29	31	31
SUBTOTAL	**70**	**14.3**	**97**	**4**	**6**	**11**	**21**	**29**	**30**	**45**	**38**	**14.4**	**96**	**3**	**5**	**12**	**23**	**28**	**30**	**31**
GRAND TOTAL	**81**	**13.8**	**94**	**4**	**6**	**11**	**21**	**28**	**30**	**43**	**51**	**13.6**	**88**	**3**	**5**	**12**	**21**	**28**	**30**	**31**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-19	1	1.0		1	1	1	1	1	1	1	1	14.0		14	14	14	14	14	14	14
20-34	25	11.3	128	1	2	6	19	24	33	43	27	18.4	104	2	8	22	28	28	29	29
35-49	17	9.9	78	1	4	7	16	26	28	28	11	17.6	92	4	10	19	27	29	29	29
50-64											2	27.0	2	26	26	27	28	28	28	28
65 +																						
ALL AGFS	43	10.5	106	1	2	6	17	25	29	43	41	18.5	95	3	12	21	28	28	29	29
B. FEMALE																						
0-12 YRS.																						
13-19	4	7.0	22	3	3	7	11	12	12	12										
20-34	26	15.4	94	3	4	17	25	26	26	26	16	17.5	114	2	7	19	27	28	32	33
35-49	3	2.0	1	1	1	2	3	3	3	3	4	27.0	11	22	25	28	29	29	29	29
50-64																						
65 +																						
ALL AGES	33	13.2	95	2	3	10	25	26	26	26	20	19.4	107	2	10	22	28	29	31	33
SUBTOTAL	**76**	**11.7**	**101**	**1**	**3**	**8**	**21**	**26**	**27**	**40**	**61**	**18.8**	**97**	**3**	**12**	**22**	**28**	**29**	**29**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-19	9	27.7	669	4	13	27	76	99+	99+	99+	10	23.2	241	5	14	19	44	45	45	45
20-34	87	15.3	93	2	7	14	22	28	29	35	75	16.0	125	2	4	17	26	30	32	42
35-49	34	12.0	100	2	3	7	21	28	29	31	35	15.5	115	3	4	15	27	28	29	35
50-64	2	15.5	313	3	3	15	28	28	28	28										
65 +																						
ALL AGES	132	15.3	143	2	5	14	24	29	33	99+	120	16.5	131	3	5	17	27	30	36	44
B. FEMALE																						
0-12 YRS.																						
13-19	7	24.7	82	10	24	25	31	32	32	32	6	27.0	395	2	3	35	42	45	45	45
20-34	48	10.9	93	2	3	6	20	27	28	29	42	14.0	115	2	3	11	25	28	29	30
35-49	14	13.4	113	2	5	11	25	28	31	32	7	13.6	129	4	5	7	25	30	30	30
50-64																						
65 +																						
ALL AGES	69	12.8	110	2	3	9	24	28	30	32	55	15.3	157	2	4	12	28	30	39	45
SUBTOTAL	**201**	**14.4**	**134**	**2**	**4**	**14**	**24**	**28**	**31**	**91**	**175**	**16.1**	**140**	**3**	**4**	**15**	**27**	**30**	**36**	**45**
GRAND TOTAL	**277**	**13.7**	**125**	**2**	**3**	**12**	**23**	**28**	**30**	**75**	**236**	**16.8**	**129**	**3**	**5**	**18**	**28**	**29**	**32**	**44**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	8	20.0	226	5	9	14	30	44	48	48	7	21.3	77	9	14	20	30	30	30	30
20-34	3	8.7	63	1	3	8	15	17	17	17	7	23.7	57	11	22	28	28	29	29	29
35-49	3	15.3	294	4	5	7	28	35	35	35										
50-64																				
65 +																				
ALL AGES	14	16.6	198	3	7	12	27	36	45	48	14	22.5	63	8	19	26	29	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-19	1	34.0		34	34	34	34	34	34	34	2	25.0	18	22	22	25	28	28	28	28
20-34	2	25.0	18	22	22	25	28	28	28	28										
35-49																				
50-64											1	20.0		20	20	20	20	20	20	20
65 +																				
ALL AGES	3	28.0	36	22	23	28	32	34	34	34	3	23.3	20	20	20	22	26	28	28	28
SUBTOTAL	**17**	**18.6**	**186**	**4**	**8**	**15**	**29**	**35**	**43**	**48**	**17**	**22.6**	**56**	**9**	**20**	**24**	**28**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	19.0		19	19	19	19	19	19	19
13-19	26	28.9	571	3	6	31	52	83	99 +	99 +	49	27.6	221	5	17	28	42	46	48	53
20-34	26	16.6	76	3	10	17	23	28	29	30	22	19.9	82	3	13	22	28	28	29	31
35-49	4	14.8	199	2	2	14	27	28	28	28	5	18.4	63	10	11	21	23	29	29	29
50-64																				
65 +																				
ALL AGES	56	22.2	344	3	6	21	30	55	80	99 +	77	24.7	180	4	16	25	32	43	47	52
B. FEMALE																				
0-12 YRS.																				
13-19	8	26.1	283	9	13	22	37	52	55	55	17	31.2	173	10	24	30	43	45	47	48
20-34	9	13.1	86	3	6	11	22	26	28	28	5	22.0	86	6	18	26	28	28	28	28
35-49	3	15.3	214	5	6	9	26	32	32	32										
50-64																				
65 +																				
ALL AGES	20	18.7	200	5	7	14	27	39	50	55	22	29.1	164	9	22	28	41	45	46	48
SUBTOTAL	**76**	**21.3**	**304**	**3**	**7**	**20**	**28**	**53**	**59**	**99 +**	**99**	**25.7**	**177**	**7**	**18**	**26**	**35**	**44**	**47**	**52**
GRAND TOTAL	**93**	**20.8**	**282**	**3**	**7**	**19**	**28**	**48**	**57**	**99 +**	**116**	**25.2**	**162**	**8**	**19**	**26**	**31**	**43**	**46**	**52**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	15.0	338	2	2	15	28	28	28	28										
20-34	2	8.5	113	1	1	8	16	16	16	16	13	23.2	51	13	20	21	30	30	31	31
35-49	3	8.0	28	2	4	10	11	12	12	12	2	3.5	1	3	3	3	4	4	4	4
50-64																				
65 +																				
ALL AGES	7	10.1	96	1	2	10	15	26	28	28	15	20.6	90	4	15	21	29	30	31	31
B. FEMALE																				
0-12 YRS.																				
13-19											1	17.0		17	17	17	17	17	17	17
20-34	2	18.0	162	9	9	18	27	27	27	27	7	17.6	97	3	9	22	23	27	28	28
35-49											2	25.5	13	23	23	25	28	28	28	28
50-64	1	12.0		12	12	12	12	12	12	12										
65 +																				
ALL AGES	3	16.0	93	9	10	12	23	27	27	27	10	19.1	78	3	17	22	23	28	28	28
SUBTOTAL	**10**	**11.9**	**92**	**1**	**2**	**11**	**16**	**27**	**28**	**28**	**25**	**20.0**	**83**	**4**	**16**	**21**	**28**	**30**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	28.0		28	28	28	28	28	28	28	3	7.7	66	2	2	4	14	17	17	17
20-34	29	14.7	86	3	6	12	21	28	28	29	36	17.3	82	3	10	20	21	28	29	40
35-49	8	18.9	140	2	7	25	28	29	29	29	6	14.8	98	2	4	18	21	26	26	26
50-64																				
65 +																				
ALL AGES	38	15.9	99	3	6	15	28	28	29	29	45	16.3	87	3	6	20	21	28	29	40
B. FEMALE																				
0-12 YRS.																				
13-19	2	18.0	18	15	15	18	21	21	21	21	5	31.2	447	3	16	31	46	59	59	59
20-34	23	12.3	93	4	5	8	21	28	30	32	16	13.8	114	3	4	11	22	30	30	30
35-49	3	6.3	3	5	5	6	7	8	8	8	4	10.3	49	5	5	8	15	20	20	20
50-64																				
65 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	29	11.9	82	4	6	8	20	27	29	32	25	16.7	209	3	4	13	24	31	46	59
SUBTOTAL	**67**	**14.2**	**94**	**4**	**6**	**10**	**23**	**28**	**29**	**32**	**70**	**16.4**	**129**	**3**	**5**	**19**	**21**	**29**	**31**	**56**
GRAND TOTAL	**77**	**13.9**	**93**	**3**	**6**	**10**	**22**	**28**	**29**	**31**	**95**	**17.4**	**117**	**3**	**5**	**20**	**23**	**30**	**31**	**51**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	17.5	5	16	16	17	19	19	19	19										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	17.5	5	16	16	17	19	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-19											1	28.0		28	28	28	28	28	28	28
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	28.0		28	28	28	28	28	28	28
SUBTOTAL	**2**	**17.5**	**5**	**16**	**16**	**17**	**19**	**19**	**19**	**19**	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	43.0	200	33	33	43	53	53	53	53	2	31.5	5	30	30	31	33	33	33	33
20-34	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
35-49																				
50-64																				
65 +																				
ALL AGES	3	29.0	688	1	8	33	48	53	53	53	3	22.0	273	3	10	30	32	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	12.0		12	12	12	12	12	12	12
35-49																				
50-64																				
65 +																				
ALL AGES											1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**3**	**29.0**	**688**	**1**	**8**	**33**	**48**	**53**	**53**	**53**	**4**	**19.5**	**207**	**3**	**7**	**21**	**31**	**33**	**33**	**33**
GRAND TOTAL	**5**	**24.4**	**385**	**1**	**12**	**19**	**38**	**53**	**53**	**53**	**5**	**21.2**	**170**	**3**	**10**	**28**	**31**	**33**	**33**	**33**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	8.0	8	6	6	8	10	10	10	10	1	1.0		1	1	1	1	1	1	1
20-34											1	1.0		1	1	1	1	1	1	1
35-49	2	18.0	578	1	1	18	35	35	35	35	1	4.0		4	4	4	4	4	4	4
50-64											1	14.0		14	14	14	14	14	14	14
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	4	13.0	229	1	3	8	22	35	35	35	5	4.6	29	1	1	3	6	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-19											1	20.0		20	20	20	20	20	20	20
20-34											1	7.0		7	7	7	7	7	7	7
35-49											3	3.7	1	3	3	3	5	5	5	5
50-64	2	14.0	8	12	12	14	16	16	16	16	5	11.6	86	2	3	11	21	21	21	21
65 +	1	8.0		8	8	8	8	8	8	8	1	14.0		14	14	14	14	14	14	14
ALL AGES	3	12.0	16	8	9	12	15	16	16	16	11	10.0	60	2	3	7	18	21	21	21
SUBTOTAL	**7**	**12.6**	**119**	**2**	**6**	**10**	**15**	**31**	**35**	**35**	**16**	**8.3**	**55**	**1**	**3**	**4**	**14**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48										
13-19	4	16.8	133	9	10	12	23	34	34	34	2	32.0	200	22	22	32	42	42	42	42
20-34	3	10.3	262	1	1	1	22	29	29	29	3	19.0	243	1	8	28	28	28	28	28
35-49	4	7.5	20	4	4	6	10	14	14	14	1	11.0		11	11	11	11	11	11	11
50-64																				
65 +																				
ALL AGES	12	14.7	215	1	4	10	21	38	47	48	6	22.0	207	2	11	25	28	41	42	42
B. FEMALE																				
0-12 YRS.																				
13-19	1	46.0		46	46	46	46	46	46	46	1	7.0		7	7	7	7	7	7	7
20-34	7	9.6	114	1	1	4	20	25	26	26	1	14.0		14	14	14	14	14	14	14
35-49	5	10.2	45	1	5	12	15	18	18	18	1	6.0		6	6	6	6	6	6	6
50-64																				
65 +											1	28.0		28	28	28	28	28	28	28
ALL AGES	13	12.6	173	1	2	10	19	30	43	46	4	13.8	101	6	6	10	21	28	28	28
SUBTOTAL	**25**	**13.6**	**187**	**1**	**3**	**10**	**19**	**34**	**46**	**48**	**10**	**18.7**	**167**	**3**	**7**	**18**	**28**	**35**	**42**	**42**
GRAND TOTAL	**32**	**13.4**	**167**	**1**	**4**	**10**	**17**	**34**	**45**	**48**	**26**	**12.3**	**120**	**1**	**3**	**9**	**21**	**28**	**31**	**42**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
20-34	4	15.8	292	1	1	15	30	33	33	33	3	13.0	189	1	3	10	23	28	28	28
35-49	13	15.5	120	1	6	12	27	31	31	31	3	18.0	156	4	8	22	26	28	28	28
50-64																				
65 +																				
ALL AGES	18	15.1	140	1	5	12	28	31	32	33	7	13.4	152	1	2	10	26	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	15.5	313	3	3	15	28	28	28	28	2	26.0	8	24	24	26	28	28	28	28
35-49	3	8.3	77	1	2	6	15	18	18	18	2	18.0	450	3	3	18	33	33	33	33
50-64	1	18.0		18	18	18	18	18	18	18										
65 +																				
ALL AGES	6	12.3	114	1	3	12	18	27	28	28	4	22.0	174	3	13	26	30	33	33	33
SUBTOTAL	**24**	**14.4**	**130**	**1**	**4**	**12**	**27**	**31**	**32**	**33**	**11**	**16.5**	**163**	**1**	**3**	**22**	**28**	**30**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	6	29.3	292	15	16	22	48	52	53	53	2	28.5	1	28	28	28	29	29	29	29
20-34	10	18.7	105	5	8	24	28	28	28	28	8	15.3	143	4	4	13	27	29	30	30
35-49	10	15.8	170	2	4	11	28	33	37	37	8	13.4	161	2	3	8	25	31	33	33
50-64	2	4.5	1	4	4	4	5	5	5	5	1	14.0		14	14	14	14	14	14	14
65 +	1	13.0		13	13	13	13	13	13	13	1	14.0		14	14	14	14	14	14	14
ALL AGES	29	18.7	184	4	7	16	28	34	48	53	20	15.7	133	3	4	14	27	29	31	33
B. FEMALE																				
0-12 YRS.																				
13-19	1	11.0		11	11	11	11	11	11	11	1	10.0		10	10	55	99 +	99 +	99 +	99 +
20-34	10	15.3	117	3	4	14	26	27	28	28	7	15.1	110	4	7	14	23	31	32	32
35-49	4	10.5	51	5	6	8	15	21	21	21	3	14.0	57	7	8	13	20	22	22	22
50-64	3	14.7	173	3	5	12	25	29	29	29	2	4.5	5	3	3	4	6	6	6	6
65 +	2	10.0	8	8	8	10	12	12	12	12										
ALL AGES	20	13.5	88	3	6	10	23	27	28	29	13	12.8	81	3	7	11	22	39	86	99 +
SUBTOTAL	**49**	**16.6**	**148**	**4**	**7**	**13**	**27**	**28**	**38**	**53**	**33**	**14.6**	**110**	**3**	**4**	**13**	**27**	**30**	**33**	**99 +**
GRAND TOTAL	**73**	**15.9**	**140**	**3**	**6**	**12**	**27**	**29**	**33**	**52**	**44**	**15.1**	**120**	**3**	**4**	**14**	**27**	**30**	**33**	**99 +**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	9	26.8	176	10	17	28	35	45	50	50	2	24.5	25	21	21	24	28	28	28	28
20-34	7	20.9	184	2	7	27	32	35	35	35	5	17.4	64	8	10	19	23	28	28	28
35-49	3	39.7	1280	7	14	34	67	78	78	78										
50-64																				
65 +																				
ALL AGES	19	26.6	327	4	15	28	35	45	65	78	7	19.4	60	9	13	21	26	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	4	25.5	754	4	5	17	46	63	63	63	2	19.0	162	10	10	19	28	28	28	28
20-34	12	21.8	52	11	16	24	28	29	29	29	4	14.5	167	2	3	14	25	28	28	28
35-49	1	5.0		5	5	5	5	5	5	5										
50-64	1	12.0		12	12	12	12	12	12	12	1	29.0		29	29	29	29	29	29	29
65 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	19	21.5	180	5	12	24	28	29	48	63	7	17.9	137	3	6	23	28	29	29	29
SUBTOTAL	**38**	**24.1**	**251**	**5**	**13**	**26**	**29**	**36**	**58**	**78**	**14**	**18.6**	**94**	**5**	**10**	**21**	**28**	**28**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	37	33.6	257	11	22	35	43	55	64	65	9	22.7	217	1	16	27	28	75	99 +	99 +
20-34	53	20.9	124	5	10	24	28	30	38	51	13	18.2	144	3	4	26	28	29	31	32
35-49	11	20.3	132	3	10	27	28	32	36	36	1	1.0		1	1	1	1	1	1	1
50-64																				
65 +																				
ALL AGES	101	25.5	208	6	14	27	33	43	52	65	23	19.2	179	2	4	26	28	34	65	99 +
B. FEMALE																				
0-12 YRS.																				
13-19	30	32.3	347	4	17	35	48	51	58	71	9	32.0	91	20	28	29	41	44	46	46
20-34	17	23.5	77	5	24	26	28	30	32	33	6	19.5	76	6	14	21	26	29	29	29
35-49	5	20.2	102	4	14	24	28	28	28	28	3	16.7	104	8	9	14	24	28	28	28
50-64	3	23.7	399	3	8	25	38	43	43	43	2	17.0	18	14	14	17	20	20	20	20
65 +	2	21.0	98	14	14	21	28	28	28	28										
ALL AGES	57	27.8	247	4	17	27	39	49	52	70	20	24.5	118	11	15	27	29	41	44	46
SUBTOTAL	**158**	**26.3**	**223**	**5**	**15**	**27**	**35**	**47**	**52**	**65**	**43**	**21.6**	**157**	**3**	**14**	**27**	**28**	**41**	**47**	**99 +**
GRAND TOTAL	**196**	**25.9**	**227**	**5**	**14**	**27**	**33**	**46**	**52**	**68**	**57**	**20.9**	**140**	**3**	**11**	**24**	**28**	**32**	**44**	**96**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	3	20.3	259	5	8	19	32	37	37	37	2	20.0	162	11	11	20	29	29	29	29
20-34	3	18.0	139	8	10	15	27	31	31	31	2	11.5	221	1	1	11	22	22	22	22
35-49	1	6.0		6	6	6	6	6	6	6	2	8.5	61	3	3	8	14	14	14	14
50-64																				
65 +																				
ALL AGES	7	17.3	158	5	6	15	28	36	37	37	6	13.3	118	1	3	12	22	28	29	29
B. FEMALE																				
0-12 YRS.																				
13-19	1	49.0		49	49	49	49	49	49	49										
20-34	7	10.9	74	2	3	8	17	24	25	25	1	21.0		21	21	21	21	21	21	21
35-49	4	12.5	294	1	2	5	22	38	38	38	3	6.3	45	2	2	3	11	14	14	14
50-64	2	24.0	18	21	21	24	27	27	27	27										
65 +																				
ALL AGES	14	15.9	216	2	5	10	25	39	47	49	4	10.0	83	2	2	8	17	21	21	21
SUBTOTAL	**21**	**16.4**	**187**	**2**	**6**	**13**	**25**	**37**	**43**	**49**	**10**	**12.0**	**96**	**1**	**3**	**12**	**21**	**25**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	6	26.2	431	3	15	22	32	60	63	63	2	29.5	1	29	29	29	30	30	30	30
20-34	3	11.3	115	2	4	9	19	23	23	23	5	20.4	149	2	12	24	29	33	33	33
35-49	8	15.5	111	2	7	14	24	29	30	30	3	9.7	153	2	2	3	19	24	24	24
50-64	1	17.0		17	17	17	17	17	17	17										
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	19	17.6	222	2	4	15	26	31	49	63	10	19.0	155	2	3	24	29	31	33	33
B. FEMALE																				
0-12 YRS.																				
13-19	3	29.3	1597	1	3	12	59	75	75	75										
20-34	2	14.5	265	3	3	14	26	26	26	26										
35-49	5	19.0	30	13	14	19	22	27	27	27	1	5.0		5	5	5	5	5	5	5
50-64	2	6.0	8	4	4	6	8	8	8	8	1	3.0		3	3	3	3	3	3	3
65 +	2	11.0	8	9	9	11	13	13	13	13	1	28.0		28	28	28	28	28	28	28
ALL AGES	14	17.6	336	3	8	13	21	32	65	75	3	12.0	193	3	3	5	22	28	28	28
SUBTOTAL	**33**	**17.6**	**262**	**2**	**7**	**15**	**24**	**30**	**58**	**75**	**13**	**17.4**	**158**	**2**	**3**	**24**	**28**	**31**	**33**	**33**
GRAND TOTAL	**54**	**17.1**	**230**	**2**	**6**	**14**	**25**	**32**	**47**	**75**	**23**	**15.0**	**134**	**2**	**3**	**14**	**27**	**29**	**31**	**33**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	6	1.2		1	1	1	1	2	2	2
13-19	44	1.7	4	1	1	1	2	3	5	13	46	4.8	113	1	1	1	2	14	34	53
20-34	57	2.5	23	1	1	1	2	3	9	31	45	1.7	5	1	1	1	1	2	5	14
35-49	43	1.7	1	1	1	1	2	3	4	7	36	3.0	27	1	1	2	2	5	16	26
50-64	11	2.1	2	1	1	1	3	4	4	4	15	1.9	2	1	1	1	3	3	5	6
65 +	12	3.3	7	1	1	2	5	8	9	9	9	3.6	6	1	1	3	6	7	7	7
ALL AGES	168	2.1	10	1	1	1	2	4	5	18	157	3.0	42	1	1	1	2	5	12	40
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	5	2.4	5	1	1	1	4	6	6	6
13-19	16	3.7	43	1	1	1	2	18	21	21	39	1.7	6	1	1	1	1	2	6	15
20-34	23	2.9	30	1	1	1	2	7	14	27	15	2.7	23	1	1	1	2	3	16	20
35-49	18	1.2		1	1	1	1	2	2	2	12	2.0	2	1	1	1	3	5	5	5
50-64	8	4.4	22	1	1	1	9	11	12	12	4	1.5		1	1	1	2	2	2	2
65 +	3	1.7	1	1	1	1	3	3	3	3	4	2.3	2	1	1	2	3	4	4	4
ALL AGES	69	2.9	25	1	1	1	2	8	14	26	79	2.0	8	1	1	1	2	4	6	19
SUBTOTAL	**237**	**2.3**	**15**	**1**	**1**	**1**	**2**	**4**	**8**	**22**	**236**	**2.7**	**31**	**1**	**1**	**1**	**2**	**5**	**7**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	4.0	19	1	1	2	7	9	9	9	2	5.5	41	1	1	5	10	10	10	10
13-19	34	11.9	86	1	3	11	18	27	30	99+	35	12.8	255	1	1	4	21	44	48	51
20-34	77	3.2	40	1	1	1	3	6	10	39	34	5.0	54	1	1	2	5	16	26	28
35-49	48	3.3	18	1	1	2	4	7	8	28	25	4.9	46	1	2	2	4	21	22	25
50-64	14	3.7	10	1	1	3	4	8	11	12	10	11.6	173	1	1	5	25	32	36	36
65 +	6	7.3	22	2	6	6	7	15	16	16	5	3.0	7	1	1	2	5	7	7	7
ALL AGES	182	5.1	49	1	1	2	6	13	25	39	111	8.0	134	1	1	3	7	26	35	50
B. FEMALE																				
0-12 YRS.	2	17.0	512	1	1	17	33	33	33	33										
13-19	41	12.0	131	1	1	10	18	31	33	34	21	7.8	105	1	1	3	10	24	32	40
20-34	42	4.4	32	1	1	2	6	10	17	28	23	4.2	28	1	1	2	5	15	17	18
35-49	29	2.9	27	1	1	2	3	5	7	29	21	3.2	16	1	1	2	3	8	14	15
50-64	7	5.0	43	1	1	2	8	16	18	18	4	9.8	72	2	2	9	17	19	19	19
65 +	1	1.0		1	1	1	1	1	1	1	1	14.0		14	14	14	14	14	14	14
ALL AGES	122	6.8	84	1	1	2	10	23	30	34	70	5.4	53	1	1	2	5	15	19	37
SUBTOTAL	**304**	**5.8**	**64**	**1**	**1**	**2**	**7**	**16**	**28**	**34**	**181**	**7.0**	**104**	**1**	**1**	**2**	**7**	**21**	**28**	**48**
GRAND TOTAL	**541**	**4.3**	**45**	**1**	**1**	**1**	**4**	**11**	**21**	**32**	**417**	**4.5**	**67**	**1**	**1**	**1**	**3**	**14**	**22**	**44**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											2	2.0		2	2	2	2	2	2	2
50-64											4	2.8	2	1	1	3	4	4	4	4
65 +																				
ALL AGES											6	2.5	2	1	2	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	3.0	2	2	2	3	4	4	4	4
35-49	1	22.0		22	22	22	22	22	22	22	1	5.0		5	5	5	5	5	5	5
50-64																				
65 +											2	5.5	25	2	2	5	9	9	9	9
ALL AGES	1	22.0		22	22	22	22	22	22	22	5	4.4	8	2	2	4	6	9	9	9
SUBTOTAL	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**	**11**	**3.4**	**5**	**1**	**2**	**2**	**4**	**7**	**9**	**9**
GRAND TOTAL	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**	**11**	**3.4**	**5**	**1**	**2**	**2**	**4**	**7**	**9**	**9**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	10.0		10	10	10	10	10	10	10										
20-34											1	25.0		25	25	25	25	25	25	25
35-49											1	7.0		7	7	7	7	7	7	7
50-64																				
65 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10	2	16.0	162	7	7	16	25	25	25	25
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	3	2.7		2	2	3	3	3	3	3	1	9.0		9	9	9	9	9	9	9
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	3	2.7		2	2	3	3	3	3	3	3	4.3	18	1	1	3	7	9	9	9
SUBTOTAL	**4**	**4.5**	**14**	**2**	**2**	**3**	**7**	**10**	**10**	**10**	**5**	**9.0**	**90**	**1**	**2**	**7**	**13**	**25**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	14	17.4	596	2	3	9	21	51	81	90	8	20.0	230	3	8	18	29	42	48	48
20-34	4	2.0	2	1	1	1	3	4	4	4	4	16.0	178	3	4	16	27	28	28	28
35-49	1	27.0		27	27	27	27	27	27	27										
50-64																				
65 +																				
ALL AGES	19	14.7	480	1	2	4	19	39	71	90	12	18.7	198	2	7	18	28	35	46	48
B. FEMALE																				
0-12 YRS.											1	20.0		20	20	20	20	20	20	20
13-19	4	14.3	105	3	7	13	21	28	28	28	5	22.0	97	10	14	23	29	35	35	35
20-34	1	1.0		1	1	1	1	1	1	1	1	28.0		28	28	28	28	28	28	28
35-49																				
50-64																				
65 +																				
ALL AGES	5	11.6	115	1	2	12	17	28	28	28	7	22.6	69	11	16	23	28	34	35	35
SUBTOTAL	**24**	**14.0**	**399**	**1**	**2**	**6**	**18**	**30**	**60**	**90**	**19**	**20.1**	**149**	**4**	**9**	**22**	**28**	**33**	**42**	**48**
GRAND TOTAL	**28**	**12.7**	**351**	**1**	**2**	**4**	**14**	**28**	**51**	**90**	**24**	**17.8**	**153**	**3**	**7**	**17**	**27**	**30**	**39**	**48**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-19	3	2.3	6	1	1	1	4	5	5	5	3	1.7	1	1	1	1	2	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES	6	2.3	4	1	1	1	5	5	5	5	4	1.5	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19	2	1.5	1	1	1	1	2	2	2	2	6	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	3	1.7		1	1	2	2	2	2	2	6	1.0		1	1	1	1	1	1	1
SUBTOTAL	**9**	**2.1**	**3**	**1**	**1**	**1**	**3**	**5**	**5**	**5**	**10**	**1.2**		**1**	**1**	**1**	**1**	**2**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	5	3.8	23	1	1	1	6	12	12	12	4	8.0	178	1	1	2	15	28	28	28
20-34	4	4.3	15	1	1	4	7	9	9	9										
35-49																				
50-64																				
65 +																				
ALL AGES	9	4.0	17	1	1	1	7	11	12	12	4	8.0	178	1	1	2	15	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	3	7.0	16	3	4	7	10	11	11	11	3	18.3	67	9	12	23	23	23	23	23
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	7.0	16	3	4	7	10	11	11	11	3	18.3	67	9	12	23	23	23	23	23
SUBTOTAL	**12**	**4.8**	**17**	**1**	**1**	**3**	**8**	**11**	**12**	**12**	**7**	**12.4**	**142**	**1**	**1**	**9**	**23**	**27**	**28**	**28**
GRAND TOTAL	**21**	**3.6**	**13**	**1**	**1**	**2**	**5**	**10**	**11**	**12**	**17**	**5.8**	**86**	**1**	**1**	**1**	**4**	**23**	**26**	**28**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1										
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
ALL AGES	3	3.3	11	1	1	2	6	7	7	7	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**4**	**2.8**	**8**	**1**	**1**	**2**	**4**	**7**	**7**	**7**	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	3.5	13	1	1	3	6	6	6	6										
35-49	4	7.0	129	1	1	2	13	24	24	24										
50-64	1	4.0		4	4	4	4	4	4	4										
65 +																				
ALL AGES	7	5.6	69	1	1	2	5	20	24	24										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	10.0		10	10	10	10	10	10	10	4	2.5	3	1	1	2	4	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4	1	4.0		4	4	4	4	4	4	4
50-64											1	1.0		1	1	1	1	1	1	1
65 +	2	8.0	2	7	7	8	9	9	9	9	1	20.0		20	20	20	20	20	20	20
ALL AGES	5	6.2	14	1	3	7	9	10	10	10	7	5.0	46	1	1	4	4	17	20	20
SUBTOTAL	**12**	**5.8**	**43**	**1**	**1**	**4**	**8**	**14**	**23**	**24**	**7**	**5.0**	**46**	**1**	**1**	**4**	**4**	**17**	**20**	**20**
GRAND TOTAL	**16**	**5.1**	**35**	**1**	**1**	**3**	**7**	**10**	**20**	**24**	**9**	**5.0**	**36**	**1**	**1**	**4**	**5**	**15**	**20**	**20**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	1	1	1	2	3	3	3										
50-64																				
65 +																				
ALL AGES	5	1.6	1	1	1	1	2	3	3	3	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											1	2.0		2	2	2	2	2	2	2
35-49											1	26.0		26	26	26	26	26	26	26
50-64																				
65 +																				
ALL AGES											2	14.0	288	2	2	14	26	26	26	26
SUBTOTAL	**5**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**9.7**	**199**	**1**	**1**	**2**	**20**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	5	3.2	7	1	1	2	5	7	7	7	2	6.5	61	1	1	6	12	12	12	12
35-49	5	2.4	3	1	1	2	3	5	5	5	3	3.7	4	2	2	3	5	6	6	6
50-64											2	3.5	13	1	1	3	6	6	6	6
65 +																				
ALL AGES	10	2.8	5	1	1	2	5	6	7	7	7	4.4	16	1	1	3	6	11	12	12
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
20-34	2	5.0	18	2	2	5	8	8	8	8	1	3.0		3	3	3	3	3	3	3
35-49	3	7.7	24	2	4	10	11	11	11	11	3	9.7	199	1	1	2	20	26	26	26
50-64																				
65 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	7	5.9	17	1	2	7	9	11	11	11	5	6.8	116	1	2	2	9	26	26	26
SUBTOTAL	**17**	**4.1**	**11**	**1**	**1**	**2**	**7**	**10**	**11**	**11**	**12**	**5.4**	**52**	**1**	**1**	**3**	**6**	**16**	**25**	**26**
GRAND TOTAL	**22**	**3.5**	**10**	**1**	**1**	**2**	**5**	**9**	**10**	**11**	**15**	**6.3**	**72**	**1**	**1**	**2**	**6**	**26**	**26**	**26**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
20-34	13	3.8	40	1	1	1	3	10	21	24	9	1.8	1	1	1	1	2	4	4	4
35-49	6	3.8	4	1	2	4	5	6	6	6	2	14.5	365	1	1	14	28	28	28	28
50-64											1	8.0		8	8	8	8	8	8	8
65 +																				
ALL AGES	20	3.7	26	1	1	2	4	6	15	24	14	4.0	51	1	1	2	3	10	24	28
B. FEMALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2	7	4.3	8	1	3	3	5	9	10	10
35-49	2	1.5	1	1	1	1	2	2	2	2	1	7.0		7	7	7	7	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1										
65 +																				
ALL AGES	4	1.5		1	1	1	2	2	2	2	9	4.2	9	1	2	3	6	9	10	10
SUBTOTAL	**24**	**3.3**	**23**	**1**	**1**	**2**	**4**	**6**	**12**	**24**	**23**	**4.1**	**33**	**1**	**1**	**2**	**4**	**8**	**16**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	15.5	265	4	4	15	27	27	27	27	3	10.7	79	5	5	6	17	21	21	21
20-34	16	5.7	46	1	2	4	7	13	23	28	16	9.8	106	2	3	3	20	27	28	28
35-49	3	3.3	5	1	2	4	5	5	5	5	7	16.6	140	3	5	14	28	30	30	30
50-64	1	14.0		14	14	14	14	14	14	14										
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	22	6.6	59	1	2	4	8	18	27	28	27	11.3	114	2	3	5	21	28	29	30
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2	2	24.0	18	21	21	24	27	27	27	27
20-34	9	4.6	21	1	1	2	8	12	13	13	11	10.7	95	2	3	9	13	28	29	29
35-49	4	4.5	19	2	2	3	7	11	11	11	2	13.0	50	8	8	13	18	18	18	18
50-64																				
65 +																				
ALL AGES	14	4.4	18	1	2	2	7	11	13	13	15	12.8	94	2	4	10	20	28	29	29
SUBTOTAL	**36**	**5.8**	**42**	**1**	**2**	**3**	**7**	**13**	**23**	**28**	**42**	**11.8**	**106**	**2**	**3**	**8**	**21**	**28**	**29**	**30**
GRAND TOTAL	**60**	**4.8**	**36**	**1**	**1**	**2**	**5**	**12**	**19**	**28**	**65**	**9.1**	**92**	**1**	**2**	**4**	**13**	**28**	**28**	**30**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34	4	1.0		1	1	1	1	1	1	1	4	9.0	166	1	1	4	17	28	28	28
35-49	1	34.0		34	34	34	34	34	34	34										
50-64																				
65 +																				
ALL AGES	5	7.6	218	1	1	1	9	34	34	34	5	7.6	134	1	1	2	11	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2	3	3.7	14	1	1	2	6	8	8	8
35-49											1	4.0		4	4	4	4	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5										
65 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	5	3.2	9	1	1	2	5	8	8	8
SUBTOTAL	**7**	**6.4**	**150**	**1**	**1**	**1**	**4**	**28**	**34**	**34**	**10**	**5.4**	**69**	**1**	**1**	**2**	**6**	**18**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	4	7.8	39	2	2	7	13	15	15	15										
20-34	7	6.4	59	1	1	3	11	19	21	21	6	16.5	145	1	2	20	27	28	28	28
35-49	3	9.7	175	2	2	2	19	25	25	25	1	5.0		5	5	5	5	5	5	5
50-64																				
65 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	14	7.5	65	1	2	3	13	21	24	25	8	13.9	127	1	3	13	24	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-19	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
20-34	7	8.6	80	2	2	5	17	22	22	22	3	2.3	1	2	2	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
50-64	2	3.0	2	2	2	3	4	4	4	4										
65 +																				
ALL AGES	11	6.2	60	1	2	2	6	21	22	22	5	3.0	1	2	2	3	4	4	4	4
SUBTOTAL	**25**	**6.9**	**61**	**1**	**2**	**3**	**11**	**21**	**23**	**25**	**13**	**9.7**	**105**	**2**	**2**	**4**	**20**	**27**	**28**	**28**
GRAND TOTAL	**32**	**6.8**	**76**	**1**	**1**	**2**	**8**	**21**	**25**	**34**	**23**	**7.8**	**91**	**1**	**2**	**4**	**8**	**27**	**28**	**28**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	18.0		18	18	18	18	18	18	18
50-64																				
65 +																				
ALL AGES											1	18.0		18	18	18	18	18	18	18
SUBTOTAL											**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	5.0		5	5	5	5	5	5	5										
50-64																				
65 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34											2	1.5	1	1	1	1	2	2	2	2
35-49																				
50-64																				
65 +																				
ALL AGES											2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**3**	**7.0**	**91**	**1**	**1**	**2**	**14**	**18**	**18**	**18**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	13	18.0	137	2	8	25	28	30	30	30	1	3.0		3	3	3	3	3	3	3
20-34	10	5.8	79	1	1	3	3	21	29	29	7	7.1	91	1	1	5	7	24	28	28
35-49	4	2.0	1	1	1	2	3	3	3	3	3	14.0	469	1	1	2	30	39	39	39
50-64											1	3.0		3	3	3	3	3	3	3
65 +																				
ALL AGES	27	11.1	138	1	2	3	26	29	30	30	12	8.2	149	1	1	3	6	31	38	39
B. FEMALE																				
0-12 YRS.																				
13-19	5	12.6	199	1	1	4	27	29	29	29	2	1.0		1	1	1	1	1	1	1
20-34	2	15.0	392	1	1	15	29	29	29	29	3	7.0	27	1	3	10	10	10	10	10
35-49	2	15.5	421	1	1	15	30	30	30	30	3	3.3	5	1	2	4	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3	3	15.7	132	9	9	9	24	29	29	29
65 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	11	12.3	174	1	1	4	28	30	30	30	11	7.3	66	1	1	5	10	18	28	29
SUBTOTAL	**38**	**11.4**	**146**	**1**	**2**	**3**	**27**	**29**	**30**	**30**	**23**	**7.7**	**106**	**1**	**1**	**4**	**9**	**28**	**32**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	11.5	13	9	9	11	14	14	14	14										
13-19	118	20.6	144	3	8	25	28	32	37	50	7	19.0	155	2	8	28	29	30	30	30
20-34	14	4.1	12	1	1	3	6	10	12	12	7	10.4	150	1	1	6	14	31	35	35
35-49	9	9.8	99	1	1	4	17	25	28	28	8	10.1	84	2	4	7	14	25	29	29
50-64											1	30.0		30	30	30	30	30	30	30
65 +											2	2.0	2	1	1	2	3	3	3	3
ALL AGES	143	18.2	154	2	6	21	28	31	35	48	25	12.8	139	1	3	9	28	30	31	35
B. FEMALE																				
0-12 YRS.	4	30.3	142	16	20	31	40	43	43	43										
13-19	92	23.1	169	4	11	28	32	36	40	87	3	21.0	229	9	11	16	32	38	38	38
20-34	5	2.8	2	1	2	3	4	5	5	5	6	6.8	65	1	1	2	15	19	19	19
35-49	5	3.8	5	1	2	4	5	7	7	7	8	7.8	93	1	3	5	7	24	31	31
50-64	1	24.0		24	24	24	24	24	24	24	1	4.0		4	4	4	4	4	4	4
65 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	108	21.5	185	3	7	26	32	36	40	82	18	9.4	114	1	2	5	15	27	35	38
SUBTOTAL	**251**	**19.6**	**170**	**3**	**6**	**23**	**29**	**34**	**37**	**55**	**43**	**11.4**	**128**	**1**	**2**	**6**	**16**	**30**	**32**	**38**
GRAND TOTAL	**289**	**18.5**	**175**	**2**	**5**	**21**	**28**	**34**	**37**	**54**	**66**	**10.1**	**122**	**1**	**2**	**5**	**14**	**29**	**32**	**39**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	2	3.5	5	2	2	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
50-64																				
65 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**3**	**3.0**	**3**	**2**	**2**	**2**	**4**	**5**	**5**	**5**	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	2.0	2	1	1	1	3	3	3	3										
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	3	2.3	2	1	1	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34											1	9.0		9	9	9	9	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
50-64											1	5.0		5	5	5	5	5	5	5
65 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	5	4.0	10	1	2	3	6	9	9	9
SUBTOTAL	**4**	**2.5**	**1**	**1**	**1**	**3**	**3**	**3**	**3**	**3**	**6**	**3.7**	**8**	**1**	**2**	**3**	**5**	**9**	**9**	**9**
GRAND TOTAL	**7**	**2.7**	**2**	**1**	**2**	**3**	**3**	**5**	**5**	**5**	**8**	**3.9**	**10**	**1**	**1**	**3**	**6**	**9**	**9**	**9**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	2.0		2	2	2	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1	5	2.0	5	1	1	1	2	6	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3										
65 +	4	2.5	2	1	1	2	3	4	4	4	2	1.5	1	1	1	1	2	2	2	2
ALL AGES	9	1.9	1	1	1	1	3	4	4	4	8	1.9	3	1	1	1	2	5	6	6
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
20-34	3	1.7	1	1	1	1	3	3	3	3	3	1.0		1	1	1	1	1	1	1
35-49	4	2.8	1	1	2	3	4	4	4	4	3	2.0	1	1	1	2	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4	3	3.0	7	1	1	2	5	6	6	6
65 +	4	3.8	18	1	1	2	6	10	10	10	4	2.8	5	1	1	2	4	6	6	6
ALL AGES	15	2.5	6	1	1	1	3	4	9	10	14	2.1	3	1	1	1	3	6	6	6
SUBTOTAL	**24**	**2.3**	**4**	**1**	**1**	**1**	**3**	**4**	**6**	**10**	**22**	**2.0**	**3**	**1**	**1**	**1**	**2**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +	2	1.5	1	1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
ALL AGES	3	1.3		1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19											3	1.7	1	1	1	1	3	3	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3										
35-49	2	3.0	8	1	1	3	5	5	5	5	7	2.9	1	1	2	3	4	4	4	4
50-64	4	5.3	18	1	1	5	9	9	9	9										
65 +	3	1.7		1	1	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
ALL AGES	11	3.4	9	1	1	2	4	9	9	9	11	2.6	2	1	1	3	4	4	4	4
SUBTOTAL	**14**	**2.9**	**8**	**1**	**1**	**2**	**3**	**9**	**9**	**9**	**12**	**2.7**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**38**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**9**	**10**	**34**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**	**6**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64											1	1.0		1	1	1	1	1	1	1
65 +	4	3.5		3	3	3	4	4	4	4										
ALL AGES	5	3.0	2	1	2	3	4	4	4	4	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	1.0		1	1	1	1	1	1	1										
65 +	2	1.5	1	1	1	1	2	2	2	2										
ALL AGES	3	1.3		1	1	1	2	2	2	2										
SUBTOTAL	**8**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	1.0		1	1	1	1	1	1	1										
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	1.0		1	1	1	1	1	1	1
50-64											1	1.0		1	1	1	1	1	1	1
65 +	2	3.5	1	3	3	3	4	4	4	4										
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**12**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**4**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19																				
20-34	1	5.0		5	5	5	5	5	5	5										
35-49	1	2.0		2	2	2	2	2	2	2	2	2.0	2	1	1	1	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
65 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	4	2.5	3	1	1	2	4	5	5	5	4	3.3	4	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-19											3	1.3		1	1	1	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3										
35-49	3	5.0	7	2	3	6	7	7	7	7	3	4.0	7	2	2	3	6	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
65 +	3	4.3	2	3	3	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
ALL AGES	10	3.8	3	2	2	3	5	6	7	7	9	2.2	4	1	1	2	2	5	7	7
SUBTOTAL	**14**	**3.4**	**4**	**2**	**2**	**3**	**5**	**6**	**7**	**7**	**13**	**2.5**	**4**	**1**	**1**	**2**	**3**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
13-19																				
20-34											1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3										
50-64																				
65 +	2	16.5	265	5	5	16	28	28	28	28	1	7.0		7	7	7	7	7	7	7
ALL AGES	4	10.0	145	3	3	4	16	28	28	28	3	4.3	7	2	2	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-19											1	3.0		3	3	3	3	3	3	3
20-34	4	7.5	27	3	4	6	11	15	15	15										
35-49	3	3.3	5	1	2	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4										
65 +	2	6.5	1	6	6	6	7	7	7	7										
ALL AGES	10	5.7	14	2	4	5	6	11	15	15	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**14**	**6.9**	**47**	**3**	**4**	**5**	**6**	**16**	**25**	**28**	**5**	**3.6**	**4**	**2**	**2**	**3**	**5**	**7**	**7**	**7**
GRAND TOTAL	**28**	**5.2**	**27**	**2**	**2**	**4**	**6**	**7**	**16**	**28**	**18**	**2.8**	**4**	**1**	**1**	**2**	**3**	**7**	**7**	**7**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-19																					
20-34																					
35-49																					
50-64																					
65 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.	2	3.0		3	3	3	3	3	3	3											
13-19																					
20-34																					
35-49																					
50-64																					
65 +																					
ALL AGES	2	3.0		3	3	3	3	3	3	3											
SUBTOTAL	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-19																					
20-34																					
35-49																					
50-64																					
65 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-19																					
20-34																					
35-49																					
50-64											1	6.0		6	6	6	6	6	6	6
65 +																					
ALL AGES											1	6.0		6	6	6	6	6	6	6
SUBTOTAL											**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-19																					
20-34																					
35-49																					
50-64																					
65 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-19																					
20-34																					
35-49																					
50-64																					
65 +																					
ALL AGES																					
SUBTOTAL																					
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-19																					
20-34																					
35-49																					
50-64																					
65 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-19																					
20-34											1	1.0		1	1	1	1	1	1	1
35-49																					
50-64																					
65 +																					
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	3.5	1	3	3	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
35-49																				
50-64	2	1.0		1	1	1	1	1	1	1										
65 +																				
ALL AGES	4	2.3	2	1	1	2	3	4	4	4	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	3	5.3	25	2	2	3	9	11	11	11	1	1.0		1	1	1	1	1	1	1
50-64																				
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	3	5.3	25	2	2	3	9	11	11	11	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**4**	**4.3**	**20**	**1**	**1**	**2**	**7**	**11**	**11**	**11**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
GRAND TOTAL	**8**	**3.3**	**11**	**1**	**1**	**2**	**4**	**9**	**11**	**11**	**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19											1	21.0		21	21	21	21	21	21	21
20-34											1	1.0		1	1	1	1	1	1	1
35-49	4	5.0	5	2	3	5	6	7	7	7										
50-64	2	4.0	2	3	3	4	5	5	5	5										
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	7	4.4	4	2	3	5	6	7	7	7	2	11.0	200	1	1	11	21	21	21	21
SUBTOTAL	**8**	**4.0**	**4**	**1**	**2**	**4**	**6**	**7**	**7**	**7**	**3**	**8.3**	**122**	**1**	**1**	**3**	**16**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	35.0		35	35	35	35	35	35	35										
50-64	1	6.0		6	6	6	6	6	6	6										
65 +																				
ALL AGES	2	20.5	421	6	6	20	35	35	35	35										
B. FEMALE																				
0-12 YRS.																				
13-19	1	7.0		7	7	7	7	7	7	7										
20-34	1	7.0		7	7	7	7	7	7	7										
35-49											1	1.0		1	1	1	1	1	1	1
50-64																				
65 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	3	6.7		6	6	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**5**	**12.2**	**163**	**6**	**6**	**7**	**14**	**35**	**35**	**35**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**13**	**7.2**	**73**	**2**	**3**	**6**	**7**	**13**	**31**	**35**	**4**	**6.5**	**94**	**1**	**1**	**2**	**12**	**21**	**21**	**21**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	2.0		2	2	2	2	2	2	2										
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**2**	**5.0**	**18**	**2**	**2**	**5**	**8**	**8**	**8**	**8**										

ANOREXIA NERVOSA (307.1)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	2	9.0		9	9	9	9	9	9	9										
20-34	1	7.0		7	7	7	7	7	7	7										
35-49																				
50-64																				
65 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	4	10.5	20	7	8	9	13	17	17	17										
B. FEMALE																				
0-12 YRS.	4	19.3	289	3	4	20	34	34	34	34	3	22.3	959	3	4	6	45	58	58	58
13-19	15	36.4	752	6	16	33	76	96	99 +	99 +	8	26.1	760	4	7	22	29	72	89	89
20-34	17	6.6	74	1	2	3	7	19	28	33	3	7.3	5	5	6	8	9	9	9	9
35-49	3	10.0	12	8	8	8	13	14	14	14	3	12.7	341	1	1	3	26	34	34	34
50-64																				
65 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	40	19.4	514	1	3	11	33	77	90	99 +	17	19.8	553	3	4	9	29	53	78	89
SUBTOTAL	**44**	**18.6**	**474**	**1**	**4**	**10**	**33**	**73**	**87**	**99 +**	**17**	**19.8**	**553**	**3**	**4**	**9**	**29**	**53**	**78**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19											1	27.0		27	27	27	27	27	27	27
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.											2	44.0	50	39	39	44	49	49	49	49
13-19	11	13.6	61	5	11	12	15	23	33	34	20	27.4	402	5	13	24	39	46	70	90
20-34	30	11.5	83	3	5	9	14	30	31	33	14	14.1	77	3	5	17	20	26	28	28
35-49	14	8.0	97	1	2	6	10	18	34	39	4	17.3	137	6	8	15	26	33	33	33
50-64	3	6.7	44	1	2	5	12	14	14	14										
65 +	1	14.0		14	14	14	14	14	14	14	1	23.0		23	23	23	23	23	23	23
ALL AGES	59	10.9	79	2	4	9	14	25	32	39	41	22.6	289	4	11	20	29	42	49	90
SUBTOTAL	**59**	**10.9**	**79**	**2**	**4**	**9**	**14**	**25**	**32**	**39**	**42**	**22.7**	**282**	**4**	**11**	**20**	**28**	**42**	**49**	**90**
GRAND TOTAL	**103**	**14.2**	**259**	**2**	**4**	**9**	**16**	**34**	**63**	**99 +**	**59**	**21.8**	**357**	**3**	**7**	**19**	**28**	**43**	**54**	**90**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-19											1	3.0		3	3	3	3	3	3	3
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL											**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	34.4	119	20	27	32	43	48	48	48										
13-19	6	20.0	312	2	4	18	29	46	48	48										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	11	26.5	263	3	13	29	39	48	48	48										
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-19	1	1.0		1	1	1	1	1	1	1										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	4.5	25	1	1	4	8	8	8	8										
SUBTOTAL	**13**	**23.2**	**285**	**2**	**7**	**26**	**34**	**48**	**48**	**48**										
GRAND TOTAL	**13**	**23.2**	**285**	**2**	**7**	**26**	**34**	**48**	**48**	**48**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											3	1.0		1	1	1	1	1	1	1
13-19																				
20-34																				
35-49																				
50-64																				
65 +	2	3.5	5	2	2	3	5	5	5	5										
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	3	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4										
50-64																				
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	3	3.7	2	2	2	4	5	5	5	5	4	1.8	2	1	1	1	3	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2										
GRAND TOTAL	4	3.3	2	2	2	3	4	5	5	5	4	1.8	2	1	1	1	3	4	4	4

EATING DISORDERS NEC/NOS (307.5)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	13.3	458	1	1	1	29	38	38	38	1	1.0		1	1	1	1	1	1	1
13-19																				
20-34											1	25.0		25	25	25	25	25	25	25
35-49											1	5.0		5	5	5	5	5	5	5
50-64																				
65 +											2	5.5	1	5	5	5	6	6	6	6
ALL AGES	3	13.3	458	1	1	1	29	38	38	38	5	8.4	90	1	4	5	11	25	25	25
B. FEMALE																				
0-12 YRS.	3	5.3	34	2	2	2	10	12	12	12										
13-19	13	8.9	63	2	3	7	11	20	28	30	7	8.9	83	1	2	2	18	21	21	21
20-34	13	11.0	79	1	3	9	15	27	28	28	4	2.5		2	2	2	3	3	3	3
35-49	2	9.0	128	1	1	9	17	17	17	17	2	5.0	2	4	4	5	6	6	6	6
50-64	3	2.7	1	2	2	2	4	4	4	4	1	2.0		2	2	2	2	2	2	2
65 +	2	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
ALL AGES	36	8.6	61	2	2	6	13	18	28	30	15	5.7	46	2	2	2	5	20	21	21
SUBTOTAL	**39**	**8.9**	**83**	**1**	**2**	**6**	**13**	**23**	**29**	**38**	**20**	**6.4**	**54**	**1**	**2**	**3**	**6**	**20**	**23**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38	2	13.5	61	8	8	13	19	19	19	19
13-19	1	30.0		30	30	30	30	30	30	30										
20-34	3	13.0	151	4	5	8	22	27	27	27	1	25.0		25	25	25	25	25	25	25
35-49											2	31.0	128	23	23	31	39	39	39	39
50-64																				
65 +																				
ALL AGES	5	21.4	216	4	7	27	32	38	38	38	5	22.8	125	8	16	23	28	39	39	39
B. FEMALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-19	16	8.9	55	2	3	8	13	16	25	29	22	18.7	114	4	11	17	27	33	40	41
20-34	45	10.4	59	2	4	9	14	23	29	30	40	20.2	118	3	14	21	28	35	43	99 +
35-49	9	9.0	48	2	5	8	10	20	25	25	12	16.2	134	4	5	15	23	34	38	39
50-64	1	11.0		11	11	11	11	11	11	11	1	10.0		10	10	10	10	10	10	10
65 +	2	4.0		4	4	4	4	4	4	4	1	20.0		20	20	20	20	20	20	20
ALL AGES	74	10.3	81	2	4	8	14	23	29	48	76	19.0	116	3	11	20	26	34	41	85
SUBTOTAL	**79**	**11.0**	**94**	**2**	**4**	**9**	**14**	**26**	**30**	**49**	**81**	**19.2**	**117**	**4**	**11**	**20**	**26**	**35**	**40**	**82**
GRAND TOTAL	**118**	**10.3**	**91**	**2**	**3**	**8**	**14**	**26**	**30**	**43**	**101**	**16.7**	**129**	**2**	**6**	**18**	**25**	**33**	**40**	**71**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	4.0		4	4	4	4	4	4	4
50-64																				
65 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											2	2.5	5	1	1	2	4	4	4	4

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	18.0	18	15	15	18	21	21	21	21										
13-19	1	18.0		18	18	18	18	18	18	18										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	18.0	9	15	16	18	20	21	21	21										
B. FEMALE																				
0-12 YRS.											1	29.0		29	29	29	29	29	29	29
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	29.0		29	29	29	29	29	29	29
SUBTOTAL	**3**	**18.0**	**9**	**15**	**16**	**18**	**20**	**21**	**21**	**21**	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**
GRAND TOTAL	**3**	**18.0**	**9**	**15**	**16**	**18**	**20**	**21**	**21**	**21**	**2**	**15.5**	**365**	**2**	**2**	**15**	**29**	**29**	**29**	**29**

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-19																				
20-34	6	2.7	2	1	1	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-49	6	3.2	7	1	1	2	6	7	7	7	4	2.0	1	1	1	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2	2	7.5	85	1	1	7	14	14	14	14
65 +											3	8.3	38	3	4	7	13	15	15	15
ALL AGES	15	2.7	3	1	1	2	4	6	7	7	10	4.9	29	1	1	2	7	14	15	15
B. FEMALE																				
0-12 YRS.											2	4.0	2	3	3	4	5	5	5	5
13-19	2	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
20-34	14	4.1	28	1	1	2	4	12	18	20	10	2.8	4	1	1	2	4	5	6	6
35-49	16	2.5	5	1	1	2	3	3	8	10	8	2.3	1	1	1	3	3	3	3	3
50-64	11	2.7	6	1	1	2	4	6	9	9	6	4.0	5	2	3	3	5	8	8	8
65 +	2	5.0		5	5	5	5	5	5	5	6	1.7	1	1	1	1	3	3	3	3
ALL AGES	45	3.2	11	1	1	2	3	5	10	20	33	2.7	3	1	1	3	3	5	6	8
SUBTOTAL	**60**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**9**	**19**	**43**	**3.2**	**9**	**1**	**1**	**3**	**3**	**6**	**10**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	33.0		33	33	33	33	33	33	33	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1	3	2.0	1	1	1	2	3	3	3	3
50-64																				
65 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	17.0	512	1	1	17	33	33	33	33	5	2.6	2	1	2	2	3	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-19											3	7.0	61	2	2	3	13	16	16	16
20-34	7	4.7	9	2	3	4	5	10	11	11	5	2.8	6	1	1	2	3	7	7	7
35-49	11	5.6	21	1	1	5	8	12	14	14	2	2.5	1	2	2	2	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4	5	4.2	15	1	2	3	5	11	11	11
65 +	3	8.3	31	2	4	11	12	12	12	12										
ALL AGES	23	5.5	16	1	2	4	8	11	13	14	15	4.1	17	1	2	3	3	11	15	16
SUBTOTAL	**25**	**6.4**	**47**	**1**	**2**	**4**	**9**	**12**	**19**	**33**	**20**	**3.7**	**14**	**1**	**2**	**3**	**3**	**9**	**13**	**16**
GRAND TOTAL	**85**	**4.0**	**23**	**1**	**1**	**2**	**4**	**10**	**12**	**28**	**63**	**3.4**	**10**	**1**	**1**	**3**	**3**	**7**	**12**	**16**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	2.0		2	2	2	2	2	2	2
50-64																				
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES											2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-19																				
20-34	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2										
50-64																				
65 +	2	5.0	18	2	2	5	8	8	8	8	3	4.0	4	2	2	4	5	6	6	6
ALL AGES	6	2.7	7	1	1	2	2	7	8	8	4	3.3	4	1	1	3	5	6	6	6
SUBTOTAL	**6**	**2.7**	**7**	**1**	**1**	**2**	**2**	**7**	**8**	**8**	**6**	**3.3**	**4**	**1**	**2**	**3**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64											1	13.0		13	13	13	13	13	13	13
65 +	1	6.0		6	6	6	6	6	6	6	5	2.2	2	1	1	2	3	4	4	4
ALL AGES	1	6.0		6	6	6	6	6	6	6	6	4.0	21	1	1	2	4	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	19.0		19	19	19	19	19	19	19										
35-49											1	3.0		3	3	3	3	3	3	3
50-64	1	12.0		12	12	12	12	12	12	12										
65 +	4	4.5	14	2	2	3	7	10	10	10	1	1.0		1	1	1	1	1	1	1
ALL AGES	6	8.2	45	2	2	7	12	18	19	19	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**7**	**7.9**	**38**	**2**	**3**	**6**	**11**	**18**	**19**	**19**	**8**	**3.5**	**16**	**1**	**1**	**2**	**4**	**10**	**13**	**13**
GRAND TOTAL	**13**	**5.5**	**29**	**1**	**2**	**2**	**8**	**13**	**18**	**19**	**14**	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**12**	**13**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4	3	2.3	1	2	2	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1	2	4.5	25	1	1	4	8	8	8	8
50-64											1	1.0		1	1	1	1	1	1	1
65 +	2	1.0		1	1	1	1	1	1	1	6	5.5	12	1	4	5	7	11	11	11
ALL AGES	4	1.8	2	1	1	1	3	4	4	4	13	4.0	10	1	2	3	6	9	11	11
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-19											1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2	3	1.0		1	1	1	1	1	1	1
35-49	8	4.3	18	1	1	2	6	11	13	13	6	2.3	2	1	1	2	3	5	5	5
50-64	3	6.3	27	2	3	5	10	12	12	12	2	2.0		2	2	2	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3	4	3.0	1	2	2	3	4	4	4	4
ALL AGES	14	5.1	20	1	2	3	8	13	13	13	16	2.1	2	1	1	2	3	4	5	5
SUBTOTAL	**18**	**4.3**	**19**	**1**	**1**	**3**	**5**	**13**	**13**	**13**	**29**	**3.0**	**6**	**1**	**1**	**2**	**4**	**7**	**8**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	2	3.0	2	2	2	3	4	4	4	4	2	1.0		1	1	1	1	1	1	1
35-49	1	10.0		10	10	10	10	10	10	10	3	2.0	1	1	1	2	3	3	3	3
50-64																				
65 +																				
ALL AGES	3	5.3	18	2	2	4	8	10	10	10	5	1.6	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	6.5	1	6	6	6	7	7	7	7	3	1.3		1	1	1	2	2	2	2
35-49	3	2.3	1	2	2	2	3	3	3	3	5	2.2	3	1	1	1	4	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
65 +																				
ALL AGES	7	3.4	5	2	2	2	5	7	7	7	9	1.8	2	1	1	1	2	4	4	4
SUBTOTAL	**10**	**4.0**	**8**	**2**	**2**	**3**	**6**	**8**	**10**	**10**	**14**	**1.7**	**1**	**1**	**1**	**1**	**2**	**4**	**4**	**4**
GRAND TOTAL	**28**	**4.2**	**14**	**1**	**2**	**3**	**6**	**11**	**13**	**13**	**43**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49											1	26.0		26	26	26	26	26	26	26
50-64																				
65 +																				
ALL AGES											1	26.0		26	26	26	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2**	**15.0**	**242**	**4**	**4**	**15**	**26**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	1	12.0		12	12	12	12	12	12	12										
20-34																				
35-49																				
50-64	1	6.0		6	6	6	6	6	6	6										
65 +																				
ALL AGES	2	9.0	18	6	6	9	12	12	12	12										
SUBTOTAL	**2**	**9.0**	**18**	**6**	**6**	**9**	**12**	**12**	**12**	**12**										
GRAND TOTAL	**3**	**7.3**	**18**	**4**	**4**	**6**	**10**	**12**	**12**	**12**	**2**	**15.0**	**242**	**4**	**4**	**15**	**26**	**26**	**26**	**26**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	3.0		3	3	3	3	3	3	3
35-49																				
50-64																				
65 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2	2	3.0		3	3	3	3	3	3	3

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	40.0	1083	2	16	59	59	59	59	59										
13-19	1	1.0		1	1	1	1	1	1	1										
20-34	5	4.8	4	3	3	5	6	8	8	8	2	1.0		1	1	1	1	1	1	1
35-49	3	8.3	42	1	3	11	12	13	13	13	3	2.3	3	1	1	2	3	4	4	4
50-64	3	1.7	1	1	1	1	3	3	3	3										
65 +																				
ALL AGES	15	11.7	382	1	2	3	10	59	59	59	5	1.8	2	1	1	1	2	4	4	4
B. FEMALE																				
0-12 YRS.	3	36.0	27	33	33	33	40	42	42	42										
13-19	9	2.4	5	1	1	2	3	6	6	6	3	5.3	6	4	4	4	7	8	8	8
20-34	17	3.5	6	1	1	2	5	7	8	8	4	2.5	3	1	1	2	4	4	4	4
35-49	8	5.6	53	1	1	3	7	18	22	22	4	2.3	1	1	1	2	3	3	3	3
50-64	4	1.8	2	1	1	1	3	4	4	4	2	1.5	1	1	1	1	2	2	2	2
65 +											2	3.0	2	2	2	3	4	4	4	4
ALL AGES	41	5.9	89	1	1	2	6	14	33	42	15	2.9	4	1	1	3	4	4	7	8
SUBTOTAL	**56**	**7.4**	**169**	**1**	**1**	**3**	**6**	**21**	**39**	**59**	**20**	**2.7**	**3**	**1**	**1**	**2**	**4**	**4**	**6**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	10.0		10	10	10	10	10	10	10
13-19	4	5.0	18	1	1	4	8	10	10	10	2	7.0	32	3	3	7	11	11	11	11
20-34	7	8.9	130	1	2	3	19	26	27	27	4	6.5	23	2	3	5	10	13	13	13
35-49	7	4.1	13	1	2	3	6	10	11	11	5	4.8	25	1	1	3	8	13	13	13
50-64											1	2.0		2	2	2	2	2	2	2
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	18	6.2	58	1	2	3	7	20	26	27	14	5.6	20	1	2	4	10	13	13	13
B. FEMALE																				
0-12 YRS.	3	30.0	432	6	15	42	42	42	42	42										
13-19	15	8.9	129	2	2	6	9	29	39	42	5	3.6	9	1	1	3	6	8	8	8
20-34	24	10.0	150	1	2	4	12	30	38	45	14	5.4	32	1	2	3	7	15	20	21
35-49	13	10.3	224	1	2	5	9	36	49	52	5	5.2	37	2	2	3	6	16	16	16
50-64	4	7.5	136	1	1	2	14	25	25	25	1	21.0		21	21	21	21	21	21	21
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	60	10.5	178	1	2	5	11	33	42	51	25	5.6	36	1	2	3	7	16	21	21
SUBTOTAL	**78**	**9.5**	**153**	**1**	**2**	**4**	**11**	**30**	**42**	**50**	**39**	**5.6**	**30**	**1**	**2**	**3**	**7**	**14**	**19**	**21**
GRAND TOTAL	**134**	**8.6**	**160**	**1**	**1**	**3**	**8**	**29**	**42**	**59**	**59**	**4.6**	**22**	**1**	**2**	**3**	**6**	**12**	**15**	**21**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	1.5	1	1	1	1	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
SUBTOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-19	1	2.0		2	2	2	2	2	2	2										
20-34																				
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	2	9.0	98	2	2	9	16	16	16	16	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3										
35-49											1	1.0		1	1	1	1	1	1	1
50-64											1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	4	2.0	1	1	1	2	3	3	3	3	3	1.3		1	1	1	2	2	2	2
SUBTOTAL	**6**	**4.3**	**33**	**1**	**2**	**2**	**3**	**15**	**16**	**16**	**4**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19	2	7.0	2	6	6	7	8	8	8	8										
20-34																				
35-49	2	5.5	1	5	5	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
50-64											1	3.0		3	3	3	3	3	3	3
65 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	5	5.8	2	4	5	6	7	8	8	8	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**5**	**5.8**	**2**	**4**	**5**	**6**	**7**	**8**	**8**	**8**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**11**	**5.0**	**18**	**1**	**2**	**4**	**6**	**11**	**16**	**16**	**6**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	4.4	13	1	2	3	7	10	10	10										
13-19	53	5.5	41	1	1	3	7	14	19	31	17	7.9	80	1	2	5	10	21	30	34
20-34	84	2.9	7	1	1	2	3	6	8	14	23	3.2	5	1	2	2	4	7	8	8
35-49	48	3.3	10	1	1	2	4	7	9	19	11	3.7	15	1	1	3	4	11	13	13
50-64	16	2.9	6	1	1	2	4	8	9	9	5	2.2	1	1	2	2	3	3	3	3
65 +	9	4.8	10	2	3	3	7	10	11	11	5	8.6	203	1	2	2	11	34	34	34
ALL AGES	215	3.7	17	1	1	2	4	9	11	21	61	5.0	44	1	1	3	6	11	18	34
B. FEMALE																				
0-12 YRS.	2	9.5	13	7	7	9	12	12	12	12	1	23.0		23	23	23	23	23	23	23
13-19	116	6.3	43	1	2	4	8	15	21	33	30	5.0	13	2	2	4	6	11	13	15
20-34	129	3.5	12	1	1	2	5	7	11	17	40	5.9	79	1	2	3	6	11	20	52
35-49	80	3.8	10	1	2	3	5	8	9	17	17	4.1	23	1	1	3	4	10	17	20
50-64	24	4.7	14	1	2	4	6	8	12	18	9	5.0	33	1	1	3	8	14	18	18
65 +	21	5.8	11	1	2	7	9	10	11	12	8	9.1	32	2	4	8	14	16	17	17
ALL AGES	372	4.7	22	1	2	3	6	10	14	22	105	5.6	47	1	2	3	7	13	17	39
SUBTOTAL	**587**	**4.3**	**21**	**1**	**1**	**3**	**6**	**9**	**14**	**22**	**166**	**5.4**	**45**	**1**	**2**	**3**	**6**	**13**	**17**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	41.0	133	32	33	37	50	54	54	54	3	18.3	168	4	8	22	27	29	29	29
13-19	75	7.6	101	1	2	4	9	24	30	48	12	5.6	21	1	2	5	8	12	15	16
20-34	157	3.5	7	1	2	3	4	7	10	13	42	5.1	37	1	2	3	6	13	19	30
35-49	121	4.2	15	1	2	3	6	10	13	17	32	3.8	10	1	1	3	6	9	11	11
50-64	35	4.7	47	1	1	3	5	10	18	37	2	3.5	1	3	3	3	4	4	4	4
65 +	11	6.3	29	2	3	4	8	16	17	17	5	9.0	26	3	4	12	13	14	14	14
ALL AGES	402	4.9	44	1	2	3	5	11	15	37	96	5.3	33	1	1	3	7	12	17	30
B. FEMALE																				
0-12 YRS.	6	7.7	25	3	3	6	11	15	16	16	3	25.7	168	11	16	30	34	36	36	36
13-19	128	6.4	50	1	2	4	8	14	17	35	33	7.8	56	1	3	6	9	21	26	30
20-34	224	4.8	21	1	2	3	6	10	14	21	47	5.8	37	1	2	3	7	13	17	29
35-49	145	6.7	37	1	2	5	9	14	18	31	39	6.4	141	1	2	3	5	13	17	74
50-64	21	6.0	39	1	2	4	6	16	23	24	11	3.1	7	1	1	2	3	8	10	10
65 +	15	8.5	54	2	4	6	11	17	27	30	7	8.0	59	3	3	4	12	21	23	23
ALL AGES	539	5.9	34	1	2	4	8	13	16	30	140	6.8	78	1	2	4	8	14	25	40
SUBTOTAL	**941**	**5.5**	**38**	**1**	**2**	**3**	**7**	**12**	**16**	**32**	**236**	**6.2**	**60**	**1**	**2**	**4**	**7**	**14**	**22**	**31**
GRAND TOTAL	**1528**	**5.0**	**32**	**1**	**2**	**3**	**6**	**11**	**15**	**30**	**402**	**5.9**	**54**	**1**	**2**	**3**	**7**	**13**	**20**	**34**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19	4	2.5	4	1	1	2	4	5	5	5	1	9.0		9	9	9	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1	3	4.0	4	2	2	4	5	6	6	6
35-49	2	8.5	61	3	3	8	14	14	14	14										
50-64																				
65 +											2	3.5	1	3	3	3	4	4	4	4
ALL AGES	7	4.0	22	1	1	3	5	12	14	14	6	4.7	6	2	3	4	6	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	4	3.3	6	1	1	2	5	7	7	7	6	7.2	94	1	1	2	12	24	25	25
20-34	5	3.8	3	2	3	3	5	6	6	6	4	3.3	6	1	1	2	5	7	7	7
35-49	3	8.3	105	1	1	4	16	20	20	20	1	9.0		9	9	9	9	9	9	9
50-64	1	16.0		16	16	16	16	16	16	16	3	3.0	4	1	1	3	4	5	5	5
65 +	4	6.8	23	2	3	6	10	13	13	13	1	3.0		3	3	3	3	3	3	3
ALL AGES	17	5.9	30	1	2	4	7	15	19	20	15	5.1	41	1	1	3	6	12	22	25
SUBTOTAL	**24**	**5.3**	**28**	**1**	**2**	**3**	**6**	**14**	**17**	**20**	**21**	**5.0**	**30**	**1**	**2**	**3**	**6**	**10**	**18**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	4	21.3	500	1	5	16	37	52	52	52	1	9.0		9	9	9	9	9	9	9
20-34	7	3.7	6	1	2	3	6	7	7	7	4	4.5	11	1	2	4	7	9	9	9
35-49	6	4.0	14	1	2	3	5	10	11	11	2	2.5	1	2	2	2	3	3	3	3
50-64	3	8.3	17	6	6	6	11	13	13	13										
65 +	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
ALL AGES	21	8.2	129	1	2	5	9	17	36	52	8	4.3	9	1	2	3	6	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-19	4	9.3	-13	5	6	9	12	14	14	14	4	9.5	67	3	3	8	16	20	20	20
20-34	11	3.9	7	1	2	3	6	8	9	9	6	3.7	5	2	2	3	4	8	8	8
35-49	5	5.4	8	1	4	6	7	9	9	9	5	7.2	36	1	3	4	13	15	15	15
50-64	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
ALL AGES	22	5.1	12	1	2	5	8	9	12	14	17	6.0	30	2	3	4	9	14	18	20
SUBTOTAL	**43**	**6.6**	**70**	**1**	**2**	**5**	**8**	**12**	**17**	**52**	**25**	**5.4**	**24**	**2**	**2**	**4**	**8**	**12**	**16**	**20**
GRAND TOTAL	**67**	**6.2**	**54**	**1**	**2**	**4**	**8**	**13**	**17**	**47**	**46**	**5.2**	**26**	**1**	**2**	**3**	**7**	**12**	**16**	**25**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	27.0	172	10	19	28	35	42	42	42	1	8.0		8	8	8	8	8	8	8
13-19	21	5.4	75	1	2	2	5	14	28	38	8	7.6	72	1	2	4	12	22	24	24
20-34	24	3.0	6	1	1	2	4	6	8	11	8	8.1	139	2	3	4	6	28	37	37
35-49	17	6.8	138	1	2	2	5	20	38	47	5	2.0	2	1	1	1	3	4	4	4
50-64	5	4.8	7	1	3	5	6	8	8	8	2	3.0	8	1	1	3	5	5	5	5
65 +	5	7.8	17	3	4	7	12	12	12	12	1	8.0		8	8	8	8	8	8	8
ALL AGES	76	6.2	86	1	2	3	6	13	28	46	25	6.3	69	1	1	4	6	17	27	37
B. FEMALE																				
0-12 YRS.	5	14.2	173	1	5	10	22	35	35	35										
13-19	28	5.5	55	1	1	3	6	11	23	37	2	7.0	72	1	1	7	13	13	13	13
20-34	36	6.2	42	1	1	3	9	19	21	22	8	4.6	21	1	1	3	7	12	14	14
35-49	20	5.2	35	1	1	3	6	13	19	25	8	7.6	16	3	4	7	10	14	15	15
50-64	8	6.0	11	2	3	6	8	11	12	12	3	4.0	9	1	2	4	6	7	7	7
65 +	11	6.3	64	2	3	5	5	16	29	30	4	7.3	7	4	5	7	9	10	10	10
ALL AGES	108	6.2	50	1	1	4	7	16	21	36	25	6.1	18	1	3	6	9	13	14	15
SUBTOTAL	**184**	**6.2**	**65**	**1**	**1**	**3**	**7**	**14**	**23**	**41**	**50**	**6.2**	**43**	**1**	**2**	**5**	**8**	**13**	**17**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	25.0	241	5	19	23	32	48	50	50	5	20.2	116	9	10	19	29	34	34	34
13-19	19	7.8	98	1	1	3	11	19	31	41	8	8.8	23	4	5	7	12	16	17	17
20-34	47	3.1	19	1	1	2	4	5	7	30	15	8.1	40	1	3	7	9	20	21	22
35-49	25	6.9	60	1	2	4	10	15	23	34	6	4.2	5	1	2	4	6	7	7	7
50-64	9	8.0	37	1	3	8	10	18	20	20	3	9.3	103	3	3	4	17	21	21	21
65 +	5	5.2	23	1	2	4	8	13	13	13	4	6.5	34	1	1	5	11	14	14	14
ALL AGES	111	6.5	75	1	2	3	8	18	24	45	41	9.0	59	1	4	7	12	20	25	34
B. FEMALE																				
0-12 YRS.	3	4.0	3	3	3	3	5	6	6	6	3	16.7	29	13	13	14	21	23	23	23
13-19	38	10.2	162	1	2	6	11	31	43	53	6	4.5	8	2	3	4	4	9	10	10
20-34	76	5.3	25	1	2	4	7	12	14	27	19	6.1	50	1	2	4	6	18	25	27
35-49	47	6.0	25	1	2	5	8	13	18	21	11	4.3	17	1	2	2	6	10	15	15
50-64	15	7.7	40	2	4	5	13	17	21	22	4	3.5	3	1	2	4	5	5	5	5
65 +	13	9.0	36	2	5	7	12	18	20	20	4	6.8	1	6	6	6	8	9	9	9
ALL AGES	192	6.8	57	1	2	5	8	15	20	43	47	6.0	35	1	2	4	7	14	22	27
SUBTOTAL	**303**	**6.7**	**63**	**1**	**2**	**4**	**8**	**16**	**21**	**42**	**88**	**7.4**	**48**	**1**	**2**	**5**	**9**	**18**	**22**	**32**
GRAND TOTAL	**487**	**6.5**	**64**	**1**	**2**	**4**	**8**	**16**	**22**	**42**	**138**	**7.0**	**45**	**1**	**2**	**5**	**9**	**15**	**22**	**34**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	26.0		26	26	26	26	26	26	26	2	6.0	8	4	4	6	8	8	8	8
13-19	14	6.8	38	1	2	5	8	16	20	21	12	7.5	20	3	4	7	9	15	16	16
20-34	14	2.7	3	1	1	3	4	5	6	7										
35-49	4	7.3	23	3	3	7	11	12	12	12	1	5.0		5	5	5	5	5	5	5
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	35	6.1	47	1	2	4	7	16	25	26	15	7.1	17	3	4	7	9	15	16	16
B. FEMALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23	1	8.0		8	8	8	8	8	8	8
13-19	14	3.8	15	1	1	2	6	10	12	13	12	8.1	21	2	4	8	11	14	17	17
20-34	3	5.3	7	3	3	5	7	8	8	8	1	6.0		6	6	6	6	6	6	6
35-49	3	7.0	48	3	3	3	12	15	15	15	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1										
65 +	2	5.0	18	2	2	5	8	8	8	8										
ALL AGES	24	5.2	30	1	1	3	8	13	17	23	15	7.5	19	1	4	7	10	12	16	17
SUBTOTAL	**59**	**5.7**	**40**	**1**	**1**	**3**	**8**	**15**	**22**	**26**	**30**	**7.3**	**18**	**3**	**4**	**7**	**10**	**14**	**16**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
13-19	12	8.1	67	1	2	6	11	22	25	26	8	4.6	2	3	4	5	6	6	6	6
20-34	7	5.0	33	1	1	2	8	15	16	16	2	4.0	8	2	2	4	6	6	6	6
35-49	5	5.4	28	1	1	5	8	14	14	14	3	7.3	3	6	6	7	8	9	9	9
50-64																				
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	26	6.3	46	1	1	4	8	16	22	26	14	5.1	4	3	4	5	6	7	9	9
B. FEMALE																				
0-12 YRS.											2	12.5	5	11	11	12	14	14	14	14
13-19	11	5.6	16	1	3	5	8	12	14	14	3	13.0	301	2	2	4	26	33	33	33
20-34	7	3.3	5	1	1	2	5	7	7	7	3	2.0	3	1	1	1	3	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4	3	4.3	10	1	2	5	6	7	7	7
50-64	1	11.0		11	11	11	11	11	11	11										
65 +																				
ALL AGES	21	4.9	13	1	2	4	7	10	12	14	11	7.5	90	1	1	4	10	22	32	33
SUBTOTAL	**47**	**5.7**	**31**	**1**	**1**	**4**	**7**	**14**	**17**	**26**	**25**	**6.2**	**40**	**1**	**3**	**5**	**6**	**11**	**19**	**33**
GRAND TOTAL	**106**	**5.7**	**36**	**1**	**1**	**4**	**7**	**14**	**21**	**26**	**55**	**6.8**	**28**	**2**	**4**	**6**	**9**	**12**	**16**	**32**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	18.4	297	3	4	10	29	44	48	48	1	1.0		1	1	1	1	1	1	1
13-19	30	6.0	34	1	2	5	7	11	17	30	12	14.6	94	2	5	15	23	26	28	28
20-34	20	4.1	9	1	2	3	6	8	10	13	13	4.7	96	1	1	2	3	11	32	37
35-49	16	6.6	61	1	2	3	9	15	26	30	3	2.7	2	1	1	3	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1										
65 +	3	11.0	219	1	2	4	22	28	28	28	1	7.0		7	7	7	7	7	7	7
ALL AGES	78	6.8	72	1	2	4	7	15	29	43	30	8.4	103	1	2	3	11	24	28	37
B. FEMALE																				
0-12 YRS.	6	9.3	24	5	6	7	15	16	16	16										
13-19	62	9.3	58	2	3	6	15	22	23	28	20	13.2	108	2	5	10	19	27	33	38
20-34	42	3.9	43	1	1	2	3	7	17	34	9	5.9	26	1	2	4	10	13	15	15
35-49	19	5.5	35	1	1	3	9	13	18	23	6	5.2	11	1	2	5	9	9	9	9
50-64	3	3.3	5	1	2	4	5	5	5	5										
65 +	6	8.5	38	1	3	8	14	17	17	17										
ALL AGES	138	7.0	52	1	2	4	10	18	23	30	35	9.9	84	1	3	7	14	25	28	38
SUBTOTAL	**216**	**6.9**	**59**	**1**	**2**	**4**	**9**	**17**	**24**	**32**	**65**	**9.2**	**92**	**1**	**2**	**5**	**13**	**25**	**28**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	46.7	641	32	32	32	65	76	76	76	1	16.0		16	16	16	16	16	16	16
13-19	41	7.4	78	1	2	4	8	21	30	35	13	5.4	46	1	2	2	6	18	21	22
20-34	71	5.2	74	1	2	3	5	9	17	52	11	6.3	21	1	2	5	10	13	14	14
35-49	33	6.8	69	1	3	4	7	12	28	41	19	5.1	19	1	2	4	7	13	14	14
50-64	4	5.5	26	2	2	3	8	13	13	13	2	6.0	18	3	3	6	9	9	9	9
65 +	3	4.0	4	2	2	4	5	6	6	6	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	155	6.9	110	1	2	3	7	18	32	54	48	5.8	26	1	2	4	8	14	16	22
B. FEMALE																				
0-12 YRS.	4	8.8	39	1	4	9	13	16	16	16										
13-19	57	7.6	64	1	3	6	9	15	26	40	23	9.2	98	2	3	6	11	21	31	45
20-34	73	5.3	30	1	2	3	6	12	15	31	16	4.4	11	1	2	3	5	10	11	12
35-49	41	6.7	65	1	2	4	6	18	26	36	8	4.1	13	1	2	3	5	10	12	12
50-64	5	5.2	11	3	3	4	6	11	11	11	5	10.4	85	3	4	9	14	26	26	26
65 +	6	6.0	18	1	3	5	11	11	11	11	1	5.0		5	5	5	5	5	5	5
ALL AGES	186	6.4	47	1	2	4	8	14	21	35	53	7.0	60	1	3	4	9	14	23	44
SUBTOTAL	**341**	**6.6**	**76**	**1**	**2**	**4**	**7**	**14**	**25**	**41**	**101**	**6.4**	**44**	**1**	**2**	**4**	**9**	**14**	**19**	**35**
GRAND TOTAL	**557**	**6.7**	**70**	**1**	**2**	**4**	**8**	**16**	**24**	**40**	**166**	**7.5**	**64**	**1**	**2**	**4**	**10**	**19**	**25**	**38**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	20.0	108	8	12	26	26	26	26	26	2	9.5	13	7	7	9	12	12	12	12
13-19	13	20.8	724	3	3	6	29	68	78	80	2	4.0	2	3	3	4	5	5	5	5
20-34	2	3.0		3	3	3	3	3	3	3	2	11.5	181	2	2	11	21	21	21	21
35-49											1	3.0		3	3	3	3	3	3	3
50-64																				
65 +																				
ALL AGES	18	18.7	556	3	3	7	26	61	74	80	7	7.6	46	2	3	5	11	19	21	21
B. FEMALE																				
0-12 YRS.	9	30.0	441	10	15	29	40	62	77	77	1	1.0		1	1	1	1	1	1	1
13-19	16	18.1	598	1	3	7	19	66	66	66	10	5.4	10	2	4	5	7	10	13	13
20-34	24	6.5	41	1	1	4	8	15	23	24	6	4.8	44	1	1	2	5	17	18	18
35-49	26	12.5	171	1	2	5	26	33	36	41	6	12.7	152	3	4	7	21	33	34	34
50-64																				
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	75	13.9	292	1	2	7	19	34	59	74	24	6.9	59	1	2	5	7	18	25	34
SUBTOTAL	**93**	**14.8**	**343**	**1**	**3**	**7**	**20**	**40**	**66**	**79**	**31**	**7.0**	**55**	**1**	**2**	**5**	**7**	**19**	**21**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	18	45.7	812	7	28	44	60	90	95	95	3	10.0	12	8	8	8	13	14	14	14
13-19	9	14.8	153	3	6	20	67	99 +	99 +	99 +	8	7.5	16	3	4	7	10	13	14	14
20-34	14	6.2	22	1	2	6	9	13	14	14										
35-49	17	8.4	24	2	3	10	13	14	14	14	4	5.5	8	2	3	5	7	9	9	9
50-64	2	25.5	1013	3	3	25	48	48	48	48										
65 +																				
ALL AGES	60	20.6	574	2	5	13	34	78	97	99 +	15	7.5	13	2	5	8	10	14	14	14
B. FEMALE																				
0-12 YRS.	18	30.3	803	3	12	36	97	99 +	99 +	99 +	4	9.8	57	1	4	9	15	19	19	19
13-19	51	17.4	249	3	5	12	29	40	73	99 +	20	10.2	93	3	4	8	12	20	34	44
20-34	62	12.3	217	1	3	8	14	26	59	61	19	10.7	56	4	6	8	13	20	28	34
35-49	52	9.6	119	1	2	5	12	24	35	49	9	9.2	143	2	3	4	12	29	39	39
50-64											2	7.0	8	5	5	7	9	9	9	9
65 +	2	14.0	2	13	13	14	15	15	15	15										
ALL AGES	185	14.7	283	2	3	9	22	45	92	99 +	54	10.1	77	3	5	8	12	19	32	44
SUBTOTAL	**245**	**16.2**	**357**	**2**	**3**	**9**	**26**	**53**	**95**	**99 +**	**69**	**9.5**	**65**	**3**	**5**	**8**	**12**	**18**	**24**	**43**
GRAND TOTAL	**338**	**15.8**	**353**	**2**	**3**	**8**	**24**	**49**	**78**	**99 +**	**100**	**8.7**	**63**	**2**	**4**	**6**	**11**	**18**	**23**	**41**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	27.7	518	3	10	32	44	48	48	48										
13-19	12	10.1	513	1	1	2	9	84	97	99 +	1	3.0		3	3	3	3	3	3	3
20-34	14	2.6	6	1	1	2	3	6	8	9	5	3.6	10	1	2	2	5	9	9	9
35-49	7	1.7	1	1	1	2	2	3	3	3	1	1.0		1	1	1	1	1	1	1
50-64																				
65 +	5	6.6	26	1	1	10	10	11	11	11										
ALL AGES	41	7.0	218	1	1	2	5	24	61	99 +	7	3.1	8	1	1	2	4	8	9	9
B. FEMALE																				
0-12 YRS.	3	2.7	2	1	2	4	99 +	99 +	99 +	99 +										
13-19	25	2.6	6	1	1	2	3	6	8	11	3	1.7		1	1	2	2	2	2	2
20-34	23	2.1	2	1	1	2	3	4	5	6	3	2.0	1	1	1	2	3	3	3	3
35-49	8	2.5	2	1	1	2	3	4	5	5	2	3.5	1	3	3	3	4	4	4	4
50-64																				
65 +	2	8.5	1	8	8	8	9	9	9	9	1	3.0		3	3	3	3	3	3	3
ALL AGES	61	2.6	5	1	1	2	3	6	10	99 +	9	2.3	1	1	2	2	3	4	4	4
SUBTOTAL	**102**	**4.4**	**93**	**1**	**1**	**2**	**4**	**10**	**36**	**99 +**	**16**	**2.7**	**4**	**1**	**1**	**2**	**3**	**4**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	11.0		11	11	55	99 +	99 +	99 +	99 +										
13-19	14	9.4	230	1	1	3	8	31	50	56	1	2.0		2	2	2	2	2	2	2
20-34	17	4.5	21	1	2	3	6	14	15	15	5	2.4	5	1	1	1	4	6	6	6
35-49	10	4.8	9	2	3	4	6	9	12	12	5	5.0	12	1	1	6	7	9	9	9
50-64	4	7.3	73	2	2	4	12	20	20	20										
65 +	7	7.6	17	2	4	8	10	13	14	14										
ALL AGES	54	6.7	75	1	2	4	9	15	48	99 +	11	3.5	9	1	1	2	6	8	9	9
B. FEMALE																				
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4										
13-19	24	7.0	54	2	3	5	9	17	52	99 +	7	5.1	24	1	1	4	10	12	12	12
20-34	27	3.5	7	1	2	3	4	7	10	12	4	10.5	290	1	1	2	19	36	36	36
35-49	13	4.9	42	1	1	2	5	15	21	23	4	2.5	1	2	2	2	3	4	4	4
50-64	3	6.0	37	2	2	3	10	13	13	13										
65 +	6	7.3	8	5	5	6	9	12	12	12	1	4.0		4	4	4	4	4	4	4
ALL AGES	75	5.3	30	1	2	4	7	12	16	83	16	5.8	76	1	2	3	4	12	29	36
SUBTOTAL	**129**	**5.9**	**49**	**1**	**2**	**4**	**8**	**13**	**23**	**99 +**	**27**	**4.9**	**48**	**1**	**1**	**2**	**5**	**11**	**16**	**36**
GRAND TOTAL	**231**	**5.2**	**69**	**1**	**2**	**3**	**6**	**12**	**26**	**99 +**	**43**	**4.0**	**33**	**1**	**1**	**2**	**4**	**9**	**12**	**36**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	9.0		9	9	9	9	9	9	9										
65 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	84.0		84	84	84	84	84	84	84										
13-19																				
20-34																				
35-49	1	63.0		63	63	63	63	63	63	63										
50-64																				
65 +																				
ALL AGES	2	73.5	221	63	63	73	84	84	84	84										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	5.0		5	5	5	5	5	5	5
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**2**	**73.5**	**221**	**63**	**63**	**73**	**84**	**84**	**84**	**84**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**3**	**52.0**	**1497**	**9**	**22**	**63**	**79**	**84**	**84**	**84**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	27.2	206	11	13	29	40	42	42	42										
13-19	3	39.7	1366	2	12	41	67	76	76	76	1	29.0		29	29	29	29	29	29	29
20-34	1	4.0		4	4	4	4	4	4	4	2	17.0	8	15	15	17	19	19	19	19
35-49	4	15.8	309	4	6	8	25	42	42	42	3	11.3	83	3	5	10	18	21	21	21
50-64	2	7.5	1	7	7	7	8	8	8	8	2	8.0	98	1	1	8	15	15	15	15
65 +	2	17.0	8	15	15	17	19	19	19	19	3	7.3	1	7	7	7	8	8	8	8
ALL AGES	17	21.8	409	4	8	14	40	42	64	76	11	12.3	70	2	7	10	18	24	29	29
B. FEMALE																				
0-12 YRS.	2	42.5	5	41	41	42	44	44	44	44										
13-19	4	22.5	444	1	8	19	37	51	51	51	1	31.0		31	31	31	31	31	31	31
20-34	4	20.5	1094	2	2	5	38	70	70	70	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	8	1	1	3	5	5	5	5	1	4.0		4	4	4	4	4	4	4
50-64	3	3.0	7	1	1	2	5	6	6	6	2	7.0	72	1	1	7	13	13	13	13
65 +	3	6.0	13	2	3	7	8	9	9	9	5	8.6	47	2	3	5	16	16	16	16
ALL AGES	18	16.1	439	1	2	6	23	49	62	70	10	9.4	92	1	2	5	16	24	31	31
SUBTOTAL	**35**	**18.9**	**419**	**2**	**4**	**9**	**37**	**44**	**65**	**76**	**21**	**10.9**	**79**	**2**	**4**	**8**	**16**	**24**	**30**	[illegible]
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	42.9	259	20	36	43	53	65	67	67	1	3.0		3	3	3	3	3	3	3
13-19	4	8.8	58	1	2	8	15	18	18	18										
20-34	9	10.3	88	1	1	6	21	22	22	22	2	4.0	2	3	3	4	5	5	5	5
35-49	6	14.2	133	1	3	15	18	31	33	33	4	8.0	65	1	1	6	14	18	18	18
50-64	3	24.3	1252	1	2	7	50	65	65	65	2	15.5	221	5	5	15	26	26	26	26
65 +	5	8.8	90	1	3	5	13	25	25	25	3	7.7	20	3	4	8	11	12	12	12
ALL AGES	34	18.5	359	1	4	14	25	47	63	67	12	8.1	57	2	3	5	11	20	25	26
B. FEMALE																				
0-12 YRS.																				
13-19	2	30.0	1458	3	3	30	57	57	57	57										
20-34	3	3.0	7	1	1	2	5	6	6	6	2	2.0	2	1	1	2	3	3	3	3
35-49	2	15.0	72	9	9	15	21	21	21	21										
50-64	1	11.0		11	11	11	11	11	11	11										
65 +	1	13.0		13	13	13	13	13	13	13	5	5.6	17	2	3	3	9	11	11	11
ALL AGES	9	13.7	303	1	3	9	15	43	57	57	7	4.6	14	1	2	3	8	11	11	11
SUBTOTAL	**43**	**17.5**	**343**	**1**	**3**	**12**	**22**	**48**	**60**	**67**	**19**	**6.8**	**43**	**1**	**3**	**3**	**10**	**16**	**22**	**26**
GRAND TOTAL	**78**	**18.1**	**374**	**1**	**4**	**10**	**25**	**45**	**62**	**74**	**40**	**9.0**	**64**	**1**	**3**	**6**	**14**	**20**	**27**	**31**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	1.0		1	1	1	1	1	1	1	11	2.5	5	1	1	1	3	6	8	8
13-19	8	12.9	1022	1	1	1	3	65	92	92	14	10.3	303	1	1	2	14	50	50	50
20-34	7	5.6	7	3	3	4	8	9	9	9	18	4.4	31	1	1	2	5	15	19	19
35-49	8	6.9	63	1	1	3	12	20	22	22	7	1.6	1	1	1	1	2	3	3	3
50-64	6	7.7	29	3	5	6	9	17	18	18	3	3.3	5	1	2	4	5	5	5	5
65 +	3	2.0	3	1	1	1	3	4	4	4	5	3.2	5	1	1	3	5	6	6	6
ALL AGES	37	6.9	232	1	1	3	6	15	21	92	58	4.9	90	1	1	2	5	12	19	50
B. FEMALE																				
0-12 YRS.	10	1.9	6	1	1	1	1	5	9	9	12	1.3	1	1	1	1	2	2	3	3
13-19	6	2.8	2	1	2	3	3	5	5	5	6	3.0	10	1	1	2	4	8	9	9
20-34	7	2.7	6	1	1	2	4	7	7	7	10	3.7	12	1	1	2	8	9	9	9
35-49	6	3.8	21	1	1	2	3	12	13	13	5	6.8	38	1	2	6	9	17	17	17
50-64	3	3.0		3	3	3	3	3	3	3	3	4.0	7	2	2	3	6	7	7	7
65 +	9	3.7	4	1	2	3	5	7	8	8	10	4.8	9	1	3	4	7	9	11	11
ALL AGES	41	2.9	7	1	1	2	3	6	8	13	46	3.6	12	1	1	2	4	9	10	17
SUBTOTAL	**78**	**4.8**	**116**	**1**	**1**	**3**	**4**	**9**	**15**	**72**	**104**	**4.3**	**56**	**1**	**1**	**2**	**4**	**9**	**15**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4										
13-19	1	42.0		42	42	42	42	42	42	42	3	2.3	1	2	2	2	3	3	3	3
20-34	10	8.2	48	1	2	7	14	18	19	19	3	3.7	2	2	2	4	5	5	5	5
35-49	5	22.8	695	2	3	15	37	66	66	66	4	3.3	6	1	1	2	5	7	7	7
50-64											3	3.7	8	2	2	2	6	7	7	7
65 +																				
ALL AGES	18	13.6	290	1	3	7	18	38	56	66	13	3.2	4	1	2	2	4	7	7	7
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +	2	6.0		6	6	6	6	6	6	6	3	8.3	6	7	7	7	10	11	11	11
ALL AGES	3	4.7	5	2	3	6	6	6	6	6	5	6.4	13	1	5	7	8	11	11	11
SUBTOTAL	**21**	**12.3**	**258**	**1**	**3**	**6**	**16**	**34**	**53**	**66**	**18**	**4.1**	**8**	**1**	**2**	**3**	**7**	**7**	**10**	**11**
GRAND TOTAL	**99**	**6.4**	**153**	**1**	**1**	**3**	**6**	**15**	**21**	**79**	**122**	**4.3**	**48**	**1**	**1**	**2**	**5**	**8**	**14**	**50**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	18.0		18	18	18	18	18	18	18
35-49	1	4.0		4	4	4	4	4	4	4	3	9.7	5	7	8	10	11	12	12	12
50-64																				
65 +	2	3.5	5	2	2	3	5	5	5	5										
ALL AGES	3	3.7	2	2	2	4	5	5	5	5	4	11.8	20	7	8	11	15	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	59.0		59	59	59	59	59	59	59										
35-49	2	6.5	13	4	4	6	9	9	9	9										
50-64	1	9.0		9	9	9	9	9	9	9										
65 +	3	7.0	4	5	5	7	8	9	9	9	1	7.0		7	7	7	7	7	7	7
ALL AGES	8	20.1	580	4	6	9	34	59	59	59	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**11**	**15.6**	**466**	**3**	**4**	**7**	**9**	**59**	**59**	**59**	**5**	**10.8**	**21**	**7**	**7**	**10**	**13**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34											1	2.0		2	2	2	2	2	2	2
35-49																				
50-64																				
65 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64	1	6.0		6	6	6	6	6	6	6										
65 +	3	11.7	1	10	10	12	13	13	13	13										
ALL AGES	4	10.3	8	6	8	11	12	13	13	13										
SUBTOTAL	**5**	**10.4**	**7**	**6**	**9**	**11**	**12**	**13**	**13**	**13**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**16**	**14.0**	**318**	**4**	**5**	**9**	**11**	**54**	**59**	**59**	**6**	**9.3**	**30**	**2**	**7**	**9**	**12**	**17**	**18**	**18**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	41.0		41	41	70	99+	99+	99+	99+										
13-19																				
20-34	4	19.0	417	2	5	13	33	48	48	48	2	7.5	61	2	2	7	13	13	13	13
35-49	8	7.3	66	1	3	4	9	22	25	25	3	4.0	3	3	3	3	5	6	6	6
50-64	11	8.9	65	2	3	7	9	23	28	28	1	10.0		10	10	10	10	10	10	10
65 +	27	8.3	50	2	3	6	11	20	26	26	25	8.3	47	2	4	7	12	14	20	35
ALL AGES	51	9.7	103	2	3	6	14	26	40	99	31	7.9	42	2	4	6	11	14	15	35
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2										
20-34																				
35-49	2	15.5	145	7	7	15	24	24	24	24										
50-64	5	5.6	4	3	4	7	7	7	7	7										
65 +	30	7.9	40	2	3	5	12	16	18	27	43	7.0	48	3	3	5	7	15	19	42
ALL AGES	38	7.8	41	2	3	5	12	16	22	27	43	7.0	48	3	3	5	7	15	19	42
SUBTOTAL	**89**	**8.9**	**76**	**2**	**3**	**6**	**12**	**22**	**27**	**79**	**74**	**7.4**	**45**	**2**	**4**	**5**	**8**	**14**	**17**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	19.3	19	16	16	18	22	24	24	24	1	8.0		8	8	8	8	8	8	8
20-34	4	29.5	897	1	3	28	55	61	61	61	3	10.3	33	4	6	12	14	15	15	15
35-49	3	4.7	8	3	3	3	7	8	8	8	4	24.3	1240	3	5	8	43	77	77	77
50-64	5	9.8	189	1	2	5	14	34	34	34	4	17.8	616	4	4	6	31	55	55	55
65 +	16	10.1	199	2	3	5	10	27	48	57	12	12.3	199	5	6	7	12	31	51	54
ALL AGES	31	12.9	270	1	3	5	15	40	57	61	24	14.8	365	4	5	7	13	54	62	77
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34	2	9.0	72	3	3	9	15	15	15	15										
35-49	2	1.0		1	1	1	1	1	1	1	2	2.5	1	2	2	2	3	3	3	3
50-64	7	14.0	122	6	7	8	17	33	37	37	1	2.0		2	2	2	2	2	2	2
65 +	19	8.1	34	1	4	6	12	17	19	21	16	5.9	15	2	3	5	8	12	13	13
ALL AGES	30	9.0	61	1	4	7	13	18	21	37	19	5.4	13	2	2	4	8	12	13	13
SUBTOTAL	**61**	**11.0**	**168**	**1**	**3**	**7**	**14**	**26**	**42**	**61**	**43**	**10.6**	**229**	**2**	**4**	**6**	**9**	**18**	**54**	**77**
GRAND TOTAL	**150**	**9.8**	**113**	**2**	**3**	**6**	**13**	**24**	**34**	**61**	**117**	**8.6**	**113**	**2**	**4**	**6**	**9**	**15**	**21**	**62**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	33.0	76	24	28	30	35	48	48	48	4	1.5		1	1	1	2	2	2	2
13-19	15	10.2	245	1	2	4	13	18	52	63	4	1.0		1	1	1	1	1	1	1
20-34	18	4.2	16	1	2	3	5	10	14	16	20	4.2	18	1	1	2	7	11	14	15
35-49	14	5.5	66	1	1	3	6	13	28	32	8	3.4	2	1	2	3	4	5	5	5
50-64	9	6.2	16	1	3	6	9	12	12	12	6	4.8	34	1	1	2	6	15	16	16
65 +	11	11.5	196	1	3	6	11	38	42	42	9	10.3	209	2	3	3	14	34	46	46
ALL AGES	77	10.6	180	1	2	5	12	32	40	59	51	4.8	51	1	1	3	5	13	16	46
B. FEMALE																				
0-12 YRS.	4	19.0	88	9	11	20	27	27	27	27	1	1.0		1	1	1	1	1	1	1
13-19	35	18.2	361	2	4	12	23	56	61	63	9	2.4	7	1	1	1	3	7	9	9
20-34	50	6.1	109	1	1	3	6	15	28	64	22	2.7	9	1	1	1	4	6	11	12
35-49	32	5.4	42	1	1	3	8	13	19	28	18	4.1	42	1	1	2	4	7	20	29
50-64	17	6.1	31	1	2	3	8	14	19	21	17	2.9	12	1	1	1	3	10	11	12
65 +	18	9.7	253	1	1	4	9	27	52	66	13	5.6	31	1	2	3	8	14	19	20
ALL AGES	156	9.4	183	1	1	4	11	26	30	64	80	3.5	21	1	1	2	4	9	12	26
SUBTOTAL	**233**	**9.8**	**181**	**1**	**2**	**4**	**12**	**28**	**36**	**63**	**131**	**4.0**	**33**	**1**	**1**	**2**	**4**	**10**	**13**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	35.4	43	29	30	33	41	45	45	45	1	3.0		3	3	3	3	3	3	3
13-19	36	23.4	598	1	5	15	35	71	76	90	6	7.7	29	1	2	8	11	15	15	15
20-34	52	6.7	86	1	2	4	7	15	32	44	14	11.4	190	1	2	4	27	32	38	40
35-49	50	4.7	25	1	2	3	4	11	18	23	15	10.9	123	1	2	4	20	28	31	32
50-64	11	8.6	35	2	4	9	12	17	20	20	4	3.3	4	1	1	3	5	6	6	6
65 +	12	20.8	460	2	5	13	28	62	62	62	7	3.7	4	1	3	3	5	7	7	7
ALL AGES	171	12.4	281	1	2	4	15	35	45	76	47	8.8	105	1	2	4	12	28	31	40
B. FEMALE																				
0-12 YRS.	6	38.0	276	19	29	36	42	64	67	67										
13-19	63	14.1	218	1	4	10	21	32	60	99+	11	4.9	8	2	2	5	7	9	9	9
20-34	61	7.4	78	1	2	5	8	22	29	42	31	4.8	36	1	2	2	5	12	18	29
35-49	61	5.4	44	1	2	3	6	12	25	29	24	5.2	40	1	1	3	6	13	19	28
50-64	12	9.3	215	1	2	3	9	31	49	52	6	10.0	134	1	1	5	19	28	29	29
65 +	16	14.4	279	1	4	8	17	48	53	54	11	4.8	15	1	2	4	6	10	15	15
ALL AGES	219	10.3	166	1	2	5	12	29	42	89	83	5.3	37	1	2	3	6	12	18	29
SUBTOTAL	**390**	**11.2**	**217**	**1**	**2**	**5**	**13**	**31**	**44**	**81**	**130**	**6.5**	**65**	**1**	**2**	**3**	**7**	**17**	**28**	**34**
GRAND TOTAL	**623**	**10.7**	**204**	**1**	**2**	**5**	**13**	**30**	**43**	**72**	**261**	**5.3**	**50**	**1**	**1**	**3**	**6**	**13**	**21**	**32**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	14.7	559	1	1	1	32	42	42	42	1	30.0		30	30	30	30	30	30	30
13-19	15	15.6	63	5	9	14	21	25	29	31	4	10.8	108	3	4	7	17	26	26	26
20-34	4	5.8	18	2	3	4	8	12	12	12										
35-49	1	11.0		11	11	11	11	11	11	11										
50-64																				
65 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	24	13.2	106	2	5	11	20	26	34	42	5	14.6	156	3	4	9	27	30	30	30
B. FEMALE																				
0-12 YRS.	3	9.0	3	7	8	10	10	10	10	10										
13-19	1	9.0		9	9	9	9	9	9	9										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	4	9.0	2	7	8	9	10	10	10	10										
SUBTOTAL	**28**	**12.6**	**93**	**2**	**5**	**10**	**19**	**24**	**32**	**42**	**5**	**14.6**	**156**	**3**	**4**	**9**	**27**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	19.4	442	4	7	13	69	99 +	99 +	99 +	2	27.0	72	21	21	27	33	33	33	33
13-19	23	14.3	126	3	4	12	22	34	35	36	9	21.8	382	1	7	17	35	52	60	60
20-34	2	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
35-49																				
50-64																				
65 +																				
ALL AGES	32	14.6	192	2	4	11	24	40	92	99 +	12	21.4	310	2	8	19	33	47	58	60
B. FEMALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17	1	26.0		26	26	26	26	26	26	26
13-19	4	18.3	393	2	5	12	31	47	47	47										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	18.0	297	2	7	15	24	47	47	47	1	26.0		26	26	26	26	26	26	26
SUBTOTAL	**37**	**15.0**	**201**	**2**	**4**	**12**	**24**	**43**	**81**	**99 +**	**13**	**21.8**	**284**	**2**	**8**	**21**	**33**	**45**	**57**	**60**
GRAND TOTAL	**65**	**14.0**	**153**	**2**	**5**	**10**	**21**	**36**	**49**	**99 +**	**18**	**19.8**	**248**	**2**	**7**	**19**	**30**	**39**	**52**	**60**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	1.0		1	1	1	1	1	1	1
13-19	1	5.0		5	5	5	5	5	5	5										
20-34																				
35-49	1	4.0		4	4	4	4	4	4	4										
50-64																				
65 +																				
ALL AGES	3	7.7	30	4	4	5	12	14	14	14	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-19	3	11.3	6	10	10	10	13	14	14	14										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	11.3	6	10	10	10	13	14	14	14	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**6**	**9.5**	**18**	**4**	**5**	**10**	**14**	**14**	**14**	**14**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	3	20.7	110	11	13	19	29	32	32	32										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	3	20.7	110	11	13	19	29	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-19	2	27.5	685	9	9	27	46	46	46	46										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	27.5	685	9	9	27	46	46	46	46										
SUBTOTAL	**5**	**23.4**	**241**	**9**	**10**	**19**	**35**	**46**	**46**	**46**										
GRAND TOTAL	**11**	**15.8**	**159**	**5**	**9**	**11**	**18**	**38**	**45**	**46**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	11.2	242	1	2	5	12	39	42	42	1	5.0		5	5	5	5	5	5	5
13-19	12	8.8	27	2	5	9	14	34	88	99 +	5	7.8	26	2	3	10	11	14	14	14
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	18	9.6	90	1	4	8	14	32	74	99 +	6	7.3	23	2	3	7	10	14	14	14
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-19	11	14.2	115	4	8	9	19	33	34	34	1	6.0		6	6	6	6	6	6	6
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	12	14.5	107	4	8	11	19	33	34	34	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**30**	**11.5**	**101**	**2**	**5**	**9**	**16**	**33**	**42**	**99 +**	**7**	**7.1**	**20**	**2**	**3**	**6**	**10**	**13**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	19.0		19	19	19	19	19	19	19										
13-19	30	21.6	335	2	9	19	33	73	97	99 +	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1										
35-49																				
50-64																				
65 +																				
ALL AGES	33	20.8	317	2	8	19	33	73	93	99 +	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-19	25	20.4	274	3	7	12	33	42	47	60	1	6.0		6	6	6	6	6	6	6
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	26	20.0	267	3	7	12	32	42	46	60	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**59**	**20.5**	**288**	**2**	**8**	**17**	**32**	**42**	**73**	**99 +**	**2**	**3.5**	**13**	**1**	**1**	**3**	**6**	**6**	**6**	**6**
GRAND TOTAL	**89**	**17.4**	**244**	**2**	**7**	**13**	**29**	**42**	**71**	**99 +**	**9**	**6.3**	**19**	**1**	**3**	**6**	**10**	**12**	**14**	**14**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	31.0	128	11	34	36	36	36	36	36	2	12.0	2	11	11	12	13	13	13	13
13-19	9	17.1	261	1	3	9	37	38	38	38	2	7.5	1	7	7	7	8	8	8	8
20-34	6	5.2	15	2	3	4	5	12	13	13	1	15.0		15	15	15	15	15	15	15
35-49	6	4.7	9	2	2	4	8	8	8	8	2	3.0		3	3	3	3	3	3	3
50-64	3	5.0		5	5	5	5	5	5	5										
65 +																				
ALL AGES	30	13.8	203	2	4	6	34	37	37	38	7	8.6	21	3	4	8	12	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-19	3	2.7	4	1	1	2	4	5	5	5										
20-34	2	12.0	8	10	10	12	14	14	14	14										
35-49	2	7.0		7	7	7	7	7	7	7										
50-64	1	29.0		29	29	29	29	29	29	29										
65 +																				
ALL AGES	8	9.4	80	1	3	7	12	24	29	29										
SUBTOTAL	**38**	**12.9**	**177**	**2**	**4**	**6**	**20**	**36**	**37**	**38**	**7**	**8.6**	**21**	**3**	**4**	**8**	**12**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	42.3	991	5	29	52	82	99 +	99 +	99 +										
13-19	10	20.2	323	1	3	13	41	42	42	42	5	8.4	69	2	2	6	13	22	22	22
20-34	10	5.8	49	1	1	3	9	17	23	23	2	2.0	2	1	1	2	3	3	3	3
35-49	7	9.9	28	5	7	8	11	19	21	21	4	2.3	1	1	1	2	3	4	4	4
50-64																				
65 +	3	6.0	1	5	5	6	7	7	7	7										
ALL AGES	38	18.0	478	1	4	9	33	75	91	99 +	11	5.0	39	1	2	2	5	15	21	22
B. FEMALE																				
0-12 YRS.																				
13-19	4	4.5	4	2	3	4	6	7	7	7	2	13.5	25	10	10	13	17	17	17	17
20-34	1	3.0		3	3	3	3	3	3	3	2	18.0	50	13	13	18	23	23	23	23
35-49	2	15.5	181	6	6	15	25	25	25	25	4	8.8	38	3	3	8	14	16	16	16
50-64																				
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	7	7.4	63	2	3	5	7	21	25	25	9	11.2	49	3	4	12	16	21	23	23
SUBTOTAL	**45**	**16.4**	**424**	**1**	**4**	**8**	**28**	**64**	**85**	**99 +**	**20**	**7.8**	**51**	**1**	**2**	**4**	**12**	**19**	**22**	**23**
GRAND TOTAL	**83**	**14.8**	**310**	**2**	**4**	**7**	**26**	**38**	**72**	**99 +**	**27**	**8.0**	**42**	**2**	**3**	**6**	**13**	**17**	**22**	**23**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-19	1	5.0		5	5	5	5	5	5	5										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	7.0	8	5	5	7	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-19	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**3**	**5.3**	**13**	**2**	**3**	**5**	**8**	**9**	**9**	**9**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	1	14.0		14	14	14	14	14	14	14										
20-34																				
35-49	1	12.0		12	12	12	12	12	12	12										
50-64																				
65 +																				
ALL AGES	2	13.0	2	12	12	13	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-19	2	3.5	1	3	3	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**8.3**	**30**	**3**	**3**	**8**	**13**	**14**	**14**	**14**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**7**	**7.0**	**22**	**2**	**3**	**5**	**11**	**14**	**14**	**14**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	2	3.0	2	2	2	3	4	4	4	4
13-19	2	2.5	1	2	2	2	3	3	3	3	7	8.0	57	2	3	8	8	21	24	24
20-34	6	8.5	8	5	6	8	10	13	13	13	1	7.0		7	7	7	7	7	7	7
35-49	3	4.3	3	3	3	4	5	6	6	6										
50-64											1	4.0		4	4	4	4	4	4	4
65 +																				
ALL AGES	12	5.9	12	2	3	5	8	11	13	13	11	6.6	40	2	3	4	8	15	23	24
B. FEMALE																				
0-12 YRS.	2	57.0		57	57	57	57	57	57	57	1	1.0		1	1	1	1	1	1	1
13-19	2	2.5	5	1	1	2	4	4	4	4	2	5.5	5	4	4	5	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2										
35-49	1	1.0		1	1	1	1	1	1	1										
50-64																				
65 +																				
ALL AGES	6	20.3	809	1	1	3	57	57	57	57	3	4.0	9	1	2	4	6	7	7	7
SUBTOTAL	**18**	**10.7**	**295**	**1**	**2**	**5**	**9**	**44**	**57**	**57**	**14**	**6.1**	**32**	**2**	**3**	**4**	**8**	**10**	**21**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	2	27.0	338	14	14	27	40	40	40	40
13-19	5	10.2	100	1	4	8	14	27	27	27	2	30.5	1741	1	1	30	60	60	60	60
20-34	2	4.5	5	3	3	4	6	6	6	6										
35-49											1	1.0		1	1	1	1	1	1	1
50-64																				
65 +																				
ALL AGES	9	7.0	66	1	2	5	8	20	27	27	5	23.2	677	1	1	14	45	60	60	60
B. FEMALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-19	3	2.7	4	1	1	2	4	5	5	5	3	16.3	162	5	7	14	26	30	30	30
20-34																				
35-49																				
50-64	2	4.0	18	1	1	4	7	7	7	7										
65 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	3.2	7	1	1	2	5	7	7	7	5	12.2	114	4	5	8	18	30	30	30
SUBTOTAL	**14**	**5.6**	**47**	**1**	**1**	**4**	**7**	**12**	**24**	**27**	**10**	**17.7**	**385**	**1**	**4**	**11**	**30**	**50**	**60**	**60**
GRAND TOTAL	**32**	**8.5**	**187**	**1**	**2**	**4**	**8**	**17**	**54**	**57**	**24**	**10.9**	**204**	**1**	**3**	**6**	**11**	**31**	**46**	**60**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	8.5	41	1	3	8	13	18	18	18	1	2.0		2	2	2	2	2	2	2
13-19	23	11.7	218	3	4	7	11	29	56	56	11	5.5	40	1	2	3	7	15	22	23
20-34	6	3.7	4	1	1	4	5	6	6	6										
35-49											1	1.0		1	1	1	1	1	1	1
50-64																				
65 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	40	9.5	142	2	3	6	11	18	39	56	13	4.9	36	1	2	3	6	12	21	23
B. FEMALE																				
0-12 YRS.	5	9.4	49	3	4	8	13	21	21	21	1	1.0		1	1	1	1	1	1	1
13-19	17	8.1	53	1	3	7	10	13	26	32	4	7.3	10	3	5	7	9	11	11	11
20-34	1	14.0		14	14	14	14	14	14	14	1	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6										
50-64																				
65 +																				
ALL AGES	24	8.5	48	2	4	7	10	15	24	32	6	5.2	17	1	1	5	8	11	11	11
SUBTOTAL	**64**	**9.1**	**106**	**2**	**4**	**7**	**10**	**18**	**25**	**56**	**19**	**5.0**	**28**	**1**	**1**	**3**	**7**	**10**	**18**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	31.6	338	5	14	42	50	99 +	99 +	99 +										
13-19	19	7.8	57	2	3	5	10	22	26	27	13	10.9	127	1	3	5	17	27	34	36
20-34	2	7.5	1	7	7	7	8	8	8	8	1	2.0		2	2	2	2	2	2	2
35-49	2	4.5	1	4	4	4	5	5	5	5	2	2.5	1	2	2	2	3	3	3	3
50-64											1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	36	15.4	271	3	4	7	41	48	80	99 +	17	8.9	109	1	2	3	12	25	32	36
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13	4	31.0	903	2	5	29	56	63	63	63
13-19	28	12.1	135	2	4	8	15	30	35	49	11	16.7	218	2	4	12	30	38	43	43
20-34											2	1.0		1	1	1	1	1	1	1
35-49																				
50-64																				
65 +																				
ALL AGES	29	12.2	128	2	4	9	14	30	35	49	17	18.2	386	1	2	9	32	49	58	63
SUBTOTAL	**65**	**13.9**	**209**	**3**	**4**	**8**	**23**	**42**	**50**	**99 +**	**34**	**13.6**	**261**	**1**	**2**	**5**	**25**	**37**	**49**	**63**
GRAND TOTAL	**129**	**11.6**	**161**	**2**	**4**	**7**	**13**	**37**	**49**	**99 +**	**53**	**10.5**	**193**	**1**	**2**	**4**	**11**	**32**	**42**	**63**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	32.0	22	28	28	30	37	37	37	37										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	32.0	22	28	28	30	37	37	37	37										
B. FEMALE																				
0-12 YRS.																				
13-19	1	33.0		33	33	33	33	33	33	33										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	33.0		33	33	33	33	33	33	33										
SUBTOTAL	**6**	**32.2**	**15**	**28**	**28**	**31**	**37**	**37**	**37**	**37**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	31.0	100	24	25	28	30	48	53	53										
13-19	7	8.9	26	5	6	7	9	18	20	20										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	14	19.9	192	6	7	22	28	33	48	53										
B. FEMALE																				
0-12 YRS.																				
13-19	2	56.0		56	56	56	56	56	56	56										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	56.0		56	56	56	56	56	56	56										
SUBTOTAL	**16**	**24.4**	**319**	**6**	**7**	**24**	**30**	**55**	**56**	**56**										
GRAND TOTAL	**22**	**26.5**	**246**	**6**	**10**	**28**	**33**	**54**	**56**	**56**										

SENSITIVITY & WITHDRAWAL (313.2)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19	2	7.0		7	7	7	7	7	7	7										
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	2	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	2	7.0		7	7	7	7	7	7	7										
GRAND TOTAL	2	7.0		7	7	7	7	7	7	7										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	47	31.1	338	9	18	32	48	99 +	99 +	99 +	2	21.5	61	16	16	21	27	27	27	27
13-19	27	15.7	310	2	4	9	23	42	55	75	3	20.0	244	2	8	28	29	30	30	30
20-34											1	22.0		22	22	22	22	22	22	22
35-49																				
50-64																				
65 +																				
ALL AGES	74	25.5	378	3	10	26	43	68	99 +	99 +	6	20.8	112	3	16	24	28	30	30	30
B. FEMALE																				
0-12 YRS.	11	27.2	104	14	24	27	42	99 +	99 +	99 +	5	14.6	200	5	5	10	20	39	39	39
13-19	29	11.5	81	3	6	10	14	22	26	46	12	12.6	69	2	4	11	22	23	23	23
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	40	15.8	136	4	7	13	26	42	67	99 +	17	13.2	98	3	5	11	22	23	33	39
SUBTOTAL	**114**	**22.1**	**313**	**3**	**8**	**19**	**41**	**62**	**99 +**	**99 +**	**23**	**15.2**	**108**	**3**	**5**	**14**	**23**	**28**	**33**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	89	36.7	360	14	28	36	43	63	91	99 +	10	21.0	52	10	18	21	25	30	34	34
13-19	66	19.7	258	3	7	14	29	42	55	62	15	8.3	52	2	4	7	9	15	27	31
20-34																				
35-49											1	98.0		98	98	98	98	98	98	98
50-64																				
65 +																				
ALL AGES	155	29.5	383	5	13	29	41	54	64	99	26	16.7	360	3	7	10	23	30	47	98
B. FEMALE																				
0-12 YRS.	41	31.6	246	9	21	35	43	57	75	99 +	5	24.0	128	9	16	23	32	39	39	39
13-19	81	17.4	309	3	6	9	24	39	54	89	22	14.2	89	4	5	13	20	26	33	37
20-34	1	28.0		28	28	28	28	28	28	28										
35-49																				
50-64																				
65 +																				
ALL AGES	123	22.2	329	4	8	17	35	48	62	99 +	27	16.0	107	4	7	16	22	31	37	39
SUBTOTAL	**278**	**26.3**	**370**	**4**	**9**	**27**	**37**	**49**	**63**	**99 +**	**53**	**16.3**	**228**	**3**	**7**	**13**	**22**	**31**	**37**	**96**
GRAND TOTAL	**392**	**25.1**	**355**	**4**	**9**	**25**	**37**	**54**	**69**	**99 +**	**76**	**16.0**	**189**	**3**	**6**	**13**	**23**	**30**	**36**	**83**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	27	14.0	223	1	1	8	28	37	42	42	1	13.0		13	13	13	13	13	13	13
13-19	3	19.0	268	5	7	15	31	37	37	37	1	1.0		1	1	1	1	1	1	1
20-34	1	8.0		8	8	8	8	8	8	8										
35-49																				
50-64																				
65 +																				
ALL AGES	31	14.3	214	1	1	8	28	37	42	42	2	7.0	72	1	1	7	13	13	13	13
B. FEMALE																				
0-12 YRS.	5	27.0	294	2	15	29	42	43	43	43										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	5	27.0	294	2	15	29	42	43	43	43										
SUBTOTAL	**36**	**16.0**	**239**	**1**	**1**	**10**	**29**	**41**	**42**	**43**	**2**	**7.0**	**72**	**1**	**1**	**7**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	59	32.5	373	12	16	32	42	56	60	96	9	24.6	422	2	7	15	44	52	54	54
13-19	13	15.6	158	3	7	14	34	99+	99+	99+	8	20.3	157	4	9	20	30	37	39	39
20-34	1	4.0		4	4	4	4	4	4	4										
35-49	1	9.0		9	9	9	9	9	9	9										
50-64																				
65 +																				
ALL AGES	74	28.8	380	6	13	29	41	56	86	99+	17	22.5	288	3	8	19	35	48	53	54
B. FEMALE																				
0-12 YRS.	7	37.3	263	14	27	36	47	58	61	61										
13-19	1	7.0		7	7	7	7	7	7	7	1	33.0		33	33	33	33	33	33	33
20-34																				
35-49																				
50-64											1	2.0		2	2	2	2	2	2	2
65 +																				
ALL AGES	8	33.5	341	8	18	35	46	57	61	61	2	17.5	481	2	2	17	33	33	33	33
SUBTOTAL	**82**	**29.3**	**371**	**7**	**13**	**29**	**42**	**56**	**73**	**99+**	**19**	**22.0**	**284**	**2**	**7**	**19**	**34**	**47**	**52**	**54**
GRAND TOTAL	**118**	**25.2**	**369**	**1**	**10**	**27**	**38**	**50**	**59**	**99+**	**21**	**20.6**	**279**	**2**	**5**	**15**	**33**	**45**	**52**	**54**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	14.0		14	14	14	14	14	14	14										
GRAND TOTAL	1	14.0		14	14	14	14	14	14	14										

OTHER HYPERKINETIC SYND (314.8)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34	1	2.0		2	2	2	2	2	2	2										
35-49																				
50-64																				
65 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2										
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2										

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-19											1	1.0		1	1	1	1	1	1	1
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +											1	3.0		3	3	3	3	3	3	3
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-19																				
20-34																				
35-49																				
50-64																				
65 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

Appendix

Appendix A: Table 1

HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[1]

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			TOTAL		
	U.S.[2] Total	LOS Sample	% of U.S.[3] Total	U.S. Total	LOS Sample	% of U.S. Total	U.S.	LOS Sample	% of U.S.
All Hospitals	1,423	346	24.3	3,986	588	14.8	5,409	934	17.3
Control									
Public	234	46	19.7	1,245	144	11.6	1,479	190	12.8
Private	1,183	294	24.9	2,737	440	16.1	3,920	734	18.7
Unavailable	6	6		4	4	100.0	10	10	
Bedsize									
<100 Beds	135	37	27.4	2,551	349	13.7	2,686	386	14.4
100-199	328	82	25.0	812	121	14.9	1,140	203	17.8
200-299	336	76	22.6	365	60	16.4	701	136	19.4
300-399	248	57	23.0	149	38	25.5	397	95	23.9
400-499	149	39	26.2	60	12	20.0	209	51	24.4
500+	227	55	24.2	48	7	14.6	275	62	22.5
Unavailable				1	1		1	1	
Teaching Intensity									
Low	785	184	23.4	3,614	502	13.9	4,399	686	15.6
Medium	408	113	27.7	307	66	21.5	715	179	25.0
High	230	49	21.3	63	18	28.6	293	67	22.9
Unavailable				2	2		2	2	
Location									
Rural	286	70	24.5	2,239	295	13.2	2,525	365	14.5
Urban	1,137	276	24.3	1,747	293	16.8	2,884	569	19.7

---

[1] Hospitals with average stay less than 30 days.

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1990 LOS sample is compared to the universe of hospitals in 1989.

Appendix A: Table 2

HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx [1]	% [2]
All Hospitals	346	100.0	187,461	100.0
Control				
Public	46	13.3	22,453	12.0
Private	294	85.0	162,877	86.9
Unavailable	6	1.7	2,131	1.1
Bedsize				
< 100 Beds	37	10.7	6,031	3.2
100-199	82	23.7	31,930	17.0
200-299	76	22.0	34,823	18.6
300-399	57	16.5	39,541	21.1
400-499	39	11.3	28,821	15.4
500+	55	15.9	46,315	24.7
Teaching Intensity				
Low	184	53.2	78,560	41.9
Medium	113	32.7	75,030	40.0
High	49	14.2	33,871	18.1
Location				
Rural	70	20.2	23,686	12.6
Urban	276	79.8	163,775	87.4

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Appendix A: Table 3

HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx[1]	%[2]
All Hospitals	588	100.0	54,023	100.0
Control				
Public	144	24.5	8,552	15.8
Private	440	74.8	43,188	79.9
Unavailable	4	.7	2,283	4.2
Bedsize				
< 100 Beds	349	59.4	13,344	24.7
100-199	121	20.6	14,430	26.7
200-299	60	10.2	10,098	18.7
300-399	38	6.5	6,817	12.6
400-499	12	2.0	4,990	9.2
500+	7	1.2	2,647	4.9
Unavailable	1	.2	1,697	3.1
Teaching Intensity				
Low	502	85.4	36,544	67.6
Medium	66	11.2	11,333	21.0
High	18	3.1	4,445	8.2
Unavailable	2	0.3	1,701	3.1
Location				
Rural	295	50.2	11,831	21.9
Urban	293	49.8	42,192	78.1

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Hospitals With or Without a Psychiatric Unit or Beds

Nonfederal, short-term general hospitals that reported a psychiatric unit or beds are included in the hospitals with psychiatric unit/beds category.[1] Nonfederal, short-term general hospitals that did not indicate having a psychiatric unit or beds are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories can, however, offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, long-term psychiatric hospitalization, or partial hospitalization.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1989 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[2] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by American College of Surgeons (CANC)
- Residency approved by Accreditation Council for Graduate Medical Education (ACGME)
- Medical School Affiliation reported by American Medical Association (MSA)
- Hospital-controlled ~~professional~~ nursing school, reported by National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

The following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

Control: Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment not-for-profit and investor-owned (for-profit) facilities.

---

[1] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[2] Phillip, P.,J., and Hai, Abdul, An Index of Programs for Hospitals, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

APPENDIX D

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes	**2**
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25
293.82	Organic hallucinosis syndrome	25
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
296.9	Other and unspecified affective psychoses	50
296.90	Unspecified affective psychosis	50
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.1	Paranoia	51
297.2	Paraphrenia	52
297.3	Shared paranoid disorder	53
297.8	Other specified paranoid states	54
297.9	Unspecified paranoid state	55
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	56
298.1	Excitative type psychosis	57
298.2	Reactive confusion	58
298.3	Acute paranoid reaction	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 Current or active	
	1 Residual state	
299.0_	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified childhood psychosis	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other anxiety states	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.7	Hypochondriasis	71
300.8	Other neurotic disorders	72
300.81	Somatization disorder	72

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
300.89	Other neurotic disorders	72
300.9	Unspecified neurotic disorder	73
301	**Personality disorders**	
301.0	Paranoid personality disorder	74
301.1	Affective personality disorder	75
301.10	Affective personality disorder, unspecified	75
301.11	Chronic hypomanic personality disorder	75
301.12	Chronic depressive personality disorder	75
301.13	Cyclothymic disorder	75
301.2	Schizoid personality disorder	76
301.20	Schizoid personality disorder, unspecified	76
301.21	Introverted personality	76
301.22	Schizotypal personality	76
301.3	Explosive personality disorder	77
301.4	Compulsive personality disorder	78
301.5	Histrionic personality disorder	79
301.50	Histrionic personality disorder, unspecified	79
301.51	Chronic factitious illness with physical symptoms	79
301.59	Other histrionic personality disorder	79
301.6	Dependent personality disorder	80
301.7	Antisocial personality disorder	81
301.8	Other personality disorders	82
301.81	Narcissistic personality	82
301.82	Avoidant personality	82
301.83	Borderline personality	82
301.84	Passive-aggressive personality	82
301.89	Other personality disorders	82
301.9	Unspecified personality disorder	83
302	**Sexual deviations and disorders**	
302.2	Pedophilia	84
302.4	Exhibitionism	85
302.5	Trans-sexualism	86
302.50	Trans-sexualism with unspecified sexual history	86
302.51	Trans-sexualism with asexual history	86
302.52	Trans-sexualism with homosexual history	86
302.53	Trans-sexualism with heterosexual history	86
302.6	Disorders of psychosexual identity	87
302.7	Psychosexual dysfunction	88
302.70	Psychosexual dysfunction, unspecified	88
302.71	Psychosexual dysfunction with inhibited sexual desire	88
302.72	Psychosexual dysfunction with inhibited sexual excitement	88
302.73	Psychosexual dysfunction with inhibited female orgasm	88
302.74	Psychosexual dysfunction with inhibited male orgasm	88
302.75	Psychosexual dysfunction with premature ejaculation	88
302.76	Psychosexual dysfunction with functional dyspareunia	88
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	88
302.8	Other specified psychosexual disorders	89
302.81	Fetishism	89
302.82	Voyeurism	89
302.83	Sexual masochism	89
302.84	Sexual sadism	89
302.85	Gender identity disorder of adolescent or adult life	89

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
302.89	Other specified psychosexual disorders	89
302.9	Unspecified psychosexual disorder	90
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
303.0	Acute alcoholic intoxication	91
303.9	Other and unspecified alcohol dependence	92
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
304.0	Opioid type dependence	93
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	94
304.2	Cocaine dependence	95
304.3	Cannabis dependence	96
304.4	Amphetamine and other psychostimulant dependence	97
304.5	Hallucinogen dependence	98
304.6	Other specified drug dependence	99
304.7	Combinations of opioid type drug with any other drug dependence	100
304.8	Combinations of drug dependence excluding opioid type drug	101
304.9	Unspecified drug dependence	102
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	
305.0	Alcohol abuse	103
305.1	Tobacco use disorder	104
305.2	Cannabis abuse	105
305.3	Hallucinogen abuse	106
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	107
305.5	Opioid abuse	108
305.6	Cocaine abuse	109
305.7	Amphetamine or related acting sympathomimetic abuse	110
305.8	Antidepressant type abuse	111
305.9	Other, mixed, or unspecified drug abuse	112
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	113
306.1	Respiratory malfunction arising from mental factors	114
306.2	Cardiovascular malfunction arising from mental factors	115
306.4	Gastrointestinal malfunction arising from mental factors	116
306.5	Genitourinary malfunction arising from mental factors	117
306.50	Psychogenic genitourinary malfunction, unspecified	117
306.51	Psychogenic vaginismus	117

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
306.52	Psychogenic dysmenorrhea	117
306.53	Psychogenic dysuria	117
306.59	Other genitourinary malfunction arising from mental factors	117
306.6	Endocrine disorder arising from mental factors	118
306.8	Other specified psychophysiological malfunction	119
306.9	Unspecified psychophysiological malfunction	120
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	121
307.1	Anorexia nervosa	122
307.2	Tics	123
307.20	Tic disorder, unspecified	123
307.21	Transient tic disorder of childhood	123
307.22	Chronic motor tic disorder	123
307.23	Gilles de la Tourette's disorder	123
307.4	Specific disorders of sleep of nonorganic origin	124
307.40	Nonorganic sleep disorder, unspecified	124
307.41	Transient disorder of initiating or maintaining sleep	124
307.42	Persistent disorder of initiating or maintaining sleep	124
307.43	Transient disorder of initiating or maintaining wakefulness	124
307.44	Persistent disorder of initiating or maintaining wakefulness	124
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	124
307.46	Somnambulism or night terrors	124
307.47	Other dysfunctions of sleep stages or arousal from sleep	124
307.48	Repetitive intrusions of sleep	124
307.49	Other specific disorders of sleep of nonorganic origin	124
307.5	Other and unspecified disorders of eating	125
307.50	Eating disorder, unspecified	125
307.51	Bulimia	125
307.52	Pica	125
307.53	Psychogenic rumination	125
307.54	Psychogenic vomiting	125
307.59	Other disorders of eating	125
307.6	Enuresis	126
307.7	Encopresis	127
307.8	Psychalgia	128
307.80	Psychogenic pain, site unspecified	128
307.81	Tension headache	128
307.89	Other psychalgia	128
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	129
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	130
308.1	Predominant disturbance of consciousness	131
308.2	Predominant psychomotor disturbance	132
308.3	Other acute reactions to stress	133
308.4	Mixed disorders as reaction to stress	134
308.9	Unspecified acute reaction to stress	135
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	136
309.1	Adjustment reaction with prolonged depressive reaction	137
309.2	Adjustment reaction with predominant disturbance of other emotions	138
309.21	Separation anxiety disorder	138

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
309.22	Emancipation disorder of adolescence and early adult life	138
309.23	Specific academic or work inhibition	138
309.24	Adjustment reaction with anxious mood	138
309.28	Adjustment reaction with mixed emotional features	138
309.29	Other adjustment reactions with predominant disturbance of other emotions	138
309.3	Adjustment reaction with predominant disturbance of conduct	139
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	140
309.8	Other specified adjustment reactions	141
309.81	Prolonged posttraumatic stress disorder	141
309.82	Adjustment reaction with physical symptoms	141
309.83	Adjustment reaction with withdrawal	141
309.89	Other specified adjustment reactions	141
309.9	Unspecified adjustment reaction	142
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	143
310.1	Organic personality syndrome	144
310.2	Postconcussion syndrome	145
310.8	Other specified nonpsychotic mental disorders following organic brain damage	146
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	147
311	**Depressive disorder, not elsewhere classified**	**148**
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	149
312.1	Undersocialized conduct disorder, unaggressive type	150
312.2	Socialized conduct disorder	151
312.3	Disorders of impulse control, not elsewhere classified	152
312.30	Impulse control disorder, unspecified	152
312.31	Pathological gambling	152
312.32	Kleptomania	152
312.33	Pyromania	152
312.34	Intermittent explosive disorder	152
312.35	Isolated explosive disorder	152
312.39	Other disorders of impulse control	152
312.4	Mixed disturbance of conduct and emotions	153
312.8	Other specified disturbances of conduct, not elsewhere classified	154
312.9	Unspecified disturbance of conduct	155
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	156
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	157
313.21	Shyness disorder of childhood	157
313.22	Introverted disorder of childhood	157
313.23	Elective mutism specific to childhood and adolescence	157
313.8	Other or mixed emotional disturbances of childhood or adolescence	158
313.81	Oppositional disorder of childhood or adolescence	158
313.82	Identity disorder of childhood or adolescence	158

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
313.83	Academic underachievement disorder of childhood or adolescence	158
313.89	Other emotional disturbances of childhood or adolescence	158
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	159
314.00	Attention deficit disorder of childhood without mention of hyperactivity	159
314.01	Attention deficit disorder of childhood with hyperactivity	159
314.1	Hyperkinesis of childhood with developmental delay	160
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	161
314.9	Unspecified hyperkinetic syndrome of childhood	162

APPENDIX E

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	158
Acute alcoholic intoxication	303.0	91
Acute delirium	293.0	23
Acute paranoid reaction	298.3	59
Acute reaction to stress	308.0 - 308.9	130-135
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0 - 309.9	136-142
Adjustment reaction with anxious mood	309.24	138
Adjustment reaction with brief depressive reaction	309.0	136
Adjustment reaction with mixed emotional features	309.28	138
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	140
Adjustment reaction with physical symptoms	309.82	141
Adjustment reaction with predominant disturbance of other emotions	309.2	138
Adjustment reaction with predominant disturbance of conduct	309.3	139
Adjustment reaction with prolonged depressive reaction	309.1	137
Adjustment reaction with withdrawal	309.83	141
Affective personality disorder	301.1	75
Affective personality disorder, unspecified	301.10	75
Affective psychoses	296.0 - 296.9	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	103
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0 - 303.9	91-92
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0 - 291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	97
Amphetamine or related acting sympathomimetic abuse	305.7	110
Anorexia nervosa	307.1	122
Antidepressant type abuse	305.8	111
Antisocial personality disorder	301.7	81
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	159
Attention deficit disorder of childhood without mention of hyperactivity	314.00	159
Attention deficit disorder of childhood with hyperactivity	314.01	159
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	82
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	94
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	107
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	82
Bulimia	307.51	125
Cannabis abuse	305.2	105
Cannabis dependence	304.3	96
Cardiovascular malfunction arising from mental factors	306.2	115
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	75
Chronic factitious illness with physical symptoms	301.51	79
Chronic hypomanic personality disorder	301.11	75
Chronic motor tic disorder	307.22	123
Cocaine abuse	305.6	109
Cocaine dependence	304.2	95
Combinations of drug dependence excluding opioid type drug	304.8	101
Combinations of opioid type drug with any other drug dependence	304.7	100
Compulsive personality disorder	301.4	78
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	75
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	80
Depressive disorder, not elsewhere classified	311	148
Depressive type psychosis	298.0	56
Disorders of impulse control, not elsewhere classified	312.3	152
Disorders of psychosexual identity	302.6	87
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0 - 312.9	149-155
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0 - 313.8	156-158
Drug dependence	304.0 - 304.9	93-102
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
2 Episodic		
3 In remission		
Drug psychoses	292.0 - 292.9	18-22
Drug withdrawal syndrome -	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	125
Elective mutism specific to childhood and adolescence	313.23	157
Emancipation disorder of adolescence and early adult life	309.22	138
Encopresis	307.7	127
Endocrine disorder arising from mental factors	306.6	118
Enuresis	307.6	126
Excitative type psychosis	298.1	57
Exhibitionism	302.4	85
Explosive personality disorder	301.3	77
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	89
Frontal lobe syndrome	310.0	143
Gastrointestinal malfunction arising from mental factors	306.4	116
Gender identity disorder of adolescent or adult life	302.85	89
Generalized anxiety disorder	300.02	65
Genitourinary malfunction arising from mental factors	306.5	117
Gilles de la Tourette's disorder	307.23	123
Hallucinogen abuse	305.3	106
Hallucinogen dependence	304.5	98
Histrionic personality disorder	301.5	79
Histrionic personality disorder, unspecified	301.50	79
Hyperkinesis of childhood with developmental delay	314.1	160
Hyperkinetic syndrome of childhood	314.0 - 314.9	159-162
Hypochondriasis	300.7	71
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder of childhood or adolescence	313.82	158
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	152
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	152
Introverted disorder of childhood	313.22	157
Introverted personality	301.21	76
Isolated explosive disorder	312.35	152
Kleptomania	312.32	152
Latent schizophrenia	295.5	36

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Mixed disorders as reaction to stress	308.4	134
Mixed disturbance of conduct and emotions	312.4	153
Multiple personality	300.14	66
Musculoskeletal malfunction arising from mental factors	306.0	113
Narcissistic personality	301.81	82
Neurasthenia	300.5	70
Neurotic depression	300.4	69
Neurotic disorders	300.0 - 300.9	65-73
Nondependent abuse of drugs	305.0 - 305.9	103-112
Fifth-digit subclassification for use with 305:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	124
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	108
Opioid type dependence	304.0	93
Oppositional disorder of childhood or adolescence	313.81	158
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	144
Other acute reactions to stress	308.3	133
Other adjustment reactions with predominant disturbance of other emotions	309.29	138
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	92
Other and unspecified disorders of eating	307.5	125
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	129
Other anxiety states	300.09	65
Other disorders of eating	307.59	125
Other disorders of impulse control	312.39	152
Other dysfunctions of sleep stages or arousal from sleep	307.47	124
Other emotional disturbances of childhood or adolescence	313.89	158
Other genitourinary malfunction arising from mental factors	306.59	117
Other histrionic personality disorder	301.59	79
Other isolated or simple phobias	300.29	67
Other manic-depressive psychosis	296.89	49
Other neurotic disorders	300.8	72
Other neurotic disorders	300.89	72
Other nonorganic psychoses	298.0 - 298.9	56-60
Other or mixed emotional disturbances of childhood or adolescence	313.8	158

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Other organic psychotic conditions (chronic)	294.0 - 294.9	27-30
Other personality disorders	301.8	82
Other personality disorders	301.89	82
Other psychalgia	307.89	128
Other specific disorders of sleep of nonorganic origin	307.49	124
Other specified adjustment reactions	309.8	141
Other specified adjustment reactions	309.89	141
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	154
Other specified drug dependence	304.6	99
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	161
Other specified nonpsychotic mental disorders following organic brain damage	310.8	146
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	54
Other specified psychophysiological malfunction	306.8	119
Other specified psychosexual disorders	302.8	89
Other specified psychosexual disorders	302.89	89
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	112
Overanxious disorder specific to childhood and adolescence	313.0	156
Panic disorder	300.01	65
Paranoia	297.1	51
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	74
Paranoid states	297.1 - 297.9	51-55
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	52
Passive-aggressive personality	301.84	82
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	152
Pedophilia	302.2	84
Persistent disorder of initiating or maintaining sleep	307.42	124
Persistent disorder of initiating or maintaining wakefulness	307.44	124
Personality disorders	301.0 - 301.9	74-83
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	124
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Physiological malfunction arising from mental factors	306.0 - 306.9	113-120
Pica	307.52	125
Postconcussion syndrome	310.2	145
Predominant disturbance of consciousness	308.1	131
Predominant disturbance of emotions	308.0	130
Predominant psychomotor disturbance	308.2	132
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	141
Psychalgia	307.8	128
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	117
Psychogenic dysuria	306.53	117
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	117
Psychogenic pain, site unspecified	307.80	128
Psychogenic rumination	307.53	125
Psychogenic vaginismus	306.51	117
Psychogenic vomiting	307.54	125
Psychoses with origin specific to childhood	299.0 - 299.9	62-64
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	88
Psychosexual dysfunction with inhibited sexual desire	302.71	88
Psychosexual dysfunction with inhibited sexual excitement	302.72	88
Psychosexual dysfunction with inhibited female orgasm	302.73	88
Psychosexual dysfunction with inhibited male orgasm	302.74	88
Psychosexual dysfunction with premature ejaculation	302.75	88
Psychosexual dysfunction with functional dyspareunia	302.76	88
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	88
Psychosexual dysfunction, unspecified	302.70	88
Pyromania	312.33	152
Reactive confusion	298.2	58
Repetitive intrusions of sleep	307.48	124
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	114
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	76
Schizoid personality disorder, unspecified	301.20	76
Schizophrenic disorders	295.0 - 295.9	31-40
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	76
Senile and presenile organic psychotic conditions	290.0 - 290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	157
Separation anxiety disorder	309.21	138

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Sexual deviations and disorders	302.2 - 302.9	84-90
Sexual masochism	302.83	89
Sexual sadism	302.84	89
Shared paranoid disorder	297.3	53
Shyness disorder of childhood	313.21	157
Simple type schizophrenia	295.0	31
Social phobia	300.23	67
Socialized conduct disorder	312.2	151
Somatization disorder	300.81	72
Somnambulism or night terrors	307.46	124
Special symptoms or syndromes, not elsewhere classified	307.0 - 307.9	121-129
Specific academic or work inhibition	309.23	138
Specific disorders of sleep of nonorganic origin	307.4	124
Specific nonpsychotic mental disorders due to organic brain damage	310.0 - 310.9	143-147
Stammering and stuttering	307.0	121
Subacute delirium	293.1	24
Tension headache	307.81	128
Tic disorder, unspecified	307.20	123
Tics	307.2	123
Tobacco use disorder	305.1	104
Trans-sexualism	302.5	86
Trans-sexualism with asexual history	302.51	86
Trans-sexualism with heterosexual history	302.53	86
Trans-sexualism with homosexual history	302.52	86
Trans-sexualism with unspecified sexual history	302.50	86
Transient disorder of initiating or maintaining sleep	307.41	124
Transient disorder of initiating or maintaining wakefulness	307.43	124
Transient organic psychotic conditions	293.0 - 293.9	23-26
Transient tic disorder of childhood	307.21	123
Undersocialized conduct disorder, aggressive type	312.0	149
Undersocialized conduct disorder, unaggressive type	312.1	150
Unspecified acute reaction to stress	308.9	135
Unspecified adjustment reaction	309.9	142
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	64
Unspecified disturbance of conduct	312.9	155
Unspecified drug dependence	304.9	102
Unspecified drug-induced mental disorder	292.9	22
Unspecified hyperkinetic syndrome of childhood	314.9	162
Unspecified neurotic disorder	300.9	73
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	147
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	55
Unspecified personality disorder	301.9	83
Unspecified psychophysiological malfunction	306.9	120
Unspecified psychosexual disorder	302.9	90
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Voyeurism	302.82	89

APPENDIX F

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[1] It was developed in response to a need expressed by medical records administrators for a standardized means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal Agencies). This crosswalk has been specifically developed to facilitate such coding and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association and is available through the APA Office of Research.

INSTRUCTIONS FOR USING THE CROSSWALK

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances, discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content" and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*; *ICD-9-CM* is the more inclusive system. However, since one of its primary purposes is to serve as a complete list of medical terms to assist in the coding of medical records, there are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not in *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote One (following the Crosswalk) for general notes about the crosswalk.

---

[1] American Psychiatric Association: *Diagnostic and Statistical Manual of Mental Disorders, Third Edition, Revised*. Washington, D.C., 1987.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

    a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

    b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

    c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

    d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

    e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

    f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

    g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor **or** verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.